

8. REFERENCES

- [1] A. Zanella, N. Bui, A. Castellani, L. Vangelista and M. Zorzi, "Internet of Things for Smart Cities" *IEEE Internet of Things Journal*, vol. 1, no. 1, pp. 22-32, Feb. 2014.
- [2] World Health Assembly, 69, "Health and the environment: draft road map for an enhanced global response to the adverse health effects of air pollution - report by the Secretariat," World Health Organization, 2016. Accessed: 19 May 2021. [online] Available: <https://apps.who.int/iris/handle/10665/252673>
- [3] S. Gulia, I. Khanna, K. Shukla and M. Khare, "Ambient air pollutant monitoring and analysis protocol for low and middle-income countries: An element of comprehensive urban air quality management framework", *Atmospheric Environment*, vol. 222, pp. 1-25, 2020.
- [4] Lancet Planet Health, "The impact of air pollution on deaths, disease burden, and life expectancy across the states of India: The Global Burden of Disease Study", 2017. Accessed: 19 May 2021. [Online]. Available: [http://dx.doi.org/10.1016/S2542-5196\(18\)30261-4](http://dx.doi.org/10.1016/S2542-5196(18)30261-4)
- [5] World Health Organization, "Air quality guidelines for particulate matter, ozone, nitrogen dioxide, and sulfur dioxide: Global update 2005", 2005. Accessed: 19 may 2021. [Online] Available:http://whqlibdoc.who.int/hq/2006/WHO_SDE_PHE_OEH_06.02_eng.pdf
- [6] R. Hu, X. XY, SK. Xu, Y. Wang, M. Jiang, L. R. Wen, W. Lai, and L. Guan, "PM2.5 exposure elicits oxidative stress responses and mitochondrial apoptosis pathway activation in HaCaT keratinocytes," *Chin Med J*, vol. 130, pp. 2205–2214, 2017.
- [7] M. Piao., H. YJ., K. Shilnikova and J. JW, "Particular matter 2.5 damages skin cells by inducing oxidative stress subcellular organelle dysfunction and apoptosis," *Arch. Toxicol*, vol. 92, pp. 2077–2091, 2018.
- [8] L. Atzori, A. Iera and G. Morabito, "The internet of things: A survey" *Computer Networks*, vol. 54, no.15, pp. 2787-2805, 2010.
- [9] D. W. Dockery, C. A. Pope, X. Xu, J. D. Spengler, J. H. Ware, M. E. Fay, B. G. Ferris and F E Speizer, "An association between air pollution and mortality in six US cities" *New England journal of medicine*, vol. 329, no. 24, pp. 1753-1759, 1993.
- [10] C. A. Pope III and D. W. Dockery, "Health effects of fine particulate air pollution: lines that connect," *Journal of the air & waste management*, vol. 56, no. 6, pp. 709-742, 2006.
- [11] N. Künzli, et al., "Public-health impact of outdoor and traffic-related air pollution: a European assessment" *Lancet*, vol. 356, no. 9232, pp. 795-801, 2000.
- [12] Y-C. Chang, H-Y Lee, J-L Huang, C-H Chiu, C-L Chen and C-T Wu, "Risk Factors and Outcome Analysis in Children with Carbon Monoxide Poisoning," *Pediatrics & Neonatology*, Vol. 58, no. 2, pp. 171 – 177, 2017.
- [13] A. Sikary, S. Dixit and O. P. Murty, "Fatal carbon monoxide poisoning: A lesson from a retrospective study at All India Institute of Medical Sciences, New Delhi," *Journal of Family Medicine and Primary Care*, vol. 6, no. 4, pp. 791-794, 2017.

- [14] D. Schwela, "Air pollution and health in urban areas," *Rev Environ Health*, vol. 15, no. 1-2, pp. 13-42, 2000.
- [15] J. G. Speight, "Sources and Types of Organic Pollutants," in *Environmental Organic Chemistry for Engineers*, Butterworth-Heinemann, 2017, pp. 153-201.
- [16] L. Morawska, P. Thai, X. Liu, A. A. Sakyia, G. Ayoko, A. Bartonova, A. Bedini, F. Chai, B. Christensen, and M. Dunbabin, "Applications of low-cost sensing technologies for air quality monitoring and exposure assessment: how far have they gone?" *Environ. International*, Vol. 116, pp. 286-299, 2018.
- [17] A. J. Cohen, M. Brauer, R. Burnett, H. R. Anderson, J. Frostad, K. Estep, K. Balakrishnan, B. Brunekreef, L. Dandona, and R. Dandona, "Estimates and 25-year trends of the global burden of disease attributable to ambient air pollution: an analysis of data from the Global Burden of Diseases Study 2015," *Lancet*, vol. 389, no. 10082, pp. 1907–1918, 2017.
- [18] D. Palma, J. E. Agudo, H. Sancez, and M. M. Macias, "An Internet of Things Example: Classrooms Access Control over Near Field Communication," *Sensors*, vol. 14, no. 4, pp. 6998-7012, 2014.
- [19] Gartner, "Gartner says 4.9 billion connected things will be in use in 2015," Gartner Inc. accessed: 19 May 2021, [Online]. Available: <http://www.gartner.com/newsroom/id/2905717>.
- [20] T. Qiu, N. Chen, K. Li, M. Atiquzzaman and W. Zhao, "How Can Heterogeneous Internet of Things Build Our Future: A Survey," in *IEEE Communications Surveys & Tutorials*, vol. 20, no. 3, pp. 2011-2027, 2018.
- [21] L. Atzori, A. Iera and G. Morabito, "The internet of things: A survey," *Computer Networks*, vol. 54, no. 15, pp. 2787-2805, 2010.
- [22] X. Li, L. Peng, Y. Hu, J. Shao and T. Chi, "Deep learning architecture for air quality predictions," *Environ Sci Pollut Res* 23, pp. 22408–22417, 2016. <https://doi.org/10.1007/s11356-016-7812-9>.
- [23] P. Esling and C. Agon, "Time Series Data Mining," *ACM Journal of Computing Surveys*, vol. 45, no. 1, pp. 12:1-12:34, 2012.
- [24] S. -T. Li, S. -W. Chou and J. -J. Pan, "Multi-resolution Spatio-temporal data mining for the study of air pollutant regionalization," in *Proceedings of the 33rd Annual Hawaii International Conference on System Sciences*, Maui, HI, USA, 2000, pp. 7.
- [25] Reisinger, G. Fraser, P. Johnston, R. McKenzie, and W.A. Matthews, "Slow-scanning DOAS system for urban air pollution monitoring," in *Proceedings of the XVIII Quadrennial Ozone Symposium*, 1996, pp. 12-21.
- [26] M. Richards, M. Ghanem, M. Osmond, Y. Guo and J. Hassard, "Grid-based analysis of air pollution data" *ecological modeling*, vol. 194, no. 1-3, pp. 274–286, 2006.
- [27] CPCB, 2019. National Air Quality Monitoring Programme. Accessed: 12 December, 2019 [online] Available: <https://cpcb.nic.in/about-namp/>.
- [28] Q. Abu Al-Haija, H. Al-Qadeeb and A. Al-Lwaimi, "Case Study: Monitoring of AIR quality in King Faisal University using a microcontroller and WSN," *Procedia Computer Science*, vol. 21, pp. 517-521, 2013.

- [29] N. Kularatna and B. H. Sudantha, "An Environmental Air Pollution Monitoring System Based on the IEEE 1451 Standard for Low-Cost Requirements," *IEEE Sensors Journal*, vol. 8, no. 4, pp. 415-422, April 2008
- [30] F. Tsow *et al.*, "A Wearable and Wireless Sensor System for Real-Time Monitoring of Toxic Environmental Volatile Organic Compounds," *IEEE Sensors Journal*, vol. 9, no. 12, pp. 1734-1740, Dec. 2009, DOI: 10.1109/JSEN.2009.2030747.
- [31] W-Y Chung and S-J Oh, "Remote monitoring system with wireless sensors module for room environment," *Sensors and Actuators B: Chemical*, vol. 113, no. 1, pp. 64-70, 2006.
- [32] S. Choi, N. Kim, H. Cha, and R. Ha, "Micro Sensor Node for Air Pollutant Monitoring: Hardware and Software Issues," *Sensors*, vol. 9, no. 10, pp. 7970–7987, Oct. 2009.
- [33] P. Doraiswamy, W. T. Davis, T. L. Miller, N. Lam, and P. Bubbosh, "Air Quality Measurements inside Diesel Truck Cabs during Long-Term Idling," *Transportation Research Record*, vol. 1987, no. 1, pp. 82-91, 2006.
- [34] K. Aberer, S. Sathe, D. Chakraborty, A. Martinoli, G. Barrenetxea, B. Faltings, and L. Thiele, "OpenSense: open community-driven sensing of environment," in *Proceedings of the ACM SIGSPATIAL International Workshop on GeoStreaming (IWGS '10)*, Mohamed Ali, Erik Hoel, and Cyrus Shahabi (Eds.). ACM, New York, NY, USA, 2010, pp. 39-42. DOI=<http://doi.acm.org/10.1145/1878500.1878509>.
- [35] S. Kim and E. Paulos, "InAir: measuring and visualizing indoor air quality," in *Proceedings of the 11th international conference on Ubiquitous computing (UbiComp '09)*, Association for Computing Machinery, New York, NY, USA, 2009, pp. 81–84. DOI=<https://doi.org/10.1145/1620545.1620557>.
- [36] O. A. Postolache, J. M. Dias Pereira and P. M. B. Silva Girao, "Smart Sensors Network for Air Quality Monitoring Applications," in *IEEE Transactions on Instrumentation and Measurement*, vol. 58, no. 9, pp. 3253-3262, Sept. 2009.
- [37] M. Budde, M. Berning, M. Busse, T. Miyaki, and M. Beigl, "The TECO Envboard: A mobile sensor platform for accurate urban sensing — And more," in *proceedings of 2012 Ninth International Conference on Networked Sensing (INSS)*, 2012, pp.1-2.
- [38] Y. J. Jung, Y. K. Lee, D. G. Lee, K. H. Ryu and S. Nittel, "Air Pollution Monitoring System based on Geosensor Network," in *Proceedings of IGARSS 2008 - 2008 IEEE International Geoscience and Remote Sensing Symposium*, Boston, MA, USA, 2008, pp. III-1370 - III-1373, DOI: 10.1109/IGARSS.2008.4779615.
- [39] G. Manes, G. Collodi, R. Fusco, L. Gelpi and A. Manes, "A Wireless Sensor Network for Precise Volatile Organic Compound Monitoring," *International Journal of Distributed Sensor Networks*, vol. 2012, pp. 820716:1-13, 2012.
- [40] Patrick Triest, "Tracking Air Pollution in Delhi", Atlan, 2014. Accessed: 19 Feb. 2020, [Online]. Available: <https://blog.socialcops.com/engineering/tracking-air-pollution-in-delhi>, Accessed: 12 December 2019.
- [41] R. Honicky, E. A. Brewer, E. Paulos and R. White, "N-smarts: networked suite of mobile atmospheric real-time sensors," in *Proceedings of the second ACM SIGCOMM workshop on Networked systems for developing regions (NSDR '08)*, ACM, New York, NY, USA, 2008, pp. 25-30.

- [42] S. V. Girish, R. Prakash and G. Balaji, "A. Real-Time Remote Monitoring of Indoor Air Quality Using Internet of Things (IoT) and GSM Connectivity," in *Artificial Intelligence and Evolutionary Computations in Engineering Systems*; Dash, S.S., Bhaskar, M.A., Panigrahi, B.K., Das, S., Eds., New Delhi, India, 2016; pp. 527–533, Springer India.
- [43] S. Devarakonda, P. Sevusu, H. Liu, R. Liu, L. Iftode and Badrinath, "Real-time Air Quality Monitoring Through Mobile Sensing in Metropolitan Areas", in *proceedings of the 2nd ACM SIGKDD International Workshop on Urban Computing*, 2013, pp. 1-8.
- [44] A. R. Al-Ali, I. Zualkernan and F. Aloul, "A Mobile GPRS-Sensors Array for Air Pollution Monitoring," *IEEE Sensors Journal*, vol. 10, no. 10, pp. 1666-1671, Oct. 2010.
- [45] L. Zhao, W. Wu and S. Li, "Design and Implementation of an IoT-Based Indoor Air Quality Detector With Multiple Communication Interfaces," in *IEEE Internet of Things Journal*, vol. 6, no. 6, pp. 9621-9632, Dec. 2019.
- [46] P. Dutta, P. M. Aoki, N. Kumar, A. Mainwaring, C. Myers, W. Willett and A. Woodruff, "Common Sense: participatory urban sensing using a network of handheld air quality monitors," in *Proceedings of the 7th ACM Conference on Embedded Networked Sensor Systems (SenSys '09)*, Association for Computing Machinery, New York, NY, USA, 2009, pp. 349–350. DOI:<https://doi.org/10.1145/1644038.1644095>.
- [47] A. Joki, J. Burke and D. Estrin, "Campaignr-a framework for participatory data collection on mobile phones," *UCLA: Center for Embedded Network Sensing*. [Online] Available: <https://escholarship.org/uc/item/8v01m8wj>.
- [48] J. Kim, C. Chu and S. Shin, "ISSAQ: An Integrated Sensing Systems for Real-Time Indoor Air Quality Monitoring," in *IEEE Sensors Journal*, vol. 14, no. 12, pp. 4230-4244, Dec. 2014.
- [49] W. Jiao et al., "Community Air Sensor Network (CAIRSENSE) project: evaluation of low-cost sensor performance in a suburban environment in the southeastern United States," *Atmos. Meas. Tech.*, vol. 9, pp. 5281–5292, 2016.
- [50] N. Castell et al., "Can commercial low-cost sensor platforms contribute to air quality monitoring and exposure estimates?," *Environment International*, vol. 99, pp. 293-302, 2017.
- [51] M. Gao, F. Zhang and J. Tian, "Environmental Monitoring System with Wireless Mesh Network Based on Embedded System," in *proceedings of 2008 Fifth IEEE International Symposium on Embedded Computing*, Beijing, China, 2008, pp. 174-179, doi: 10.1109/SEC.2008.28.
- [52] F. Salamone, L. Belussi, L. Danza, T. Galanos, M. Ghellere and I. Meroni, "Design and Development of a Wearable Wireless System to Control Indoor Air Quality and Indoor Lighting Quality," *Sensors*, vol. 17, no. 5, p. 1021, May 2017.
- [53] M. Benammar, A. Abdaoui, S. Ahmad, F. Touati and A. Kadri, "A Modular IoT Platform for Real-Time Indoor Air Quality Monitoring," *Sensors*, vol. 18, no. 2, p. 581, Feb. 2018.
- [54] A. Lambebo and S. Haghani, "A Wireless Sensor Network for Environmental Monitoring of Greenhouse Gases," in *Proceedings of the ASEE Zone I Conference*, Bridgeport, CT, USA, April 2014, pp. 3-5.

- [55] J. W. Kwon, Y. M. Park, S. J. Koo and H. Kim, "Design of air pollution monitoring system using ZigBee networks for ubiquitous-city," in *Proceedings of Int. Conf. Convergence Information Technology*, 2007, pp.1024–1031.
- [56] K. F. Tsang, H. R. Chi, L. Fu, L. Pan and H. F. Chan, "Energy-saving IAQ monitoring ZigBee network using VIKOR decision-making method," in *Proceedings of the 2016 IEEE International Conference on Industrial Technology (ICIT)*, Taipei, Taiwan, March 2016, pp. 14-17.
- [57] S. Abraham and L. Xinrong, "A Cost-Effective Wireless Sensor Network System for Indoor Air Quality Monitoring Applications," *Procedia Computer Science*, vol. 34, pp. 165-171, 2014.
- [58] A. Kumar and G. P. Hancke, "Energy efficient environment monitoring system based on the IEEE 802.15.4 standard for low cost requirements," *IEEE Sensors J.*, vol. 14, no. 8, pp. 2557-2566, 2014.
- [59] S. Ferdoush and X. Li, "Wireless Sensor Network System Design Using Raspberry Pi and Arduino for Environmental Monitoring Applications," *Procedia Computer Science*, vol. 34, pp. 103–110, 2014.
- [60] M. Bacco, F. Delmastro, E. Ferro and A. Gotta, "Environmental Monitoring for Smart Cities," *IEEE Sensors Journal*, vol. 17, no. 23, pp. 7767-7774, 2017.
- [61] D. K. Sharma, M. Rajput, S. A. Akbar and A. Kumar, "Development of embedded system for carbon nano tube (CNT) based Ammonia (NH₃) gas sensor", in *proceedings of Annual IEEE India Conference (INDICON)*, 2015, pp. 1-4.
- [62] A. Tiwari, S. Sadistap and S. K. Mahajan, "Development of Environment Monitoring System Using Internet of Things," *Ambient Communications and Computer Systems. AISC*, vol. 696, pp. 403-412, 2018.
- [63] G. Marques, I. M. Pires, N. Miranda and R. Pitarma, "Air Quality Monitoring Using Assistive Robots for Ambient Assisted Living and Enhanced Living Environments through Internet of Things," *Electronics*, vol. 8, no. 12, article. 1375, 2019.
- [64] M. Taştan and H. Gökozan, "Real-Time Monitoring of Indoor Air Quality with Internet of Things-Based E-Nose," *Applied Sciences*, vol. 9, no. 16, p. 3435, Aug. 2019.
- [65] H-D He, M. Li, W-I Wang, Z-Y Wang and Y. Xue, "Prediction of PM_{2.5} concentration based on the similarity in air quality monitoring network," *Building and Environment*, vol. 137, pp. 11-17, 2018.
- [66] N. A. Zakaria, Z. Zainal, N. Harum, L. Chen, N. Saleh and F. Azni, "Wireless Internet of Things-Based air quality device for smart pollution monitoring," *Int. J. Adv. Comput. Sci. Appl.*, vol. 9, no. 11, 2018.
- [67] S. Dhingra, R. B. Madda, A. H. Gandomi, R. Patan and M. Daneshmand, "Internet of Things Mobile–Air Pollution Monitoring System (IoT-Mobair)," *Internet of Things Journal*, vol. 6, no. 3, pp. 5577-5584, 2019.
- [68] J. Huang et al., "A Crowdsourcing-Based Sensing System for Monitoring Fine-Grained Air Quality in Urban Environments," *IEEE Internet of Things Journal*, vol. 6, no. 2, pp. 3240-3247, 2019.

- [69] S. Sun, X. Zheng, J. Villalba-Díez, J. Ordieres-Meré, "Indoor Air-Quality Data-Monitoring System: Long-Term Monitoring Benefits," *Sensors*, vol. 19, no. 19, article. 4157, 2019.
- [70] Hong-di He, Min Li, Wei-li Wang, Zhan-yong Wang, and Yu Xue, "Prediction of PM2.5 concentration based on the similarity in air quality monitoring network," *Building and Environment*, vol. 137, pp. 11-17, 2018.
- [71] Y. Zhang, Y. He, and J. Zhu, "Research on forecasting problem based on multiple linear regression model PM2.5," *J. Anhui Sci. Technol. Univ.*, vol. 30, no. 3, pp. 92-97, 2016.
- [72] J. Li and L. Wang, "The research of PM2.5 concentrations model based on regression calculation model," in *AIP Conference Proceedings*, vol. 1794, no. 1, 2017.
- [73] K. R. Baker and K. M. Foley, "A nonlinear regression model estimating single source concentrations of primary and secondarily formed PM2.5," *Atmos. Environ.*, vol. 45, no. 22, pp. 3758-3767, 2011.
- [74] G. Hoek, R. Beelen, K. Hoogh, D. Vienneau, J. Gulliver, P. Fischer and D. Briggs, "A review of land-use regression models to assess spatial variation of outdoor air pollution," *Atmos. Environ.*, vol. 42, pp. 7561-7578, 2008.
- [75] G. E. Box and D. A. Pierce, "Distribution of residual autocorrelations in autoregressive-integrated moving average time series models," *Journal of the American Statistical Association*, vol. 65, no. 332, pp. 1509-1526, 1970.
- [76] L. Y. Siew, L. Y. Chin, P. Mah and J. Wee, "Arima and integrated arfima models for forecasting air pollution index in shah alam , selangor," *Malaysian Journal of Analytical Science*, vol. 12, no. 1, pp. 257-263, 2008.
- [77] R. Nimesh, S. Arora, K. Mahajan and A. Gill, "Predicting air quality using ARIMA, ARFIMA and HW smoothing," *Model Assisted Statistics and Application*, vol. 9, no. 2, pp. 137-149, 2014.
- [78] J. Zhu, "Comparison of ARIMA model and exponential smoothing model on 2014 air quality index in yanqing county, Beijing, China," *Applied and Computational Mathematics*, vol. 4, no. 6, p. 456, 2015.
- [79] V. G. Kaburlasos, I. N. Athanasiadis and P. A. Mitkas, "Fuzzy lattice reasoning (FLR) classifier and its application for ambient ozone estimation," *International Journal of Approximate Reasoning*, vol. 45, no. 1, pp. 152-188, 2007.
- [80] S. Zhang, X. Li, Y. Li and J. Mei, "Prediction of Urban PM2.5 Concentration Based on Wavelet Neural Network", *2018 Chinese Control and Decision Conference (CCDC), Shenyang*, 2018, pp. 5514-5519.
- [81] Z. Wang and Z. Long, "PM2.5 prediction based on neural network," in *proceedings of 11th Int. Conf. Intell. Comput. Technol. Automat. (ICICTA)*, Changsha, China, 2018, pp. 44-47.
- [82] R. Chuentawat and Y. Kan-Ngan, "The comparison of PM2.5 forecasting methods in the form of multivariate and univariate time series based on support vector machine and genetic algorithm," in *proceedings of 15th Int. Conf. Electr. Eng./Electron., Comput., Telecommun. Inf. Technol. (ECTI-CON)*, Chiang Rai, Thailand, 2018, pp. 572-575.

- [83] U. A. Sahin, C. Bayat and O. N. Ucan, "Application of cellular neural network (CNN) to the prediction of missing air Pollutant data," *Journal of Atmospheric Research*, vol. 101, no. 1-2, pp. 314–326, 2011.
- [84] A. Chaloulakou, G. Grivas and N. Spyrellis, "Neural Network and Multiple Regression Models for PM₁₀ Prediction in Athens: A Comparative Assessment", *Journal of Air & Waste Management Association*, vol. 53, no. 10, pp. 1183-1190, 2012.
- [85] A. Azid, H. Juahir, T. M. Latif, M. S. Zain, and R. M. Osman, "Feed-Forward Artificial Neural Network Model for Air Pollutant Index Prediction in the Southern Region of Peninsular Malaysia," *Energy Journal of Environmental Protection*, vol. 7, no. 4, pp. 1–10, 2013.
- [86] S. T. Shruti, K. C. Khare and S. N. Londhe, "Forecasting Criteria Air Pollutants Using Data Driven Approaches: An Indian Case Study," *International Journal of Soft Computing*, vol. 8, no. 4, pp. 305-312, 2013.
- [87] G. Salman, Y. Heryadi, E. Abdurahman and W. Suparta, "Single layer & multi-layer long short-term memory (LSTM) model with intermediate variables for weather forecasting," *Procedia Comput. Sci.*, vol. 135, pp. 89-98, 2018.
- [88] Y. Tsai, Y. Zeng and Y. Chang, "Air pollution forecasting using RNN with LSTM," in *Proceedings of IEEE 16th Int. Conf. Dependable, Autonomic Secure Comput., 16th Int. Conf. Pervasive Intell. Com-put., 4th Int. Conf. Big Data Intell. Comput. Cyber Sci. Technol. Congr.*, Athens, Greece, 2018, pp. 1074-1079.
- [89] W. Kong, Z. Y. Dong, Y. Jia, D. J. Hill, Y. Xu and Y. Zhang, "Short-term residential load forecasting based on LSTM recurrent neural network," *IEEE Trans. Smart Grid*, vol. 10, no. 1, pp. 841-851, 2017.
- [90] J. Zhao, F. Deng, Y. Cai and J. Chen, "Long short-term memory - Fully connected (LSTM-FC) neural network for PM_{2.5} concentration prediction," *Chemosphere*, vol. 220, pp. 486-492, 2019.
- [91] X. Li, L. Peng, X. Yao, S. Cui, Y. Hu, C. You and T. Chi, "Long short-term memory neural network for air pollutant concentration predictions: method development and evaluation," *Environ. Pollut.*, vol. 231, no. 1, pp. 997–1004, December 2017.
- [92] P.-W. Soh, J. -W. Chang and J. -W. Huang, "Adaptive Deep Learning-Based Air Quality Prediction Model Using the Most Relevant Spatial-Temporal Relations," *IEEE Access*, vol. 6, pp. 38186-38199, 2018.
- [93] Z. Qi, T. Wang, G. Song, W. Hu, X. Li and Z. Zhang, "Deep Air Learning: Interpolation, Prediction, and Feature Analysis of Fine-Grained Air Quality," *IEEE Transactions on Knowledge and Data Engineering*, vol. 30, no. 12, pp. 2285-2297, 1 Dec. 2018.
- [94] Q. Tao, F. Liu, Y. Li, and D. Sidorov, "Air Pollution Forecasting Using a Deep Learning Model Based on 1D Convnets and Bidirectional GRU," *IEEE Access*, vol. 7, pp. 76690-76698, 2019.
- [95] S. Kim, J. M. Lee, J. Lee and J. Seo, "Deep-dust: Predicting concentrations of fine dust in Seoul using LSTM," *ArXiv*, vol. abs/1901.10106, 2019.
- [96] D. Qin, J. Yu, G. Zou, R. Yong, Q. Zhao and B. Zhang, "A Novel Combined Prediction Scheme Based on CNN and LSTM for Urban PM_{2.5} Concentration," *IEEE Access*, vol. 7, pp. 20050-20059, 2019.

- [97] R. O. Sinnott and Z. Guan, "Prediction of Air Pollution through Machine Learning Approaches on the Cloud," in *proceedings of 2018 IEEE/ACM 5th International Conference on Big Data Computing Applications and Technologies (BDCAT)*, 2018, pp. 51-60.
- [98] T. Xayasouk, H. Lee and G. Lee, "Air Pollution Prediction Using Long Short-Term Memory (LSTM) and Deep Autoencoder (DAE) Models," *Sustainability*, vol. 12, no. 6, pp. 2570, 2020.
- [99] S. Gul and G. M. Khan, "Forecasting Hazard Level of Air Pollutants Using LSTM's," in *Proceedings of IFIP International Conference on Artificial Intelligence Applications and Innovation, AIAI 2020, IFIP Advances in Information and Communication Technology*, vol. 584, 2020, pp. 143-153, Springer.
- [100] Y-S Chang, H-T Chiao, S. Abimannan, Y-P Huang, Y-T Tsai and K-M Lin, "An LSTM-based aggregated model for air pollution forecasting," *Atmospheric Pollution Research*, vol. 11, no. 8, pp. 1451-1463, 2020.
- [101] Ma, Z. Li, C. P. J. Cheng, Y. Ding, C. Lin and Z. Xu, "Air quality prediction at new stations using spatially transferred bi-directional long short-term memory network," *Science of The Total Environment*, vol. 705, no. 135771, Feb. 2020.
- [102] I. Verma, R. Ahuja, H. Meisheri, and L. Dey, "Air Pollutant Severity Prediction Using Bi-Directional LSTM Network," in *Proceedings of IEEE/WIC/ACM International Conference on Web Intelligence (WI)*, Santiago, 2018, pp. 651-654.
- [103] W. Tong, L. Li, X. Zhou, A. Hamilton and K. Zhang, "Deep learning PM2.5 concentrations with bidirectional LSTM RNN," *Air Qual Atmos Health*, vol. 12, pp. 411–423, 2019.
- [104] K. Kaya and S. G. Öğüdücü, "Deep Flexible Sequential (DFS) Model for Air Pollution Forecasting," *Sci Rep* 10, no. 3346, 2020.
- [105] M. Park, "IEEE 802.11ah: sub-1-ghz license-exempt operation for the internet of things," in *IEEE Communications Magazine*, vol. 53, no. 9, pp. 145-151, 2015.
- [106] IEEE Standard for Information technology--Telecommunications and information exchange between systems - Local and metropolitan area networks--Specific requirements - Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications Amendment 2: Sub 1 GHz License Exempt Operation," in *IEEE Std 802.11ah-2016 (Amendment to IEEE Std 802.11-2016, as amended by IEEE Std 802.11ai-2016)*, vol., no., pp.1-594, 5 May 2017. DOI: 10.1109/IEEESTD.2017.7920364
- [107] V. Coskun, B. Ozdenizci, and K. Ok, "A survey on near field communication (NFC) technology," *Wireless Personal Communications*, vol. 71, no. 3, pp. 2259–2294, 2013.
- [108] X. XMa and W. Luo, "The analysis of 6LoWPAN technology," in *Proceedings of IEEE Paci_c Asia Workshop Comput.Intell. Ind. Appl.*, Wuhan, China, Dec. 2008, pp. 963_966.
- [109] P. m. Linh An and T. Kim, "A Study of the Z-Wave Protocol: Implementing Your Own Smart Home Gateway," in *proceedings of 2018 3rd International Conference on Computer and Communication Systems (ICCCS)*, Nagoya, 2018, pp. 411-415.
- [110] H. A. A. Al-Kashoash and A. H. Kemp, "Comparison of 6LoWPAN and LPWAN for the Internet of Things," *Aust. J. Electr. Electron. Eng.*, vol. 13, no. 4, pp. 268–274, 2017.

- [111] ZigBee Document 05-3474-21, ZigBee Alliance, 2015. Accessed: 23 January, 2020. [Online] Available: <https://zigbeealliance.org/wp-content/uploads/2019/11/docs-05-3474-21-0csg-zigbee-specification.pdf>.
- [112] N. Sornin, M. Luis, T. Eirichand and O. Hersent, LoRaWAN specification, LoRaAlliance, 2015. Accessed: 23 January 2020 [Online] Available: <https://www.loraalliance.org/portals/0/specs/LoRaWAN%20Specification%201R0.pdf>
- [113] OASIS Standard: Message Queue Telemetry Transport (MQTT) Version 3.1.1., OASIS, 2014. Accessed: 4 February 2020. [Online] Available: <http://docs.oasis-open.org/mqtt/mqtt/v3.1.1/os/mqtt-v3.1.1-os.pdf>.
- [114] Andy Stanford-Clark and Hong Linh Truong, "MQTT For Sensor Networks (MQTT-SN) Protocol Specification Version 1.2", 2013. [Online]. Available: http://mqtt.org/new/wp-content/uploads/2009/06/MQTT-SN_spec_v1.2.pdf. Accessed: Feb. 12, 2020.
- [115] Shelby, Zach, K. Hartke, and C. Bormann, "Constrained Application Protocol. RFC 7252", IETF, 2014, [Online]. Available: <https://tools.ietf.org/html/rfc7252>. Accessed: Feb. 14, 2020.
- [116] C. Bormann, A. P. Castellani and Z. Shelby, "CoAP: An Application Protocol for Billions of Tiny Internet Nodes," in *IEEE Internet Computing*, vol. 16, no. 2, pp. 62-67, March-April 2012.
- [117] O. Ozturk, "Introduction to XMPP protocol and developing online collaboration applications using open source software and libraries," in *Proceedings of 2010 International Symposium on Collaborative Technologies and Systems*, Chicago, IL, 2010, pp. 21-25.
- [118] Bishoi, Biswanath & Prakash, Amit & Jain, Vijay, "A Comparative Study of Air Quality Index Based on Factor Analysis and US-EPA Methods for an Urban Environment," *Aerosol Air Qual Res.*, vol. 9, no. 1, pp. 1-17, 2009.
- [119] L. Youping, T. Ya, F. Zhongyu, Z. Hong and Y. Zhengzheng, "Assessment and comparison of three different air quality indices in China," *Environ. Eng. Res.*, vol. 23, no. 1, pp. 21-27, 2017.
- [120] A. Manuel and G. Michel, "Review of Small Commercial Sensors for Indicative Monitoring of Ambient Gas," *Chem. Eng. Trans.*, vol. 30, pp. 169-174, 2012.
- [121] G. Neri and N. Donato, "Resistive Gas Sensors" in *Wiley Encyclopedia of Electrical and Electronics Engineering*: American Cancer Society, pp. 1-12, 2016.
- [122] G. F. Fine, L. M. Cavanagh, A. Afonja and R. Binions, "Metal Oxide Semi-Conductor Gas Sensors in Environmental Monitoring," *Sensors*, vol. 10, pp. 5469-5502, 2010.
- [123] L. Spinellea, M. Gerbolesa, M. Aleixandre, and F. Bonavitacolac, "Evaluation of metal oxides sensors for the monitoring of O₃ in ambient air at ppb level," *Chem. Eng. Trans.* Vol. 54, pp. 319-324, 2016.
- [124] R. Baron and J. Saffell, "Amperometric gas sensors as a low cost emerging technology platform for air quality monitoring applications: A review," *ACS sensors*, vol. 2, no. 11, pp. 1553-1566, 2017.

- [125] Szulczyński, B.; Gębicki, J., "Currently Commercially Available Chemical Sensors Employed for Detection of Volatile Organic Compounds in Outdoor and Indoor Air," in *Environments*, Vol. 4 no. 1, pp. 1-21, 2017.
- [126] Espressif Inc., User Manual, Espressif Inc., Shanghai, China, 2016[Online]. Available: https://www.espressif.com/sites/default/files/9b-esp8266-low_power_solutions_en_0.pdf, Accessed: 12 December, 2019.
- [127] Winsen Electronics Co., Electro Chemical CO Module User Manual, Winsen Electronics Co., China, 2015 [Online]. Available: <https://www.winsen-sensor.com/sensors/co-sensor/ze07-co.html>
- [128] Nova Fitness Co., Laser PM Sensor Specification, Nova Fitness Co., China, 2015 [Online]. Available: <http://inovafitness.com/en/a/chanpinzhongxin/95.html>
- [129] Y. Bengio, P. Simard, and P. Frasconi, "Learning long-term dependencies with gradient descent is difficult," *IEEE Trans. Neural Netw.*, vol. 5, no. 2, pp. 157-166, 1994.
- [130] R. Pascanu, T. Mikolov, and Y. Bengio, "On the difficulty of training recurrent neural networks," In *Proceedings of the 30th International Conference on International Conference on Machine Learning*, Atlanta, Georgia, USA, 28, pp. III-1310 to III-1318, 2013.
- [131] S. Hochreiter, and J. Schmidhuber, "Long short-term memory," *Neural Comput.*, vol. 9, no. 8, pp. 1735-1780, 1997.
- [132] M. Schuster, and K. K. Paliwal, "Bidirectional recurrent neural network," *IEEE Transactions on Signal Processing*, vol. 45, no. 11, pp. 2673-2681, 1997.
- [133] A. Graves, and J. Schmidhuber, "Framewise phoneme classification with bidirectional lstm and other neural network architectures," *Neural Networks*, vol. 18, no. 5, pp. 602-610, 2005.
- [134] A. Graves, N. Jaitly, and A. Mohamed, "Hybrid speech recognition with deep bidirectional lstm," In *Automatic Speech Recognition and Understanding (ASRU), 2013 IEEE Workshop on.*, Olomouc, Czech Republic, IEEE, pp. 273-278, 2013.
- [135] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," *Nature*, vol. 521, no. 7553, pp. 436-444, 2015.
- [136] M. Hermans, and S. Benjamin, "Training and Analysing Deep Recurrent Neural Networks," In *Advances in Neural Information Processing Systems 26*, Nevada, USA, pp. 190-198, 2013.
- [137] R. Pascanu, C. Gulcehre, K. Cho, K., and Y. Bengio, "How to construct deep recurrent neural networks," In *Proceedings of the Second International Conference on Learning Representations*, ICLR, Banff, Canada, 2014.
- [138] H. Choi, K. Cho, and Y. Bengio, "Fine-grained attention mechanism for neural machine translation," *Neuro computing*, vol. 284, pp. 171-176, 2018.
- [139] D. Bahdanau, K. Cho, and Y. Bengio, "Neural Machine Translation by Jointly Learning to Align and Translate," In *Proceedings of the 3rd International Conference on Learning Representations (ICLR 2015)*, San Diego, CA, USA, pp. 7-9, 2015.

- [140] W. Li, D. Guo, and X. Fang, "Multimodal architecture for video captioning with memory networks and an attention mechanism," *Pattern Recognit. Lett.*, vol. 105, pp. 23-29, 2018.
- [141] J. Aungiers. "Time series prediction using LSTM deep neural network," Altum Intelligence, 2018. [online] <https://www.altumintelligence.com/articles/a/Time-Series-Prediction-Using-LSTM-Deep-Neural-Networks>.
- [142] D. P. Kingma, and J. Ba, "Adam: A Method for Stochastic Optimization," *CoRR*, vol. abs/1412.6980, 2015. [Online] Available: <https://arxiv.org/abs/1412.6980>
- [143] N. Srivastava, G. Hinton, A. Krizhevsky, S. Ilya, and R. Salakhutdinov, "Dropout: A Simple Way to Prevent Neural Networks from Overfitting," *Journal of Machine Learning Research*, vol. 15, pp. 1929-1958, 2014.
- [144] G. Pereyra, G. Tucker, J. Chorowski, L. Kaiser, and G. E. Hinton, "Regularizing neural networks by penalizing confident output distributions," *CoRR*, vol. abs/1701.06548, 2017.
- [145] J. Toldinas, B. Lozinskis, E. Baranauskas and A. Dobrovolskis, "MQTT Quality of Service versus Energy Consumption," *2019 23rd International Conference Electronics*, pp. 1-4, 2019.