

Bibliography

Bibliography

- Achan, J., Talisuna, A. O., Erhart, A., Yeka, A., Tibenderana, J. K., Baliraine, F. N., Rosenthal, P. J., and D'Alessandro, U. (2011). Quinine, an old anti-malarial drug in a modern world: role in the treatment of malaria. *Malaria Journal*, 10(1), 144. <https://doi.org/10.1186/1475-2875-10-144>
- Aissi, E., Charet, P., Bouquelet, S., and Biguet, J. (1983). Endoprotease in *Plasmodium yoelii nigeriensis*. *Comparative Biochemistry and Physiology Part B: Comparative Biochemistry*, 74(3), 559–566. [https://doi.org/10.1016/0305-0491\(83\)90229-8](https://doi.org/10.1016/0305-0491(83)90229-8)
- Auwal, M. S., Saka, S., Mairiga, I. A., Sanda, K. A., Shuaibu, A., and Ibrahim, A. (2014). Preliminary phytochemical and elemental analysis of aqueous and fractionated pod extracts of *Acacia nilotica* (Thorn mimosa). *Veterinary Research Forum: An International Quarterly Journal*, 5(2), 95–100. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4279630/>
- Bakari, G. G., Max, R. A., Mdegela, R. H., Phiri, E. C. J., and Mtambo, M. M. A. (2012). Antiviral activity of crude extracts from *Commiphora swynnertonii* against Newcastle disease virus in ovo. *Tropical Animal Health and Production*, 44(7), 1389–1393. <https://doi.org/10.1007/s11250-012-0076-6>
- Banerjee, R., Liu, J., Beatty, W., Pelosof, L., Klemba, M., and Goldberg, D. E. (2002). Four plasmepsins are active in the *Plasmodium falciparum* food vacuole, including a protease with an active-site histidine. *Proceedings of the National Academy of Sciences*, 99(2), 990–995. <https://doi.org/10.1073/pnas.022630099>
- Bankole, A. E., Adekunle, A. A., Sowemimo, A. A., Umebese, C. E., Abiodun, O., and Gbotosho, G. O. (2016). Phytochemical screening and in vivo antimalarial activity of extracts from three medicinal plants used in malaria treatment in Nigeria. *Parasitology Research*, 115(1), 299–305. <https://doi.org/10.1007/s00436-015-4747-x>
- Banu, K. S., and Cathrine, L. (2015). General Techniques Involved in Phytochemical Analysis. *International Journal of Advanced Research in Chemical Science*, 2(4), 25–32. www.arcjournals.org
- Beck, H.-P. (2002). Extraction and Purification of *Plasmodium* Parasite DNA. In *Malaria Methods and Protocols* (Vol. 72, pp. 159–164). Humana Press. <https://doi.org/10.1385/1-59259-271-6:159>
- Beeson, J. G., Kurtovic, L., Dobaño, C., Opi, D. H., Chan, J.-A., Feng, G., Good, M. F., Reiling, L., and Boyle, M. J. (2019). Challenges and strategies for developing efficacious and long-lasting malaria vaccines. In *Sci. Transl. Med* (Vol. 11). <http://stm.sciencemag.org/>
- Berry, C., Humphreys, M. J., Matharu, P., Granger, R., Horrocks, P., Moon, R. P., Certa, U., Ridley, R. G., Bur, D., and Kay, J. (1999). A distinct member of the aspartic proteinase gene family from the human malaria parasite *Plasmodium falciparum*. *FEBS Letters*, 447(2–3), 149–154. [https://doi.org/10.1016/S0014-5793\(99\)00276-8](https://doi.org/10.1016/S0014-5793(99)00276-8)

- Bhaumik, P., Gustchina, A., and Wlodawer, A. (2012). Structural studies of vacuolar plasmepsins. *Biochimica et Biophysica Acta (BBA) - Proteins and Proteomics*, 1824(1), 207–223. <https://doi.org/10.1016/j.bbapap.2011.04.008>
- Bhaumik, P., Horimoto, Y., Xiao, H., Miura, T., Hidaka, K., Kiso, Y., Wlodawer, A., Yada, R. Y., and Gustchina, A. (2011). Crystal structures of the free and inhibited forms of plasmepsin I (PMI) from *Plasmodium falciparum*. *Journal of Structural Biology*, 175(1), 73–84. <https://doi.org/10.1016/j.jsb.2011.04.009>.Crystal
- Bowie, J., Luthy, R., and Eisenberg, D. (1991). A method to identify protein sequences that fold into a known three-dimensional structure. *Science*, 253(5016), 164–170. <https://doi.org/10.1126/science.1853201>
- Colovos, C., and Yeates, T. O. (1993). Verification of protein structures: Patterns of nonbonded atomic interactions. *Protein Science*, 2(9), 1511–1519. <https://doi.org/10.1002/pro.5560020916>
- Coombs, G. H., Goldberg, D. E., Klemba, M., Berry, C., Kay, J., and Mottram, J. C. (2001). Aspartic proteases of *Plasmodium falciparum* and other parasitic protozoa as drug targets. *Trends in Parasitology*, 17(11), 532–537. [https://doi.org/10.1016/S1471-4922\(01\)02037-2](https://doi.org/10.1016/S1471-4922(01)02037-2)
- Cox, F. E. (2010). History of the discovery of the malaria parasites and their vectors. *Parasites & Vectors*, 3(1), 5. <https://doi.org/10.1186/1756-3305-3-5>
- Crabb, B. S., and Cowman, A. F. (2002). *Plasmodium falciparum* virulence determinants unveiled. In *Genome Biology* (Vol. 3, Issue 11, p. reviews1031.1). BioMed Central. <https://doi.org/10.1186/gb-2002-3-11-reviews1031>
- Dell'Agli, M., Parapini, S., Galli, G., Vaiana, N., Taramelli, D., Sparatore, A., Liu, P., Dunn, B. M., Bosisio, E., and Romeo, S. (2006). High Antiplasmodial Activity of Novel Plasmepsins I and II Inhibitors. *Journal of Medicinal Chemistry*, 49(25), 7440–7449. <https://doi.org/10.1021/jm061033d>
- Department of Ayush. (2016). Unani system of medicine: The science of health and healing.
- Deshpande, S., and Kuppast, B. (2016). 4-aminoquinolines: An Overview of Antimalarial Chemotherapy. *Medicinal Chemistry*, 06(01), 1–11. <https://doi.org/10.4172/2161-0444.1000315>
- Devarajan, A., and Mohan Maruga Raja, M. K. (2017). Identification and analysis of chemical constituents of Rasam by gas chromatography–mass spectrometry (GC-MS). *Research Journal of Pharmacy and Technology*, 10(12), 4183–4187. <https://doi.org/10.5958/0974-360X.2017.00763.6>
- Dunn, B. M. (2002). Structure and Mechanism of the Pepsin-Like Family of Aspartic Peptidases. *Chemical Reviews*, 102(12), 4431–4458. <https://doi.org/10.1021/cr010167q>
- Ekor, M. (2014). The growing use of herbal medicines: Issues relating to adverse reactions and challenges in monitoring safety. *Frontiers in Neurology*, 4 JAN(January), 1–10. <https://doi.org/10.3389/fphar.2013.00177>

- Francis, S.E., Gluzman, I. Y., Oksman, A., Knickerbocker, A., Mueller, R., Bryant, M. L., Sherman, D. R., Russell, D. G., and Goldberg, D. E. (1994). Molecular characterization and inhibition of a *Plasmodium falciparum* aspartic hemoglobinase. *The EMBO Journal*, 13(2), 306–317. <https://doi.org/10.1002/j.1460-2075.1994.tb06263.x>
- Francis, S. E., Banerjee, R., and Goldberg, D. E. (1997). Biosynthesis and Maturation of the Malaria Aspartic Hemoglobins Plasmepsins I and II. *Journal of Biological Chemistry*, 272(23), 14961–14968. <https://doi.org/10.1074/jbc.272.23.14961>
- Froelich, S., Gupta, M. P., Siems, K., and Jenett-Siems, K. (2008). Phenylethanoid glycosides from *Stachytarpheta cayennensis* (Rich.) Vahl, Verbenaceae, a traditional antimalarial medicinal plant. *Revista Brasileira de Farmacognosia*, 18(4), 517–520. <https://doi.org/10.1590/S0102-695X2008000400003>
- Gopal, B. (2020). South Asian healing. In *The Routledge International Handbook of Race, Culture and Mental Health* (pp. 505–516). Routledge. <https://doi.org/10.4324/9781315276168-50>
- Gupta, D., Yedidi, R. S., Varghese, S., Kovari, L. C., and Woster, P. M. (2010). Mechanism-Based Inhibitors of the Aspartyl Protease Plasmepsin II as Potential Antimalarial Agents. *Journal of Medicinal Chemistry*, 53(10), 4234–4247. <https://doi.org/10.1021/jm100233b>
- Hanus, L. O., Rezanka, T., Dembitsky, V. M., and Moussaieff, A. (2005). Myrrh-*Commiphora* chemistry. *Biomedical Papers of the Medical Faculty of the University Palacký, Olomouc, Czechoslovakia*, 149(1), 3–27. <https://doi.org/10.5507/bp.2005.001>
- Hill, J., Tyas, L., Phylip, L. H., Kay, J., Dunn, B. M., and Berry, C. (1994). High level expression and characterisation of Plasmepsin II, an aspartic proteinase from *Plasmodium falciparum*. *FEBS Letters*, 352(2), 155–158. [https://doi.org/10.1016/0014-5793\(94\)00940-6](https://doi.org/10.1016/0014-5793(94)00940-6)
- Hubbard, R. E., and Kamran Haider, M. (2010). Hydrogen Bonds in Proteins: Role and Strength. In *Encyclopedia of Life Sciences*. John Wiley & Sons, Ltd. <https://doi.org/10.1002/9780470015902.a0003011.pub2>
- Istvan, E. S., and Goldberg, D. E. (2005). Distal Substrate Interactions Enhance Plasmepsin Activity. *Journal of Biological Chemistry*, 280(8), 6890–6896. <https://doi.org/10.1074/jbc.M412086200>
- Jain, N., and Nadgauda, R. S. (2013). *Commiphora wightii* (Arnott) Bhandari—A Natural Source of Guggulsterone: Facing a High Risk of Extinction in Its Natural Habitat. *American Journal of Plant Sciences*, 04(06), 57–68. <https://doi.org/10.4236/ajps.2013.46A009>
- Jaiswal, S., Bara, J., Soni, R., and Saksena, D. P. (2016). Medical uses of *Commiphora Wightii*. *IOSR Journal of Nursing and Health Science*, 05(05), 76–81. <https://doi.org/10.9790/1959-0505017681>
- Jiang, S., Prigge, S. T., Wei, L., Gao, Y., Hudson, T. H., Gerena, L., Dame, J. B., and Kyle, D. E. (2001). New Class of Small Nonpeptidyl Compounds Blocks *Plasmodium falciparum* Development In Vitro by Inhibiting Plasmepsins. *Antimicrobial Agents and Chemotherapy*, 45(9), 2577–2584. <https://doi.org/10.1128/AAC.45.9.2577-2584.2001>

- Jouhet, J., Maréchal, E., Bligny, R., Joyard, J., and Block, M. A. (2003). Transient increase of phosphatidylcholine in plant cells in response to phosphate deprivation. *FEBS Letters*, 544(1–3), 63–68. [https://doi.org/10.1016/S0014-5793\(03\)00477-0](https://doi.org/10.1016/S0014-5793(03)00477-0)
- Kelley, L. A., Mezulis, S., Yates, C. M., Wass, M. N., and Sternberg, M. J. E. (2015). The Phyre2 web portal for protein modeling, prediction and analysis. *Nature Protocols*, 10(6), 845–858. <https://doi.org/10.1038/nprot.2015.053>
- Keluskar, P., and Ingle, S. (2012). Ethnopharmacology guided screening of traditional Indian herbs for selective inhibition of *Plasmodium* specific lactate dehydrogenase. *Journal of Ethnopharmacology*, 144(1), 201–207. <https://doi.org/10.1016/j.jep.2012.09.006>
- Khan, A. R., Khazanovich-Bernstein, N., Bergmann, E. M., and James, M. N. G. (1999). Structural aspects of activation pathways of aspartic protease zymogens and viral 3C protease precursors. *Proceedings of the National Academy of Sciences*, 96(20), 10968–10975. <https://doi.org/10.1073/pnas.96.20.10968>
- Klemba, M., Beatty, W., Gluzman, I., and Goldberg, D. E. (2004). Trafficking of plasmepsin II to the food vacuole of the malaria parasite *Plasmodium falciparum*. *Journal of Cell Biology*, 164(1), 47–56. <https://doi.org/10.1083/jcb200307147>
- Koch, A., Tamez, P., Pezzuto, J., and Soejarto, D. (2005). Evaluation of plants used for antimalarial treatment by the Maasai of Kenya. *Journal of Ethnopharmacology*, 101(1–3), 95–99. <https://doi.org/10.1016/j.jep.2005.03.011>
- Koelsch, G., Mareš, M., Metcalf, P., and Fusek, M. (1994). Multiple functions of pro-parts of aspartic proteinase zymogens. *FEBS Letters*, 343(1), 6–10. [https://doi.org/10.1016/0014-5793\(94\)80596-2](https://doi.org/10.1016/0014-5793(94)80596-2)
- Kotepui, M., and Kotepui, K. U. (2018). Impact of Weekly Climatic Variables on Weekly Malaria Incidence throughout Thailand: A Country-Based Six-Year Retrospective Study. *Journal of Environmental and Public Health*, 2018, 1–8. <https://doi.org/10.1155/2018/8397815>
- Kweyamba, P. A., Zofou, D., Efange, N., Assob, J.-C. N., Kitau, J., and Nyindo, M. (2019). In vitro and in vivo studies on anti-malarial activity of *Commiphora africana* and *Dichrostachys cinerea* used by the Maasai in Arusha region, Tanzania. *Malaria Journal*, 18(1), 119. <https://doi.org/10.1186/s12936-019-2752-8>
- Lambros, C., and Vandenberg, J. P. (1979). Synchronization of *Plasmodium falciparum* Erythrocytic Stages in Culture Author(s): Chris Lambros and Jerome P . Vandenberg Published by : Allen Press on behalf of The American Society of Parasitologists Stable URL : <https://www.jstor.org/stable/3280287>. *Journal Parasitology*, 65(3), 418–420.
- Laskowski, R. A., MacArthur, M. W., Moss, D. S., and Thornton, J. M. (1993). PROCHECK: a program to check the stereochemical quality of protein structures. *Journal of Applied Crystallography*, 26(2), 283–291. <https://doi.org/10.1107/S0021889892009944>
- Laskowski, R. A., and Swindells, M. B. (2011). LigPlot+: Multiple Ligand–Protein Interaction Diagrams for Drug Discovery. *Journal of Chemical Information and Modeling*, 51(10), 2778–2786. <https://doi.org/10.1021/ci200227u>

- Lazaro, J. E., and Gay, F. (1998). *Plasmodium falciparum*: In Vitro Cytotoxicity Testing Using MTT. *Journal of Biomolecular Screening*, 3(1), 49–53. <https://doi.org/10.1177/108705719800300107>
- Lin, H.-C., Li, C.-C., Yang, Y.-C., Chiu, T.-H., Liu, K.-L., Lii, C.-K., and Chen, H.-W. (2019). *Andrographis paniculata* diterpenoids and ethanolic extract inhibit TNF α -induced ICAM-1 expression in EA.hy926 cells. *Phytomedicine*, 52, 157–167. <https://doi.org/10.1016/j.phymed.2018.09.205>
- Lowry, O. H., Rosebrough, N. J., Farr, A. L., and Randall, R. J. (1951). Protein measurement with the Folin-phenol reagent. *Journal of Biological chemistry*, 193(1), 265–275.
- Lüthy, R., Bowie, J. U., and Eisenberg, D. (1992). Assessment of protein models with three-dimensional profiles. *Nature*, 356(6364), 83–85. <https://doi.org/10.1038/356083a0>
- Luzzatto, L. (2012). SICKLE CELL ANAEMIA AND MALARIA. *Mediterranean Journal of Hematology and Infectious Diseases*, 4(1), e2012065. <https://doi.org/10.4084/mjhid.2012.065>
- Megantara, S., Levita, J., and I. Surantaatmadja, S. (2015). *In Silico* Study of Andrographolide as Protease Inhibitors for Antimalarial Drug Discovery. *Proceedings of the 3rd International Conference on Computation for Science and Technology*, 5, 36–39. <https://doi.org/10.2991/iccst-15.2015.8>
- Mishra, K., Dash, A. P., and Dey, N. (2011). Andrographolide: A Novel Antimalarial Diterpene Lactone Compound from *Andrographis paniculata* and Its Interaction with Curcumin and Artesunate. *Journal of Tropical Medicine*, 2011(365645), 1–6. <https://doi.org/10.1155/2011/579518>
- Mohd Abd Razak, M. R., Afzan, A., Ali, R., Amir Jalaluddin, N. F., Wasiman, M. I., Shiekh Zahari, S. H., Abdullah, N. R., and Ismail, Z. (2014). Effect of selected local medicinal plants on the asexual blood stage of chloroquine resistant *Plasmodium falciparum*. *BMC Complementary and Alternative Medicine*, 14(1), 492. <https://doi.org/10.1186/1472-6882-14-492>
- Moll, K., Kaneko, A., Scherf, A., and Wahlgren, M. (2013). *Methods in malaria research* (6th ed., Issue January). EVIMalaR Glasgow, UK, 2013 and MR4/ATCC, Manassas, VA, USA, 2013.
- Monzote, L., Piñón, A., and Setzer, W. (2014). Antileishmanial Potential of Tropical Rainforest Plant Extracts. *Medicines*, 1(1), 32–55. <https://doi.org/10.3390/medicines1010032>
- Moon, R. P., Tyas, L., Certa, U., Rupp, K., Bur, D., Jacquet, C., Matile, H., Loetscher, H., Grueninger-Leitch, F., Kay, J., Dunn, B. M., Berry, C., and Ridley, R. G. (1997). Expression and Characterisation of Plasmepsin I from *Plasmodium falciparum*. *European Journal of Biochemistry*, 244(2), 552–560. <https://doi.org/10.1111/j.1432-1033.1997.00552.x>
- Morris, G. M., Huey, R., Lindstrom, W., Sanner, M. F., Belew, R. K., Goodsell, D. S., and Olson, A. J. (2009). AutoDock4 and AutoDockTools4: Automated docking with selective

- receptor flexibility. *Journal of Computational Chemistry*, 30(16), 2785–2791. <https://doi.org/10.1002/jcc.21256>
- Moulder, J. W., and Evans Jr, E. A. (1946). The Biochemistry of the Malaria Parasite. VI. Studies on the Nitrogen Metabolism of the Malaria Parasite. *Journal of Biological Chemistry*, 164(1), 145–157.
- Nair, D. N., and Singh, V. (2016). Structural Investigation and *In-silico* Characterization of Plasmepsins from *Plasmodium falciparum*. *Journal of Proteomics & Bioinformatics*, 9(7), 181–195. <https://doi.org/10.4172/jpb.1000405>
- Nasamu, A. S., Polino, A. J., Istvan, E. S., and Goldberg, D. E. (2020). Malaria parasite plasmepsins: More than just plain old degradative pepsins. *Journal of Biological Chemistry*, 295(25), 8425–8441. <https://doi.org/10.1074/jbc.REV120.009309>
- Newman, D. J., and Cragg, G. M. (2016). Natural Products as Sources of New Drugs from 1981 to 2014. *Journal of Natural Products*, 79(3), 629–661. <https://doi.org/10.1021/acs.jnatprod.5b01055>
- Nohr, L. A., Rasmussen, L. B., and Straand, J. (2009). Resin from the mukul myrrh tree, guggul, can it be used for treating hypercholesterolemia? A randomized, controlled study. *Complementary Therapies in Medicine*, 17(1), 16–22. <https://doi.org/10.1016/j.ctim.2008.07.001>
- O’Boyle, N. M., Banck, M., James, C. A., Morley, C., Vandermeersch, T., and Hutchison, G. R. (2011). Open Babel: An open chemical toolbox. *Journal of Cheminformatics*, 3(1), 33. <https://doi.org/10.1186/1758-2946-3-33>
- Okhwarobo, A., Ehizogie Falodun, J., Erharuyi, O., Imieje, V., Falodun, A., and Langer, P. (2014). Harnessing the medicinal properties of *Andrographis paniculata* for diseases and beyond: a review of its phytochemistry and pharmacology. *Asian Pacific Journal of Tropical Disease*, 4(3), 213–222. [https://doi.org/10.1016/S2222-1808\(14\)60509-0](https://doi.org/10.1016/S2222-1808(14)60509-0)
- Parr-Vasquez, C. L., and Yada, R. Y. (2010). Functional chimera of porcine pepsin prosegment and *Plasmodium falciparum* plasmepsin II. *Protein Engineering Design and Selection*, 23(1), 19–26. <https://doi.org/10.1093/protein/gzp066>
- Patwardhan, B., Vaidya, A. D. B., and Chorghade, M. (2004). Ayurveda and natural products drug discovery. *Current Science*, 86(6), 789–799.
- Petrovska, B. (2012). Historical review of medicinal plants’ usage. *Pharmacognosy Reviews*, 6(11), 1. <https://doi.org/10.4103/0973-7847.95849>
- Pontius, J., Richelle, J., and Wodak, S. J. (1996). Deviations from Standard Atomic Volumes as a Quality Measure for Protein Crystal Structures. *Journal of Molecular Biology*, 264(1), 121–136. <https://doi.org/10.1006/jmbi.1996.0628>
- Price, R. N., and Douglas, N. M. (2009). Artemisinin Combination Therapy for Malaria: Beyond Good Efficacy. *Clinical Infectious Diseases*, 49(11), 1638–1640. <https://doi.org/10.1086/647947>

- Rane, R., and Datta, S. (2001). Hemoglobin degradation assay spectrophotometric Datta and Ranne (Patent No. US6284481 B1).
- Rasoanaivo, P., Deharo, E., Ratsimamanga-Urveg, S., and Frappier, F. (2004). Guidelines for the Nonclinical Evaluation of the Efficacy of Traditional Antimalarials. In B. G. Willcox M, Rasoanaivo P (Ed.), *Traditional Medicinal Plants and Malaria* (pp. 324–341). CRC Press. <https://doi.org/10.1201/9780203502327-29>
- Rathore, I., Mishra, V., Patel, C., Xiao, H., Gustchina, A., Wlodawer, A., Yada, R. Y., and Bhaumik, P. (2021). Activation mechanism of plasmepsins, pepsin-like aspartic proteases from *Plasmodium*, follows a unique trans-activation pathway. *The FEBS Journal*, 288(2), 678–698. <https://doi.org/10.1111/febs.15363>
- Ravishankar, B., and Shukla, V. (2008). Indian Systems Of Medicine: A Brief Profile. *African Journal of Traditional, Complementary and Alternative Medicines*, 4(3), 319–337. <https://doi.org/10.4314/ajtcam.v4i3>.
- Rawe, S. L., and McDonnell, C. (2020). The cinchona alkaloids and the aminoquinolines. In *Antimalarial Agents* (pp. 65–98). Elsevier. <https://doi.org/10.1016/B978-0-08-101210-9.00003-2>
- Sakamoto, R., Nishikori, S., and Shiraki, K. (2004). High temperature increases the refolding yield of reduced lysozyme: Implication for the productive process for folding. *Biotechnology Progress*, 20(4), 1128–1133. <https://doi.org/10.1021/bp034385b>
- Sambrook, J., and Russel, D. W (2001). *Molecular Cloning: A Laboratory Manual* (Cold Springs Harbour Laboratory Press, Cold Spring Harbour, New York, USA).
- Sato, K., Fukabori, Y., and Suzuki, M. (1987). *Plasmodium berghei*: A study of globinolytic enzyme in erythrocytic parasite. In *Zentralblatt für Bakteriologie Mikrobiologie und Hygiene - Abt. 1 Orig. A* (Vol. 264, Issues 3–4, pp. 487–495). [https://doi.org/10.1016/S0176-6724\(87\)80072-X](https://doi.org/10.1016/S0176-6724(87)80072-X)
- Sato, S. (2021). *Plasmodium*—a brief introduction to the parasites causing human malaria and their basic biology. *Journal of Physiological Anthropology*, 40(1), 1. <https://doi.org/10.1186/s40101-020-00251-9>
- Sekar, S., and Mariappan, S. (2008). Traditionally fermented biomedicines, arishtas and asavas from Ayurveda. *Indian Journal of Traditional Knowledge*, 7(4), 548–556.
- Shea, M., Jäkle, U., Liu, Q., Berry, C., Joiner, K. A., and Soldati-Favre, D. (2007). A Family of Aspartic Proteases and a Novel, Dynamic and Cell-Cycle-Dependent Protease Localization in the Secretory Pathway of *Toxoplasma gondii*. *Traffic*, 8(8), 1018–1034. <https://doi.org/10.1111/j.1600-0854.2007.00589.x>
- Sheel, D. R., Nisha, K., and Kumar, P. J. (2014). Preliminary Phytochemical Screening of Methanolic Extract Of *Clerodendron infortunatum*. *IOSR Journal of Applied Chemistry*, 7(1), 10–13. <https://doi.org/10.9790/5736-07121013>
- Silva, A. M., Lee, A. Y., Gulnik, S. V, Maier, P., Collins, J., Bhat, T. N., Collins, P. J., Cachau, R. E., Luker, K. E., Gluzman, I. Y., Francis, S. E., Oksman, A., Goldberg, D. E., and Erickson, J. W. (1996). Structure and inhibition of plasmepsin II, a hemoglobin-

- degrading enzyme from *Plasmodium falciparum*. Proceedings of the National Academy of Sciences, 93(19), 10034–10039. <https://doi.org/10.1073/pnas.93.19.10034>
- Sotheeswaran, S. (1988). Screening for saponins using the blood hemolysis test: An undergraduate laboratory experiment. Journal of Chemical Education, 65(2), 161. <https://doi.org/10.1021/ed065p161>
- Takala, S. L., and Plowe, C. V. (2009). Genetic diversity and malaria vaccine design, testing and efficacy: Preventing and overcoming “vaccine resistant malaria.” Parasite Immunology, 31(9), 560–573. <https://doi.org/10.1111/j.1365-3024.2009.01138.x>
- Tirtha, S. S. S. (1998). The Ayurvedic Encyclopedia. In Internal Medicine. Ayurveda Holistic Center Press, Bayville, NY, USA.
- Tona, L., Ngimbi, N. P., Tsakala, M., Mesia, K., Cimanga, K., Apers, S., De Bruyne, T., Pieters, L., Totté, J., and Vlietinck, A. J. (1999). Antimalarial activity of 20 crude extracts from nine African medicinal plants used in Kinshasa, Congo. Journal of Ethnopharmacology, 68(1–3), 193–203. [https://doi.org/10.1016/S0378-8741\(99\)00090-2](https://doi.org/10.1016/S0378-8741(99)00090-2)
- Tyas, L., Gluzman, I., Moon, R. P., Rupp, K., Westling, J., Ridley, R. G., Kay, J., Goldberg, D. E., and Berry, C. (1999). Naturally-occurring and recombinant forms of the aspartic proteinases plasmepsins I and II from the human malaria parasite *Plasmodium falciparum*. FEBS Letters, 454(3), 210–214. [https://doi.org/10.1016/S0014-5793\(99\)00805-4](https://doi.org/10.1016/S0014-5793(99)00805-4)
- Vani, P., Sreekanth, D., Manjula, P., Keerthi, B., Kistamma, S., and Mohan, B. (2016). Phytochemical investigation, antibacterial activity and antioxidant activity of the endangered tree *Commiphora wightii* (Arn .) Bhandari. Journal of Pharmacognosy and Phytochemistry, 5(5), 21–25.
- Ved, D., Saha, D., Ravikumar, K., and Haridasan, K. (2015). *Commiphora wightii*. The IUCN Red List of Threatened Species 2015: e.T31231A50131117. <https://doi.org/http://dx.doi.org/10.2305/IUCN.UK.2015-2.RLTS.T31231A50131117.en>
- Vimalkumar, C. S., Vilash, V., &, and Krishnakumar, N. M. (2014). Comparative Preliminary Phytochemical Analysis of Ethanolic Extracts of Leaves of *Olea Dioica* Roxb, Infected with The Rust Fungus *Zaghouania oleo* (E.J. Butler) Cummins and Non Infected Plants. Journal of Pharmacognosy and Phytochemistry, 3(4), 69–72.
- Visentin, M., Zhao, R., and Goldman, I. D. (2012). The Antifolates. Hematology/Oncology Clinics of North America, 26(3), 629–648. <https://doi.org/10.1016/j.hoc.2012.02.002>
- Vo, N. N. Q., Fukushima, E. O., and Muranaka, T. (2017). Structure and hemolytic activity relationships of triterpenoid saponins and sapogenins. Journal of Natural Medicines, 71(1), 50–58. <https://doi.org/10.1007/s11418-016-1026-9>
- Wang, H., Sun, Y., Ye, W.-C., Xiong, F., Wu, J.-J., Yang, C.-H., and Zhao, S.-X. (2004). Antioxidative Phenylethanoid and Phenolic Glycosides from *Picrorhiza scrophulariiflora*. ChemInform, 35(45), 10–13. <https://doi.org/10.1002/chin.200445239>

- Wang, J., Song, H., Wu, X., Zhang, S., Gao, X., Li, F., Zhu, X., and Chen, Q. (2018). Steroidal Saponins from *Vernonia amygdalina* Del. and Their Biological Activity. *Molecules*, 23(3), 579. <https://doi.org/10.3390/molecules23030579>
- Wang, N. S. (n.d.). Amino acid assay by ninhydrin colorimetric method. <https://user.eng.umd.edu/~nsw/ench485/lab3a.htm>
- WHO. (2018). World Malaria Report 2018. Geneva: World Health Organization.
- WHO. (2020). World Malaria Report 2020. Geneva: World Health Organization.
- Wiat, C., Kumar, K., Yusof, M. Y., Hamimah, H., Fauzi, Z. M., and Sulaiman, M. (2005). Antiviral Properties of Ent-labdene Diterpenes of *Andrographis paniculata* Nees, Inhibitors of Herpes Simplex Virus Type 1. *Phytotherapy Research*, 19(12), 1069–1070. <https://doi.org/10.1002/ptr.1765>
- Wright, C. W., Linley, P. A., Brun, R., Wittlin, S., and Hsu, E. (2010). Ancient Chinese Methods Are Remarkably Effective for the Preparation of Artemisinin-Rich Extracts of Qing Hao with Potent Antimalarial Activity. *Molecules*, 15(2), 804–812. <https://doi.org/10.3390/molecules15020804>
- Wyatt, D. M., and Berry, C. (2002). Activity and inhibition of plasmepsin IV, a new aspartic proteinase from the malaria parasite, *Plasmodium falciparum*. *FEBS Letters*, 513(2–3), 159–162. [https://doi.org/10.1016/S0014-5793\(02\)02241-X](https://doi.org/10.1016/S0014-5793(02)02241-X)
- Xiao, H., Dee, D., and Yada, R. Y. (2011). The native conformation of plasmepsin II is kinetically trapped at neutral pH. *Archives of Biochemistry and Biophysics*, 513(2), 102–109. <https://doi.org/10.1016/j.abb.2011.06.017>
- Xiao, H., Sinkovits, A. F., Bryksa, B. C., Ogawa, M., and Yada, R. Y. (2006). Recombinant expression and partial characterization of an active soluble histo-aspartic protease from *Plasmodium falciparum*. *Protein Expression and Purification*, 49(1), 88–94. <https://doi.org/10.1016/j.pep.2006.02.022>
- Xiao, H., Tanaka, T., Ogawa, M., and Yada, R. Y. (2007). Expression and enzymatic characterization of the soluble recombinant plasmepsin I from *Plasmodium falciparum*. *Protein Engineering Design and Selection*, 20(12), 625–633. <https://doi.org/10.1093/protein/gzm066>
- Yarnell, E. (2007). Plant Chemistry in Veterinary Medicine: Medicinal Constituents and Their Mechanisms of Action. In *Veterinary Herbal Medicine* (pp. 159–182). Elsevier. <https://doi.org/10.1016/B978-0-323-02998-8.50015-9>

