
References

- Abada, E.A., Masrahi, Y.S., Al-Abboud, M., Alnashiri, H.M., and El-Gayar, K.E., 2018. Bioethanol production with cellulase enzyme from *Bacillus cereus* isolated from sesame seed residue from the Jazan region. *BioResources* 13, 3832–3845.
- Abdelaziz, O.Y., Brink, D.P., Prothmann, J., Ravi, K., Sun, M., García-Hidalgo, J., Sandahl, M., Hulteberg, C.P., et al., 2016. Biological valorization of low molecular weight lignin. *Biotechnol Adv* 34, 1318–1346.
- Achyuthan, K.E., Achyuthan, A.M., Adams, P.D., Dirk, S.M., Harper, J.C., Simmons, B.A., and Singh, A.K., 2010. Supramolecular Self-Assembled Chaos: Polyphenolic Lignin's Barrier to Cost-Effective Lignocellulosic Biofuels. *Molecules* 15, 8641–8688.
- Adhyaru, D.N., Bhatt, N.S., and Modi, H.A., 2014. Enhanced production of cellulase-free, thermo-alkali-solvent-stable xylanase from *Bacillus altitudinis* DHN8, its characterization and application in sorghum straw saccharification. *Biocatal Agric Biotechnol* 3, 182–190.
- Adhyaru, D.N., Bhatt, N.S., Modi, H.A., and Divecha, J., 2017. Cellulase-free-thermo-alkali-solvent-stable xylanase from *Bacillus altitudinis* DHN8: Over-production through statistical approach, purification and bio-deinking / bio-bleaching potential. *Biocatal Agric Biotechnol* 12, 220–227.
- Agrawal, R., Satlewal, A., Gaur, R., Mathur, A., Kumar, R., Gupta, R.P., and Tuli, D.K., 2015. Pilot scale pretreatment of wheat straw and comparative evaluation of commercial enzyme preparations for biomass saccharification and fermentation. *Biochem Eng J* 102, 54–61.
- Agrawal, S., Yadav, R.D., and Mahajan, R., 2016. Synergistic effect of xylano-pectinolytic enzymes produced by a bacterial isolate in bleaching of plywood industrial waste. *J Clean Prod* 118, 229–233.
- Ahmed, A.A.Q., Babalola, O.O., and McKay, T., 2018. Cellulase- and Xylanase-Producing Bacterial Isolates with the Ability to Saccharify Wheat Straw and Their Potential Use in the Production of Pharmaceuticals and Chemicals from Lignocellulosic Materials. *Waste and Biomass Valorization* 9, 765–775.
- Ai, Z., Jiang, Z., Li, L., Deng, W., Kusakabe, I., and Li, H., 2005. Immobilization of *Streptomyces olivaceoviridis* E-86 xylanase on Eudragit S-100 for xylo-oligosaccharide production. *Process Biochem* 40, 2707–2714.
- Alizadeh, H., Teymouri, F., Gilbert, T.I., and Dale, B.E., 2005. Pretreatment of Switchgrass by Ammonia Fiber Explosion (AFEX). *Appl Biochem Biotechnol* 124, 1133–1142.
- Alvira, P., Tomás-Pejó, E., Ballesteros, M., and Negro, M.J., 2010. Pretreatment technologies for an efficient bioethanol production process based on enzymatic hydrolysis: A review. *Bioresour Technol* 101, 4851–4861.
- Amore, A., Parameswaran, B., Kumar, R., Birolo, L., Vinciguerra, R., Marcolongo, L., Ionata, E., La Cara, F., et al., 2015. Application of a new xylanase activity from *Bacillus amyloliquefaciens* XR44A in brewer's spent grain saccharification. *J Chem Technol Biotechnol* 90, 573–581.
- An, J., Xie, Y., Zhang, Y., Tian, D., Wang, S., Yang, G., and Feng, Y., 2015. Characterization of a thermostable, specific GH10 xylanase from *Caldicellulosiruptor bescii* with high catalytic activity. *J Mol Catal B Enzym* 117, 13–20.
- Angelova, M.B., 2008. Microbial pectinases: application in horticultural industries, in: *Microbial*

-
- Biotechnology in Horticulture* 3, 101–179.
- Antonio De Lima, E., Machado, C.B., Letícia, &, Zanphorlin, M., Ward, R.J., Hélio, &, Sato, H., and Ruller, R., 2010. GH53 Endo-Beta-1,4-Galactanase from a Newly Isolated *Bacillus licheniformis* CBMAI 1609 as an Enzymatic Cocktail Supplement for Biomass Saccharification. *Appl Biochem Biotechnol* 179, 415–426.
- Aoyagi, H., 2011. Application of plant protoplasts for the production of useful metabolites. *Biochem Eng J* 56, 1–8.
- Atsumi, S., Chann, A.F., Connor, M.R., Shen, C.R., Smith, K.M., Brynildsen, M.P., Chou, K.J.Y., Hanai, T., et al., 2008. Metabolic engineering of *Escherichia coli* for 1-butanol production. *Metab Eng* 10, 305–311.
- Auxenfans, T., Crônier, D., Chabbert, B., and Paës, G., 2017. Understanding the structural and chemical changes of plant biomass following steam explosion pretreatment. *Biotechnol Biofuels* 10.
- Avanthi, A., Kumar, S., Sherpa, K.C., and Banerjee, R., 2017. Bioconversion of hemicelluloses of lignocellulosic biomass to ethanol: an attempt to utilize pentose sugars. *Biofuels* 8, 431–444.
- Bailey, M.J., Biely, P., and Poutanen, K., 1992. Interlaboratory testing of methods for assay of xylanase activity. *J Biotechnol* 23, 257–270.
- Banerjee, G., Car, S., Scott-Craig, J.S., Borrusch, M.S., Aslam, N., and Walton, J.D., 2010a. Synthetic Enzyme Mixtures for Biomass Deconstruction: Production and Optimization of a Core Set. *Biotechnol Bioeng* 106, 707–720.
- Banerjee, G., Car, S., Scott-Craig, J.S., Borrusch, M.S., and Walton, J.D., 2010b. Rapid optimization of enzyme mixtures for deconstruction of diverse pretreatment/biomass feedstock combinations. *Biotechnol Biofuels* 3, 22.
- Banerjee, G., Scott-Craig, J.S., and Walton, J.D., 2010c. Improving Enzymes for Biomass Conversion: A Basic Research Perspective. *BioEnergy Res* 3, 82–92.
- Banerjee, R., Chintagunta, A.D., and Ray, S., 2017. A cleaner and eco-friendly bioprocess for enhancing reducing sugar production from pineapple leaf waste, *Journal of Cleaner Production*. Elsevier Ltd.
- Basu, S., Ghosh, A., Bera, A., Saha, M.N., Chattopadhyay, D., and Chakrabarti, K., 2008. Thermodynamic characterization of a highly thermoactive extracellular pectate lyase from a new isolate *Bacillus pumilus* DKS1. *Bioresour Technol* 99, 8088–8094.
- Beg, Q.K., Kapoor, M., Mahajan, L., and Hoondal, G.S., 2001. Microbial xylanases and their industrial applications: a review. *Appl Microbiol Biotechnol* 56, 326–338.
- Berlin, A., Maximenko, V., Gilkes, N., and Saddler, J., 2007. Optimization of enzyme complexes for lignocellulose hydrolysis. *Biotechnol Bioeng* 97, 287–296.
- Bhagat, D.D., Dudhagara, P.R., and Desai, P. V., 2016. Statistical approach for pectinase production by *Bacillus firmus* SDB9 and evaluation of pectino-xylanolytic enzymes for pretreatment of kraft pulp. *J Microbiol Biotechnol Food Sci* 05, 396–406.
- Bi, S., Peng, L., Chen, K., and Zhu, Z., 2016. Enhanced enzymatic saccharification of sugarcane bagasse pretreated by combining O₂ and NaOH. *Bioresour Technol* 214, 692–699.
- Bibi, N., Ali, S., and Tabassum, R., 2016. Statistical Optimization of Pectinase Biosynthesis from Orange Peel by *Bacillus licheniformis* Using Submerged Fermentation. *Waste and Biomass Valorization*
-

- 7, 467–481.
- Binod, P., Satyanagalakshmi, K., Sindhu, R., Janu, K.U., Sukumaran, R.K., and Pandey, A., 2012. Short duration microwave assisted pretreatment enhances the enzymatic saccharification and fermentable sugar yield from sugarcane bagasse. *Renew Energy* 37, 109–116.
- Blanch, H.W., Simmons, B.A., and Klein-Marcuschamer, D., 2011. Biomass deconstruction to sugars. *Biotechnol J* 6, 1086–1102.
- Bledzki, A.K., Mamun, A.A., and Volk, J., 2010. Physical, chemical and surface properties of wheat husk, rye husk and soft wood and their polypropylene composites. *Compos Part A Appl Sci Manuf* 41, 480–488.
- Bochner, B.R., 2009. Global phenotypic characterization of bacteria. *FEMS Microbiol Rev* 33, 191–205.
- Boerjan, W., Ralph, J., and Baucher, M., 2003. Lignin Biosynthesis. *Annu Rev Plant Biol* 54, 519–546.
- Bokinsky, G., Peralta-Yahya, P.P., George, A., Holmes, B.M., Steen, E.J., Dietrich, J., Lee, T.S., Tullman-Ercek, D., et al., 2011. Synthesis of three advanced biofuels from ionic liquid-pretreated switchgrass using engineered *Escherichia coli*. *Proc Natl Acad Sci* 108, 19949–19954.
- Bond, J., Donaldson, L., Hill, S., and Hitchcock, K., 2008. Safranin fluorescent staining of wood cell walls. *Biotech Histochem* 83, 161–171.
- Boucherba, N., Gagaoua, M., Bouanane-darenfed, A., Bouiche, C., Bouacem, K., Kerbous, M.Y., Maafa, Y., and Benallaoua, S., 2017. Biochemical properties of a new thermo- and solvent-stable xylanase recovered using three phase partitioning from the extract of *Bacillus oceanisediminis* strain SJ3 Background. *Bioresour Bioprocess* 4.
- Bradford, M.M., 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 72, 248–254.
- Brandt, A., Gräsvik, J., Hallett, J.P., and Welton, T., 2013. Deconstruction of lignocellulosic biomass with ionic liquids. *Green Chem* 15, 550.
- Brune, A., 2014. Symbiotic digestion of lignocellulose in termite guts. *Nat Rev Microbiol* 12, 168–180.
- Brune, A., and Dietrich, C., 2015. The Gut Microbiota of Termites: Digesting the Diversity in the Light of Ecology and Evolution. *Annu Rev Microbiol* 69, 145–166.
- Cao, S., and Aita, G.M., 2013. Enzymatic hydrolysis and ethanol yields of combined surfactant and dilute ammonia treated sugarcane bagasse. *Bioresour Technol* 131, 357–364.
- Cappuccino, J.G., and Sherman, N., 2005. Microbiology: a laboratory manual. *Dorling Kindersley (India) Pvt. Ltd.*
- Carvalho, D.M. de, Sevastyanova, O., Penna, L.S., Silva, B.P. da, Lindström, M.E., and Colodette, J.L., 2015. Assessment of chemical transformations in eucalyptus, sugarcane bagasse and straw during hydrothermal, dilute acid, and alkaline pretreatments. *Ind Crops Prod* 73, 118–126.
- Chandel, A.K., da Silva, S.S., Carvalho, W., and Singh, O. V., 2012. Sugarcane bagasse and leaves: Foreseeable biomass of biofuel and bio-products. *J Chem Technol Biotechnol* 87, 11–20.
- Chang, S., Guo, Y., Wu, B., and He, B., 2017. Extracellular expression of alkali tolerant xylanase from *Bacillus subtilis* Lucky9 in *E. coli* and application for xylooligosaccharides production from agro-industrial waste. *Int J Biol Macromol* 96, 249–256.
- Chang, V.S., Burr, B., and Holtzapple, M.T., 1997. Lime Pretreatment of Switchgrass, in: *Biotechnology*

-
- for Fuels and Chemicals. Humana Press, Totowa, NJ, 3–19.
- Chaudhri, A., and Suneetha, V., 2012. Microbially Derived Pectinases: A Review. *IOSR J Pharm Biol Sci* 2, 01–05.
- Chi, W.-J., Park, D.Y., Chang, Y.-K., and Hong, S.-K., 2012. A Novel Alkaliphilic Xylanase from the Newly Isolated Mesophilic *Bacillus* sp. MX47: Production, Purification, and Characterization. *Appl Biochem Biotechnol* 168, 899–909.
- Chun, J., and Bae, K.S., 2000. Phylogenetic analysis of *Bacillus subtilis* and related taxa based on partial *gyrA* gene sequences. *Antonie Van Leeuwenhoek* 78, 123–127.
- Chutani, P., and Sharma, K.K., 2016. Concomitant production of xylanases and cellulases from *Trichoderma longibrachiatum* MDU-6 selected for the deinking of paper waste. *Bioprocess Biosyst Eng* 39, 747–758.
- Corona, F., and Martinez, J., 2013. Phenotypic Resistance to Antibiotics. *Antibiotics* 2, 237–255.
- Cruden, D.L., and Markovetz, A.J., 1979. Carboxymethyl Cellulose Decomposition by Intestinal Bacteria of Cockroaches. *Appl Environ Microbiol* 38, 369–372.
- da Costa Lopes, A.M., João, K.G., Rubik, D.F., Bogel-Lukasik, E., Duarte, L.C., Andreus, J., and Bogel-Lukasik, R., 2013. Pre-treatment of lignocellulosic biomass using ionic liquids: Wheat straw fractionation. *Bioresour Technol* 142, 198–208.
- da Silva Martins, L.H., Rabelo, S.C., and da Costa, A.C., 2015. Effects of the pretreatment method on high solids enzymatic hydrolysis and ethanol fermentation of the cellulosic fraction of sugarcane bagasse. *Bioresour Technol* 191, 312–321.
- Das, M., Banerjee, R., and Bal, S., 2008. Evaluation of physicochemical properties of enzyme treated brown rice (Part B). *LWT - Food Sci Technol* 41, 2092–2096.
- Das, S., Dash, H.R., Mangwani, N., Chakraborty, J., and Kumari, S., 2014. Understanding molecular identification and polyphasic taxonomic approaches for genetic relatedness and phylogenetic relationships of microorganisms. *J Microbiol Methods* 103, 80–100.
- De Marco, É.G., Heck, K., Martos, E.T., and Van Der Sand, S.T., 2017. Purification and characterization of a thermostable alkaline cellulase produced by *Bacillus licheniformis* 380 isolated from compost. *An Acad Bras Cienc* 89, 2359–2370.
- de Souza, W.R., 2013. Microbial Degradation of Lignocellulosic Biomass, in: Sustainable Degradation of Lignocellulosic Biomass - Techniques, Applications and Commercialization. InTech, 207–247.
- De Vos, P., Garrity, G.M., Jones, D., Krieg, N.R., Ludwig, W., Rainey, F.A., Schleifer, K.-H., and Whitman, W.B., 2009. *Bergey's manual of systematic bacteriology Volume Three The Firmicutes, Bergey's Manual of Systematic Bacteriology*.
- Dehority, B.A., 2002. Gastrointestinal Tracts of Herbivores, Particularly the Ruminant: Anatomy, Physiology and Microbial Digestion of Plants. *J Appl Anim Res* 21, 145–160.
- Delabona, P.D.S., Cota, J., Hoffmam, Z.B., Paixão, D.A.A., Farinas, C.S., Cairo, J.P.L.F., Lima, D.J., Squina, F.M., et al., 2013. Understanding the cellulolytic system of *Trichoderma harzianum* P49P11 and enhancing saccharification of pretreated sugarcane bagasse by supplementation with pectinase and α -l-arabinofuranosidase. *Bioresour Technol* 131, 500–507.
- Demir, N., Nadaroglu, H., Demir, Y., Isik, C., Taskin, E., Adiguzel, A., and Gulluce, M., 2014.
-

- Purification and characterization of an alkaline pectin lyase produced by a newly isolated *Brevibacillus borstelensis* (P35) and its applications in fruit juice and oil extraction. *Eur Food Res Technol* 239, 127–135.
- Dinu, D., Nechifor, M.T., Stoian, G., Costache, M., and Dinischiotu, A., 2007. Enzymes with new biochemical properties in the pectinolytic complex produced by *Aspergillus niger* MIUG 16. *J Biotechnol* 131, 128–137.
- Djohan, A.C., Perwitasari, U., and Yopi, 2016. Saccharification Waste Biomass Rice Straw IR-64 by Using Xylanase from Indigenous Marine Bacteria *Bacillus safensis* LBF-002. *Int J Adv Sci Eng Inf Technol* 6, 40–44.
- Duskova, D., and Marounek, M., 2001. Fermentation of pectin and glucose, and activity of pectin-degrading enzymes in the rumen bacterium *Lachnospira multiparus*. *Lett Appl Microbiol* 33, 159–163.
- Dutra, T.R., Guimarães, V.M., Varela, E.M., Fialho, L. da S., Milagres, A.M.F., Falkoski, D.L., Zanuncio, J.C., and Rezende, S.T. de, 2017. A *Chrysoporthe cubensis* enzyme cocktail produced from a low-cost carbon source with high biomass hydrolysis efficiency. *Sci Rep* 7, 3893.
- EERE, 2006. Biomass Feedstock Composition and Property Database. *US Dep energy, energy Effic Renew energy* 7896.
- Ekwealor, C.C., Odibo, F.J.C., and Onwosi, C.O., 2017. Partial Purification and Characterization of Cellulase Produced by *Bacillus sphaericus* CE-3. *Adv Microbiol* 07, 293–303.
- Energy Statistics 2017, 2017. 24th Issue. Central Statistics Office, Ministry of Statistics and Programme Implementation, Government of India, New Delhi.
- Faulet, B.M., Niamké, S., Gonnety, J.T., and Kouamé, L.P., 2006. Purification and characterization of two thermostable cellulase-free xylanases from workers of the termite *Macrotermes subhyalinus* (Isoptera: Termitidae). *Int J Trop Insect Sci* 26, 108–120.
- Ferreira-Leitão, V., Cruz Perrone, C., Rodrigues, J., Paula, A., Franke, M., Macrelli, S., and Zacchi, G., 2010. An approach to the utilisation of CO₂ as impregnating agent in steam pretreatment of sugar cane bagasse and leaves for ethanol production. *Biotechnol Biofuels* 3, 7.
- Ferrer, M., Golyshina, O. V., Chernikova, T.N., Khachane, A.N., Reyes-Duarte, D., Martins Dos Santos, V.A.P., Strompl, C., Elborough, K., et al., 2005. Novel hydrolase diversity retrieved from a metagenome library of bovine rumen microflora. *Environ Microbiol* 7, 1996–2010.
- Galbe, M., and Zacchi, G., 2012. Pretreatment: The key to efficient utilization of lignocellulosic materials. *Biomass and Bioenergy* 46, 70–78.
- Garlock, R.J., Balan, V., and Dale, B.E., 2012. Optimization of AFEXTM pretreatment conditions and enzyme mixtures to maximize sugar release from upland and lowland switchgrass. *Bioresour Technol* 104, 757–768.
- Garmakhany, A.D., Kashaninejad, M., Aalami, M., Maghsoudlou, Y., Khomieri, M., and Tabil, L.G., 2014. Enhanced biomass delignification and enzymatic saccharification of canola straw by steam-explosion pretreatment. *J Sci Food Agric* 94, 1607–1613.
- Gassara, F., Brar, S.K., Tyagi, R.D., Verma, M., and Surampalli, R.Y., 2010. Screening of agro-industrial wastes to produce ligninolytic enzymes by *Phanerochaete chrysosporium*. *Biochem Eng J* 49, 388–

- 394.
- Ghose, T.K., 1987. Measurement of cellulase activities. *J Photochem Photobiol B Biol* 2, 523–531.
- Ghose, T.K., and Bisaria, V.S., 1987. Measurement of hemicellulase activities: Part I Xylanases. *Pure Appl Chem* 59, 257–268.
- Giacobbe, S., Pepe, O., Ventorino, V., Birolo, L., Vinciguerra, R., and Faraco, V., 2014. Identification and Characterization of a Pectinolytic Enzyme from *Paenibacillus xylanolyticus*. *BioResources* 9, 4873–4887.
- Girija, D., Deepa, K., Xavier, F., Antony, I., and Shidhi, P.R., 2013. Analysis of cow dung microbiota—A metagenomic approach. *Indian J Biotechnol* 12, 372–378.
- Glasser, W.G., Kaar, W.E., Jain, R.K., and Sealey, J.E., 2000. Isolation options for non-cellulosic heteropolysaccharides (HetPS). *Cellulose* 7, 299–317.
- Gollapalli, L.E., Dale, B.E., and Rivers, D.M., 2002. Predicting Digestibility of Ammonia Fiber Explosion (AFEX)-Treated Rice Straw. *Appl Biochem Biotechnol* 98–100, 23–36.
- Gong, X., Gruninger, R.J., Forster, R.J., Teather, R.M., and McAllister, T.A., 2013. Biochemical analysis of a highly specific, pH stable xylanase gene identified from a bovine rumen-derived metagenomic library. *Appl Microbiol Biotechnol* 97, 2423–2431.
- Goswami, G., and Pathak, R., 2013. Microbial xylanases and their biomedical applications: a review. *Int J Basic Clin Pharmacol* 2, 237.
- Gray, M.C., Converse, A.O., and Wyman, C.E., 2007. Solubilities of Oligomer Mixtures Produced by the Hydrolysis of Xylans and Corn Stover in Water at 180 °C. *Ind Eng Chem Res* 2383–2391.
- Guo, M., Song, W., and Buhain, J., 2015. Bioenergy and biofuels: History, status, and perspective. *Renew Sustain Energy Rev* 42, 712–725.
- Gupta, R., Khasa, Y.P., and Kuhad, R.C., 2011. Evaluation of pretreatment methods in improving the enzymatic saccharification of cellulosic materials. *Carbohydr Polym* 84, 1103–1109.
- Hadj-Taieb, N., Tounsi, H., Chabchoub, A., Abid, N., and Gargouri, A., 2011. Studies on the Zymogram Method for the Detection of Pectinolytic Activities Using CTAB. *Appl Biochem Biotechnol* 165, 1652–1660.
- Harley, J., and Prescott, L., 2002. Laboratory Exercises in Microbiology, Fifth Edition. The McGraw-Hill Companies.
- Hendriks, A.T.W.M., and Zeeman, G., 2009. Pretreatments to enhance the digestibility of lignocellulosic biomass. *Bioresour Technol* 100, 10–18.
- Ho, S.L., Lan, J.C.-W., Tan, J.S., Yim, H.S., and Ng, H.S., 2017. Aqueous biphasic system for the partial purification of *Bacillus subtilis* carboxymethyl cellulase. *Process Biochem* 58, 276–281.
- Hoondal, G.S., Tiwari, R.P., Tewari, R., Dahiya, N., and Beg, Q.K., 2002. Microbial alkaline pectinases and their industrial applications: a review. *Appl Microbiol Biotechnol* 59, 409–418.
- Hu, J., Arantes, V., and Saddler, J.N., 2011. The enhancement of enzymatic hydrolysis of lignocellulosic substrates by the addition of accessory enzymes such as xylanase: Is it an additive or synergistic effect? *Biotechnol Biofuels* 4.
- Huang, Y., Qin, X., Luo, X.-M., Nong, Q., Yang, Q., Zhang, Z., Gao, Y., Lv, F., et al., 2015. Efficient enzymatic hydrolysis and simultaneous saccharification and fermentation of sugarcane bagasse

- pulp for ethanol production by cellulase from *Penicillium oxalicum* EU2106 and thermotolerant *Saccharomyces cerevisiae* ZM1-5. *Biomass and Bioenergy* 77, 53–63.
- Immerzeel, P., Falck, P., Galbe, M., Adlercreutz, P., Nordberg Karlsson, E., and Stålbrand, H., 2014. Extraction of water-soluble xylan from wheat bran and utilization of enzymatically produced xylooligosaccharides by *Lactobacillus*, *Bifidobacterium* and *Weissella* spp. *LWT - Food Sci Technol* 56, 321–327.
- India Energy Outlook - World Energy Outlook Special Report 2015, (2015) International energy agency (Paris).
- Jacobsen, K.R., Fisher, D.G., Maretzki, A., and Moore, P.H., 1992. Developmental Changes in the Anatomy of the Sugarcane Stem in Relation to Phloem Unloading and Sucrose Storage. *Bot Acta* 105, 70–80.
- Jayani, R.S., Saxena, S., and Gupta, R., 2005. Microbial pectinolytic enzymes: A review. *Process Biochem* 40, 2931–2944.
- Juturu, V., and Wu, J.C., 2012. Microbial xylanases: Engineering, production and industrial applications. *Biotechnol Adv* 30, 1219–1227.
- Kai, D., Jin Tan, M., Lin Chee, P., Khim Chua, Y., Liang Yap, Y., and Jun Loh, X., 2016. Towards lignin-based functional materials in a sustainable world. *Green Chem* 18.
- Kalaiyarasi, M., Vijayaraghavan, P., Russalamma, S., Raj, F., Gnana, S., and Vincent, P., 2017. Statistical Approach for the Production of Protease and Cellulase from *Bacillus cereus* KA3. *Bioprocess Eng* 1, 93–103.
- Kallel, F., Driss, D., Chaari, F., Zouari-Ellouzi, S., Chaabouni, M., Ghorbel, R., and Chaabouni, S.E., 2016. Statistical optimization of low-cost production of an acidic xylanase by *Bacillus mojavensis* UEB-FK: Its potential applications. *Biocatal Agric Biotechnol* 5, 1–10.
- Kanmani, P., 2014. Extraction and Analysis of Pectin from Citrus Peels: Augmenting the Yield from Citrus limon Using Statistical Experimental Design. *Iran J energy Environ* 5.
- Kapoor, M., Beg, Q.K., Bhushan, B., Singh, K., Dadhich, K.S., and Hoondal, G.S., 2001. Application of an alkaline and thermostable polygalacturonase from *Bacillus* sp. MG-cp-2 in degumming of ramie (*Boehmeria nivea*) and sunn hemp (*Crotalaria juncea*) bast fibres. *Process Biochem* 36, 803–807.
- Karpe, A., 2015. Biodegradation of winery biomass wastes by developing a symbiotic multi- fungal consortium. (2015). Ph.D. Thesis. Swinburne University of Technology.
- Kasana, R.C., Salwan, R., Dhar, H., Dutt, S., and Gulati, A., 2008. A rapid and easy method for the detection of microbial cellulases on agar plates using Gram's iodine. *Curr Microbiol* 57, 503–507.
- Kashyap, D.R., Chandra, S., Kaul, A., and Tewari, R., 2000. Production, purification and characterization of pectinase from a *Bacillus* sp. DT7. *World J Microbiol Biotechnol* 16, 277–282.
- Kaur, A., Mahajan, R., Singh, A., Garg, G., and Sharma, J., 2011. A novel and cost effective methodology for qualitative screening of alkalo-thermophilic cellulase free xylano-pectinolytic microorganisms using agricultural wastes. *World J Microbiol Biotechnol* 27, 459–463.
- Kaur, A., Mahajan, R., Singh, A., Garg, G., and Sharma, J., 2010. Application of cellulase-free xylano-pectinolytic enzymes from the same bacterial isolate in biobleaching of kraft pulp. *Bioresour Technol* 101, 9150–9155.

-
- Kaur, A., Singh, A., Dua, A., and Mahajan, R., 2017. Cost-effective and concurrent production of industrially valuable xylano-pectinolytic enzymes by a bacterial isolate *Bacillus pumilus* AJK. *Prep Biochem Biotechnol* 47, 8–18.
- Kaur, A., Singh, A., and Mahajan, R., 2014. Characterization of industrially-valuable xylano-pectinolytic enzymes produced concurrently by a novel isolate of *Bacillus pumilus*. *Biotechnol Lett* 36, 2229–2237.
- Kaur, A., Singh, A., Patra, A.K., and Mahajan, R., 2016. Cost-effective scouring of flax fibers using cellulase-free xylano-pectinolytic synergism from a bacterial isolate. *J Clean Prod* 131, 107–111.
- Kaur, P., Bhardwaj, N.K., and Sharma, J., 2016. Process optimization for hyper production of xylanase via statistical methodology from isolated *Bacillus pumilus* 3GAH using lignocellulosic waste. *Biocatal Agric Biotechnol* 6, 159–167.
- Kaur, S.J., and Gupta, V.K., 2017. Production of pectinolytic enzymes pectinase and pectin lyase by *Bacillus subtilis* SAV-21 in solid state fermentation. *Ann Microbiol* 67, 333–342.
- Khasin, A., Alchanati, I., and Shoham, Y., 1993. Purification and characterization of a thermostable xylanase from *Bacillus stearothermophilus* T-6. *Appl Environ Microbiol* 59, 1725–1730.
- Kim, D.Y., Lee, M.J., Cho, H.-Y., Lee, J.S., Mi-Hwa, L., Chung, C.W., Shin, D.-H., Rhee, Y.H., et al., 2016. Genetic and functional characterization of an extracellular modular GH6 endo-b-1,4-glucanase from an earthworm symbiont, *Cellulosimicrobium funkei* HY-13. *Antonie Van Leeuwenhoek* 109, 1–12.
- Kim, D.Y., Shin, D.-H., Jung, S., Lee, J.S., Cho, H.-Y., Bae, K.S., Sung, C.-K., Rhee, Y.H., et al., 2014. Biocatalytic Properties and Substrate-binding Ability of a Modular GH10 β -1,4-Xylanase from an Insect-symbiotic Bacterium, *Streptomyces mexicanus* HY-14. *J Microbiol* 52, 863–870.
- Klug-Santner, B.G., Schnitzhofer, W., Vrřanská, M., Weber, J., Agrawal, P.B., Nierstrasz, V.A., and Guebitz, G.M., 2006. Purification and characterization of a new bioscouring pectate lyase from *Bacillus pumilus* BK2. *J Biotechnol* 121, 390–401.
- Knothe, G., 2010. Biodiesel: Current trends and properties. *Top Catal* 53, 714–720.
- Ko, J.K., Bak, J.S., Jung, M.W., Lee, H.J., Choi, I.G., Kim, T.H., and Kim, K.H., 2009. Ethanol production from rice straw using optimized aqueous-ammonia soaking pretreatment and simultaneous saccharification and fermentation processes. *Bioresour Technol* 100, 4374–4380.
- Kopetz, H., 2013. Renewable resources: Build a biomass energy market. *Nature* 494, 29–31.
- Kostylev, M., and Wilson, D., 2012. Synergistic interactions in cellulose hydrolysis. *Biofuels* 3, 61–70.
- Krawczyk, H., Persson, T., Andersson, A., Jönsson, A.-S., and Jö Nsson, A.-S., 2008. Isolation of hemicelluloses from barley husks. *Food Bioprod Process* 86, 31–36.
- Krishnan, C., Sousa, L. da C., Jin, M., Chang, L., Dale, B.E., and Balan, V., 2010. Alkali-based AFEX pretreatment for the conversion of sugarcane bagasse and cane leaf residues to ethanol. *Biotechnol Bioeng* 107, 441–450.
- Kristensen, J.B., Thygesen, L.G., Felby, C., Jørgensen, H., and Elder, T., 2008. Biotechnology for Biofuels Cell-wall structural changes in wheat straw pretreated for bioethanol production 9, 1–9.
- Kruger, N.J., 2002. The Bradford Method for Protein Quantitation, in: Walker (Ed.), *Protein Protocols Handbook*, The Humana Press, New Jersey, 15–22.
-

- Kruger, N.J., 1996. The Bradford Method for Protein Quantification, in: Walker (Ed.), The Protein Protocols Handbook. Humana Press, 15–21.
- Kubo, S., and Kadla, J.F., 2005. Hydrogen Bonding in Lignin: A Fourier Transform Infrared Model Compound Study. *Biomacromolecules* 6, 2815–2821.
- Kuhad, R.C., Gupta, R., Khasa, Y.P., and Singh, A., 2010. Bioethanol production from *Lantana camara* (red sage): Pretreatment, saccharification and fermentation. *Bioresour Technol* 101, 8348–8354.
- Kuhad, R.C., Gupta, R., and Singh, A., 2011. Microbial Cellulases and Their Industrial Applications. *Enzyme Res* 2011, 1–10.
- Kuila, A., and Banerjee, R., 2014. Simultaneous saccharification and fermentation of enzyme pretreated *Lantana camara* using *S. cerevisiae*. *Bioprocess Biosyst Eng* 37, 1963–1969.
- Kuila, A., Mukhopadhyay, M., Tuli, D.K., and Banerjee, R., 2011. Production of ethanol from lignocellulosics: An enzymatic venture. *EXCLI J* 10, 85–96.
- Kumar, E.V., Srijana, M., Chaitanya, K., Harish, Y., Reddy, K., and Reddy, G., 2011. Biodegradation of poultry feathers by a novel bacterial isolate *Bacillus altitudinis* GVC11. *Indian J Biotechnol* 10, 502–507.
- Kumar, G., Shobana, S., Chen, W.-H., Bach, Q.-V., Kim, S.-H., Atabani, A.E., and Chang, J.-S., 2017. A review of thermochemical conversion of microalgal biomass for biofuels: chemistry and processes. *Green Chem* 19, 44–67.
- Kumar, R., and Wyman, C.E., 2009a. Does change in accessibility with conversion depend on both the substrate and pretreatment technology? *Bioresour Technol* 100, 4193–4202.
- Kumar, R., and Wyman, C.E., 2009b. Effect of xylanase supplementation of cellulase on digestion of corn stover solids prepared by leading pretreatment technologies. *Bioresour Technol* 100, 4203–4213.
- Kumar, S., Haq, I., Prakash, J., and Raj, A., 2017. Improved enzyme properties upon glutaraldehyde cross-linking of alginate entrapped xylanase from *Bacillus licheniformis*. *Int J Biol Macromol* 98, 24–33.
- Kumar, S., Singh Parmar, Y., Sharma, N., and Pathania, S., 2017. Cost effective production of cellulase using wheat bran from *Bacillus subtilis* BM1 and encoding endo-beta-1,4-glucanase producing gene. *Res Environ Life Sci* 10, 507–512.
- Kurt Randerath, 1963. Thin-layer chromatography, 2nd ed. Verlag Chemie,.
- Kuvvet, C., Uzuner, S., and Cekmecelioglu, D., 2017. Improvement of Pectinase Production by Co-culture of *Bacillus* spp. Using Apple Pomace as a Carbon Source. *Waste and Biomass Valorization*.
- La Duc, M.T., Satomi, M., Agata, N., and Venkateswaran, K., 2004. gyrB as a phylogenetic discriminator for members of the *Bacillus anthracis*–*cereus*–*thuringiensis* group. *J Microbiol Methods* 56, 383–394.
- Laemmli, U., 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227, 680–685.
- Lai, Q., Liu, Y., Shao, Z., Lai, Q., Liu, Á.Y., and Shao, Á.Z., 2014. *Bacillus xiamenensis* sp. nov., isolated from intestinal tract contents of a flathead mullet (*Mugil cephalus*). *Antonie Van Leeuwenhoek* 105, 99–107.

- Laathanachareon, T., Bunterngsook, B., Suwannarangsee, S., Eurwilaichitr, L., and Champreda, V., 2015. Synergistic action of recombinant accessory hemicellulolytic and pectinolytic enzymes to *Trichoderma reesei* cellulase on rice straw degradation. *Bioresour Technol* 198, 682–690.
- Lateef, A., Adelere, I.A., and Gueguim-Kana, E.B., 2015. The biology and potential biotechnological applications of *Bacillus safensis*. *Biologia (Bratisl)* 70, 411–419.
- Laurens, L.M.L., and Wolfrum, E.J., 2011. Feasibility of spectroscopic characterization of algal lipids: Chemometric correlation of NIR and FTIR Spectra with exogenous lipids in algal biomass. *Bioenergy Res* 4, 22–35.
- Leclerc, L., Cutsem, P. Van, and Michiels, C., 2013. Anti-cancer activities of pH- or heat-modified pectin. *Front Pharmacol* 4, 1–8.
- Li, J., Zhou, P., Liu, H., Lin, J., Gong, Y., Xiao, W., and Liu, Z., 2014a. Monosaccharides and Ethanol Production from Superfine Ground Sugarcane Bagasse Using Enzyme Cocktail. *BioResources* 9, 2529–2540.
- Li, J., Zhou, P., Liu, H., Xiong, C., Lin, J., Xiao, W., Gong, Y., and Liu, Z., 2014b. Synergism of cellulase, xylanase, and pectinase on hydrolyzing sugarcane bagasse resulting from different pretreatment technologies. *Bioresour Technol* 155, 258–265.
- Li, L., Tian, H., Cheng, Y., Jiang, Z., and Yang, S., 2006. Purification and characterization of a thermostable cellulase-free xylanase from the newly isolated *Paecilomyces thermophila*. *Enzyme Microb Technol* 38, 780–787.
- Li, M., Wang, J., Yang, Y., and Xie, G., 2016. Alkali-based pretreatments distinctively extract lignin and pectin for enhancing biomass saccharification by altering cellulose features in sugar-rich Jerusalem artichoke stem. *Bioresour Technol* 208, 31–41.
- Li, Z., Bai, Z., Zhang, B., Li, B., Jin, B., Zhang, M., Lin, F., and Zhang, H., 2012. Purification and Characterization of Alkaline Pectin Lyase from a Newly Isolated *Bacillus clausii* and Its Application in Elicitation of Plant Disease Resistance. *Appl Biochem Biotechnol* 167, 2241–2256.
- Liu, Y., Chen, G., Wang, J., Hao, Y., Li, M., Li, Y., Hu, B., and Lu, F., 2012. Efficient expression of an alkaline pectate lyase gene from *Bacillus subtilis* and the characterization of the recombinant protein. *Biotechnol Lett* 34, 109–115.
- Liu, Y., Lai, Q., Dong, C., Sun, F., Wang, L., Li, G., and Shao, Z., 2013. Phylogenetic diversity of the *Bacillus pumilus* group and the marine ecotype revealed by multilocus sequence analysis. *PLoS One* 8, 1–11.
- Liu, Y., Lai, Q., Du, J., and Shao, Z., 2016. *Bacillus zhangzhouensis* sp. nov. and *Bacillus australimaris* sp. nov. *Int J Syst Evol Microbiol* 66, 1193–1199.
- Lizasoain, J., Rincón, M., Theuretzbacher, F., Enguádanos, R., Nielsen, P.J., Potthast, A., Zweckmair, T., Gronauer, A., et al., 2016. Biogas production from reed biomass: Effect of pretreatment using different steam explosion conditions. *Biomass and Bioenergy* 95, 84–91.
- Loaces, I., Bottini, G., Moyna, G., Fabiano, E., Martínez, A., and Noya, F., 2016. EndoG: A novel multifunctional halotolerant glucanase and xylanase isolated from cow rumen. *J Mol Catal B Enzym* 126, 1–9.
- Löffler, F.E., Sun, Q., Li, J., and Tiedje, J.M., 2000. 16S rRNA Gene-Based Detection of

- Desulfuromonas* and *Dehalococcoides* Species 16S rRNA Gene-Based Detection of Tetrachloroethene- Dechlorinating *Desulfuromonas* and *Dehalococcoides* Species. *Appl Environ Microbiol* 66, 1369–1374.
- Lu, F., Lu, M., Lu, Z., Bie, X., Zhao, H., and Wang, Y., 2008. Purification and characterization of xylanase from *Aspergillus ficuum* AF-98. *Bioresour Technol* 99, 5938–41.
- Mac Faddin, J.F., 1976. Biochemical tests for identification of medical bacteria. Williams & Wilkins Co.
- Madhuri, A., Nagaraju, B., Harikrishna, N., and Reddy, G., 2012. Production of Alkaline Protease by *Bacillus altitudinis* GVC11 using Castor Husk in Solid-State Fermentation. *Appl Biochem Biotechnol* 167, 1199–1207.
- Madigan, M.T., Martinko, John M., Stahl, D.A., and Clark, D.P., 2011. Brock biology of microorganisms, 13th ed. Benjamin Cummings, Pearson Education. Inc., San Fransisco, California.
- Magalhães da Silva, S.P., da Costa Lopes, A.M., Roseiro, L.B., and Bogel-Lukasik, R., 2013. Novel pre-treatment and fractionation method for lignocellulosic biomass using ionic liquids. *RSC Adv* 3, 16040.
- Maisuria, V.B., and Nerurkar, A.S., 2012. Biochemical properties and thermal behavior of pectate lyase produced by *Pectobacterium carotovorum* subsp. *carotovorum* BR1 with industrial potentials. *Biochem Eng J* 63, 22–30.
- Maisuria, V.B., Patel, V.A., and Nerurkar, A.S., 2010. Biochemical and thermal stabilization parameters of polygalacturonase from *Erwinia carotovora* subsp. *carotovora* BR1. *J Microbiol Biotechnol* 20, 1077–1085.
- Maitan-Alfenas, G.P., Visser, E.M., Alfenas, R.F., Nogueira, B.R.G., de Campos, G.G., Milagres, A.F., de Vries, R.P., and Guimarães, V.M., 2015a. The influence of pretreatment methods on saccharification of sugarcane bagasse by an enzyme extract from *Chrysosporthe cubensis* and commercial cocktails: A comparative study. *Bioresour Technol* 192, 670–676.
- Mamo, G., Hatti-Kaul, R., and Mattiasson, B., 2006. A thermostable alkaline active endo- β -1-4-xylanase from *Bacillus halodurans* S7: Purification and characterization. *Enzyme Microb Technol* 39, 1492–1498.
- Mandal, A., 2015. Review on Microbial Xylanases and their Applications. *CRDEEPJournals Int J Life Sci Asish Mandal Int J Life Sci* 4, 178–187.
- Mao, S., Lu, Z., Zhang, C., Lu, F., and Bie, X., 2013. Purification, Characterization, and Heterologous Expression of a Thermostable β -1,3-1,4-Glucanase from *Bacillus altitudinis* YC-9. *Appl Biochem Biotechnol* 169, 960–975.
- Maryana, R., Ma'rifatun, D., Wheni, A.I., Satriyo, K.W., and Rizal, W.A., 2014. Alkaline Pretreatment on Sugarcane Bagasse for Bioethanol Production. *Energy Procedia* 47, 250–254.
- Mathews, S.L., Pawlak, J., and Grunden, A.M., 2015. Bacterial biodegradation and bioconversion of industrial lignocellulosic streams. *Appl Microbiol Biotechnol* 99, 2939–2954.
- Maurya, D.P., Singla, A., and Negi, S., 2015. An overview of key pretreatment processes for biological conversion of lignocellulosic biomass to bioethanol. *3 Biotech* 5, 597–609.
- May, C.D., 1990. Industrial pectins: Sources, production and applications. *Carbohydr Polym* 12, 79–99.
- McKendry, P., 2002. Energy production from biomass (part 1): overview of biomass. *Bioresour Technol*

- 83, 37–46.
- Miller, G.L., 1959. Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar. *Anal Chem* 31, 426–428.
- Mishra, M.K., Khare, N., and Agrawal, A.B., 2014. Bagasse Cogeneration in India: Status, Barriers. *IOSR J Mech Civ Eng Ver III* 11, 2320–334.
- Mittal, A., Nagar, S., and Gupta, V.K., 2013. Production and purification of high levels of cellulase-free bacterial xylanase by *Bacillus* sp. SV-34S using agro-residue. *Ann Microbiol* 63, 1157–1167.
- Mohandas, A., Sindhu, R., Binod, P., Abraham, A., S. R., A.R., Mathew, A.K., and Pandey, A., 2018. Production of Pectinase from *Bacillus sonorensis* MPTD1. *Food Technol Biotechnol* 56.
- Mohapatra, S., Mishra, C., Behera, S.S., and Thatoi, H., 2017. Application of pretreatment, fermentation and molecular techniques for enhancing bioethanol production from grass biomass – A review. *Renew Sustain Energy Rev* 78, 1007–1032.
- Mortimer, G.A., Daues, G.W., and Hamner, W.F., 1964. Relationships between molecular weight, solution viscosity, and melt index for narrow distribution, high pressure polyethylene whole polymers. Fast Mn determinations. *J Appl Polym Sci* 8, 839–847.
- Mosier, N., Hendrickson, R., Ho, N., Sedlak, M., and Ladisch, M.R., 2005. Optimization of pH controlled liquid hot water pretreatment of corn stover. *Bioresour Technol* 96, 1986–1993.
- Mosier, N.S., Wyman, C.E., Dale, B.E., Elander, R., Lee, Y.Y., Holtzapple, M., and Ladisch, M.R., 2005. Features of promising technologies for pretreatment of lignocellulosic biomass. *Bioresour Technol* 96, 673–686.
- Naidu, G.S.N., and Panda, T., 2003. Studies on pH and thermal deactivation of pectolytic enzymes from *Aspergillus niger*. *Biochem Eng J* 16, 57–67.
- Nandini, C.D., and Salimath, P. V., 2001. Carbohydrate composition of wheat, wheat bran, sorghum and bajra with good chapati/roti (Indian flat bread) making quality. *Food Chem* 73, 197–203.
- Nedjma, M., Hoffmann, N., and Belarbi, a, 2001. Selective and sensitive detection of pectin lyase activity using a colorimetric test: application to the screening of microorganisms possessing pectin lyase activity. *Anal Biochem* 291, 290–296.
- Nelson, D.L., Lehninger, A.L., and Cox, M.M., 2008. Lehninger principles of biochemistry. W.H. Freeman.
- Neureiter, M., Danner, H., Thomasser, C., Saidi, B., and Braun, R., 2002. Dilute-Acid Hydrolysis of Sugarcane Bagasse at Varying Conditions. *Appl Biochem Biotechnol* 98–100, 49–58.
- Nguyen, A.D., Hwang, Y., Chan, J.Y., and Lee, E.Y., 2016. Reconstruction of Methanol and Formate Metabolic Pathway in Non-native Host for Biosynthesis of Chemicals and Biofuels. *Biotechnol Bioprocess Eng* 21, 477–482.
- Nkohla, A., Okaiyeto, K., Olaniran, A., Nwodo, U., Mabinya, L., and Okoh, A., 2017. Optimization of growth parameters for cellulase and xylanase production by *Bacillus* species isolated from decaying biomass. *J Biotech Res* 8, 1944–328533.
- Norgren, M., and Edlund, H., 2014. Lignin: Recent advances and emerging applications. *Curr Opin Colloid Interface Sci* 19, 409–416.
- Oberoi, H.S., Vadlani, P. V., Nanjundaswamy, A., Bansal, S., Singh, S., Kaur, S., and Babbar, N., 2011.

- Enhanced ethanol production from Kinnow mandarin (*Citrus reticulata*) waste via a statistically optimized simultaneous saccharification and fermentation process. *Bioresour Technol* 102, 1593–1601.
- Oumer, O.J., and Abate, D., 2017. Characterization of Pectinase from *Bacillus subtilis* Strain Btk 27 and Its Potential Application in Removal of Mucilage from Coffee Beans. *Enzyme Res* 2017, 1–7.
- Pandey, A., Soccol, C.R., Nigam, P., and Soccol, V.T., 2000. Biotechnological potential of agro-industrial residues. I: sugarcane bagasse. *Bioresour Technol* 74, 69–80.
- Park, D.-J., 2013. An β -1,4-Xylanase with Exo-Enzyme Activity Produced by *Paenibacillus xylanilyticus* KJ-03 and Its Cloning and Characterization. *J Microbiol Biotechnol* 23, 397–404.
- Park, D.-J., Lee, Y.-S., and Choi, Y.-L., 2013. Characterization of a Cold-Active β -Glucosidase from *Paenibacillus xylanilyticus* KJ-03 Capable of Hydrolyzing Isoflavones Daidzin and Genistin. *Protein J* 32, 579–584.
- Park, I.-H., Chang, J., Lee, Y.-S., Fang, S.-J., and Choi, Y.-L., 2012. Gene Cloning of Endoglucanase Cel5A from Cellulose-Degrading *Paenibacillus xylanilyticus* KJ-03 and Purification and Characterization of the Recombinant Enzyme. *Protein J* 31, 238–245.
- Pedrolli, D.B., and Carmona, E.C., 2014. Purification and Characterization of a Unique Pectin Lyase from *Aspergillus giganteus* Able to Release Unsaturated Monogalacturonate during Pectin Degradation. *Enzyme Res* 2014, 1–7.
- Pereira, J.D.C., Giese, E.C., Pereira, J.D.C., Giese, E.C., Maria, M., Moretti, D.S., Carolina, A., Maria, M., et al., 2017. Effect of Metal Ions, Chemical Agents and Organic Compounds on Lignocellulolytic Enzymes Activities, in: *Enzyme Inhibitors and Activators*. 139–164.
- Price, N.C., and Stevens, L., 1999. Chapter 4 An introduction to enzyme kinetics, in: *Fundamentals of Enzymology: The Cell and Molecular Biology of Catalytic Proteins*. Oxford University Press, 478.
- Rabelo, S.C., Carrere, H., Maciel Filho, R., and Costa, A.C., 2011. Production of bioethanol, methane and heat from sugarcane bagasse in a biorefinery concept. *Bioresour Technol* 102, 7887–7895.
- Rahmani, N., Jabbar Robbani, N.U., Herawati Suparto, I., and Yopi, Y., 2014. Optimization of Production Xylanase from Marine Bacterium *Bacillus safensis* P20 on Sugarcane Baggase by Submerged Fermentation. *Int J Adv Sci Eng Inf Technol* 4, 419.
- Rajak, R.C., and Banerjee, R., 2016. Enzyme mediated biomass pretreatment and hydrolysis: a biotechnological venture towards bioethanol production. *RSC Adv* 6, 61301–61311.
- Rajak, R.C., and Banerjee, R., 2015. Enzymatic delignification: an attempt for lignin degradation from lignocellulosic feedstock. *RSC Adv* 5, 75281–75291.
- Rattanachomsri, U., Tanapongpipat, S., Eurwilaichitr, L., and Champreda, V., 2009. Simultaneous non-thermal saccharification of cassava pulp by multi-enzyme activity and ethanol fermentation by *Candida tropicalis*. *J Biosci Bioeng* 107, 488–493.
- Rebello, S., Anju, M., Aneesh, E.M., Sindhu, R., Binod, P., and Pandey, A., 2017. Recent advancements in the production and application of microbial pectinases: an overview. *Rev Environ Sci Biotechnol* 16, 381–394.
- Reginatto, C., Rossi, C., Miglioranza, B.G., Santos, M. Dos, Meneghel, L., Moura, M., Silveira, D., and Malvessi, E., 2017. Pectinase production by *Aspergillus niger* LB-02-SF is influenced by the

- culture medium composition and the addition of the enzyme inducer after biomass growth. *Process Biochem* 58, 1–8.
- Resch, M.G., Donohoe, B.S., Ciesielski, P.N., Nill, J.E., Magnusson, L., Himmel, M.E., Mittal, A., Katahira, R., et al., 2014. Clean Fractionation Pretreatment Reduces Enzyme Loadings for Biomass Saccharification and Reveals the Mechanism of Free and Cellulosomal Enzyme Synergy. *ACS Sustain Chem Eng* 2, 1377–1387.
- Reyes-Sosa, F.M., López Morales, M., Platero Gómez, A.I., Valbuena Crespo, N., Sánchez Zamorano, L., Rocha-Martín, J., Molina-Heredia, F.P., and Díez García, B., 2017. Management of enzyme diversity in high-performance cellulolytic cocktails. *Biotechnol Biofuels* 10, 156.
- Rezende, C.A., de Lima, M., Maziero, P., DeAzevedo, E., Garcia, W., and Polikarpov, I., 2011a. Chemical and morphological characterization of sugarcane bagasse submitted to a delignification process for enhanced enzymatic digestibility. *Biotechnol Biofuels* 4, 54.
- Rheims, H., Fruhling, A., Schumann, P., Rohde, M., and Stackebrandt, E., 1999. *Bacillus silvestris* sp. nov., a new member of the genus *Bacillus* that contains lysine in its cell wall. *Int J Syst Bacteriol* 49, 795–802.
- Riaz, M., Perveen, R., Javed, M.R., Nadeem, H., and Rashid, M.H., 2007. Kinetic and thermodynamic properties of novel glucoamylase from *Humicola* sp. *Enzyme Microb Technol* 41, 558–564.
- Riou, C., Freyssinet, G., and Fevre, M., 1992. Purification and Characterization of Extracellular Pectinolytic Enzymes Produced by *Sclerotinia sclerotiorum*. *Appl Environ Microbiol* 58, 578–83.
- Rocha, G.J.M., Gonçalves, A.R., Nakanishi, S.C., Nascimento, V.M., and Silva, V.F.N., 2015. Pilot scale steam explosion and diluted sulfuric acid pretreatments: Comparative study aiming the sugarcane bagasse saccharification. *Ind Crops Prod* 74, 810–816.
- Rocha, G.J.M., Gonçalves, A.R., Oliveira, B.R., Olivares, E.G., and Rossell, C.E.V., 2012. Steam explosion pretreatment reproduction and alkaline delignification reactions performed on a pilot scale with sugarcane bagasse for bioethanol production. *Ind Crops Prod* 35, 274–279.
- Rollin, J.A., Zhu, Z., Sathitsuksanoh, N., and Zhang, Y.-H.P., 2011. Increasing cellulose accessibility is more important than removing lignin: A comparison of cellulose solvent-based lignocellulose fractionation and soaking in aqueous ammonia. *Biotechnol Bioeng* 108, 22–30.
- Rollini, M., Sambusiti, C., Musatti, A., Ficara, E., Retinò, I., and Malpei, F., 2014. Comparative performance of enzymatic and combined alkaline-enzymatic pretreatments on methane production from ensiled sorghum forage. *Bioprocess Biosyst Eng* 37, 2587–2595.
- Ruijsenaars, H.J., and Hartmans, S., 2001. Plate screening methods for the detection of polysaccharase-producing microorganisms. *Appl Microbiol Biotechnol* 55, 143–149.
- Sá-Pereira, P., Paveia, H., Costa-Ferreira, M., and Aires-Barros, M.R., 2003. A new look at xylanases: An overview of purification strategies. *Appl Biochem Biotechnol - Part B Mol Biotechnol* 24, 257–281.
- Sadhu, S., Saha, P., Sen, S.K., Mayilraj, S., and Maiti, T.K., 2013. Production, purification and characterization of a novel thermotolerant endoglucanase (CMCase) from *Bacillus* strain isolated from cow dung. *Springerplus* 2, 10.
- Sakamoto, T., Hasunuma, T., Hori, Y., Yamada, R., and Kondo, A., 2012. Direct ethanol production

- from hemicellulosic materials of rice straw by use of an engineered yeast strain codisplaying three types of hemicellulolytic enzymes on the surface of xylose-utilizing *Saccharomyces cerevisiae* cells. *J Biotechnol* 158, 203–210.
- Salim, A.A., Grbavčić, S., Šekuljica, N., Stefanović, A., Jakovetić Tanasković, S., Luković, N., and Knežević-Jugović, Z., 2017. Production of enzymes by a newly isolated *Bacillus* sp. TMF-1 in solid state fermentation on agricultural by-products: The evaluation of substrate pretreatment methods. *Bioresour Technol* 228, 193–200.
- Sambrook, J., Fritsch, E., and Maniatis, T., 2001. Molecular cloning, 3rd ed. CSHL Press, 2001.
- Sandhu, S.K., Oberoi, H.S., Dhaliwal, S.S., Babbar, N., Kaur, U., Nanda, D., and Kumar, D., 2012. Ethanol production from Kinnow mandarin (*Citrus reticulata*) peels via simultaneous saccharification and fermentation using crude enzyme produced by *Aspergillus oryzae* and the thermotolerant *Pichia kudriavzevii* strain. *Ann Microbiol* 62, 655–666.
- Sant’Anna, C., Costa, L.T., Abud, Y., Biancatto, L., Miguens, F.C., and de Souza, W., 2013. Sugarcane cell wall structure and lignin distribution investigated by confocal and electron microscopy. *Microsc Res Tech* 76, 829–834.
- Sathya, T.A., and Khan, M., 2014. Diversity of Glycosyl Hydrolase Enzymes from Metagenome and Their Application in Food Industry. *J Food Sci* 79, R2149–R2156.
- Satomi, M., La Duc, M. t., and Venkateswaran, K., 2006. *Bacillus safensis* sp. nov., isolated from spacecraft and assembly-facility surfaces. *Int J Syst Evol Microbiol* 56, 1735–1740.
- Sawada, D., Kalluri, U.C., O’Neill, H., Urban, V., Langan, P., Davison, B., and Pingali, S.V., 2018. Tension wood structure and morphology conducive for better enzymatic digestion. *Biotechnol Biofuels* 11, 44.
- Scully, E.D., Geib, S.M., Hoover, K., Tien, M., Tringe, S.G., Barry, K.W., Glavina del Rio, T., Chovatia, M., et al., 2013. Metagenomic Profiling Reveals Lignocellulose Degrading System in a Microbial Community Associated with a Wood-Feeding Beetle. *PLoS One* 8, e73827.
- Segel, I.H., 1976. Chapter 4 Enzymes, in: Biochemical Calculations: How to Solve Mathematical Problems in General Biochemistry. Wiley, 441.
- Sepahy, A.A., Ghazi, S., and Sepahy, M.A., 2011. Cost-Effective Production and Optimization of Alkaline Xylanase by Indigenous *Bacillus mojavenensis* AG137 Fermented on Agricultural Waste. *Enzyme Res* 2011, 1–9.
- Shah, V., Pierre, B., Kirtadze, T., Shin, S., and Kim, J.R., 2017. Stabilization of *Bacillus circulans* xylanase by combinatorial insertional fusion to a thermophilic host protein. *Protein Eng Des Sel* 30, 281–290.
- Sharif Hossain, A.B., Salleh, A., Boyce, A.N., Chowdhury, P., and Naqiuddin, M., 2008. Biodiesel Fuel Production from Algae as Renewable Energy. *Am J Biochem Biotechnol* 4, 250–254.
- Sharma, H.K., Xu, C., and Qin, W., 2017. Biological Pretreatment of Lignocellulosic Biomass for Biofuels and Bioproducts: An Overview. *Waste and Biomass Valorization* 1–17.
- Sharma, N., Rathore, M., and Sharma, M., 2013. Microbial pectinase: Sources, characterization and applications. *Rev Environ Sci Biotechnol* 12, 45–60.
- Shepherd, A., 2017. Delhi fights for air under toxic smog. *BMJ* 359, j5164.

- Shi, H., Zhang, Y., Li, X., Huang, Y., Wang, L., Wang, Y., Ding, H., and Wang, F., 2013. A novel highly thermostable xylanase stimulated by Ca^{2+} from *Thermotoga thermarum*: cloning, expression and characterization. *Biotechnol Biofuels* 6, 26.
- Shivaji, S., Chaturvedi, P., Suresh, K., Reddy, G.S.N., Dutt, C.B.S., Wainwright, M., Narlikar, J.V., and Bhargava, P.M., 2006. *Bacillus aerius* sp. nov., *Bacillus aerophilus* sp. nov., *Bacillus stratosphericus* sp. nov. and *Bacillus altitudinis* sp. nov., isolated from cryogenic tubes used for collecting air samples from high altitudes. *Int J Syst Evol Microbiol* 56, 1465–1473.
- Shivaji, S., Vijaya Bhanu, N., and Aggarwal, R.K., 2000. Identification of *Yersinia pestis* as the causative organism of plague in India as determined by 16S rDNA sequencing and RAPD-based genomic fingerprinting. *FEMS Microbiol Lett* 189, 247–252.
- Siddiqui, K.S., Azhar, M.J., Rashid, M.H., and Rajoka, M.I., 1996. Activity and thermostability of carboxymethylcellulase from *Aspergillus niger* is strongly influenced by noncovalently attached polysaccharides. *World J Microbiol Biotechnol* 12, 213–216.
- Sikytá, B. (Ed.), 1995. 2 Kinetics of microbial growth and product formation, in: Progress in Industrial Microbiology. Science Direct, 33–61.
- Silva, T.A.L., Zamora, H.D.Z., Varão, L.H.R., Prado, N.S., Baffi, M.A., and Pasquini, D., 2017. Effect of Steam Explosion Pretreatment Catalysed by Organic Acid and Alkali on Chemical and Structural Properties and Enzymatic Hydrolysis of Sugarcane Bagasse. *Waste and Biomass Valorization* 1–11.
- Silveira, M.H.L., Morais, A.R.C., da Costa Lopes, A.M., Oleksyszczyn, D.N., Bogel-Lukasik, R., Andreaus, J., and Pereira Ramos, L., 2015. Current Pretreatment Technologies for the Development of Cellulosic Ethanol and Biorefineries. *ChemSusChem* 8, 3366–3390.
- Silverstein, R.A., Chen, Y., Sharma-Shivappa, R.R., Boyette, M.D., and Osborne, J., 2007. A comparison of chemical pretreatment methods for improving saccharification of cotton stalks. *Bioresource Technol* 98, 3000–3011.
- Singh, A., Kaur, A., Dua, A., and Mahajan, R., 2015. An Efficient and Improved Methodology for the Screening of Industrially Valuable Xylano-Pectino-Cellulolytic Microbes. *Enzyme Res* 2015, 1–7.
- Singh, D., Sharma, K.K., Jacob, S., and Gakhar, S.K., 2014. Molecular Docking of Laccase Protein from *Bacillus Safensis* DSKK5 Isolated from Earthworm gut: A Novel Method to Study dye Decolorization Potential. *Water, Air, Soil Pollut* 225, 2175.
- Siqueira, G., Arantes, V., Saddler, J.N., Ferraz, A., and Milagres, A.M.F., 2017. Limitation of cellulose accessibility and unproductive binding of cellulases by pretreated sugarcane bagasse lignin. *Biotechnol Biofuels* 10, 176.
- Sizova, M. V., Izquierdo, J.A., Panikov, N.S., and Lynd, L.R., 2011. Cellulose- and Xylan-Degrading Thermophilic Anaerobic Bacteria from Biocompost. *Appl Environ Microbiol* 77, 2282–2291.
- Smith, L.G., 2001. Plant cell division: building walls in the right places. *Nat Rev Mol Cell Biol* 2, 33–39.
- Smith, P.J., Wang, H., York, W.S., Peña, M.J., and Urbanowicz, B.R., 2017. Designer biomass for next-generation biorefineries: leveraging recent insights into xylan structure and biosynthesis. *Biotechnol Biofuels* 10, 286.
- Sohail, M., Siddiqi, R., Ahmad, A., and Khan, S.A., 2009. Cellulase production from *Aspergillus niger*

- MS82: effect of temperature and pH. *N Biotechnol* 25.
- Stanier, R.Y., Adelberg, E.A., and Ingraham, J.L., 1993. General microbiology, 7th ed. Cambridge University Press.
- Streshinskaya, G.M., Shashkov, A.S., Kozlova, Y.I., Tul'skaya, E.M., Kudryashova, E.B., Senchenkova, S.N., Ariskina, E.V., Evtushenko, L.I., et al., 2012. Cell wall teichoic acids of *Bacillus licheniformis* VKM B-511 T, *Bacillus pumilus* VKM B-508 T, and other strains previously assigned to *Bacillus pumilus*. *Microbiol (Russian Fed)* 81, 464–473.
- Subramaniyan, S., and Prema, P., 2000. Cellulase-free xylanases from *Bacillus* and other microorganisms. *FEMS Microbiol Lett* 183, 1–7.
- Sukumaran, R.K., Singhanian, R.R., and Pandey, A., 2005. Microbial cellulases - Production, applications and challenges. *J Sci Ind Res (India)* 64, 832–844.
- Sun, L., Cao, J., Liu, Y., Wang, J., Guo, P., and Wang, Z., 2017. Gene cloning and expression of cellulase of *Bacillus amyloliquefaciens* isolated from the cecum of goose. *Anim Biotechnol* 28, 74–82.
- Sun, M., Zheng, H., Meng, L., Sun, J., Song, H., Bao, Y., Pei, H., Yan, Z., et al., 2015. Direct cloning, expression of a thermostable xylanase gene from the metagenomic DNA of cow dung compost and enzymatic production of xylooligosaccharides from corncob. *Biotechnol Lett* 37, 1877–1886.
- Sun, Y., and Cheng, J., 2002. Hydrolysis of lignocellulosic materials for ethanol production: a review. *Bioresour Technol* 83, 1–11.
- Sunar, K., Dey, P., Chakraborty, U., and Chakraborty, B., 2015. Biocontrol efficacy and plant growth promoting activity of *Bacillus altitudinis* isolated from Darjeeling hills, India. *J Basic Microbiol* 55, 91–104.
- Tadesse, H., and Luque, R., 2011. Advances on biomass pretreatment using ionic liquids: An overview. *Energy Environ Sci* 4, 3913.
- Taherzadeh, M.J., and Karimi, K., 2008. Pretreatment of lignocellulosic wastes to improve ethanol and biogas production: A review, *International Journal of Molecular Sciences*.
- Tari, C., Dogan, N., and Gogus, N., 2008. Biochemical and thermal characterization of crude exopolysaccharide produced by *Aspergillus sojae*. *Food Chem* 111, 824–829.
- Teather, R.M., and Wood, P.J., 1982. Use of Congo red-polysaccharide interactions in enumeration and characterization of cellulolytic bacteria from the bovine rumen. *Appl Environ Microbiol* 43, 777–780.
- Tejirian, A., and Xu, F., 2010. Inhibition of Cellulase-Catalyzed Lignocellulosic Hydrolysis by Iron and Oxidative Metal Ions and Complexes. *Appl Environ Microbiol* 76, 7673–7682.
- Terán Hilaes, R., Ramos, L., da Silva, S.S., Dragone, G., Mussatto, S.I., and Santos, J.C. dos, 2018. Hydrodynamic cavitation as a strategy to enhance the efficiency of lignocellulosic biomass pretreatment. *Crit Rev Biotechnol* 38, 483–493.
- Thite, V.S., and Nerurkar, A.S., 2018. Physicochemical characterization of pectinase activity from *Bacillus* spp. and their accessory role in synergism with crude xylanase and commercial cellulase in enzyme cocktail mediated saccharification of agrowaste biomass. *J Appl Microbiol.* 124(5) 1147–1163.
- Thite, V.S., and Nerurkar, A.S., 2015. Xylanases of *Bacillus* spp. isolated from ruminant dung as

- potential accessory enzymes for agro-waste saccharification. *Lett Appl Microbiol* 60, 456–466.
- Upadhyay, A., Upadhyay, K., and Nath, N., 2009. Biophysical chemistry : (principles and techniques). *Himalaya Pub. House*.
- Utomo, H.D., Phoon, Y.R.N., Shen, Z., Ng, L.H., and Lim, Z.B., 2015. Removal of Methylene Blue Using Chemically Modified Sugarcane Bagasse. *Nat Resour ZB Nat Resour* 6, 209–220.
- Van Dyk, J.S., and Pletschke, B.I., 2012. A review of lignocellulose bioconversion using enzymatic hydrolysis and synergistic cooperation between enzymes-Factors affecting enzymes, conversion and synergy. *Biotechnol Adv* 30, 1458–1480.
- Vandenbossche, V., Brault, J., Vilarem, G., Hernández-Meléndez, O., Vivaldo-Lima, E., Hernández-Luna, M., Barzana, E., Duque, A., et al., 2014. A new lignocellulosic biomass deconstruction process combining thermo-mechano chemical action and bio-catalytic enzymatic hydrolysis in a twin-screw extruder. *Ind Crops Prod* 55, 258–266.
- Varga, E., Szengyel, Z., and Réczey, K., 2002. Chemical Pretreatments of Corn Stover for Enhancing Enzymatic Digestibility. *Appl Biochem Biotechnol* 98–100, 73–88.
- Verma, D., and Satyanarayana, T., 2012. Cloning, expression and applicability of thermo-alkali-stable xylanase of *Geobacillus thermoleovorans* in generating xylooligosaccharides from agro-residues. *Bioresour Technol* 107, 333–338.
- Vijay Kumar, E., Srijana, M., Kiran Kumar, K., Harikrishna, N., and Reddy, G., 2011. A novel serine alkaline protease from *Bacillus altitudinis* GVC11 and its application as a dehairing agent. *Bioprocess Biosyst Eng* 34, 403–409.
- Wade, L.G., 2013. Organic chemistry. *Pearson Education*.
- Walia, A., Guleria, S., Mehta, P., Chauhan, A., and Parkash, J., 2017. Microbial xylanases and their industrial application in pulp and paper biobleaching: a review. *3 Biotech* 7, 11.
- Wang, J., Bai, Y., Yang, P., Shi, P., Luo, H., Meng, K., Huang, H., Yin, J., et al., 2010. A new xylanase from thermoalkaline *Anoxybacillus* sp. E2 with high activity and stability over a broad pH range. *World J Microbiol Biotechnol* 26, 917–924.
- Wang, J., Liu, S., Li, Y., Wang, H., Xiao, S., Li, C., and Liu, B., 2018. Central carbon metabolism influences cellulase production in *Bacillus licheniformis*. *Lett Appl Microbiol* 66, 49–54.
- Wang, X., Lu, Z., Xu, T., Selvaraj, J.N., Yi, L., and Zhang, G., 2018. Improving the specific activity and thermo-stability of alkaline pectate lyase from *Bacillus subtilis* 168 for bioscouring. *Biochem Eng J* 129, 74–83.
- Weng, J.-K., Li, X., Bonawitz, N.D., Chapple, C., Chappell, J., and Grotewold, E., 2008. Emerging strategies of lignin engineering and degradation for cellulosic biofuel production This review comes from a themed issue on Plant Biotechnology Edited. *Curr Opin Biotechnol* 19, 166–172.
- Willey, Sherwood, and Woolverton, 2013. Prescott's Microbiology, *Journal of Chemical Information and Modeling*.
- Williams, C.L., Westover, T.L., Emerson, R.M., Tumuluru, J.S., and Li, C., 2016. Sources of biomass feedstock variability and the potential impact on biofuels production. *BioEnergy Res* 9, 1–14.
- Wilson, K., 2001. Preparation of Genomic DNA from Bacteria, in: *Current Protocols in Molecular Biology*. John Wiley & Sons, Inc., Hoboken, NJ, USA, 143–151.

- Wiselogle, A.E., Agblevor, F.A., Johnson, D.K., Deutch, S., Fennell, J.A., and Sanderson, M.A., 1996. Compositional changes during storage of large round switchgrass bales. *Bioresour Technol* 56, 103–109.
- Wojciechowicz, M., Heinrichova, K., and Ziotecki, a, 1982. An exopectate lyase of *Butyrivibrio fibrisolvens* from the bovine rumen. *J Gen Microbiol* 128, 2661–5.
- Xu, J., Gao, Z., Wu, B., and He, B., 2017. Lactose-induced production of a complete lignocellulolytic enzyme system by a novel bacterium *Bacillus* sp. BS-5 and its application for saccharification of alkali-pretreated corn cob. *Cellulose* 24, 2059–2070.
- Yadav, S., Yadav, P.K., Yadav, D., and Yadav, K.D.S., 2009. Pectin lyase: A review. *Process Biochem* 44, 1–10.
- Yamamoto, S., and Harayama, S., 1995. PCR amplification and direct sequencing of *gyrB* genes with universal primers and their application to the detection and taxonomic analysis of *Pseudomonas putida* strains. *Appl Environ Microbiol* 61, 1104.
- Yang, H., Yan, R., Chen, H., Lee, D.H., and Zheng, C., 2007. Characteristics of hemicellulose, cellulose and lignin pyrolysis.
- Yang, J., Zhang, X., Yong, Q., and Yu, S., 2010. Three-stage hydrolysis to enhance enzymatic saccharification of steam-exploded corn stover. *Bioresour Technol* 101, 4930–4935.
- Yang, Q., Wu, S., Lou, R., and LV, G., 2011. Structural characterization of lignin from wheat straw. *Wood Sci Technol* 45, 419–431.
- Yang, X., Shi, P., Huang, H., Luo, H., Wang, Y., Zhang, W., and Yao, B., 2014. Two xylose-tolerant GH43 bifunctional β -xylosidase/ α -arabinosidases and one GH11 xylanase from *Humicola insolens* and their synergy in the degradation of xylan. *Food Chem* 148, 381–387.
- Yasuda, M., Nagai, H., Takeo, K., Ishii, Y., and Ohta, K., 2014. Bio-ethanol production through simultaneous saccharification and co-fermentation (SSCF) of a low-moisture anhydrous ammonia (LMAA)-pretreated napiegrass (*Pennisetum purpureum* Schumach). *Springerplus* 3, 333.
- Yegin, S., Buyukkileci, A.O., Sargin, S., and Goksungur, Y., 2017. Exploitation of Agricultural Wastes and By-Products for Production of *Aureobasidium pullulans* Y-2311-1 Xylanase: Screening, Bioprocess Optimization and Scale Up. *Waste and Biomass Valorization* 8, 999–1010.
- Yoon, S.-H., Ha, S.-M., Kwon, S., Lim, J., Kim, Y., Seo, H., and Chun, J., 2017. Introducing EzBioCloud: a taxonomically united database of 16S rRNA gene sequences and whole-genome assemblies.
- Yoshida, M., Liu, Y., Uchida, S., Kawarada, K., Ukagami, Y., Ichinose, H., Kaneko, S., and Fukuda, K., 2008. Effects of Cellulose Crystallinity, Hemicellulose, and Lignin on the Enzymatic Hydrolysis of *Miscanthus sinensis* to Monosaccharides. *Biosci Biotechnol Biochem* 72, 805–810.
- Yu, P., and Xu, C., 2018. Production optimization, purification and characterization of a heat-tolerant acidic pectinase from *Bacillus* sp. ZJ1407. *Int J Biol Macromol* 108, 972–980.
- Yu, P., Zhang, Y., and Gu, D., 2017. Production optimization of a heat-tolerant alkaline pectinase from *Bacillus subtilis* ZGL14 and its purification and characterization. *Bioengineered* 8, 613–623.
- Yuan, X., and Cheng, G., 2015. From cellulose fibrils to single chains: understanding cellulose dissolution in ionic liquids. *Phys Chem Chem Phys* 17, 31592–31607.

- Yue, D., You, F., and Snyder, S.W., 2014. Biomass-to-bioenergy and biofuel supply chain optimization: Overview, key issues and challenges. *Comput Chem Eng* 66, 36–56.
- Zabed, H., Sahu, J.N., Boyce, A.N., and Faruq, G., 2016. Fuel ethanol production from lignocellulosic biomass: An overview on feedstocks and technological approaches.
- Zaldivar, J., Nielsen, J., and Olsson, L., 2001a. Fuel ethanol production from lignocellulose: a challenge for metabolic engineering and process integration. *Appl Microbiol Biotechnol* 56, 17–34.
- Zaldivar, J., Nielsen, J., and Olsson, L., 2001b. Fuel ethanol production from lignocellulose: A challenge for metabolic engineering and process integration. *Appl Microbiol Biotechnol* 56, 17–34.
- Zhang, J., Pakarinen, A., and Viikari, L., 2013. Synergy between cellulases and pectinases in the hydrolysis of hemp. *Bioresour Technol* 129, 302–307.
- Zhang, N., Li, S., Xiong, L., Hong, Y., and Chen, Y., 2015. Cellulose-hemicellulose interaction in wood secondary cell-wall. *Model Simul Mater Sci Eng* 23, 085010.
- Zhao, D., Pan, C., Ping, W., and Ge, J., 2018. Degumming Crude Enzyme Produced by *Bacillus cereus* HDYM-02 and its Application in Flax Retting. *BioResources* 13, 5213–5224.
- Zhao, X., Moates, G.K., Wilson, D.R., Ghogare, R.J., Coleman, M.J., and Waldron, K.W., 2015. Steam explosion pretreatment and enzymatic saccharification of duckweed (*Lemna minor*) biomass. *Biomass and Bioenergy* 72, 206–215.
- Zhao, X., Peng, F., Cheng, K., and Liu, D., 2009. Enhancement of the enzymatic digestibility of sugarcane bagasse by alkali-peracetic acid pretreatment. *Enzyme Microb Technol* 44, 17–23.
- Zhong, C., Lau, M.W., Balan, V., Dale, B.E., and Yuan, Y.-J.J., 2009. Optimization of enzymatic hydrolysis and ethanol fermentation from AFEX-treated rice straw. *Appl Microbiol Biotechnol* 84, 667–676.
- Zhou, J., Fries, M.R., Chee-Sanford, J.C., and Tiedje, J.M., 1995. Phylogenetic analyses of a new group of denitrifiers capable of anaerobic growth of toluene and description of *Azoarcus tolulyticus* sp. nov. *Int J Syst Bacteriol* 45, 500–506.
- Zhou, M., Wu, J., Wang, T., Gao, L., Yin, H., and Lü, X., 2017. The purification and characterization of a novel alkali-stable pectate lyase produced by *Bacillus subtilis* PB1. *World J Microbiol Biotechnol* 33, 190.
- Zhu, L., Wu, Q., Dai, J., Zhang, S., and Wei, F., 2011. Evidence of cellulose metabolism by the giant panda gut microbiome. *Proc Natl Acad Sci* 108, 17714–17719.
- Zimbro, M.J., Power, D.A., Miller, S.M., Wilson, G.E., and Johnson, J.A., 2009. Difco & BBL Manual, Manual of Microbiological Media, 2nd ed, Becton, dickinson and company.
- Zou, S.Y., and Shao, Y.Y., 2011. Synergistic Effect between Cellulase and Xylanase Acting on Alkaline Pretreated Rice Straw. *Adv Mater Res* 396–398, 1406–1412.

Links:

<https://www.ccrcc.uga.edu/~mao/intro/outline.htm>

<http://www.biologydiscussion.com/stems-2/monocotyledonous-stems-regions-features-and-types-botany/20507>