

References

List of References:

1. Ahmed I, Yokota A, Yamazoe A, Fujiwara T. Proposal of *Lysinibacillus boronitolerans* gen. nov. sp. nov., and transfer of *Bacillus fusiformis* to *Lysinibacillus fusiformis* comb. nov. and *Bacillus sphaericus* to *Lysinibacillus sphaericus* comb. nov. International Journal of Systematic and Evolutionary Microbiology 2007;57(5):1117-1125.
2. Alfano JR, Collmer A. Bacterial pathogens in plants: life up against the wall. The Plant Cell 1996;8(10):1683-1698.
3. Alstrom M S. Induction of disease resistance in common bean susceptible to halo blight bacterial pathogen after seed bacterization with rhizosphere pseudomonads. The Journal of General and Applied Microbiology 1991;37(6):495-501.
4. Amara N, Krom BP, Kaufmann GF, Meijler MM. Macromolecular inhibition of quorum sensing: enzymes, antibodies, and beyond. Chemical Reviews 2011;111(1):195-208.
5. Asaka O, Shoda M. Biocontrol of *Rhizoctonia solani* damping-off of tomato with *Bacillus subtilis* RB14. Applied and environmental microbiology 1996;62(11):4081-4085.
6. Augustine N, Kumar P, Thomas S. Inhibition of *Vibrio cholerae* biofilm by AiiA enzyme produced from *Bacillus* spp. Archives of microbiology 2010;192(12):1019-1022.
7. Bais HP, Fall R, Vivanco JM. Biocontrol of *Bacillus subtilis* against infection of Arabidopsis roots by *Pseudomonas syringae* is facilitated by biofilm formation and surfactin production. Plant physiology 2004;134(1):307-319.
8. Ban H, Chai X, Lin Y, Zhou Y, Peng D, Zhou Y, Zou Y, Yu Z, Sun M. Transgenic *Amorphophallus konjac* expressing synthesized acyl-homoserine lactonase (aiiA) gene exhibit enhanced resistance to soft rot disease. Plant cell reports 2009;28(12):1847-1855.
9. Barnard AML, Salmond GPC. Quorum sensing in *Erwinia* species. Analytical and bioanalytical chemistry 2007;387(2):415-423.
10. Barras F, van Gijsegem F, Chatterjee AK. Extracellular enzymes and pathogenesis of soft-rot *Erwinia*. Annual review of phytopathology 1994;32(1):201-234.
11. Bassler BL. Small talk: cell-to-cell communication in bacteria. Cell 2002;109(4):421-424.
12. Bassler BL, Losick R. Bacterially speaking. Cell 2006;125(2):237-246.
13. Ben-David M, Elias M, Filippi J-J, Dunach E, Silman I, Sussman JL, Tawfik DS. Catalytic versatility and backups in enzyme active sites: the case of serum paraoxonase 1. Journal of molecular biology 2012;418(3):181-196.
14. Bijtenhoorn P, Mayerhofer H, Muller-Dieckmann J, Utpatel C, Schipper C, Hornung C, Szesny M, Grond S, Thurmer A, Brzuszkiewicz E. A novel metagenomic short-chain dehydrogenase/reductase attenuates *Pseudomonas aeruginosa* biofilm formation and virulence on *Caenorhabditis elegans*. PloS one 2011;6(10):e26278.

15. Blosser RS, Gray KM. Extraction of violacein from *Chromobacterium violaceum* provides a new quantitative bioassay for N-acyl homoserine lactone autoinducers. *Journal of microbiological methods* 2000;40(1):47-55.
16. Bottomley MJ, Muraglia E, Bazzo R, Carfi A. Molecular insights into quorum sensing in the human pathogen *Pseudomonas aeruginosa* from the structure of the virulence regulator LasR bound to its autoinducer. *Journal of Biological Chemistry* 2007;282(18):13592-13600.
17. Boyer MW, isniowski-Dye F. Cell cell signalling in bacteria: not simply a matter of quorum. *FEMS microbiology ecology* 2009;70(1):1-19.
18. Brazelton JN, Pfeufer EE, Sweat TA, Gardener BBM, Coenen C. 2, 4-Diacetylphloroglucinol alters plant root development. *Molecular Plant-Microbe Interactions* 2008;21(10):1349-1358.
19. Camilli A, Bassler BL. Bacterial small-molecule signaling pathways. *Science* 2006;311(5764):1113-1116.
20. Carlier A, Uroz S, Smadja B, Fray R, Latour X, Dessaux Y, Faure D. The Ti plasmid of *Agrobacterium tumefaciens* harbors an *attM*-paralogous gene, *aiiB*, also encoding N-acyl homoserine lactonase activity. *Applied and environmental microbiology* 2003;69(8):4989-4993.
21. Case RJ, Labbate M, Kjelleberg S. AHL-driven quorum-sensing circuits: their frequency and function among the Proteobacteria. *ISME journal* 2008;2(4):345-349.
22. Chan K-G, Atkinson S, Mathee K, Sam C-K, Chhabra SR, Camara M, Koh C-L, Williams P. Characterization of N-acylhomoserine lactone-degrading bacteria associated with the *Zingiber officinale* (ginger) rhizosphere: Co-existence of quorum quenching and quorum sensing in *Acinetobacter* and *Burkholderia*. *BMC microbiology* 2011;11(1):51-64.
23. Chatterjee A, Cui Y, Liu Y, Dumenyo CK, Chatterjee AK. Inactivation of *rsmA* leads to overproduction of extracellular pectinases, cellulases, and proteases in *Erwinia carotovora* subsp. *carotovora* in the absence of the starvation/cell density-sensing signal, N-(3-oxohexanoyl)-L-homoserine lactone. *Applied and environmental microbiology* 1995;61(5):1959-1967.
24. Chen G, Swem LR, Swem DL, Stauff DL, O'Loughlin CT, Jeffrey PD, Bassler BL, Hughson FM. A strategy for antagonizing quorum sensing. *Molecular cell* 2011;42(2):199-209.
25. Chowdhary PK, Keshavan N, Nguyen HQ, Peterson JA, Gonzalez JE, Haines DC. *Bacillus megaterium* CYP102A1 oxidation of acyl homoserine lactones and acyl homoserines. *Biochemistry* 2007;46(50):14429-14437.
26. Chung J, Goo E, Yu S, Choi O, Lee J, Kim J, Kim H, Igarashi J, Suga H, Moon JS. Small-molecule inhibitor binding to an N-acyl-homoserine lactone synthase. *Proceedings of the National Academy of Sciences* 2011;108(29):12089-12094.

-
27. Cirou Al, Diallo Sp, Kurt C, Latour X, Faure D. Growth promotion of quorum quenching bacteria in the rhizosphere of *Solanum tuberosum*. *Environmental Microbiology* 2007;9(6):1511-1522.
 28. Cirou Al, Mondy S, An S, Charrier Al, Sarrazin Al, Thoison O, DuBow M, Faure D. Efficient biostimulation of native and introduced quorum-quenching *Rhodococcus erythropolis* populations is revealed by a combination of analytical chemistry, microbiology, and pyrosequencing. *Applied and environmental microbiology* 2012;78(2):481-492.
 29. Compant Sp, Duffy B, Nowak J, Clement C, Barka EdA. Use of plant growth-promoting bacteria for biocontrol of plant diseases: principles, mechanisms of action, and future prospects. *Applied and environmental microbiology* 2005;71(9):4951-4959.
 30. Cornforth DM, Popat R, McNally L, Gurney J, Scott-Phillips TC, Ivens A, Diggle SP, Brown SP. Combinatorial quorum sensing allows bacteria to resolve their social and physical environment. *Proceedings of the National Academy of Sciences* 2014;111(11):4280-4284.
 31. Cronin D, Moenne-Loccoz Y, Fenton A, Dunne C, Dowling DN, O'Gara F. Role of 2, 4-diacetylphloroglucinol in the interactions of the biocontrol pseudomonad strain F113 with the potato cyst nematode *Globodera rostochiensis*. *Applied and environmental microbiology* 1997;63(4):1357-1361.
 32. Cui Y, Chatterjee A, Hasegawa H, Dixit V, Leigh N, Chatterjee AK. ExpR, a LuxR homolog of *Erwinia carotovora* subsp. *carotovora*, activates transcription of *rsmA*, which specifies a global regulatory RNA-binding protein. *Journal of bacteriology* 2005;187(14):4792-4803.
 33. Czajkowski R, Jafra S. Quenching of acyl-homoserine lactone-dependent quorum sensing by enzymatic disruption of signal molecules. *Acta Biochimica Polonica* 2009;56(1):1-16.
 34. Czajkowski R, de Boer WJ, Velvis H, van der Wolf JM. Systemic colonization of potato plants by a soilborne, green fluorescent protein-tagged strain of *Dickeya* sp. biovar 3. *Phytopathology* 2010;100(2):134-142.
 35. Czajkowski R, Perombelon MCM, van Veen JA, van der Wolf JM. Control of blackleg and tuber soft rot of potato caused by *Pectobacterium* and *Dickeya* species: a review. *Plant pathology* 2011;60(6):999-1013.
 36. D'Angelo-Picard C, Faure D, Carlier Al, Uroz Sp, Raffoux Al, Fray R, Dessaux Y. Bacterial populations in the rhizosphere of tobacco plants producing the quorum-sensing signals hexanoyl-homoserine lactone and 3-oxo-hexanoyl-homoserine lactone. *FEMS microbiology ecology* 2004;51(1):19-29.
 37. D'Angelo-Picard C, Faure D, Penot I, Dessaux Y. Diversity of N-acyl homoserine lactone producing and degrading bacteria in soil and tobacco rhizosphere. *Environmental Microbiology* 2005;7(11):1796-1808.

-
38. D'Angelo-Picard C, Chapelle E, Ratet P, Faure D, Dessaux Y. Transgenic plants expressing the quorum quenching lactonase AttM do not significantly alter root-associated bacterial populations. *Research in microbiology* 2011;162(9):951-958.
 39. Dangl JL, Jones JDG. Plant pathogens and integrated defence responses to infection. *Nature* 2001;411(6839):826-833.
 40. Darch SE, West SA, Winzer K, Diggle SP. Density-dependent fitness benefits in quorum-sensing bacterial populations. *Proceedings of the National Academy of Sciences* 2012;109(21):8259-8263.
 41. Davidsson PrR, Kariola T, Niemi O, Palva ET. Pathogenicity of and plant immunity to soft rot pectobacteria. *Frontiers in plant sciences* 2013;4:1-13.
 42. De Boer SH, Cuppels DA, Kelman A. Pectolytic *Erwinia* spp. in the root zone of potato plants in relation to infestation of daughter tubers [Bacterial soft rot]. *Phytopathology* 1978;68:1784-1790.
 43. De Kievit TR. Quorum sensing in *Pseudomonas aeruginosa* biofilms. *Environmental Microbiology* 2009;11(2):279-288.
 44. De Weger LA, Van Boxtel R, Van der Burg B, Gruters RA, Geels FP, Schippers B, Lugtenberg B. Siderophores and outer membrane proteins of antagonistic, plant-growth-stimulating, root-colonizing *Pseudomonas* spp. *Journal of bacteriology* 1986;165(2):585-594.
 45. de Weger LA, van der Bij AJ, Dekkers LC, Simons M, Wijffelman CA, Lugtenberg BJJ. Colonization of the rhizosphere of crop plants by plant-beneficial pseudomonads. *FEMS microbiology ecology* 1995;17(4):221-227.
 46. Decho AW, Visscher PT, Ferry J, Kawaguchi T, He L, Przekop KM, Norman RS, Reid RP. Autoinducers extracted from microbial mats reveal a surprising diversity of N-acylhomoserine lactones (AHLs) and abundance changes that may relate to diel pH. *Environmental Microbiology* 2009;11(2):409-420.
 47. Decho AW, Frey RL, Ferry JL. Chemical challenges to bacterial AHL signaling in the environment. *Chemical Reviews* 2011;111(1):86-99.
 48. Delalande L, Faure D, Raffoux Al, Uroz Sp, D'Angelo-Picard C, Elasri M, Carlier Al, Berruyer R, Petit A, Williams P. N-hexanoyl-L-homoserine lactone, a mediator of bacterial quorum-sensing regulation, exhibits plant-dependent stability and may be inactivated by germinating *Lotus corniculatus* seedlings. *FEMS microbiology ecology* 2005;52(1):13-20.
 49. des Essarts YR, Cigna Jrm, Quetu-Laurent Al, Caron A, Munier E, Beury-Cirou Al, Helias Vr, Faure D. Biocontrol of the Potato Blackleg and Soft Rot Diseases Caused by *Dickeya dianthicola*. *Applied and environmental microbiology* 2016;82(1):268-278.
 50. Deziel E, Lepine Fo, Milot S, Villemur R. *rhlA* is required for the production of a novel biosurfactant promoting swarming motility in *Pseudomonas aeruginosa*: 3-(3-

- hydroxyalkanoyloxy) alkanolic acids (HAAs), the precursors of rhamnolipids. *Microbiology* 2003;149(8):2005-2013.
51. Diallo Sp, Crepin A, Barbey C, Orange N, Burini J-Fo, Latour X. Mechanisms and recent advances in biological control mediated through the potato rhizosphere. *FEMS microbiology ecology* 2011;75(3):351-364.
52. Dong Y-H, Xu J-L, Li X-Z, Zhang L-H. AiiA, an enzyme that inactivates the acylhomoserine lactone quorum-sensing signal and attenuates the virulence of *Erwinia carotovora*. *Proceedings of the National Academy of Sciences* 2000;97(7):3526-3531.
53. Dong Y-H, Wang L-H, Xu J-L, Zhang H-B, Zhang X-F, Zhang L-H. Quenching quorum-sensing-dependent bacterial infection by an N-acyl homoserine lactonase. *Nature* 2001;411(6839):813-817.
54. Dong Y-H, Gusti AR, Zhang Q, Xu J-L, Zhang L-H. Identification of quorum-quenching N-acyl homoserine lactonases from *Bacillus* species. *Applied and environmental microbiology* 2002;68(4):1754-1759.
55. Dong Y-H, Zhang X-F, Xu J-L, Zhang L-H. Insecticidal *Bacillus thuringiensis* silences *Erwinia carotovora* virulence by a new form of microbial antagonism, signal interference. *Applied and environmental microbiology* 2004;70(2):954-960.
56. Dong Y-H, Zhang L-H. Quorum sensing and quorum-quenching enzymes. *Journal of Microbiology* 2005;43(1):101-109.
57. Eriksson ARB, Andersson RA, Pirhonen M, Palva ET. Two-component regulators involved in the global control of virulence in *Erwinia carotovora* subsp. *carotovora*. *Molecular Plant-Microbe Interactions* 1998;11(8):743-752.
58. Faure D, Dessaux Y. Quorum sensing as a target for developing control strategies for the plant pathogen *Pectobacterium*. *New Perspectives and Approaches in Plant Growth-Promoting Rhizobacteria Research*: Springer; 2007. p. 353-365.
59. Fuqua WC, Winans SC, Greenberg EP. Quorum sensing in bacteria: the LuxR-LuxI family of cell density-responsive transcriptional regulators. *Journal of bacteriology* 1994;176(2):269-275.
60. Fuqua C, Parsek MR, Greenberg EP. Regulation of gene expression by cell-to-cell communication: acyl-homoserine lactone quorum sensing. *Annual review of genetics* 2001;35(1):439-468.
61. Gambello MJ, Iglewski BH. Cloning and characterization of the *Pseudomonas aeruginosa lasR* gene, a transcriptional activator of elastase expression. *Journal of bacteriology* 1991;173(9):3000-3009.

-
62. Gambello MJ, Kaye S, Iglewski BH. LasR of *Pseudomonas aeruginosa* is a transcriptional activator of the alkaline protease gene (apr) and an enhancer of exotoxin A expression. *Infection and immunity* 1993;61(4):1180-1184.
 63. Gantner S, Schmid M, Durr C, Schuhegger R, Steidle A, Hutzler P, Langebartels C, Eberl L, Hartmann A, Dazzo FB. In situ quantitation of the spatial scale of calling distances and population density-independent N-acylhomoserine lactone-mediated communication by rhizobacteria colonized on plant roots. *FEMS microbiology ecology* 2006;56(2):188-194.
 64. Gao A, Mei G-y, Liu S, Wang P, Tang Q, Liu Y-p, Wen H, An X-m, Zhang L-q, Yan X-x. High-resolution structures of AidH complexes provide insights into a novel catalytic mechanism for N-acyl homoserine lactonase. *Acta Crystallographica Section D: Biological Crystallography* 2013;69(1):82-91.
 65. Ghods-Alavi BS, Ahmadzadeh M, Behboudi K, Jamali S. Biocontrol of rhizome soft rot (*Pectobacterium carotovorum*) on valerian by *Pseudomonas* spp. under in vitro and greenhouse conditions. *Journal of Agricultural Technology* 2012;8(6):1913-1923.
 66. Givskov M, de Nys R, Manefield M, Gram L, Maximilien RIA, Eberl LEO, Molin S, Steinberg PD, Kjelleberg S. Eukaryotic interference with homoserine lactone-mediated prokaryotic signalling. *Journal of bacteriology* 1996;178(22):6618-6622.
 67. Gotz C, Fekete A, Gebefuegi I, Forczek SnT, Fuksova Kt, Li X, Englmann M, Gryndler M, Hartmann A, Matucha M. Uptake, degradation and chiral discrimination of N-acyl-D/L-homoserine lactones by barley (*Hordeum vulgare*) and yam bean (*Pachyrhizus erosus*) plants. *Analytical and bioanalytical chemistry* 2007;389(5):1447-1457.
 68. Gould TA, Schweizer HP, Churchill MEA. Structure of the *Pseudomonas aeruginosa* acyl homoserinelactone synthase LasI. *Molecular microbiology* 2004;53(4):1135-1146.
 69. Grandclement C, Tannieres ML, Morera S, Dessaux Y, Faure DD. Quorum quenching: role in nature and applied developments. *FEMS microbiology reviews* 2016:fuv038.
 70. Gross DC. Maximizing rhizosphere populations of fluorescent pseudomonads on potatoes and their effects on *Erwinia carotovora*. *American Potato Journal* 1988;65(12):697-710.
 71. Gutierrez JA, Crowder T, Rinaldo-Matthis A, Ho M-C, Almo SC, Schramm VL. Transition state analogs of 5-methylthioadenosine nucleosidase disrupt quorum sensing. *Nature chemical biology* 2009;5(4):251-257.
 72. Harel M, Aharoni A, Gaidukov L, Brumshtein B, Khersonsky O, Meged R, Dvir H, Ravelli RBG, McCarthy A, Toker L. Structure and evolution of the serum paraoxonase family of detoxifying and anti-atherosclerotic enzymes. *Nature structural & molecular biology* 2004;11(5):412-419.
 73. Hastings JW, Greenberg EP. Quorum sensing: the explanation of a curious phenomenon reveals a common characteristic of bacteria. *Journal of bacteriology* 1999;181(9):2667-2668.

-
74. Heeb S, Haas D. Regulatory roles of the GacS/GacA two-component system in plant-associated and other gram-negative bacteria. *Molecular Plant-Microbe Interactions* 2001;14(12):1351-1363.
 75. Helias V, Andrivon D, Jouan B. Internal colonization pathways of potato plants by *Erwinia carotovora* ssp. *atroseptica*. *Plant pathology* 2000;49(1):33-42.
 76. Hentzer M, Riedel K, Rasmussen TB, Heydorn A, Andersen JB, Parsek MR, Rice SA, Eberl L, Molin Sr, Hoiby N. Inhibition of quorum sensing in *Pseudomonas aeruginosa* biofilm bacteria by a halogenated furanone compound. *Microbiology* 2002;148(1):87-102.
 77. Hentzer M, Wu H, Andersen JB, Riedel K, Rasmussen TB, Bagge N, Kumar N, Schembri MA, Song Z, Kristoffersen P. Attenuation of *Pseudomonas aeruginosa* virulence by quorum sensing inhibitors. *The EMBO journal* 2003;22(15):3803-3815.
 78. Hiblot J, Gotthard G, Elias M, Chabriere E. Differential active site loop conformations mediate promiscuous activities in the lactonase Sso Pox. *PloS one* 2013;8(9):e75272.
 79. Hiltunen LH, Ojanpera T, Kortemaa H, Richter E, Lehtonen MJ, Valkonen JPT. Interactions and biocontrol of pathogenic *Streptomyces* strains co-occurring in potato scab lesions. *Journal of Applied Microbiology* 2009;106(1):199-212.
 80. Hirakawa H, Tomita H. Interference of bacterial cell-to-cell communication: a new concept of antimicrobial chemotherapy breaks antibiotic resistance. *Frontiers in microbiology* 2013;4(114):1-14.
 81. Hoang TT, Schweizer HP. Characterization of *Pseudomonas aeruginosa* enoyl-acyl carrier protein reductase (FabI): a target for the antimicrobial triclosan and its role in acylated homoserine lactone synthesis. *Journal of bacteriology* 1999;181(17):5489-5497.
 82. Homma Y, Suzui T. Role of antibiotic production in suppression of radish [*Raphanus sativus*] damping-off by seed bacterization with *Pseudomonas cepacia*. *Annals of the Phytopathological Society of Japan (Japan)* 1989;55(5):643-652.
 83. Huang JJ, Han J-I, Zhang L-H, Leadbetter JR. Utilization of acyl-homoserine lactone quorum signals for growth by a soil pseudomonad and *Pseudomonas aeruginosa* PAO1. *Applied and environmental microbiology* 2003;69(10):5941-5949.
 84. Huang JJ, Petersen A, Whiteley M, Leadbetter JR. Identification of QuiP, the product of gene PA1032, as the second acyl-homoserine lactone acylase of *Pseudomonas aeruginosa* PAO1. *Applied and environmental microbiology* 2006;72(2):1190-1197.
 85. Huang W, Lin Y, Yi S, Liu P, Shen J, Shao Z, Liu Z. QsdH, a novel AHL lactonase in the RND-type inner membrane of marine *Pseudoalteromonas byunsanensis* strain 1A01261. *PloS one* 2012;7(10):e46587.

-
86. Hyytiäinen H, Sjöblom S, Palomäki T, Tuikkala A, Tapio Palva E. The PmrA-PmrB two-component system responding to acidic pH and iron controls virulence in the plant pathogen *Erwinia carotovora* ssp. *carotovora*. *Molecular microbiology* 2003;50(3):795-807.
 87. Hyytiäinen H, Montesano M, Palva ET. Global regulators ExpA (GacA) and KdgR modulate extracellular enzyme gene expression through the RsmA-rsmB system in *Erwinia carotovora* subsp. *carotovora*. *Molecular Plant-Microbe Interactions* 2001;14(8):931-938.
 88. Jacobsen BJ, Zidack NK, Larson BJ. The role of *Bacillus*-based biological control agents in integrated pest management systems: plant diseases. *Phytopathology* 2004;94(11):1272-1275.
 89. Jafra S, Przysowa J, Czajkowski R, Michta A, Garbeva P, Van der Wolf JM. Detection and characterization of bacteria from the potato rhizosphere degrading N-acyl-homoserine lactone. *Canadian Journal of Microbiology* 2006;52(10):1006-1015.
 90. Jakobsen TH, van Gennip M, Phipps RK, Shanmugham MS, Christensen LD, Alhede M, Skindersoe ME, Rasmussen TB, Friedrich K, Uthe F. Ajoene, a sulfur-rich molecule from garlic, inhibits genes controlled by quorum sensing. *Antimicrobial agents and chemotherapy* 2012;56(5):2314-2325.
 91. Jakobsen TH, Bragason SK, Phipps RK, Christensen LD, van Gennip M, Alhede M, Skindersoe M, Larsen TO, Hoiby N, Bjarnsholt T. Food as a source for QS inhibitors: iberin from horseradish revealed as a quorum sensing inhibitor of *Pseudomonas aeruginosa*. *Applied and environmental microbiology* 2012;78(7):2410-2421.
 92. Jones S, Yu B, Bainton NJa, Birdsall M, Bycroft BW, Chhabra SR, Cox AJ, Golby P, Reeves PJ, Stephens S. The lux autoinducer regulates the production of exoenzyme virulence determinants in *Erwinia carotovora* and *Pseudomonas aeruginosa*. *The EMBO journal* 1993;12(6):2477-2482.
 93. Kalia VC, Raju SC, Purohit HJ. Genomic analysis reveals versatile organisms for quorum quenching enzymes: acyl-homoserine lactone-acylase and-lactonase. *The open microbiology journal* 2011;5:1-13.
 94. Kang BR, Lee JH, Ko SJ, Lee YH, Cha JS, Cho BH, Kim YC. Degradation of acyl-homoserine lactone molecules by *Acinetobacter* sp. strain C1010. *Canadian Journal of Microbiology* 2004;50(11):935-941.
 95. Kim MH, Choi W-C, Kang HO, Lee JS, Kang BS, Kim K-J, Derewenda ZS, Oh T-K, Lee CH, Lee J-K. The molecular structure and catalytic mechanism of a quorum-quenching N-acyl-L-homoserine lactone hydrolase. *Proceedings of the National Academy of Sciences of the United States of America* 2005;102(49):17606-17611.
 96. Kloepper JW. Effect of seed piece inoculation with plant growth-promoting rhizobacteria on populations of *Erwinia carotovora* on potato roots and in daughter tubers. *Phytopathology* 1983;73(2):217-219.

-
97. Koiv V, Mae A. Quorum sensing controls the synthesis of virulence factors by modulating rsmA gene expression in *Erwinia carotovora* subsp. *carotovora*. *Molecular genetics and genomics*: MGG 2001;265(2):287-292.
 98. Krechel A, Faupel A, Hallmann J, Ulrich A, Berg G. Potato-associated bacteria and their antagonistic potential towards plant-pathogenic fungi and the plant-parasitic nematode *Meloidogyne incognita* (Kofoid & White) Chitwood. *Canadian Journal of Microbiology* 2002;48(9):772-786.
 99. Latifi A, Foglino M, Tanaka K, Williams P, Lazdunski A. A hierarchical quorum sensing cascade in *Pseudomonas aeruginosa* links the transcriptional activators LasR and RhIR (VsmR) to expression of the stationary phase sigma factor RpoS. *Molecular microbiology* 1996;21(6):1137-1146.
 100. Leadbetter JR, Greenberg EP. Metabolism of acyl-homoserine lactone quorum-sensing signals by *Variovorax paradoxus*. *Journal of bacteriology* 2000;182(24):6921-6926.
 101. Lee SJ, Park S-Y, Lee J-J, Yum D-Y, Koo B-T, Lee J-K. Genes encoding the N-acyl homoserine lactone-degrading enzyme are widespread in many subspecies of *Bacillus thuringiensis*. *Applied and environmental microbiology* 2002;68(8):3919-3924.
 102. Lin YH, Xu JL, Hu J, Wang LH, Ong SL, Leadbetter JR, Zhang LH. Acyl homoserine lactone acylase from *Ralstonia* strain XJ12B represents a novel and potent class of quorum quenching enzymes. *Molecular microbiology* 2003;47(3):849-860.
 103. Liu Y, Jiang G, Cui Y, Mukherjee A, Ma WL, Chatterjee AK. kdgR-Ecc negatively regulates genes for pectinases, cellulase, protease, HarpinEcc, and a global RNA regulator in *Erwinia carotovora* subsp. *carotovora*. *Journal of bacteriology* 1999;181(8):2411-2421.
 104. Liu D, Lepore BW, Petsko GA, Thomas PW, Stone EM, Fast W, Ringe D. Three-dimensional structure of the quorum-quenching N-acyl homoserine lactone hydrolase from *Bacillus thuringiensis*. *Proceedings of the National Academy of Sciences of the United States of America* 2005;102(33):11882-11887.
 105. Liu D, Thomas PW, Momb J, Hoang QQ, Petsko GA, Ringe D, Fast W. Structure and specificity of a quorum-quenching lactonase (AiiB) from *Agrobacterium tumefaciens*. *Biochemistry* 2007;46(42):11789-11799.
 106. Liu H, Coulthurst SJ, Pritchard L, Hedley PE, Ravensdale M, Humphris S, Burr T, Takle G, Brurberg M-B, Birch PRJ. Quorum sensing coordinates brute force and stealth modes of infection in the plant pathogen *Pectobacterium atrosepticum*. *PLoS Pathog* 2008;4(6):e1000093.
 107. Loh J, Pierson EA, Pierson LS, Stacey G, Chatterjee A. Quorum sensing in plant-associated bacteria. *Current opinion in plant biology* 2002;5(4):285-290.

-
108. Maisuria VB, Patel VA, Nerurkar AS. Biochemical and thermal stabilization parameters of polygalacturonase from *Erwinia carotovora* subsp. *carotovora* BR1. *Journal of Microbiology and Biotechnology* 2010;20:1077-1085.
 109. Maisuria VB, Nerurkar AS. Biochemical properties and thermal behavior of pectate lyase produced by *Pectobacterium carotovorum* subsp. *carotovorum* BR1 with industrial potentials. *Biochemical engineering journal* 2012;63:22-30.
 110. Maisuria VB, Nerurkar AS. Characterization and differentiation of soft rot causing *Pectobacterium carotovorum* of Indian origin. *European journal of plant pathology* 2013;136(1):87-102.
 111. Maisuria VB, Nerurkar AS. Interference of quorum sensing by *Delftia* sp. VM4 depends on the activity of a Novel N-Acylhomoserine lactone-acylase. *PloS one* 2015;10(9):e0138034.
 112. Manefield M, de Nys R, Naresh K, Roger R, Givskov M, Peter S, Kjelleberg S. Evidence that halogenated furanones from *Delisea pulchra* inhibit acylated homoserine lactone (AHL)-mediated gene expression by displacing the AHL signal from its receptor protein. *Microbiology* 1999;145(2):283-291.
 113. Mattinen L, Tshuikina M, Mae A, Pirhonen M. Identification and characterization of Nip, necrosis-inducing virulence protein of *Erwinia carotovora* subsp. *carotovora*. *Molecular Plant-Microbe Interactions* 2004;17(12):1366-1375.
 114. McClean KH, Winson MK, Fish L, Taylor A, Chhabra SR, Camara M, Daykin M, Lamb JH, Swift S, Bycroft BW. Quorum sensing and *Chromobacterium violaceum*: exploitation of violacein production and inhibition for the detection of N-acylhomoserine lactones. *Microbiology* 1997;143(12):3703-3711.
 115. McGowan SJ, Barnard AML, Bosgelmez G, Sebahia M, Simpson NJL, Thomson NR, Todd DE, Welch M, Whitehead NA, Salmond GPC. Carbapenem antibiotic biosynthesis in *Erwinia carotovora* is regulated by physiological and genetic factors modulating the quorum sensing dependent control pathway. *Molecular microbiology* 2005;55(2):526-545.
 116. Mei G-Y, Yan X-X, Turak A, Luo Z-Q, Zhang L-Q. AidH, an alpha/beta-hydrolase fold family member from an *Ochrobactrum* sp. strain, is a novel N-acylhomoserine lactonase. *Applied and environmental microbiology* 2010;76(15):4933-4942.
 117. Miller GL. Use of DNS reagent for the measurement of reducing sugar. *Anal Chem* 1959;31(1):426-428.
 118. Miller MB, Bassler BL. Quorum sensing in bacteria. *Annual Reviews in Microbiology* 2001;55(1):165-199.
 119. Mole BM, Baltrus DA, Dangl JL, Grant SR. Global virulence regulation networks in phytopathogenic bacteria. *Trends in microbiology* 2007;15(8):363-371.

-
120. Molina LZ, Constantinescu F, Michel L, Reimann C, Duffy B, Defago Gv. Degradation of pathogen quorum-sensing molecules by soil bacteria: a preventive and curative biological control mechanism. *FEMS microbiology ecology* 2003;45(1):71-81.
 121. More MI, Finger LD, Stryker JL. Enzymatic synthesis of a quorum-sensing autoinducer through use of defined substrates. *Science* 1996;272(5268):1655-1658.
 122. Morello JE, Pierson EA, Pierson LS, 3rd. Negative cross-communication among wheat rhizosphere bacteria: effect on antibiotic production by the biological control bacterium *Pseudomonas aureofaciens* 30-84. *Applied and environmental microbiology* 2004;70(5):3103-3109.
 123. Mukherjee A, Cui Y, Ma W, Liu Y, Chatterjee AK. hexA of *Erwinia carotovora* ssp. *carotovora* strain Ecc71 negatively regulates production of RpoS and rsmB RNA, a global regulator of extracellular proteins, plant virulence and the quorum sensing signal, N-(3-oxohexanoyl)L-homoserine lactone. *Environmental Microbiology* 2000;2(2):203-215.
 124. Nasser W, Reverchon S, Condemine G, Robert-Baudouy J. Specific interactions of *Erwinia chrysanthemi* KdgR repressor with different operators of genes involved in pectinolysis. *Journal of molecular biology* 1994;236(2):427-440.
 125. Nedjma M, Hoffmann N, Belarbi A. Selective and sensitive detection of pectin lyase activity using a colorimetric test: application to the screening of microorganisms possessing pectin lyase activity. *Analytical biochemistry* 2001;291(2):290-296.
 126. Neeno-Eckwall EC, Kinkel LL, Schottel JL. Competition and antibiosis in the biological control of potato scab. *Canadian Journal of Microbiology* 2001;47(4):332-340.
 127. Newton JA, Fray RG. Integration of environmental and host derived signals with quorum sensing during plant microbe interactions. *Cellular microbiology* 2004;6(3):213-224.
 128. Ng W-L, Bassler BL. Bacterial quorum-sensing network architectures. *Annual review of genetics* 2009;43:197-222.
 129. Ochsner UA, Koch AK, Fiechter A, Reiser J. Isolation and characterization of a regulatory gene affecting rhamnolipid biosurfactant synthesis in *Pseudomonas aeruginosa*. *Journal of bacteriology* 1994;176(7):2044-2054.
 130. Pal KK, Gardener BM. Biological control of plant pathogens. *The plant health instructor* 2006;2:1117-1142.
 131. Palmer AG, Senechal AC, Mukherjee A, Ane J-M, Blackwell HE. Plant responses to bacterial N-acyl L-homoserine lactones are dependent on enzymatic degradation to L-homoserine. *ACS chemical biology* 2014;9(8):1834-1845.
 132. Pan J, Huang T, Yao F, Huang Z, Powell CA, Qiu S, Guan X. Expression and characterization of *aiiA* gene from *Bacillus subtilis* BS-1. *Microbiological research* 2008;163(6):711-716.

-
133. Pane C, Zaccardelli M. Evaluation of *Bacillus* strains isolated from solanaceous phylloplane for biocontrol of *Alternaria* early blight of tomato. *Biological control* 2015;84:11-18.
 134. Park S-Y, Lee SJ, Oh T-K, Oh J-W, Koo B-T, Yum D-Y, Lee J-K. AhlD, an N-acylhomoserine lactonase in *Arthrobacter* sp., and predicted homologues in other bacteria. *Microbiology* 2003;149(6):1541-1550.
 135. Park S-Y, Kang H-O, Jang H-S, Lee J-K, Koo B-T, Yum D-Y. Identification of extracellular N-acylhomoserine lactone acylase from a *Streptomyces* sp. and its application to quorum quenching. *Applied and environmental microbiology* 2005;71(5):2632-2641.
 136. Park S-Y, Hwang B-J, Shin M-H, Kim J-A, Kim H-K, Lee J-K. N-acylhomoserine lactonase producing *Rhodococcus* spp. with different AHL-degrading activities. *FEMS Microbiology Letters* 2006;261(1):102-108.
 137. Parsek MR, Val DL, Hanzelka BL, Cronan JE, Greenberg EP. Acyl homoserine-lactone quorum-sensing signal generation. *Proceedings of the National Academy of Sciences* 1999;96(8):4360-4365.
 138. Parsek MR, Greenberg EP. Acyl-homoserine lactone quorum sensing in gram-negative bacteria: a signaling mechanism involved in associations with higher organisms. *Proceedings of the National Academy of Sciences* 2000;97(16):8789-8793.
 139. Passador L, Tucker KD, Guertin KR, Journet MP, Kende AS, Iglewski BH. Functional analysis of the *Pseudomonas aeruginosa* autoinducer PAI. *Journal of bacteriology* 1996;178(20):5995-6000.
 140. Patriquin GM, Banin E, Gilmour C, Tuchman R, Greenberg EP, Poole K. Influence of quorum sensing and iron on twitching motility and biofilm formation in *Pseudomonas aeruginosa*. *Journal of bacteriology* 2008;190(2):662-671.
 141. Pearson JP, Passador L, Iglewski BH, Greenberg EP. A second N-acylhomoserine lactone signal produced by *Pseudomonas aeruginosa*. *Proceedings of the National Academy of Sciences* 1995;92(5):1490-1494.
 142. Pemberton CL, Whitehead NA, Sebaihia M, Bell KS, Hyman LJ, Harris SJ, Matlin AJ, Robson ND, Birch PRJ, Carr JP. Novel quorum-sensing-controlled genes in *Erwinia carotovora* subsp. *carotovora*: identification of a fungal elicitor homologue in a soft-rotting bacterium. *Molecular Plant-Microbe Interactions* 2005;18(4):343-353.
 143. Perombelon MCM. The role of the seed tuber in the contamination by *Erwinia carotovora* of potato crops in Scotland. *Potato Research* 1974;17(2):187-199.
 144. Perombelon MCM, Kelman A. Ecology of the soft rot erwinias. *Annual review of phytopathology* 1980;18(1):361-387.

-
145. Perombelon MCM. Potato diseases caused by soft rot erwinias: an overview of pathogenesis. *Plant pathology* 2002;51(1):1-12.
 146. Pesci EC, Pearson JP, Seed PC, Iglewski BH. Regulation of *las* and *rhl* quorum sensing in *Pseudomonas aeruginosa*. *Journal of bacteriology* 1997;179(10):3127-3132.
 147. Pirhonen M, Flego D, Heikinheimo R, Palva ET. A small diffusible signal molecule is responsible for the global control of virulence and exoenzyme production in the plant pathogen *Erwinia carotovora*. *The EMBO journal* 1993;12(6):2467-2476.
 148. Pollumaa L, Alamae T, Mae A. Quorum sensing and expression of virulence in *Pectobacteria*. *Sensors* 2012;12(3):3327-3349.
 149. Popat R, Crusz SA, Messina M, Williams P, West SA, Diggle SP. Quorum-sensing and cheating in bacterial biofilms. *Proceedings of the Royal Society of London B: Biological Sciences* 2012:rsob20121976.
 150. Qian G-L, Fan J-Q, Chen D-F, Kang Y-J, Han B, Hu B-S, Liu F-Q. Reducing *Pectobacterium* virulence by expression of an N-acyl homoserine lactonase gene Plpp-aiiA in *Lysobacter enzymogenes* strain OH11. *Biological control* 2009;52(1):17-23.
 151. Raaijmakers JM, Paulitz TC, Steinberg C, Alabouvette C, Moenne-Loccoz Y. The rhizosphere: a playground and battlefield for soilborne pathogens and beneficial microorganisms. *Plant and soil* 2009;321(1-2):341-361.
 152. Rahman PKSM, Pasirayi G, Auger V, Ali Z. Production of rhamnolipid biosurfactants by *Pseudomonas aeruginosa* DS10-129 in a microfluidic bioreactor. *Biotechnology and applied biochemistry* 2010;55(1):45-52.
 153. Rahme LG, Stevens EJ, Wolfort SF, Shao J. Common virulence factors for bacterial pathogenicity in plants and animals. *Science* 1995;268(5219):1899-1902.
 154. Rahme LG, Ausubel FM, Cao H, Drenkard E, Goumnerov BC, Lau GW, Mahajan-Miklos S, Plotnikova J, Tan M-W, Tsongalis J. Plants and animals share functionally common bacterial virulence factors. *Proceedings of the National Academy of Sciences* 2000;97(16):8815-8821.
 155. Rasch M, Andersen JB, Nielsen KF, Flodgaard LR, Christensen H, Givskov M, Gram L. Involvement of bacterial quorum-sensing signals in spoilage of bean sprouts. *Applied and environmental microbiology* 2005;71(6):3321-3330.
 156. Rasmussen TB, Skindersoe ME, Bjarnsholt T, Phipps RK, Christensen KB, Jensen PO, Andersen JB, Koch B, Larsen TO, Hentzer M. Identity and effects of quorum-sensing inhibitors produced by *Penicillium* species. *Microbiology* 2005;151(5):1325-1340.
 157. Rhodes DJ, Logan C. A method for selecting fluorescent pseudomonads inhibitory to seed tuber decay. *Potato Research* 1987;30(4):603-611.

-
158. Riaz K, Elmerich C, Moreira D, Raffoux Al, Dessaux Y, Faure D. A metagenomic analysis of soil bacteria extends the diversity of quorum quenching lactonases. *Environmental Microbiology* 2008;10(3):560-570.
159. Romero M, Diggle SP, Heeb S, Camara M, Otero A. Quorum quenching activity in *Anabaena* sp. PCC 7120: identification of AiiC, a novel AHL-acylase. *FEMS Microbiology Letters* 2008;280(1):73-80.
160. Rutherford ST, Bassler BL. Bacterial quorum sensing: its role in virulence and possibilities for its control. *Cold Spring Harbor Perspectives in Medicine* 2012;2(11):a012427.
161. Sambrook JR. DW. 2001 *Molecular cloning: a laboratory manual*. New York Cold Spring Harbor Laboratory 2001.
162. Santoyo G, Orozco-Mosqueda MdC, Govindappa M. Mechanisms of biocontrol and plant growth-promoting activity in soil bacterial species of *Bacillus* and *Pseudomonas*: a review. *Biocontrol Science and Technology* 2012;22(8):855-872.
163. Schaefer AL, Val DL, Hanzelka BL, Cronan JE, Greenberg EP. Generation of cell-to-cell signals in quorum sensing: acyl homoserine lactone synthase activity of a purified *Vibrio fischeri* LuxI protein. *Proceedings of the National Academy of Sciences* 1996;93(18):9505-9509.
164. Schipper C, Hornung C, Bijtenhoorn P, Quitschau M, Grond S, Streit WR. Metagenome-derived clones encoding two novel lactonase family proteins involved in biofilm inhibition in *Pseudomonas aeruginosa*. *Applied and environmental microbiology* 2009;75(1):224-233.
165. Schroth MN, Kloepper JW. Plant growth promoting rhizobacteria on radish. *Proceedings of the Fourth Conference Plant Pathogenic Bacteria*. Ed Station de Pathogenic Vegetable ET (Phytobacteriologic) INRA Angers 1978. p. 876-882.
166. Schuegger R, Ihring A, Gantner S, Bahnweg Gn, Knappe C, Vogg G, Hutzler P, Schmid M, Van Breusegem F, Eberl LEO. Induction of systemic resistance in tomato by N-acyl L-homoserine lactone producing rhizosphere bacteria. *Plant, Cell & Environment* 2006;29(5):909-918.
167. Schuster M, Lostroh CP, Ogi T, Greenberg EP. Identification, timing, and signal specificity of *Pseudomonas aeruginosa* quorum-controlled genes: a transcriptome analysis. *Journal of bacteriology* 2003;185(7):2066-2079.
168. Schuster M, Urbanowski ML, Greenberg EP. Promoter specificity in *Pseudomonas aeruginosa* quorum sensing revealed by DNA binding of purified LasR. *Proceedings of the National Academy of Sciences of the United States of America* 2004;101(45):15833-15839.

-
169. Schuster M, Greenberg EP. Early activation of quorum sensing in *Pseudomonas aeruginosa* reveals the architecture of a complex regulon. *Bmc Genomics* 2007;8(1):1-11.
170. Schuster M, Joseph Sexton D, Diggle SP, Peter Greenberg E. Acyl-homoserine lactone quorum sensing: from evolution to application. *Annual review of microbiology* 2013;67:43-63.
171. Seed PC, Passador L, Iglewski BH. Activation of the *Pseudomonas aeruginosa lasI* gene by LasR and the *Pseudomonas* autoinducer PAI: an autoinduction regulatory hierarchy. *Journal of bacteriology* 1995;177(3):654-659.
172. Seo M-J, Lee B-S, Pyun Y-R, Park H. Isolation and characterization of N-acylhomoserine lactonase from the thermophilic bacterium, *Geobacillus caldoxylosilyticus* YS-8. *Bioscience, biotechnology, and biochemistry* 2011;75(9):1789-1795.
173. Sessitsch A, Reiter B, Pfeifer U, Wilhelm E. Cultivation-independent population analysis of bacterial endophytes in three potato varieties based on eubacterial and Actinomycetes-specific PCR of 16S rRNA genes. *FEMS microbiology ecology* 2002;39(1):23-32.
174. Sharga BM, Lyon GD. *Bacillus subtilis* BS 107 as an antagonist of potato blackleg and soft rot bacteria. *Canadian Journal of Microbiology* 1998;44(8):777-783.
175. Siddiqui ZA, Shakeel U. Screening of *Bacillus* isolates for potential biocontrol of the wilt disease complex of pigeon pea (*Cajanus cajan*) under greenhouse and small-scale field conditions. *Journal of Plant Pathology* 2007(89):179-183.
176. Sieper T, Forczek S, Matucha M, Kramer P, Hartmann A, Schroder P. N-acyl-homoserine lactone uptake and systemic transport in barley rest upon active parts of the plant. *New Phytologist* 2014;201(2):545-555.
177. Sjoblom S, Brader Gn, Koch G, Palva ET. Cooperation of two distinct ExpR regulators controls quorum sensing specificity and virulence in the plant pathogen *Erwinia carotovora*. *Molecular microbiology* 2006;60(6):1474-1489.
178. Smadja B, Latour X, Faure D, Chevalier S, Dessaux Y, Orange N. Involvement of N-acylhomoserine lactones throughout plant infection by *Erwinia carotovora* subsp. *atroseptica* (*Pectobacterium atrosepticum*). *Molecular Plant-Microbe Interactions* 2004;17(11):1269-1278.
179. Smith KM, Bu Y, Suga H. Library screening for synthetic agonists and antagonists of a *Pseudomonas aeruginosa* autoinducer. *Chemistry & biology* 2003;10(6):563-571.
180. Steidle A, Sigl K, Schuegger R, Ihring A, Schmid M, Gantner S, Stoffels M, Riedel K, Givskov M, Hartmann A. Visualization of N-acylhomoserine lactone-mediated cell-cell communication between bacteria colonizing the tomato rhizosphere. *Applied and environmental microbiology* 2001;67(12):5761-5770.

-
181. Steindler L, Venturi V. Detection of quorum-sensing N-acyl homoserine lactone signal molecules by bacterial biosensors. *FEMS Microbiology Letters* 2007;266(1):1-9.
 182. Tan M-W. Cross-species infections and their analysis. *Annual Reviews in Microbiology* 2002;56(1):539-565.
 183. Tang K, Su Y, Brackman G, Cui F, Zhang Y, Shi X, Coenye T, Zhang X-H. MomL, a novel marine-derived N-acyl homoserine lactonase from *Muricauda olearia*. *Applied and environmental microbiology* 2015;81(2):774-782.
 184. Thakore Y. The biopesticide market for global agricultural use. *Industrial Biotechnology* 2006;2(3):194-208.
 185. Thomashow LS, Weller DM. Current concepts in the use of introduced bacteria for biological disease control: mechanisms and antifungal metabolites. *Plant-microbe interactions*: Springer; 1996. p. 187-235.
 186. Toth IK, Bell KS, Holeva MC, Birch PRJ. Soft rot erwiniae: from genes to genomes. *Molecular plant pathology* 2003;4(1):17-30.
 187. Uroz S, D'Angelo-Picard C, Carlier A, Elasri M, Sicot C, Petit A, Oger P, Faure D, Dessaux Y. Novel bacteria degrading N-acylhomoserine lactones and their use as quenchers of quorum-sensing-regulated functions of plant-pathogenic bacteria. *Microbiology* 2003;149(8):1981-1989.
 188. Uroz S, Chhabra SR, Camara M, Williams P, Oger P, Dessaux Y. N-Acylhomoserine lactone quorum-sensing molecules are modified and degraded by *Rhodococcus erythropolis* W2 by both amidolytic and novel oxidoreductase activities. *Microbiology* 2005;151(10):3313-3322.
 189. Uroz Sp, Oger P, Chhabra SR, Camara M, Williams P, Dessaux Y. N-acyl homoserine lactones are degraded via an amidolytic activity in *Comamonas* sp. strain D1. *Archives of microbiology* 2007;187(3):249-256.
 190. Uroz Sp, Oger PM, Chapelle E, Adeline M-Trs, Faure D, Dessaux Y. A *Rhodococcus* qsdA-encoded enzyme defines a novel class of large-spectrum quorum-quenching lactonases. *Applied and environmental microbiology* 2008;74(5):1357-1366.
 191. Uroz S, Dessaux Y, Oger P. Quorum sensing and quorum quenching: the yin and yang of bacterial communication. *ChemBioChem* 2009;10(2):205-216.
 192. Val DL, Cronan JE. In vivo evidence that S-adenosylmethionine and fatty acid synthesis intermediates are the substrates for the LuxI family of autoinducer synthases. *Journal of bacteriology* 1998;180(10):2644-2651.
 193. Vanjildorj E, Song SY, Yang ZH, Choi JE, Noh YS, Park S, Lim WJ, Cho KM, Yun HD, Lim YP. Enhancement of tolerance to soft rot disease in the transgenic Chinese cabbage

- (*Brassica rapa* L. ssp. *pekinensis*) inbred line, Kenshin. *Plant cell reports* 2009;28(10):1581-1591.
194. Vannini A, Volpari C, Gargioli C, Muraglia E, Cortese R, De Francesco R, Neddermann P, Di Marco S. The crystal structure of the quorum sensing protein TraR bound to its autoinducer and target DNA. *The EMBO journal* 2002;21(17):4393-4401.
195. von Bodman SB, Bauer WD, Coplin DL. Quorum sensing in plant-pathogenic bacteria. *Annual review of phytopathology* 2003;41(1):455-482.
196. Wagner VE, Gillis RJ, Iglewski BH. Transcriptome analysis of quorum-sensing regulation and virulence factor expression in *Pseudomonas aeruginosa*. *Vaccine* 2004;22:S15-S20.
197. Wahyudi AT, Astuti RP, Widyawati A, Mery A, Nawangsih AA. Characterization of *Bacillus* sp. strains isolated from rhizosphere of soybean plants for their use as potential plant growth for promoting rhizobacteria. *Journal of Microbiology and Antimicrobials* 2011;3(2):34-40.
198. Walker TS, Bais HP, Deziel E, Schweizer HP, Rahme LG, Fall R, Vivanco JM. *Pseudomonas aeruginosa*-plant root interactions. Pathogenicity, biofilm formation, and root exudation. *Plant physiology* 2004;134(1):320-331.
199. Wang L-H, Weng L-X, Dong Y-H, Zhang L-H. Specificity and enzyme kinetics of the quorum-quenching N-acyl homoserine lactone lactonase (AHL-lactonase). *Journal of Biological Chemistry* 2004;279(14):13645-13651.
200. Wang Y-J, Leadbetter JR. Rapid acyl-homoserine lactone quorum signal biodegradation in diverse soils. *Applied and environmental microbiology* 2005;71(3):1291-1299.
201. Wang W-Z, Morohoshi T, Someya N, Ikeda T. AidC, a novel N-acylhomoserine lactonase from the potato root-associated Cytophaga-Flavobacteria-Bacteroides (CFB) group bacterium *Chryseobacterium* sp. strain StRB126. *Applied and environmental microbiology* 2012;78: 7985-7992.
202. Watson WT, Minogue TD, Val DL, von Bodman SB, Churchill MEA. Structural basis and specificity of acyl-homoserine lactone signal production in bacterial quorum sensing. *Molecular cell* 2002;9(3):685-694.
203. Welch M, Todd DE, Whitehead NA, McGowan SJ, Bycroft BW, Salmond GPC. N-acyl homoserine lactone binding to the CarR receptor determines quorum sensing specificity in *Erwinia*. *The EMBO journal* 2000;19(4):631-641.
204. Weller DM. Biological control of soilborne plant pathogens in the rhizosphere with bacteria. *Annual review of phytopathology* 1988;26(1):379-407.

-
205. Whitehead NA, Barnard AML, Slater H, Simpson NJL, Salmond GPC. Quorum-sensing in Gram-negative bacteria. *FEMS microbiology reviews* 2001;25(4):365-404.
206. Winson MK, Swift S, Fish L, Throup JP, Jorgensen F, Chhabra SR, Bycroft BW, Williams P, Stewart GSAB. Construction and analysis of luxCDABE-based plasmid sensors for investigating N-acyl homoserine lactone-mediated quorum sensing. *FEMS Microbiology Letters* 1998;163(2):185-192.
207. Xu GW, Gross DC. Selection of fluorescent pseudomonads antagonistic to *Erwinia carotovora* and suppressive of potato seed piece decay. *Phytopathology* 1986;76(4):414-422.
208. Yao Y, Martinez-Yamout MA, Dickerson TJ, Brogan AP, Wright PE, Dyson HJ. Structure of the *Escherichia coli* quorum sensing protein SdiA: activation of the folding switch by acyl homoserine lactones. *Journal of molecular biology* 2006;355(2):262-273.
209. Yates EA, Philipp B, Buckley C, Atkinson S, Chhabra SR, Sockett RE, Goldner M, Dessaux Y, Camara M, Smith H. N-acylhomoserine lactones undergo lactonolysis in a pH-, temperature-, and acyl chain length-dependent manner during growth of *Yersinia pseudotuberculosis* and *Pseudomonas aeruginosa*. *Infection and immunity* 2002;70(10):5635-5646.
210. Yin X-T, Xu L, Fan S-S, Xu L-N, Li D-C, Liu Z-Y. Isolation and characterization of an AHL lactonase gene from *Bacillus amyloliquefaciens*. *World Journal of Microbiology and Biotechnology* 2010;26(8):1361-1367.
211. Yoon J-H, Lee J-K, Jung S-Y, Kim J-A, Kim H-K, Oh T-K. *Nocardioides kongjuensis* sp. nov., an N-acylhomoserine lactone-degrading bacterium. *International Journal of Systematic and Evolutionary Microbiology* 2006;56(8):1783-1787.
212. Zhang R-g, Pappas T, Brace JL, Miller PC, Oulmassov T, Molyneaux JM, Anderson JC, Bashkin JK, Winans SC, Joachimiak A. Structure of a bacterial quorum-sensing transcription factor complexed with pheromone and DNA. *Nature* 2002;417(6892):971-974.
213. Zhang LH, Dong YH. Quorum sensing and signal interference: diverse implications. *Molecular microbiology* 2004;53(6):1563-1571.
214. Zhang HB, Wang LH, Zhang LH. Detection and Analysis of Quorum Quenching Enzymes against Acyl Homoserine Lactone Quorum Sensing Signals. *Current protocols in microbiology*: 2007 1C. 3.1-1C. 3.15.
215. Zhu J, Beaber JW, More MI, Fuqua C, Eberhard A, Winans SC. Analogs of the autoinducer 3-oxooctanoyl-homoserine lactone strongly inhibit activity of the TraR protein of *Agrobacterium tumefaciens*. *Journal of bacteriology* 1998;180(20):5398-5405.