

8. REFERENCES

1. Andreini, C., Bertini, I., Cavallaro, G., Holliday, G.L., and Thornton, J.M. (2008) Metal ions in biological catalysis: from enzyme databases to general principles. *J Biol Inorg Chem* **13(8)**: 1205-1218.
2. Asbell, M.A., and Eagon, R.G. (1996) Role of multivalent cations in the organization, structure and assembly of the Cell Wall of *Pseudomonas aeruginosa*. *J Bacteriol* **92(2)**: 380-387.
3. Bell-Pedersen, D., Dunlap, J.C., and Loros, J.J. (1992) The *Neurospora* circadian clock controlled gene, Ccg-2, is allelic to Eas and encodes a fungal hydrophobin required for formation of the conidial rodlet layer. *Genes Dev* **6(12A)**: 2382-2394.
4. Beyenbach, K.W. (1990) Transport of magnesium across biological membranes. *Magnes Trace Elem* **9(5)**: 233-254.
5. Calvo, I.A., Gabrielli, N., Iglesias-Baena, I., Garcia-Santamarina, S., Hoe, K.L., Kim, D.U., Sanso, M., Zuin, A., Perez, P., Ayte, J., and Hidalgo, E. (2009) Genome-wide screen of genes required for Caffeine tolerance in Fission Yeast. *PLoS One* **4(8)**: e6619.
6. Caracuel-Rios, Z., and Talbot, N.J. (2007) Cellular differentiation and host invasion by the rice blast fungus *Magnaporthe grisea*. *Curr Opin Microbiol* **10(4)**: 339-345.
7. Chen, D.C., Yang, B.C., and Kuo, T.T. (1992) One-step transformation of yeast in stationary phase. *Curr Genet* **21(1)**: 83-84.
8. Chen, G., Liu, X., Zhang, L., Cao, H., Lu, J. and Lin, F. (2013) Involvement of MoVMA11, a putative vacuolar ATPase c' Subunit, in vacuolar acidification and infection-related morphogenesis of *Magnaporthe oryzae*. *PLoS ONE* **8(6)**: e67804.

9. Chen, J., Li, L.G., Liu, Z.H., Yuan, Y.J., Guo, L.L., Mao, D.D., Tian, L.F., Chen, L.B., Luan, S., and Li, D.P. (2009) Magnesium transporter AtMGT9 is essential for pollen development in *Arabidopsis*. *Cell Res* **19(7)**: 887-898.
10. Chen, Z.C., Yamaji, N., Motoyama, R., Nagamura, Y., and Ma, J.F. (2012) Up-regulation of a magnesium transporter gene OsMGT1 is required for conferring aluminium tolerance in rice. *Plant Physiol* **159(4)**: 1624-1633.
11. Choi, G.H., Larson, T.G. and Nuss, D.L. (1992) Molecular analysis of the laccase gene from the chestnut blight fungus and selective suppression of its expression in an isogenic hypovirulent strain. *Mol Plant Microbe Interact* **5(2)**: 119-128.
12. Choi, W., and Dean, R.A. (1997) The adenylate cyclase gene MAC1 of *Magnaporthe grisea* controls appressorium formation and other aspects of growth and development. *Plant Cell* **9(11)**: 1973-1983.
13. Clutterbuck, A.J. (1990) The genetics of conidiophore pigmentation in *Aspergillus nidulans*. *J Gen Microbiol* **136(9)**: 1731-1738.
14. Connolly, E.L., and Gueriot, M.L. (2002) Iron stress in plants. *Genome Biol* **3(8)**.
15. Costigan, C., Gehrung, S., and Snyder, M. (1992) A synthetic lethal screen identifies SLK1, a novel protein kinase homolog implicated in yeast cell morphogenesis and cell growth. *Mol Cell Biol* **12(3)**: 1162-1178.
16. Couch, B.C., Fudal, I., Lebrun, M.H., Tharreau, D., Valent, B., van Kim, P., Notteghem, J.L. and Kohn, L.M. (2005) Origins of host-specific populations of the blast pathogen *Magnaporthe oryzae* in crop domestication with subsequent expansion of pandemic clones on rice and weeds of rice. *Genetics* **170(2)**: 613-630.
17. Couch, B.C., and Kohn, L.M. (2002) A multilocus gene genealogy concordant with host preference indicates segregation of a new species *Magnaporthe oryzae* from *M. grisea*. *Mycologia* **94(4)**: 683-693.

18. Cowan, J. A. (1995) *The Biological Chemistry of Magnesium*. New York Publishers.
19. Dalmas, O., Sandtner, W., Medovoy, D., Frezza, L., Bezanilla, F., and Perozo, E. (2014) A repulsion mechanism explains magnesium permeation and selectivity in CorA. *Proc Natl Acad Sci USA* **111(8)**: 3002-3007.
20. Davenport, K.R., Sohaskey, M., Kamada, Y., Levin, D.E., and Gustin, M.C. (1995) A second osmosensing signal transduction pathway in yeast. Hypotonic shock activates the PKC1 protein kinase-regulated cell integrity pathway. *J Biol Chem* **270(50)**: 30157-30161.
21. Dean, R.A., Talbot, N.J., Ebbole, D.J., Farman, M.L., Mitchell, T.K., Orbach, M.J., Thon, M., Kulkarni, R., Xu, J.R., Pan, H., Read, N.D., Lee, Y.H., Carbone, I., Brown, D., Oh, Y.Y., Donofrio, N., Jeong, J.S., Soanes, D.M., Djonovic, S., Kolomiets, E., Rehmeier, C., Li, W., Harding, M., Kim, S., Lebrun, M.H., Bohnert, H., Coughlan, S., Butler, J., Calvo, S., Ma, L.J., Nicol, R., Purcell, S., Nusbaum, C., Galagan, J.E., and Birren, B.W. (2005) The genome sequence of the rice blast fungus *Magnaporthe grisea*. *Nature* **434**: 980-986.
22. Dean, R., Van Kan, J.A., Pretorius, Z.A., Hammond-Kosack, K.E., Di Pietro, A., Spanu, P.D., Rudd, J.J., Dickman, M., Kahmann, R., Ellis, J., and Foster, G.D. (2012) The top 10 fungal pathogens in molecular plant pathology. *Mol Plant Pathol* **13(4)**: 414-430.
23. De Jong, J.C., McCormack, B.J., Smirnov, N., and Talbot, N.J. (1997) Glycerol generates turgor in rice blast. *Nature* **389**: 471-483.
24. Dellaporta, S.L., Wood, J., and Hicks, J.B. (1983) A plant DNA miniprep: version 2. *Plant Mol Biol Rep* **1(4)**: 19-22.
25. Filippi, M.C. and Prabhu, A.S. (1998) Relationship between panicle blast severity and mineral nutrient content of plant tissue in upland rice. *J. Plant Nutr* **21(8)**: 1577-1587.

26. Garcia Vescovi, E., Soncini, F.C., and Groisman, E.A. (1996) Mg^{2+} as an extracellular signal: environmental regulation of *Salmonella* virulence. *Cell* **84(1)**: 165-174.
27. Gardner, R.C. (2003) Genes for magnesium transport. *Curr Opin Plant Biol* **6(3)**: 263-267.
28. Gastebois, A., Blanc Potard, A.B., Gribaldo, S., Beau, R., Latge, J.P., and Mouyna, I. (2011) Phylogenetic and functional analysis of *Aspergillus fumigatus* MGTC, a fungal protein homologous to a bacterial virulence factor. *Appl Environ Microbiol* **77(13)**: 4700-4703.
29. Giraldo, M.C., Dagdas, Y.F., Gupta, Y.K., Mentlak, T.A., Yi, M., Martinez-Rocha, A.L., Saitoh, H., Terauchi, R., Talbot, N.J., and Valent, B. (2013) Two distinct secretion systems facilitate tissue invasion by the rice blast fungus *Magnaporthe oryzae*. *Nat Commun* **4**: 1996.
30. Giraldo, M.C., and Valent, B. (2013) Filamentous plant pathogen effectors in action. *Nat Rev Microbiol* **11(11)**: 800-814.
31. Graschopf, A., Stadler, J.A., Hoellerer, M.K., Eder, S., Sieghardt, M., Kohlwein, S.D., and Schweyen, R.J. (2001) The yeast plasma membrane protein Alr1 controls Mg^{2+} homeostasis and is subject to Mg^{2+} dependent control of its synthesis and degradation. *J Biol Chem* **276(19)**: 16216-16222.
32. Grognet, P., Lalucque, H., and Silar, P. (2012) The PaAlr1 magnesium transporter is required for ascospore development in *Podospora anserina*. *Fungal Biol* **116(10)**: 1111-1118.
33. Illes, P., Schlicht, M., Pavlovkin, J., Lichtscheidl, I., Baluska, F., and Ovecka, M. (2006) Aluminium toxicity in plants: internalization of aluminium into cells of the transition zone in *Arabidopsis* root apices related to changes in plasma membrane

- potential, endosomal behaviour, and nitric oxide production. *J Expt Bot* **57(15)**: 4201-4213.
34. Iyer, G., and Chattoo, B.B. (2003) Purification and characterization of laccase from the rice blast fungus, *Magnaporthe grisea*. *FEMS Microbiol Lett* **227(1)**: 121-126.
35. Jeon, J., Park, S.Y., Chi, M.H., Choi, J., Park, J., Rho, H.S., Kim, S., Goh, J., Yoo, S., Choi, J., Park, J.Y., Yi, M., Yang, S., Kwon, M.J., Han, S.S., Kim, B.R., Khang, C.H., Park, B., Lim, S.E., Jung, K., Kong, S., Karunakaran, M., Oh, H.S., Kim, H., Kim, S., Park, J., Kang, S., Choi, W.B., Kang, S., and Lee, Y.H. (2007) Genome-wide functional analysis of pathogenicity genes in the rice blast fungus. *Nat Genet* **39(4)**: 561-565.
36. Kachroo, P., Leong, S.A., and Chattoo, B.B. (1994) Pot2, an inverted repeat transposon from the rice blast fungus *Magnaporthe grisea*. *Mol Gen Genet* **245(3)**: 339-348.
37. Khush, G.S. (2005) What it will take to feed 5.0 billion rice consumers in 2030. *Plant Mol Biol* **59(1)**: 1-6.
38. Kim, S., Ahn, I.P., Rho, H.S., and Lee, Y.H. (2005) MHP1, a *Magnaporthe grisea* hydrophobin gene, is required for fungal development and plant colonization. *Mol Microbiol* **57(5)**: 1224-1237.
39. Knoop, V., Groth-Malonek, M., Gebert, M., Eifler, K., and Weyand, K. (2005) Transport of magnesium and other divalent cations: evolution of the 2-TM-GxN proteins in the MIT superfamily. *Mol Genet Genomics* **274(3)**: 205-216.
40. Komari, T., Hiei, Y., Saito, Y., Murai, N., and Kumashiro, T. (1996) Vectors carrying two separate T-DNAs for co-transformation of higher plants mediated by *Agrobacterium tumefaciens* and segregation of transformants free from selection markers. *Plant J* **10(1)**: 165-174.

41. Kucharski, L.M., Lubbe, W.J., and Maguire, M.E. (2000) Cation hexaammines are selective and potent inhibitors of the CorA Magnesium transport system. *J Biol Chem* **275(22)**: 16767-16773.
42. Lauter, F.R., Russo, V.E., and Yanofsky, C. (1992) Developmental and light regulation of Eas, the structural gene for the rodlet protein of *Neurospora*. *Genes Dev* **6(12A)**: 2373-2381.
43. Lee, J.M., and Gardner, R.C. (2006) Residues of the yeast ALR1 protein that are critical for Magnesium uptake. *Curr Genet* **49(1)**: 7-20.
44. Lee, Y.H., and Dean, R.A. (1993) cAMP regulates infection structure formation in the plant pathogenic fungus *Magnaporthe grisea*. *Plant Cell* **5(6)**: 693-700.
45. Levin, D.E. (2005) Cell wall integrity signaling in *Saccharomyces cerevisiae*. *Microbiol Mol Biol Rev* **69(2)**: 262-291.
46. Li, L.G., Sokolov, L.N., Yang, Y.H., Li, D.P., Ting, J., Pandey G.K., and Luan, S. (2008) A mitochondrial magnesium transporter functions in *Arabidopsis* pollen development. *Mol Plant* **1(4)**: 675-678.
47. Li, L., Tutone, A.F., Drummond, R.S., Gardner, R.C., and Luan, S. (2001) A novel family of magnesium transport genes in *Arabidopsis*. *Plant Cell* **13(12)**: 2761-2775.
48. Lim, P.H., Pisat, N.P., Gadhia, N., Pandey, A., Donovan, F.X., Stein, L., Salt, D.E., Eide, D.J., and MacDiarmid, C.W. (2011) Regulation of Alr1 Mg transporter activity by intracellular Magnesium. *PLoS One* **6(6)**: e20896.
49. Lunin, V.V., Dobrovetsky, E., Khutoreskaya, G., Zhang, R., Joachimiak, A., Doyle, D.A., Bochkarev, A., Maguire, M.E., Edwards, A.M. and Koth, C.M. (2006) Crystal structure of the CorA Mg²⁺ transporter. *Nature lett* **440(7085)**: 833-837.
50. Lusk, J.E., and Kennedy, E.P. (1969) Magnesium transport in *Escherichia coli*. *J Biol Chem* **244**: 1653-1655.

51. MacDiarmid, C.W., and Gardner, R.C. (1998) Overexpression of the *Saccharomyces cerevisiae* magnesium transport system confers resistance to aluminum ion. *J Biol Chem* **273(3)**: 1727-1732.
52. Martin, H., Rodriguez-Pachon, J.M., Ruiz, C., Nombela, C., and Molina, M. (2000) Regulatory mechanisms for modulation of signaling through the cell integrity Slt2-mediated pathway in *Saccharomyces cerevisiae*. *J Biol Chem* **275(2)**: 1511-1519.
53. Mathioni, S.M., Belo, A., Rizzo, C.J., Dean, R.A. and Donofrio, N.M. (2011) Transcriptome profiling of the rice blast fungus during invasive plant infection and in vitro stresses. *BMC Genomics* **12**.
54. Matthies, D., Dalmas, O., Borgnia, M.J., Dominik, P.K., Merk, A., Rao, P., Reddy, B.G., Islam, S., Bartesaghi, A., Perozo, E., and Subramaniam, S. (2016) Cryo-EM structures of the magnesium channel CorA reveal symmetry break upon gating. *Cell* **164(4)**: 747-756.
55. Mayer, F.L., Wilson, D., Jacobsen, I.D., Miramon, P., Große, K., and Hube, B. (2012) The Novel *Candida albicans* Transporter Dur31 Is a Multi-Stage Pathogenicity Factor. *PLoS Pathog* **8(3)**: e1002592.
56. Mew, T.W. (1991) Disease management in rice. In: CRC handbook of pest management in agriculture (pp 279-299) 2nd Edition. Vol. **III**; CRC Press, Inc. Boca Ralton, Ann Arbor, Boston.
57. Moomaw, A.S., and Maguire, M.E. (2008) The unique nature of Mg²⁺ channels. *Physiology* **23**: 275-285.
58. Mullins, E.D., Chen, X., Romaine, P., Raina, R., Geiser, D.M., and Kang, S. (2001) Agrobacterium-mediated transformation of *Fusarium oxysporum*: an efficient tool for insertional mutagenesis and gene transfer. *Phytopathol* **91(2)**: 173-180.

59. Munro, C.A., Selvaggini, S., de Bruijn, I., Walker, L., Lenardon, M.D., Gerssen, B., Milne, S., Brown, A.J. and Gow, N.A. (2007) The PKC, HOG and Ca²⁺ signalling pathways co-ordinately regulate chitin synthesis in *Candida albicans*. *Mol Microbiol* **63(5)**: 1399-1413.
60. Nakayashiki, H., Hanada, S., Nguyen, B.Q., Kadotani, N., Tosa, Y., and Mayama, S. (2005) RNA silencing as a tool for exploring gene function in ascomycete fungi. *Fungal Genet Biol* **42(4)**: 275-283.
61. Nelson, D.L., and Kennedy, E.P. (1971) Magnesium transport in *Escherichia coli*. Inhibition by cobaltous ion. *J Biol Chem* **246(9)**: 3042-3049.
62. Nelson, D.L., and Kennedy, E.P. (1972) Transport of magnesium by a repressible and a nonrepressible system in *Escherichia coli*. *Proc Natl Acad Sci USA* **69(5)**: 1091-1093.
63. Nguyen, Q.B., Kadotani, N., Kasahara, S., Tosa, Y., Mayama, S., and Nakayashiki, H. (2008) Systematic functional analysis of calcium-signalling proteins in the genome of the rice-blast fungus, *Magnaporthe oryzae*, using a high throughput RNA-silencing system. *Mol Microbiol* **68(6)**: 1348-1365.
64. Ou, S.H. (1980) Pathogen variability and host resistance in rice blast disease. *Annu Rev Phytopathol* **18**: 167-187.
65. Ou, S.H. (1987) Rice diseases. Commonwealth Mycological Institute Kew Surrey.
66. Panepinto, J.C., and Williamson, P.R. (2006) Intersection of fungal fitness and virulence in *Cryptococcus neoformans*. *FEMS Yeast Res* **6(4)**: 489-498.
67. Pasternak, K., Kocot, J., and Horecka, A. (2010) Biochemistry of Magnesium. *J Elementol* **15(3)**: 601-616.

68. Patkar, R.N., and Chattoo, B.B. (2006) Transgenic indica rice expressing ns- LTP-like protein shows enhanced resistance to both fungal and bacterial pathogens. *Mol Breed* **17(2)**: 159-171.
69. Petrault, I., Zimowska, W., Mathieu, J., Bayle, D., Rock, E., Favier, A., Rayssiguier, Y., and Mazur, A. (2002) Changes in gene expression in rat thymocytes identified by cDNA array support the occurrence of oxidative stress in early magnesium deficiency. *Biochim Biophys Acta* **1586(1)**: 92-98.
70. Pfeiffer, J., Guhl, J., Waidner, B., Kist, M., and Bereswill, S. (2002) Magnesium uptake by CorA is essential for viability of the gastric pathogen *Helicobacter pylori*. *Infect Immun* **70(7)**: 3930-3934.
71. Pfoh, R., Li, A., Chakrabarti, N., Payandeh, J., Pomes, R., and Pai, E.F. (2012) Structural asymmetry in the magnesium channel CorA points to sequential allosteric regulation. *Proc Natl Acad Sci USA* **109(46)**: 18809-18814.
72. Pisat, N.P., Pandey, A. and MacDiarmid, C.W. (2009) MNR2 regulates intracellular Magnesium storage in *Saccharomyces cerevisiae*. *Genetics* **183(3)**: 873-884.
73. Prescott, A.R., Comerford, J.G., Magrath, R., Lamb, N.J., and Warn, R.M. (1988) Effects of elevated intracellular magnesium on cytoskeletal integrity. *J Cell Sci* **89(3)**: 321-329.
74. Ram, A.F.J., and Klis, F.M. (2006) Identification of fungal cell wall mutants using susceptibility assays based on Calcofluor white and Congo red. *Nat Protoc* **1(5)**: 2253-2256.
75. Raman, V., Simon, S.A., Romag, A., Demirci, F., Mathioni, S.M., Zhai, J., Meyers, B.C., and Donofrio, N.M. (2013) Physiological stressors and invasive plant infections alter the small RNA transcriptome of the rice blast fungus, *Magnaporthe oryzae*. *BMC Genomics* **14**.

76. Reidinger, S., Ramsey, M.H., and Hartley, S.E. (2012) Rapid and accurate analyses of silicon and phosphorus in plants using a portable X-ray fluorescence spectrometer. *New Phytol* **195(3)**: 699-706.
77. Ribot, C., Hirsch, J., Balzergue, S., Tharreau, D., Nottoghem, J.L., Lebrun, M.H., and Morel, J.B. (2008) Susceptibility of rice to the blast fungus, *Magnaporthe grisea*. *J Plant Physiol* **165(1)**: 114-124.
78. Romani, A.M. (2011) Cellular magnesium homeostasis. *Arch Biochem Biophys* **512(1)**: 1-23.
79. Saito, T., Kobayashi, N.I., Tanoi, K., Iwata, N., Suzuki, H., Iwata, R., and Nakanishi, M. (2013) Expression and functional analysis of the CorA-MRS2-ALR-type magnesium transporter family in rice. *Plant Cell Physiol* **54(10)**: 1673-1683.
80. Salas, S.D., Bennett, J.E., Kwon-Chung, K.J., Perfect, J.R., and Williamson, P.R. (1996) Effect of the laccase gene CNLAC1 on virulence of *Cryptococcus neoformans*. *J Exp Med* **184(2)**: 377-386.
81. Sambrook, J., Fritsch, E.F., and Maniatis, T. (1989) Molecular Cloning: A Laboratory Manual, second ed. Cold Spring Harbour Laboratory Press, New York.
82. Schindl, R., Weghuber, J., Romanin, C., and Schweyen, R.J. (2007) Mrs2p forms a high conductance Mg^{2+} selective channel in mitochondria. *Biophys J* **93(11)**: 3872-3883.
83. Schweyen, R.J., and Froschauer, E.M. (2007) CorA-Mrs2-Alr1- Superfamily of Mg^{2+} channel proteins. *New Perspectives in Magnesium Research* 46-54.
84. Sesma, A., and Osbourn, A.E. (2004) The rice leaf blast pathogen undergoes developmental processes typical of root-infecting fungi. *Nature* **431(7008)**: 582-586.
85. Skamnioti, P., and Gurr, S.J. (2009) Against the grain: safeguarding rice from rice blast disease. *Trends Biotechnol* **27(3)**: 141-150.

86. Smit, G., Straver, M.H., Lugtenberg, B.J. and Kijne, J.W. (1992) Flocculence of *Saccharomyces cerevisiae* cells is induced by nutrient limitation, with cell surface hydrophobicity as a major determinant. *Appl Environ Microbiol* **58(11)**: 3709-3714.
87. Snavely, M.D., Florer, J.B., Miller, C.G., and Maguire, M.E. (1989) Magnesium transport in *Salmonella typhimurium*: $^{28}\text{Mg}^{2+}$ transport by the CorA, MgtA, and MgtB systems. *J Bacter* **171(9)**: 4761-4766.
88. Snavely, M.D., Florer, J.B., Miller, C.G., and Maguire, M.E. (1989) Magnesium transport in *Salmonella typhimurium*: Expression of cloned genes for three distinct Mg^{2+} transport systems. *J Bacter* **171(9)**: 4752-4760.
89. Soanes, D.M., Kershaw, M.J., Cooley, R.N. and Talbot, N.J. (2002) Regulation of the MPG1 hydrophobin gene in the rice blast fungus *Magnaporthe grisea*. *Mol Plant Microbe Interact* **15(12)**: 1253-1267.
90. Spanu, P. (1998) Deletion of HCf-1, a hydrophobin gene of *Cladosporium fulvum*, does not affect pathogenicity in tomato. *Physiol Mol Plant Pathol* **52(5)**: 323-334.
91. Sponder, G., Svidova, S., Schindl, R., Wieser, S., Schweyen, R.J., Romanin, C., Froschauer, E.M., and Weghuber, J. (2010) Lpe10p modulates the activity of the Mrs2p-basd yeast mitochondrial Mg^{2+} channel. *FEBS Journal* **277(17)**: 3514-3525.
92. Stringer, M.A., Dean, R.A., Sewall, T.C., and Timberlake, W.E. (1991) Rodletless, a new *Aspergillus* developmental mutant induced by directed gene inactivation. *Genes Dev* **5(7)**: 1161-1171.
93. Talbot, N.J. (2003) On the trail of a cereal killer: exploring the biology of *Magnaporthe grisea*. *Annu Rev Microbiol* **57**: 177-202.
94. Talbot, N.J., Ebbole, D.J., and Hamer, J.E. (1993) Identification and characterization of MPG1, a gene involved in pathogenicity from the rice blast fungus *Magnaporthe grisea*. *Plant Cell* **5(11)**: 1575-1590.

95. Talbot, N.J., and Foster, A.J. (2001) Genetics and genomics of the rice blast fungus *Magnaporthe grisea*: developing an experimental model for understanding fungal diseases of cereals. *Adv Bot Res* **34**: 263-287.
96. Trofimova, Y., Walker, G., and Rapoport, A. (2010) Anhydrobiosis in yeast: influence of calcium and magnesium ions on yeast resistance to dehydration rehydration. *FEMS Microbiol Lett* **308(1)**: 55-61.
97. Tsai, H.F., Wheeler, M.H., Chang, Y.C. and Kwon-Chung, K.J. (1999) A developmentally regulated gene cluster involved in conidial pigment biosynthesis in *Aspergillus fumigatus*. *J Bacteriol* **181(20)**: 6469-6477.
98. Valent, B., and Chumley, F.G. (1991) Molecular genetic analysis of the rice blast fungus, *Magnaporthe grisea*. *Annu Rev Phytopathol* **29**: 443-467.
99. Valent, B., Farrall, L., and Chumley, F.G. (1991) *Magnaporthe grisea* genes for pathogenicity and virulence identified through a series of backcrosses. *Genetics* **127(1)**: 87-101.
100. Van Wetter, M., Schuren, F.H.J., Schuurs, T.A., and Wessels, J.G.H. (1996) Targeted mutation of the SC3 hydrophobin gene of *Schizophyllum commune* affects formation of aerial hyphae. *FEMS Microbiol Lett* **140(2-3)**: 265-269.
101. Veneault-Fourrey, C., Barooah, M., Egan, M., Wakley, G., and Talbot, N.J. (2006) Autophagic cell death is necessary for infection by the rice blast fungus. *Science* **312(5773)**: 580-583.
102. Walker, G.M. (2004) Metals in yeast fermentation processes. *Adv Appl Microbiol* **54**: 197-229.
103. Walker, G.M., and Duffus, J.H. (1980) Magnesium ions and the control of the cell cycle in yeast. *J Cell Sci* **42**: 329-356.

104. Walker, G.M., Sullivan, P.A., and Shepherd, M.G. (1984) Magnesium and the regulation of germ-tube formation in *Candida albicans*. *J Gen Microbiol* **130(8)**: 1941-1945.
105. Wang, X., Lee, S., Wang, J., Ma, J., Bianco, T., and Jia, Y. (2014) Current advances on genetic resistance to rice blast disease. doi: 10.5772/56824.
106. Leonowicz, A., Cho, N.S., Luterek, J., Wilkolazka, A., Wojtas-Wasilewska, M., Matuszewska, A., Hofrichter, M., Wesenberg, D. and Rogalski, J. (2001) Fungal laccase: properties and activity on lignin. *J Basic Microbiol* **41(3-4)**: 185-227.
107. Wiesenberger, G., Steinleitner, K., Malli, R., Graier, W.F., Vormann, J., Schweyen, R.J., and Stadler, J.A. (2007) Mg^{2+} deprivation elicits rapid Ca^{2+} uptake and activates Ca^{2+} /Calcineurin signaling in *Saccharomyces cerevisiae*. *Eukaryot Cell* **6(4)**: 592-599.
108. Wilson, R.A., and Talbot, N.J. (2009) Under pressure: investigating the biology of plant infection by *Magnaporthe oryzae*. *Nat Rev* **7(3)**: 185-195.
109. Wolf, F.I., and Cittadini, A. (2003) Chemistry and biochemistry of magnesium. *Mol Asp Med* **24(1-3)**: 3-9.
110. Xu J. R., Staiger C. J., and Hamer J. E. (1998) Inactivation of the mitogen-activated protein kinase *Mps1* from the rice blast fungus prevents penetration of host cells but allows activation of plant defense responses. *Proc Natl Acad Sci USA* **95(21)**: 12713-12718.
111. Yu, J.H., Hamari, Z., Han, K.H., Seo, J.A., Reyes-Dominguez, Y., and Scazzocchio, C. (2004) Double-joint PCR: a PCR-based molecular tool for gene manipulations in filamentous fungi. *Fungal Genet Biol* **41(11)**: 973-981.
112. Zaitsevskaya-Carter, T., and Cooper, J.A. (1997) Spm1, a stress-activated MAP kinase that regulates morphogenesis in *S. pombe*. *EMBO J* **16(6)**: 1318-1331.

113. Zeigler, R.S., Leong, S.A. and Teng, P.S. (1994) *Rice Blast Disease*, pp. 1–626. Wallingford: CAB International.
114. Zhang, H.F., Liu, K.Y., Zhang, X., Tang, W., and Wang, J.S. (2010) Two phosphodiesterase genes, PDEL and PDEH, regulate development and pathogenicity by modulating intracellular cyclic AMP levels in *Magnaporthe oryzae*. *PLoS One* **6(2)**: e17241.
115. Zhu, X., Gibbons, J., Zhang, S., and Williamson, P.R. (2003) Copper-mediated reversal of defective laccase in a *Δvph1* avirulent mutant of *Cryptococcus neoformans*. *Mol Microbiol* **47(4)**: 1007-1014.
116. Zimelis, V.M., and Jackson, G.G. (1973) Activity of aminoglycoside antibiotics against *Pseudomonas aeruginosa*: specificity and site of Calcium and Magnesium antagonism. *J Infect Dis* **127(6)**: 663-669.
117. Zimmermann, G., Zhou, D., and Taussig, R. (1998) Mutations uncover a role for two Magnesium ions in the catalytic mechanism of adenylyl cyclase. *J Biol Chem* **273(31)**: 19650-19655.