## **CONTENTS**

	Page	Number
List of Tables		i
List of Figures		ii-v
List of Abbreviations		vi-vii
List of primers		viii-ix
Abstract		x-xi
1.	Review of literature	1-16
	1.1 Magnaporthe oryzae: Model organism to study host-pathogen interactions	
	1.2 Infection cycle of <i>M. oryzae</i>	
	1.3 Signalling mechanisms contributing to infection related development	
	1.4 Biochemistry of Mg <sup>2+</sup>	
	1.5 Regulation of genes by Mg <sup>2+</sup>	
	1.6 CorA Mg <sup>2+</sup> transporters	
	<b>Present Study:</b> CorA Magnesium Transporters in growth and pathogenicity of the rifungus <i>Magnaporthe oryzae</i>	
2.	Introduction	18-22
3.	Objectives	23
4.	Materials and Methods	24-52
	4.1 Media and culture conditions	
	4.2 Nutrients	
	4.3 Buffers	
	4.4 Stock Solutions	
	4.5 Bacterial strains	

- 4.6 Yeast strains
- 4.7 Fungal cultures
- 4.8 Isolation of plasmid DNA
- 4.9 Competent cell preparation and transformation of E. coli with plasmid DNA
- 4.10 Nucleic acid manipulation
- 4.11 Bioinformatics analysis of CorA Mg<sup>2+</sup> transporters
- 4.12 Complementation cassette of MoALR2 and MoMNR2 in pYES2 vector to give
- pYES2-MoALR2, pYES2-MoMNR2 and pYES2-MoMNR2<sub>489-812</sub>
- 4.13 Transformation of *S. cerevisiae* with plasmid DNA
- 4.14 Complementation of S. cerevisiae  $\triangle alr 1 \triangle alr 2$  mutant (CM66)
- 4.15 Double joint PCR based generation of knockout cassette
- 4.16 Disruption cassette of *MoALR2* in pGKO2 vector
- 4.17 Disruption cassette of MoALR2 in pBSKS+ vector
- 4.18 Agrobacterium tumefaciens mediated transformation of M. oryzae
- 4.19 Split marker based transformation of *M. oryzae* for *MoALR2*
- 4.20 Antisense cassette generation for *MoALR2* in pSilent-1 and pSilent-Dual2 (pSD2)

## vectors

- 4.21 Protoplast transformation of *M. oryzae*
- 4.22 DNA extraction and Southern blot analysis
- 4.23 Generation of antibodies against CorA domain of MoMnr2
- 4.24 Quantitative Real time PCR (qRT-PCR) analysis for gene expression
- 4.25 Protein extraction and Western blot analysis
- 4.26 Indirect immunolocalisation of MoAlr2 and MoMnr2 in M. oryzae

- 4.27 Sensitivity to Cobalt (III) Hexaammine
- 4.28 X-ray fluorescence (XRF) for element analysis
- 4.29 Surface hydrophobicity assay
- 4.30 Cation sensitivity assay
- 4.31 Phenotypic characterisation of transformants
- 4.32 Detached leaf assay
- 4.33 Cell wall integrity assay
- 4.34 Quantification of intracellular levels of cAMP
- 4.35 Mg<sup>2+</sup> limited and pH dependent growth of WT and *∆mnr*2 transformant
- 4.36 Extracellular alkalinisation assay
- 4.37 Laccase estimation in WT and *∆mnr*2 transformant
- 4.38 Mating assay in WT and *∆mnr2* transformant
- 4.39 Generation of localisation cassette of MoALR2 and cloning in pBSKS+ to give KS-

LocMoALR2-GFP-Zeocin<sup>r</sup>

4.40 Statistical Analyses

5. Results 53-124

- 5.1 Bioinformatics analysis of MoALR2, MoMNR2 and MoMRS2
- 5.2 Cloning of MoALR2 and MoMNR2 in pYES2 vector to give pYES2-MoALR2,

pYES2-MoMNR2 and pYES2-MoMNR2<sub>489-812</sub>

- 5.3 Complementation of S. cerevisiae  $\triangle alr 1 \triangle alr 2$  mutant (CM66)
- 5.4 Generation of knockout cassette for MoMNR2, transformation, screening and confirmation of  $\Delta mnr2$  knockout transformants

- 5.5 Generation of knockout cassette for *MoMRS2* (Mgg\_02763 and Mgg\_06582), transformation and screening of knockout transformants
- 5.6 Cloning of disruption cassette of *MoALR2*, *siALR2* in pSD2 to give pSD2-*siALR2* and *MoALR2*<sub>1400bp</sub> in pSilent-1 to give pSilent-*MoALR2*<sub>1400bp</sub>
- 5.7 Transformation of *M. oryzae* B157 using *MoALR2* Disruption cassette (pGKO2-*MoALR2*-HPT)
- 5.8 Protoplast transformation of *M. oryzae* B157 using split marker
- 5.9 Protoplast transformation of *M. oryzae ∆ku80* using *MoALR2* Disruption cassette (pBSKS-*MoALR2*-HPT)
- 5.10 Protoplast transformation of *M. oryzae* B157 using knockdown constructs (pSD2-siALR2 and pSilent-MoALR2<sub>1400bp</sub>)
- 5.11 Relative Expression analysis of CorA Mg<sup>2+</sup> transporters at transcript level
- 5.12 Growth assay of the knockout and knockdown transformants in presence of Co(III) Hex.
- 5.13 Southern blot analysis of the knockdown transformants
- 5.14 Heterologous expression of CorA domain of *MoMNR2* (*PMNR2*), purification of MoMnr2 CorA domain protein and antibody generation
- 5.15 Western blot analysis of the knockdown transformants
- 5.16 Immunolocalisation of MoAlr2 and MoMnr2 in *M. oryzae*
- 5.17  $\text{Mg}^{2+}$  limited and pH dependent growth, extracellular alkalinisation and laccase estimation of WT and  $\Delta mnr2$  transformant
- 5.18 Impaired sexual reproduction in  $\Delta mnr2$

	1.19 Generation of localisation cassette of MoALR2 and cloning in pBSKS+ to give KS-		
	Loc <i>MoALR2</i> -GFP-Zeo <sup>r</sup>		
	5.20 Transformation of <i>M. oryzae</i> B157 with localisation cassette of	MoALR2 (KS-	
	LocMoALR2-GFP-Zeo <sup>r</sup> )		
	5.21 Element analysis in the knockdown transformants		
	5.22 Mg <sup>2+</sup> dependent expression of <i>MoALR2</i> and <i>MoMNR2</i>		
	5.23 Ca <sup>2+</sup> dependent expression of <i>MoALR2</i> and <i>MoMNR2</i>		
	5.24 Altered Cation sensitivity in knockdown transformants		
	25 CorA transporters are required for mycelial growth and survival in M. oryzae		
	6 CorA transporters are required for surface hydrophobicity in M. oryzae		
	5.27 Magnesium uptake by CorA transporters is essential for progression	of the infection	
	cycle in M. oryzae		
	5.28 MoALR2 affects intracellular cAMP levels in M. oryzae		
	5.29 MoALR2 knockdown transformants show altered cell wall structure		
6.	Discussion	125-130	
7.	Summary	131-134	
8.	References	135-148	
9.	Publication	149	
10. Work Presented at Conferences 150			