

BIBLIOGRAPHY

*“Learn to let go and be clear of where you really want
to head for”*

- DAVID SCHWIMMER

BIBLIOGRAPHY

- Abraham EG, Islam S, Srinivasan P, Ghosh AK, Valenzuela JG, Ribeiro JM, Kafatos FC, Dimopoulos G, Jacobs-Lorena M. Analysis of the *Plasmodium* and *Anopheles* transcriptional repertoire during ookinete development and midgut invasion. *Journal of Biological Chemistry*. 2004;279(7):5573-80.
- Aikawa M, Miller LH, Johnson J, Rabbege J. Erythrocyte entry by malarial parasites. A moving junction between erythrocyte and parasite. *The Journal of cell biology*. 1978;77(1):72-82.
- Aikawa M, Miller LH, Rabbege J. Caveola--vesicle complexes in the plasmalemma of erythrocytes infected by *Plasmodium vivax* and *P cynomolgi*. Unique structures related to Schüffner's dots. *The American journal of pathology*. 1975;79(2):285.
- Aitman TJ, Cooper LD, Norsworthy PJ, Wahid FN, Gray JK, Curtis BR, McKeigue PM, Kwiatkowski D, Greenwood BM, Snow RW, Hill AV. Population genetics: Malaria susceptibility and CD36 mutation. *Nature*. 2000;405(6790):1015-6.
- Akinyi S, Hanssen E, Meyer EV, Jiang J, Korir CC, Singh B, Lapp S, Barnwell JW, Tilley L, Galinski MR. A 95 kDa protein of *Plasmodium vivax* and *P. cynomolgi* visualized by three-dimensional tomography in the caveola--vesicle complexes (Schüffner's dots) of infected erythrocytes is a member of the PHIST family. *Molecular microbiology*. 2012;84(5):816-31.
- Alexander DL, Mital J, Ward GE, Bradley P, Boothroyd JC. Identification of the moving junction complex of *Toxoplasma gondii*: a collaboration between distinct secretory organelles. *PLoS Pathogen*. 2005;1(2):e17.
- Antonelli LR, Leoratti FM, Costa PA, Rocha BC, Diniz SQ, Tada MS, Pereira DB, Teixeira-Carvalho A, Golenbock DT, Gonçalves R, Gazzinelli RT. The CD14+ CD16+ inflammatory monocyte subset displays increased mitochondrial activity and effector function during acute *Plasmodium vivax* malaria. *PLoS Pathogen*. 2014;10(9):e1004393.
- Aribot G, Rogier C, Sarthou JL, Trape JF, Balde AT, Druilhe P, Roussilhon C. Pattern of immunoglobulin isotype response to *Plasmodium falciparum* blood-stage antigens in

individuals living in a holoendemic area of Senegal (Dielmo, west Africa). *The American journal of tropical medicine and hygiene*. 1996;54(5):449-57.

Arrow KJ, Panosian C, Gelband H, editors. Saving lives, buying time: economics of malaria drugs in an age of resistance. *National Academies Press*; 2004.

Arrow KJ, Panosian C, Gelband H. The Parasite, the Mosquito, and the Disease (2004).

Auffray C, Fogg DK, Narni-Mancinelli E, Senechal B, Trouillet C, Saederup N, Leempt J, Bigot K, Campisi L, Abitbol M, Molina T. CX3CR1+ CD115+ CD135+ common macrophage/DC precursors and the role of CX3CR1 in their response to inflammation. *The Journal of experimental medicine*. 2009;206(3):595-606.

Auffray C, Sieweke MH, Geissmann F. Blood monocytes: development, heterogeneity, and relationship with dendritic cells. *Annual review of immunology*. 2009;27:669-92

Autino B, Noris A, Russo R, Castelli F. Epidemiology of malaria in endemic areas. *Mediterranean Journal of Hematology and Infectious Diseases*. 2012;4(1):2012060.

Baer K, Klotz C, Kappe SH, Schnieder T, Frevert U. Release of hepatic *Plasmodium yoelii* merozoites into the pulmonary microvasculature. *PLoS Pathogen*. 2007;3(11):e171.

Baer K, Roosevelt M, Clarkson AB, Van Rooijen N, Schnieder T, Frevert U. Kupffer cells are obligatory for *Plasmodium yoelii* sporozoite infection of the liver. *Cellular microbiology*. 2007;9(2):397-412.

Baggiolini M. Chemokines and leukocyte traffic. *Nature*. 1998;392(6676):565-8.

Bai T, Becker M, Gupta A, Strike P, Murphy VJ, Anders RF, Batchelor AH. Structure of AMA1 from *Plasmodium falciparum* reveals a clustering of polymorphisms that surround a conserved hydrophobic pocket. *Proceedings of the National Academy of Sciences of the United States of America*. 2005;102(36):12736-41.

Barnwell JW, Ingravallo P, Galinski MR, Matsumoto Y, Aikawa M. *Plasmodium vivax*: malarial proteins associated with the membrane-bound caveola-vesicle complexes and cytoplasmic cleft structures of infected erythrocytes. *Experimental parasitology*. 1990;70(1):85-99.

Bartoloni A, Zammarchi L. Clinical aspects of uncomplicated and severe malaria. *Mediterranean journal of hematology and infectious diseases*. 2012;4(1):2012026.

Battle KE, Karhunen MS, Bhatt S, Gething PW, Howes RE, Golding N, Van Boeckel TP, Messina JP, Shanks GD, Smith DL, Baird JK. Geographical variation in *Plasmodium vivax* relapse. *Malaria journal*. 2014;13(1):1.

Bayoumi RA. The sickle-cell trait modifies the intensity and specificity of the immune response against *P. falciparum* malaria and leads to acquired protective immunity. *Medical hypotheses*. 1987;22(3):287-98.

Bokoch GM. Chemoattractant signaling and leukocyte activation. *Blood*. 1995;86(5):1649-60.

Boo YL, Lim HT, Chin PW, Lim SY, Hoo FK. A case of severe *Plasmodium knowlesi* in a splenectomized patient. *Parasitology international*. 2016;65(1):55-7.

Boring L, Gosling J, Chensue SW, Kunkel SL, Farese Jr RV, Broxmeyer HE, Charo IF. Impaired monocyte migration and reduced type 1 (Th1) cytokine responses in CC chemokine receptor 2 knockout mice. *Journal of Clinical Investigation*. 1997;100(10):2552.

Borish LC, Steinke JW. 2. Cytokines and chemokines. *Journal of Allergy and Clinical Immunology*. 2003;111(2):S460-75.

Bosschaerts T, Guilliams M, Stijlemans B, Morias Y, Engel D, Tacke F, Herin M, De Baetselier P, Beschin A. Tip-DC development during parasitic infection is regulated by IL-10 and requires CCL2/CCR2, IFN- γ and MyD88 signaling. *PLoS Pathogen*. 2010;6(8):e1001045.

Bouharoun-Tayoun HA, Druilhe PI. *Plasmodium falciparum* malaria: evidence for an isotype imbalance which may be responsible for delayed acquisition of protective immunity. *Infection and immunity*. 1992;60(4):1473-81.

Bousema T, Drakeley C. Epidemiology and infectivity of *Plasmodium falciparum* and *Plasmodium vivax* gametocytes in relation to malaria control and elimination. *Clinical microbiology reviews*. 2011;24(2):377-410.

Brasil P, de Pina Costa A, Pedro RS, da Silveira Bressan C, da Silva S, Tauil PL, Daniel-Ribeiro CT. Unexpectedly long incubation period of *Plasmodium vivax* malaria, in the absence of chemoprophylaxis, in patients diagnosed outside the transmission area in Brazil. *Malaria journal*. 2011;10(1):1.

Bruce MC, Alano P, Duthie S, Carter R. Commitment of the malaria parasite *Plasmodium falciparum* to sexual and asexual development. *Parasitology*. 1990;100(02):191-200.

Bruce-Chwatt LJ, Wernsdorfer WH, McGregor I. History of malaria from prehistory to eradication. Malaria: principles and practice of malariology. **Volume 1**. 1988:1-59.

Bueno LL, Morais CG, da Silva Soares I, Bouillet LE, Bruna-Romero O, Fontes CJ, Fujiwara RT, Braga ÉM. *Plasmodium vivax* recombinant vaccine candidate AMA1 plays an important role in adaptive immune response eliciting differentiation of dendritic cells. *Vaccine*. 2009;27(41):5581-8.

Caminade C, Kovats S, Rocklov J, Tompkins AM, Morse AP, Colón-González FJ, Stenlund H, Martens P, Lloyd SJ. Impact of climate change on global malaria distribution. *Proceedings of the National Academy of Sciences*. 2014;111(9):3286-91.

Carruthers VB, Sibley LD. Sequential protein secretion from three distinct organelles of *Toxoplasma gondii* accompanies invasion of human fibroblasts. *European journal of cell biology*. 1997;73(2):114-23.

Carter R, Nijhout MM. Control of gamete formation (exflagellation) in malaria parasites. *Science*. 1977;195(4276):407-9..

Cartwright FF, Biddiss MD. "Disease and History". 1991

Caruz A, Samsom M, Alonso JM, Alcami J, Baleux F, Virelizier JL, Parmentier M, Arenzana-Seisdedos F. Genomic organization and promoter characterization of human CXCR4 gene. *FEBS letters*. 1998;426(2):271-8.

Caulfield LE, Richard SA, Black RE. Undernutrition as an underlying cause of malaria morbidity and mortality in children less than five years old. *The American journal of tropical medicine and hygiene*. 2004;71(2 suppl):55-63.

Cavasini CE, de Mattos LC, Couto ÁA, Couto VS, Gollino Y, Moretti LJ, Bonini-Domingos CR, Rossit AR, Castilho L, Machado RL. Duffy blood group gene polymorphisms among malaria vivax patients in four areas of the Brazilian Amazon region. *Malaria journal*. 2007;6(1):1.

Cecchini MG, Dominguez MG, Mocci S, Wetterwald A, Felix R, Fleisch H, Chisholm O, Hofstetter W, Pollard JW, Stanley ER. Role of colony stimulating factor-1 in the

establishment and regulation of tissue macrophages during postnatal development of the mouse. *Development*. 1994;120(6):1357-72.

Chimelli L. A morphological approach to the diagnosis of protozoal infections of the central nervous system. *Pathology research international*. 2011.

Chimma P, Roussilhon C, Sratongno P, Ruangveerayuth R, Pattanapanyasat K, Pérignon JL, Roberts DJ, Druilhe P. A distinct peripheral blood monocyte phenotype is associated with parasite inhibitory activity in acute uncomplicated *Plasmodium falciparum* malaria. *PLoS Pathogen*. 2009;5(10):e1000631.

Chua CL, Brown G, Hamilton JA, Rogerson S, Boeuf P. Monocytes and macrophages in malaria: protection or pathology?. *Trends in parasitology*. 2013;29(1):26-34.

Collins WE, Jeffery GM. *Plasmodium ovale*: parasite and disease. *Clinical microbiology reviews*. 2005;18(3):570-81.

Colombatti A, Bonaldo P, Doliana R. Type A modules: interacting domains found in several non-fibrillar collagens and in other extracellular matrix proteins. *Matrix*. 1993;13(4):297-306.

Crutcher JM, Hoffman SL. Malaria. In: Baron S, editor. Medical Microbiology. 4th edition. Galveston (TX): University of Texas Medical Branch at Galveston; 1996. Chapter 83

Dai XM, Ryan GR, Hapel AJ, Dominguez MG, Russell RG, Kapp S, Sylvestre V, Stanley ER. Targeted disruption of the mouse colony-stimulating factor 1 receptor gene results in osteopetrosis, mononuclear phagocyte deficiency, increased primitive progenitor cell frequencies, and reproductive defects. *Blood*. 2002;99(1):111-20.

Dash AP, Valecha N, Anvikar AR, Kumar A. Malaria in India: challenges and opportunities. *Journal of biosciences*. 2008;33(4):583-92.

Dash AP. Estimation of true malaria burden in India. A Profile of National Institute of Malaria Research. 2nd ed New Delhi, India: National Institute of Malaria Research. 2009:91-9.

Dean, Laura. "Blood group antigens are surface markers on the red blood cell membrane." (2005).

Dev V, Sharma VP. The dominant mosquito vectors of human malaria in India. *Anopheles* mosquitoes-New insights into new malaria vectors. 2013;239-71.

Donahue CG, Carruthers VB, Gilk SD, Ward GE. The *Toxoplasma* homolog of *Plasmodium* apical membrane antigen-1 (AMA1) is a microneme protein secreted in response to elevated intracellular calcium levels. *Molecular and biochemical parasitology*. 2000;111(1):15-30.

Drevets DA. Dissemination of Listeria monocytogenes by Infected Phagocytes. *Infection and immunity*. 1999;67(7):3512-7.

Dubremetz JF, Garcia-Réguet N, Conseil V, Fourmaux MN. Invited review Apical organelles and host-cell invasion by Apicomplexa. *International journal for parasitology*. 1998;28(7):1007-13.

Dunay IR, DaMatta RA, Fux B, Presti R, Greco S, Colonna M, Sibley LD. Gr1+ inflammatory monocytes are required for mucosal resistance to the pathogen *Toxoplasma gondii*. *Immunity*. 2008;29(2):306-17.

Ejigiri I, Sinnis P. *Plasmodium* sporozoite–host interactions from the dermis to the hepatocyte. *Current opinion in microbiology*. 2009;12(4):401-7.

Eschenbacher KH, Klein H, Sommer I, Meyer HE, Entzeroth R, Mehlhorn H, Rüger W. Characterization of cDNA clones encoding a major microneme antigen of *Sarcocystis muris* (Apicomplexa) cyst merozoites. *Molecular and biochemical parasitology*. 1993;62(1):27-36.

Feng Y, Broder CC, Kennedy PE, Berger EA. HIV-1 entry cofactor: functional cDNA cloning of a seven-transmembrane, G protein-coupled receptor. *Science*. 1996;272:872.

Förster R, Davalos-Misslitz AC, Rot A. CCR7 and its ligands: balancing immunity and tolerance. *Nature Reviews Immunology*. 2008;8(5):362-71.

Foster WA, Hancock RG. Nectar-related olfactory and visual attractants for mosquitoes. *Journal of the American Mosquito Control Association*. 1994;10(2 Pt 2):288-96.

Fourmaux MN, Achbarou A, Mercereau-Puijalon O, Biderre C, Briche I, Loyens A, Odberg-Ferragut C, Camus D, Dubremetz JF. The MIC1 microneme protein of *Toxoplasma gondii* contains a duplicated receptor-like domain and binds to host cell surface. *Molecular and biochemical parasitology*. 1996;83(2):201-10.

-
- Frevert U, Usynin I, Baer K, Klotz C. *Plasmodium* sporozoite passage across the sinusoidal cell layer. In *Molecular Mechanisms of Parasite Invasion* 2008 (pp. 182-197).
- Frischknecht F. The skin as interface in the transmission of arthropod-borne pathogens. *Cellular microbiology*. 2007;9(7):1630-40.
- Galinski MR, Barnwell JW. Plasmodium vivax: Merozoites, invasion of reticulocytes and considerations for malaria vaccine development. *Parasitology today*. 1996;12(1):20-9.
- Galinski MR, Medina CC, Ingravallo P, Barnwell JW. A reticulocyte-binding protein complex of *Plasmodium vivax* merozoites. *Cell*. 1992;69(7):1213-26.
- Garcia CR, Markus RP, Madeira L. Tertian and quartan fevers: temporal regulation in malarial infection. *Journal of biological rhythms*. 2001;16(5):436-43.
- Garin A, Pellet P, Deterre P, Debré P, Combadière C. Cloning and functional characterization of the human fractalkine receptor promoter regions. *Biochemical Journal*. 2002;368(3):753-60.
- Garnica MR, Souto JT, Silva JS, de Andrade HF. Stromal cell derived factor 1 synthesis by spleen cells in rodent malaria, and the effects of *in vivo* supplementation of SDF-1 α and CXCR4 receptor blocker. *Immunology letters*. 2002;83(1):47-53.
- Garzón-Ospina D, López C, Forero-Rodríguez J, Patarroyo MA. Genetic diversity and selection in three *Plasmodium vivax* merozoite surface protein 7 (Pvmsp-7) genes in a Colombian population. *PLoS ONE*. 2012;7(9):e45962.
- Geissmann F, Jung S, Littman DR. Blood monocytes consist of two principal subsets with distinct migratory properties. *Immunity*. 2003;19(1):71-82.
- Ghanem EN, Jones GS, Myers-Morales T, Patil PD, Hidayatullah AN, D'Orazio SE. InlA promotes dissemination of *Listeria monocytogenes* to the mesenteric lymph nodes during food borne infection of mice. *PLoS Pathogen*. 2012;8(11):e1003015.
- Gilson PR, Nebl T, Vukcevic D, Moritz RL, Sargeant T, Speed TP, Schofield L, Crabb BS. Identification and stoichiometry of glycosylphosphatidylinositol-anchored membrane proteins of the human malaria parasite *Plasmodium falciparum*. *Molecular & cellular proteomics*. 2006;5(7):1286-99.

-
- Ginhoux F, Jung S. Monocytes and macrophages: developmental pathways and tissue homeostasis. *Nature Reviews Immunology*. 2014;14(6):392-404.
- Goldberg DE, Slater AF, Cerami A, Henderson GB. Hemoglobin degradation in the malaria parasite *Plasmodium falciparum*: an ordered process in a unique organelle. *Proceedings of the National Academy of Sciences*. 1990;87(8):2931-5.
- Goldberg DE. Complex nature of malaria parasite hemoglobin degradation. *Proceedings of the National Academy of Sciences*. 2013;110(14):5283-4.
- Good MF, Doolan DL. Immune effector mechanisms in malaria. *Current opinion in immunology*. 1999;11(4):412-9.
- Good MF. Towards a blood-stage vaccine for malaria: are we following all the leads?. *Nature Reviews Immunology*. 2001;1(2):117-25.
- Grabda J. Marine fish parasitology: An outline. 1991.
- Greenhouse B, Ho B, Hubbard A, Njama-Meya D, Narum DL, Lanar DE, Dutta S, Rosenthal PJ, Dorsey G, John CC. Antibodies to *Plasmodium falciparum* antigens predict a higher risk of malaria but protection from symptoms once parasitemic. *Journal of Infectious Diseases*. 2011;204(1):19-26.
- Greenwood B, Mutabingwa T. Malaria in 2002. *Nature*. 2002;415(6872):670-2.
- Guermonprez P, Valladeau J, Zitvogel L, Théry C, Amigorena S. Antigen presentation and T cell stimulation by dendritic cells. *Annual review of immunology*. 2002;20(1):621-67.
- Guilbride DL, Guilbride PD, Gawlinski P. Malaria's deadly secret: a skin stage. *Trends in parasitology*. 2012;28(4):142-50.
- Guilliams M, Ginhoux F, Jakubzick C, Naik SH, Onai N, Schraml BU, Segura E, Tussiwand R, Yona S. Dendritic cells, monocytes and macrophages: a unified nomenclature based on ontogeny. *Nature Reviews Immunology*. 2014;14(8):571.
- Guilliams M, Movahedi K, Bosschaerts T, VandenDriessche T, Chuah MK, Hérin M, Acosta-Sánchez A, Ma L, Moser M, Van Ginderachter JA, Brys L. IL-10 dampens TNF/inducible nitric oxide synthase-producing dendritic cell-mediated pathogenicity during parasitic infection. *The Journal of Immunology*. 2009;182(2):1107-18.

Gunasekaran K, Sadanandane C, Parida SK, Sahu SS, Patra KP, Jambulingam P. Observations on nocturnal activity and man biting habits of malaria vectors, *Anopheles fluviatilis*, *An. annularis* and *An. culicifacies* in the hill tracts of Koraput District, Orissa, India. *The Southeast Asian journal of tropical medicine and public health*. 1994;1(1):187-95.

Gupta DK, Jahan N, Gupta N. New records of *Haemoproteus* and *Plasmodium* (Sporozoa: Haemosporida) of rock pigeon (*Columba livia*) in India. *Journal of Parasitic Diseases*. 2011;35(2):155-68.

Handayani S, Chiu DT, Tjitra E, Kuo JS, Lampah D, Kenangalem E, Renia L, Snounou G, Price RN, Anstey NM, Russell B. High deformability of *Plasmodium vivax*-infected red blood cells under microfluidic conditions. *Journal of Infectious Diseases*. 2009;199(3):445-50.

Harinasuta T, Bunnang D. The clinical features of malaria. In: Malaria: principles and practice of malariology. Edited by Wernsdorfer WH, McGregor I. London: Churchill Livingstone; 1988. pp. 709-734

Harris PK, Yeoh S, Dluzewski AR, O'Donnell RA, Withers-Martinez C, Hackett F, Bannister LH, Mitchell GH, Blackman MJ. Molecular identification of a malaria merozoite surface sheddase. *PLoS Pathogen*. 2005;1(3):e29.

Hehl AB, Lekutis C, Grigg ME, Bradley PJ, Dubremetz JF, Ortega-Barria E, Boothroyd JC. *Toxoplasma gondii* homologue of *Plasmodium* apical membrane antigen 1 is involved in invasion of host cells. *Infection and immunity*. 2000;68(12):7078-86.

Helmby H, Troye-Bloomberg M. Differential immunoglobulin E and cytokine responses in BALB/c and C57Bl/6 mice during repeated infections with blood-stage *Plasmodium chabaudi* malaria. *Parasite immunology*. 2000;22(4):185-90.

Hodder AN, Crewther PE, Matthew ML, Reid GE, Moritz RL, Simpson RJ, Anders RF. The disulfide bond structure of *Plasmodium* apical membrane antigen-1. *Journal of Biological Chemistry*. 1996;271(46):29446-52.

Horn F, Weare J, Beukers MW, Hörsch S, Bairoch A, Chen W, Edvardsen Ø, Campagne F, Vriend G. GPCRDB: an information system for G protein-coupled receptors. *Nucleic Acids Research*. 1998;26(1):275-9.

Howes RE, Patil AP, Piel FB, Nyangiri OA, Kabaria CW, Gething PW, Zimmerman PA, Barnadas C, Beall CM, Gebremedhin A, Ménard D. The global distribution of the Duffy blood group. *Nature communications*. 2011;2:266.

Hulden L, Hulden L. Activation of the hypnozoite: a part of *Plasmodium vivax* life cycle and survival. *Malaria journal*. 2011;10(1):1.

Hunter S, Indik ZK, Kim MK, Cauley MD, Park JG, Schreiber AD. Inhibition of Fc γ receptor-mediated phagocytosis by a nonphagocytic Fc γ receptor. *Blood*. 1998;91(5):1762-8.

Hviid L, Kurtzhals JA, Adabayeri V, Loizon S, Kemp K, Goka BQ, Lim A, Mercereau-Pujalon O, Akanmori BD, Behr C. Perturbation and Proinflammatory Type Activation of V δ 1+ γ δ T Cells in African Children with *Plasmodium falciparum* Malaria. *Infection and immunity*. 2001;69(5):3190-6.

Idro R, Marsh K, John CC, Newton CR. Cerebral malaria: mechanisms of brain injury and strategies for improved neurocognitive outcome. *Pediatric research*. 2010;68(4):267-74.

Imirzalioglu C, Soydan N, Schaller M, Bretzel RG, Chakraborty T, Domann E. Diagnosis of mixed *Plasmodium malariae* and *P. vivax* infection in a development aid volunteer by examination of bone-marrow specimens by real-time PCR. *Journal of clinical microbiology*. 2006;44(6):2307-10.

Imwong M, Snounou G, Pukrittayakamee S, Tanomsing N, Kim JR, Nandy A, Guthmann JP, Nosten F, Carlton J, Looareesuwan S, Nair S. Relapses of *Plasmodium vivax* infection usually result from activation of heterologous hypnozoites. *Journal of Infectious Diseases*. 2007;195(7):927-33.

Ioannidis LJ, Nie CQ, Hansen DS. The role of chemokines in severe malaria: more than meets the eye. *Parasitology*. 2014;141(5):602-13.

Jaenson TG, Gomes MJ, dos Santos RB, Petrarca V, Fortini D, Evora J, Crato J. Control of endophagic Anopheles mosquitoes and human malaria in Guinea Bissau, West Africa by permethrin-treated bed nets. *Transactions of the Royal Society of Tropical Medicine and Hygiene*. 1994;88(6):620-4.

Jafarshad A, Dziegial MH, Lundquist R, Nielsen LK, Singh S, Druilhe PL. A novel antibody-dependent cellular cytotoxicity mechanism involved in defense against malaria

requires costimulation of monocytes Fc γ RII and Fc γ RIII. *The Journal of Immunology*. 2007;178(5):3099-106.

Janeway Jr CA, Travers P, Walport M, Shlomchik MJ. The front line of host defense. 2001

Johnston Jr RB. Monocytes and macrophages. *New England Journal of Medicine*. 1988;318(12):747-52.

Kadekoppala M, Holder AA. Merozoite surface proteins of the malaria parasite: the MSP1 complex and the MSP7 family. *International journal for parasitology*. 2010;40(10):1155-61.

Kang SJ, Liang HE, Reizis B, Locksley RM. Regulation of hierarchical clustering and activation of innate immune cells by dendritic cells. *Immunity*. 2008;29(5):819-33.

Karlen, Arno. "Disease and plagues in history and modern times." (1995).

Kitchen SF. The Infection of Retieulocytes by *Plasmodium vivax*. *American Journal of Tropical Medicine*. 1938;18(4):347-59.

Kosaisavee V, Hastings I, Craig A, Lek-Uthai U. The genetic polymorphism of *Plasmodium vivax* genes in endemic regions of Thailand. *Asian Pacific journal of tropical medicine*. 2011;4(12):931-6.

Kuang Y, Wu Y, Jiang H, Wu D. Selective G protein coupling by C-C chemokine receptors. *J Biol Chem*. 1996;271:3975.

Kumar A, Valecha N, Jain T, Dash AP. Burden of malaria in India: retrospective and prospective view. *The American journal of tropical medicine and hygiene*. 2007;77(6 Suppl):69-78.

Kyriacou DN, Spira AM, Talan DA, Mabey DC. Emergency department presentation and misdiagnosis of imported falciparum malaria. *Annals of emergency medicine*. 1996;27(6):696-9.

Lal S, Sonal GS, Phukan PK. Status of malaria in India. *J Indian Acad Clin Med*. 2000;5(1):19-23.

Langhi Jr DM, Bordin JO. Duffy blood group and malaria. *Hematology*. 2013.

Langhorne J, Morris-Jones S, Casabó LG, Goodier M. The response of $\gamma\delta$ T cells in malaria infections: a hypothesis. *Research in immunology*. 1994;145(6):429-36.

Langhorne J, Ndungu FM, Sponaas AM, Marsh K. Immunity to malaria: more questions than answers. *Nature immunology*. 2008;9(7):725-32.

Lau YL, Tan LH, Chin LC, Fong MY, Noraishah MA, Rohela M. *Plasmodium knowlesi* reinfection in human. *Emerging infectious diseases*. 2011;17(7):1314-6.

Le Roch KG, Zhou Y, Blair PL, Grainger M, Moch JK, Haynes JD, De la Vega P, Holder AA, Batalov S, Carucci DJ, Winzeler EA. Discovery of gene function by expression profiling of the malaria parasite life cycle. *Science*. 2003;301(5639):1503-8.

Lebrun M, Michelin A, El Hajj H, Poncet J, Bradley PJ, Vial H, Dubremetz JF. The rhoptry neck protein RON4 relocates at the moving junction during *Toxoplasma gondii* invasion. *Cellular microbiology*. 2005;7(12):1823-33.

Lee JH, Jang JW, Cho CH, Kim JY, Han ET, Yun SG, Lim CS. False-positive results for rapid diagnostic tests for malaria in patients with rheumatoid factor. *Journal of clinical microbiology*. 2014;52(10):3784-7.

Lee JO, Rieu P, Arnaout MA, Liddington R. Crystal structure of the A domain from the a subunit of integrin CR3 (CD11 b/CD18). *Cell*. 1995;80(4):631-8.

Lee K, Godeau B, Fromont P, Plonquet A, Debili N, Bachir D, Reviron D, Gourin J, Fernandez E, Galacteros F, Bierling P. CD36 deficiency is frequent and can cause platelet immunization in Africans. *Transfusion*. 1999;39(8):873-9.

Lee KS, Vythilingam I. *Plasmodium knowlesi*: Emergent Human Malaria in Southeast Asia. In Parasites and their vectors 2013 (pp. 5-31).

Li J, Han ET. Dissection of the *Plasmodium vivax* reticulocyte binding-like proteins (PvRBPs). *Biochemical and biophysical research communications*. 2012;426(1):1-6.

Liddell K, Menon DK, Zimmern R. Newer drug combinations for malaria. *Official Journal 2001*. 2004;1(L121):34-4.

Liehl P, Mota MM. Innate recognition of malarial parasites by mammalian hosts. *International journal for parasitology*. 2012;42(6):557-66.

Loetscher M, Geiser T, O'Reilly T, Zwahlen R, Baggioolini M, Moser B. Cloning of a human seven-transmembrane domain receptor, LESTR, that is highly expressed in leukocytes. *Journal of Biological Chemistry*. 1994;269(1):232-7.

Luster AD. Chemokines—chemotactic cytokines that mediate inflammation. *New England Journal of Medicine*. 1998;338(7):436-45.

Makler MT, Piper RC, Milhous WK. Lactate dehydrogenase and the diagnosis of malaria. *Parasitology Today*. 1998;14(9):376-7.

Marsh K. 2002. Immunology of malaria. In: Warrell DA, editor; , Gilles HM, editor. , eds. *Essential Malariaiology* .4th ed. New York: Arnold Press.

Matsumoto K, Ueda T, Kobatake Y. Reversal of thermotaxis with oscillatory stimulation in the *Plasmodium* of *Physarum polycephalum*. *Journal of Theoretical Biology*. 1988;131(2):175-82.

McGregor IA, Carrington SP, Cohen S. Treatment of East African *P. falciparum* malaria with West African human γ -globulin. *Transactions of the Royal Society of Tropical Medicine and Hygiene*. 1963;57(3):170-5.

Meis JF, Verhave JP, Jap PH, Sinden RE, Meuwissen JH. Malaria parasites--discovery of the early liver form. *Nature*. 1982;302(5907):424-6.

Meissner M. The asexual cycle of apicomplexan parasites: new findings that raise new questions. *Current opinion in microbiology*. 2013;16(4):421.

Mikolajczak SA, Vaughan AM, Kangwanrangsang N, Roobsoong W, Fishbaugher M, Yimamnuaychok N, Rezakhani N, Lakshmanan V, Singh N, Kaushansky A, Camargo N. *Plasmodium vivax* liver stage development and hypnozoite persistence in human liver-chimeric mice. *Cell host & microbe*. 2015;17(4):526-35.

Miller RL, Ikram S, Armelagos GJ, Walker R, Harer WB, Shiff CJ, Baggett D, Carrigan M, Maret SM. Diagnosis of *Plasmodium falciparum* infections in mummies using the rapid manual ParaSightTM-F test. *Transactions of the Royal Society of Tropical Medicine and Hygiene*. 1994;88(1):31-2.

Mohan K, Moulin P, Stevenson MM. Natural killer cell cytokine production, not cytotoxicity, contributes to resistance against blood-stage *Plasmodium chabaudi* AS infection. *The Journal of Immunology*. 1997;159(10):4990-8.

Moody A. Rapid diagnostic tests for malaria parasites. *Clinical microbiology reviews*. 2002;15(1):66-78.

Moretta L, Biassoni R, Bottino C, Mingari MC, Moretta A. Natural killer cells: a mystery no more. *Scandinavian journal of immunology*. 2002;55(3):229-32.

Mota MM, Pradel G, Vanderberg JP, Hafalla JC, Frevert U, Nussenzweig RS, Nussenzweig V, Rodríguez A. Migration of *Plasmodium* sporozoites through cells before infection. *Science*. 2001;291(5501):141-4.

Mouatcho JC, Goldring JD. Malaria rapid diagnostic tests: challenges and prospects. *Journal of medical microbiology*. 2013;62(10):1491-505.

Murdoch C, Finn A. Chemokine receptors and their role in inflammation and infectious diseases. *Blood*. 2000;95(10):3032-43.

Murphy PM. Chemokine receptors: structure, function and role in microbial pathogenesis. *Cytokine & growth factor reviews*. 1996;7(1):47-64.

Murphy SC, Breman JG. Gaps in the childhood malaria burden in Africa: cerebral malaria, neurological sequelae, anemia, respiratory distress, hypoglycemia, and complications of pregnancy. *The American journal of tropical medicine and hygiene*. 2001;64(1 suppl):57-67.

Murray CJ, Rosenfeld LC, Lim SS, Andrews KG, Foreman KJ, Haring D, Fullman N, Naghavi M, Lozano R, Lopez AD. Global malaria mortality between 1980 and 2010: a systematic analysis. *The Lancet*. 2012;379(9814):413-31.

Naitza S, Spano F, Robson KJ, Crisanti A. The thrombospondin-related protein family of apicomplexan parasites: the gears of the cell invasion machinery. *Parasitology today*. 1998;14(12):479-84.

Nebie I, Diarra A, Ouedraogo A, Soulama I, Bougouma EC, Tiono AB, Konate AT, Chilengi R, Theisen M, Dodoo D, Remarque E. Humoral responses to *Plasmodium falciparum* blood-stage antigens and association with incidence of clinical malaria in children living in an area of seasonal malaria transmission in Burkina Faso, West Africa. *Infection and immunity*. 2008;76(2):759-66.

Nedoszytko B, Sokołowska-Wojdyło M, Ruckemann-Dziurdzińska K, Roszkiewicz J, Nowicki RJ. Chemokines and cytokines network in the pathogenesis of the inflammatory skin diseases: atopic dermatitis, psoriasis and skin mastocytosis. *Postep Derm Alergol*. 2014;31:84-91.

Nerlich AG, Schraut B, Dittrich S, Jelinek T, Zink AR. *Plasmodium falciparum* in ancient Egypt. *Emerging infectious diseases*. 2008;14(8):1317.

Noppadon T, Chatnapa D, Polrat W, Srivicha K. Malaria diagnosis: a brief review. *Korean J Parasitol*. 2009;47(2):93-102.

Ojo-Amaize EA, Vilcek J, Cochrane AH, Nussenzweig RS. *Plasmodium berghei* sporozoites are mitogenic for murine T cells, induce interferon, and activate natural killer cells. *The Journal of Immunology*. 1984;133(2):1005-9.

Orago AS, Facer CA. Cytotoxicity of human natural killer (NK) cell subsets for *Plasmodium falciparum* erythrocytic schizonts: stimulation by cytokines and inhibition by neomycin. *Clinical & Experimental Immunology*. 1991;86(1):22-9.

Ouattara A, Mu J, Takala-Harrison S, Saye R, Sagara I, Dicko A, Niangaly A, Duan J, Ellis RD, Miller LH, Su XZ. Lack of allele-specific efficacy of a bivalent AMA1 malaria vaccine. *Malaria journal*. 2010;9(1):1.

Pachebat JA, Kadekoppala M, Grainger M, Dluzewski AR, Gunaratne RS, Scott-Finnigan TJ, Ogun SA, Ling IT, Bannister LH, Taylor HM, Mitchell GH. Extensive proteolytic processing of the malaria parasite merozoite surface protein 7 during biosynthesis and parasite release from erythrocytes. *Molecular and biochemical parasitology*. 2007;151(1):59-69.

Pachebat JA, Ling IT, Grainger M, Trucco C, Howell S, Fernandez-Reyes D, Gunaratne R, Holder AA. The 22 kDa component of the protein complex on the surface of *Plasmodium falciparum* merozoites is derived from a larger precursor, merozoite surface protein 7. *Molecular and biochemical parasitology*. 2001;117(1):83-9.

Palframan RT, Jung S, Cheng G, Weninger W, Luo Y, Dorf M, Littman DR, Rollins BJ, Zweerink H, Rot A, Von Andrian UH. Inflammatory Chemokine Transport and Presentation in HEV A Remote Control Mechanism for Monocyte Recruitment to Lymph Nodes in Inflamed Tissues. *The Journal of experimental medicine*. 2001;194(9):1361-74.

Paquet C, Yudin MH, Allen VM, Bouchard C, Boucher M, Caddy S, Castillo E, Money DM, Murphy KE, Ogilvie G, van Schalkwyk J. Toxoplasmosis in pregnancy: prevention, screening, and treatment. *Journal of obstetrics and gynaecology Canada*. 2013;35(1):78-9.

Pasquetto, V., Guidotti, L., Kakimi, K., Tsuji, M. & Chisari, F. Host-virus interactions during malaria infections in hepatitis B virus transgenic mice. 2000; *J. Exp. Med.* **192**, 529–536 .

Perlmann H, Helmby H, Hagstedt M, Carlson J, Larsson PH, Troye-Blomberg M, Perlmann P. IgE elevation and IgE anti-malarial antibodies in *Plasmodium falciparum* malaria; association of high IgE levels with cerebral malaria. *Clinical & Experimental Immunology*. 1994; **97(2)**:284-92.

Peterson MG, Marshall VM, Smythe JA. Integral membrane protein located in the apical complex of *Plasmodium falciparum*. *Molecular and cellular biology*. 1989; **9(7)**:3151-4.

Pradel G, Frevert U. Malaria sporozoites actively enter and pass through rat Kupffer cells prior to hepatocyte invasion. *Hepatology*. 2001; **33(5)**:1154-65.

Pradel G, Garapaty S, Frevert U. Kupffer and stellate cell proteoglycans mediate malaria sporozoite targeting to the liver. *Comparative hepatology*. 2004; **3(1)**:1.

Prudêncio M, Rodriguez A, Mota MM. The silent path to thousands of merozoites: the *Plasmodium* liver stage. *Nature Reviews Microbiology*. 2006 ; **4(11)**:849-56.

Rajahram GS, Barber BE, William T, Grigg MJ, Menon J, Yeo TW, Anstey NM. Falling *Plasmodium knowlesi* malaria death rate among adults despite rising incidence, Sabah, Malaysia, 2010–2014. *Emerging infectious diseases*. 2016; **22(1)**:41.

Ramaswamy V, Cresence VM, Rejitha JS, Lekshmi MU, Dharsana KS, Prasad SP, Vijila HM. Listeria-review of epidemiology and pathogenesis. *Journal of Microbiology Immunology and Infection*. 2007; **40(1)**:4.

Reininger L, Garcia M, Tomlins A, Müller S, Doerig C. The *Plasmodium falciparum*, Nima-related kinase Pfnek-4: a marker for asexual parasites committed to sexual differentiation. *Malaria journal*. 2012; **11(1)**:1.

Robben PM, LaRegina M, Kuziel WA, Sibley LD. Recruitment of Gr-1+ monocytes is essential for control of acute toxoplasmosis. *The Journal of experimental medicine*. 2005; **201(11)**:1761-9.

Robinson BA, Welch TL, Smith JD. Widespread functional specialization of *Plasmodium falciparum* erythrocyte membrane protein 1 family members to bind CD36 analysed across a parasite genome. *Molecular microbiology*. 2003; **47(5)**:1265-78.

Rock EP, Marsh K, Saul AJ, Wellemes TE, Taylor DW, Maloy WL, Howard RJ. Comparative analysis of the *Plasmodium falciparum* histidine-rich proteins HRP-I, HRP-II and HRP-III in malaria parasites of diverse origin. *Parasitology*. 1987;95(02):209-27.

Rollinson D, Hay SI, Price R, Baird JK. The Epidemiology of *Plasmodium vivax*: History, Hiatus and Hubris. *Academic Press*; 2013.

Ross A, Koepfli C, Schoepflin S, Timinao L, Siba P, Smith T, Mueller I, Felger I, Tanner M. The Incidence and Differential Seasonal Patterns of *Plasmodium vivax* Primary Infections and Relapses in a Cohort of Children in Papua New Guinea. *PLoS Negl Trop Dis*. 2016;10(5):e0004582.

Rouhani M, Zakeri S, Mehrizi AA, Djadid ND. Comparative analysis of the profiles of IgG subclass-specific responses to *Plasmodium falciparum* apical membrane antigen-1 and merozoite surface protein-1 in naturally exposed individuals living in malaria hypoendemic settings, *Iran. Malaria journal*. 2015;14(1):1.

Rzepczyk CM, Hale K, Woodroffe N, Bobogare A, Csurhes P, Ishii A, Ferrante A. Humoral immune responses of Solomon Islanders to the merozoite surface antigen 2 of *Plasmodium falciparum* show pronounced skewing towards antibodies of the immunoglobulin G3 subclass. *Infection and immunity*. 1997;65(3):1098-100.

Sallusto F, Lenig D, Mackay CR, Lanzavecchia A. Flexible programs of chemokine receptor expression on human polarized T helper 1 and 2 lymphocytes. *The Journal of experimental medicine*. 1998;187(6):875-83.

Sambrook J, Fritsch EF, Maniatis T. Molecular cloning. New York: Cold spring harbor laboratory press; 1989.

Sanders PR, Gilson PR, Cantin GT, Greenbaum DC, Nebl T, Carucci DJ, McConville MJ, Schofield L, Hodder AN, Yates JR, Crabb BS. Distinct protein classes including novel merozoite surface antigens in Raft-like membranes of *Plasmodium falciparum*. *Journal of Biological Chemistry*. 2005;280(48):40169-76.

Sarthou JL, Angel G, Aribot G, Rogier C, Dieye A, Balde AT, Diatta B, Seignot P, Roussilhon C. Prognostic value of anti-*Plasmodium falciparum*-specific immunoglobulin G3, cytokines, and their soluble receptors in West African patients with severe malaria. *Infection and immunity*. 1997;65(8):3271-6.

Schiemann DJ, Pinzón ML, Hankeln T. Anthropophilic *Anopheles* species composition and malaria in Tierradentro, Córdoba, Colombia. *Memórias do Instituto Oswaldo Cruz*. 2014;109(3):384-7.

Schnupf P, Zhou J, Varshavsky A, Portnoy DA. Listeriolysin O secreted by *Listeria monocytogenes* into the host cell cytosol is degraded by the N-end rule pathway. *Infection and immunity*. 2007;75(11):5135-47.

Senczuk AM, Reeder JC, Kosmala MM, Ho M. *Plasmodium falciparum* erythrocyte membrane protein 1 functions as a ligand for P-selectin. *Blood*. 2001;98(10):3132-5.

Serbina NV, Jia T, Hohl TM, Pamer EG. Monocyte-mediated defense against microbial pathogens. *Annual review of immunology*. 2008;26:421.

Serghides L, Smith TG, Patel SN, Kain KC. CD36 and malaria: friends or foes?. *Trends in parasitology*. 2003;19(10):461-9.

Sher A, Pearce E, Kaye P. Shaping the immune response to parasites: role of dendritic cells. *Current opinion in immunology*. 2003;15(4):421-9.

Sherman IW. A brief history of malaria and discovery of the parasite's life cycle. In: Sherman IW, editor. ed. *Malaria: Parasite Biology, Pathogenesis and Protection*. Washington, DC: ASM 1998.

Shi C, Pamer EG. Monocyte recruitment during infection and inflammation. *Nature Reviews Immunology*. 2011;11(11):762-74.

Silver KL, Higgins SJ, McDonald CR, Kain KC. Complement driven innate immune response to malaria: fuelling severe malarial diseases. *Cellular microbiology*. 2010;12(8):1036-45.

Silvestrini F, Alano P, Williams JL. Commitment to the production of male and female gametocytes in the human malaria parasite *Plasmodium falciparum*. *Parasitology*. 2000;121(05):465-71.

Singh B. *Plasmodium knowlesi*: an update. *Microbiology Australia*. 2016;37(1):39-42.

Sinnis P, Zavala F. The skin: where malaria infection and the host immune response begin. In *Seminars in immunopathology* 2012 Nov 1 (Vol. 34, No. 6, pp. 787-792).

Son ES, Kim TS, Nam HW. Western blot diagnosis of vivax malaria with multiple stage-specific antigens of the parasite. *The Korean journal of parasitology*. 2001;39(2):171-6.

Sponaas AM, do Rosario AP, Voisine C, Mastelic B, Thompson J, Koernig S, Jarra W, Renia L, Mauduit M, Potocnik AJ, Langhorne J. Migrating monocytes recruited to the spleen play an important role in control of blood stage malaria. *Blood*. 2009;114(27):5522-31.

Stafford WH, Günder B, Harris A, Heidrich HG, Holder AA, Blackman MJ. A 22 kDa protein associated with the *Plasmodium falciparum* merozoite surface protein-1 complex. *Molecular and biochemical parasitology*. 1996;80(2):159-69.

Stevenson MM, Riley EM. Innate immunity to malaria. *Nature Reviews Immunology*. 2004;4(3):169-80.

Straub KW, Cheng SJ, Sohn CS, Bradley PJ. Novel components of the Apicomplexan moving junction reveal conserved and coccidia-restricted elements. *Cellular microbiology*. 2009;11(4):590-603.

Subbarao SK. Anopheline species complexes in south-east Asia. New Delhi: WHO Regional Offices for South-East Asia; 1998.

Sultan AA, Thathy V, Frevert U, Robson KJ, Crisanti A, Nussenzweig V, Nussenzweig RS, Ménard R. TRAP is necessary for gliding motility and infectivity of *Plasmodium* sporozoites. *Cell*. 1997;90(3):511-22.

Takeda K, Kaisho T, Akira S. Toll-like receptors. *Annual review of immunology*. 2003;21(1):335-76.

Tebo AE, Kremsner PG, Luty AJ. Fc γ receptor-mediated phagocytosis of *Plasmodium falciparum*-infected erythrocytes *in vitro*. *Clinical & Experimental Immunology*. 2002;130(2):300-6.

Tembhare P, Shirke S, Subramanian PG, Sehgal K, Gujral S. Exflagellated microgametes of *Plasmodium vivax* in human peripheral blood: A case report and review of the literature. *Indian Journal of Pathology and Microbiology*. 2009;52(2):252.

Thera MA, Doumbo OK, Coulibaly D, Laurens MB, Kone AK, Guindo AB, et al. Safety and immunogenicity of an AMA1 malaria vaccine in Malian children: results of a phase 1 randomized controlled trial. *PLoS ONE*. 2010;5(2):e9041.

Thibierge S, Blazquez S, Baldacci P, Renaud O, Shorte S, Ménard R, Amino R. In vivo imaging of malaria parasites in the murine liver. *Nature protocols*. 2007;2(7):1811-8.

Tomaz FM, da Cruz Furini AA, Capobianco MP, Póvoa MM, Trindade PC, Fraga VD, Conceição LM, de Azevedo LR, Oliani SM, Cassiano GC, Cavasini CE. Humoral immune responses against the malaria vaccine candidate antigen *Plasmodium vivax* AMA1 and IL-4 gene polymorphisms in individuals living in an endemic area of the Brazilian Amazon. *Cytokine*. 2015;74(2):273-8.

Tomley FM, Bumstead JM, Billington KJ, Dunn PP. Molecular cloning and characterization of a novel acidic microneme protein (Etmic-2) from the apicomplexan protozoan parasite, *Eimeria tenella*. *Molecular and biochemical parasitology*. 1996;79(2):195-206.

Tordai H, Bányai L, Patthy L. The PAN module: the N-terminal domains of plasminogen and hepatocyte growth factor are homologous with the apple domains of the prekallikrein family and with a novel domain found in numerous nematode proteins. *FEBS letters*. 1999;461(1-2):63-7.

Trampuz A, Jereb M, Muzlovic I, Prabhu RM. Clinical review: Severe malaria. *Critical care*. 2003;7(4):1.

Troye-Blomberg M, Perlmann P. Malaria immunity: An overview with emphasis on T-cell function. Molecular immunological considerations in malaria vaccine development. *CRC Press, Boca Raton, Fla*. 1994:1-46.

Trucco C, Fernandez-Reyes D, Howell S, Stafford WH, Scott-Finnigan TJ, Grainger M, Ogun SA, Taylor WR, Holder AA. The merozoite surface protein 6 gene codes for a 36 kDa protein associated with the *Plasmodium falciparum* merozoite surface protein-1 complex. *Molecular and biochemical parasitology*. 2001;112(1):91-101.

Turri F, Ginsburg H, Bussolino F, Pescarmona GP, Serra MV, Arese P. Phagocytosis of *Plasmodium falciparum*-infected human red blood cells by human monocytes: involvement of immune and nonimmune determinants and dependence on parasite developmental stage. *Blood*. 1992;80(3):801-8.

Tuteja R. Malaria— an overview. *FEBS Journal*. 2007;274(18):4670-9.

van Furth R, Cohn ZA. The origin and kinetics of mononuclear phagocytes. *The Journal of experimental medicine*. 1968;128(3):415-35.

Wang Y, Cui L, Gonsiorek W, Min SH, Anilkumar G, Rosenblum S, Kozlowski J, Lundell D, Fine JS, Grant EP. CCR2 and CXCR4 regulate peripheral blood monocyte pharmacodynamics and link to efficacy in experimental autoimmune encephalomyelitis. *Journal of Inflammation*. 2009;6(1):1.

Warrell DA. Clinical features of malaria. In: Bruce-Chwatt's Essential Malaria. Edited by Gilles HM, Warrell DA. Third ed. London: A Hodder Arnold Publication; 1993. pp. 35-49

Weissmann J. Presumptive Toxoplasma gondii abortion in a sheep. *The Canadian Veterinary Journal*. 2003;44(4):322.

Wessel D, Flügge UI. A method for the quantitative recovery of protein in dilute solution in the presence of detergents and lipids. *Analytical biochemistry*. 1984;138(1):141-3.

White NJ. Antimalarial drug resistance. *The Journal of clinical investigation*. 2004;113(8):1084-92.

White NJ. *Plasmodium knowlesi*: the fifth human malaria parasite. *Clinical infectious diseases*. 2008;46(2):172-3.

Wiktor-Jedrzejczak W, Gordon S. Cytokine regulation of the macrophage (M phi) system studied using the colony stimulating factor-1-deficient op/op mouse. *Physiological reviews*. 1996;76(4):927-47.

Wongsrichanalai C, Barcus MJ, Muth S, Sutamihardja A, Wernsdorfer WH. A review of malaria diagnostic tools: microscopy and rapid diagnostic test (RDT). *The American journal of tropical medicine and hygiene*. 2007;77(6 Suppl):119-27.

World Health Organization. World malaria report 2014. Geneva.

World Health Organization. World Malaria Report 2015. Geneva.

Wu D, LaRosa GJ, Simon MI. G protein-coupled signal transduction pathways for interleukin-8. *Science*. 1993;261(5117):101-3.

Yaeger RG. Protozoa: structure, classification, growth, and development. 1996

Yamamoto K, Takeshima H, Hamada K, Nakao M, Kino T, Nishi T, Kochi M, Kuratsu JI, Yoshimura T, Ushio Y. Cloning and Functional Characterization of the 5'-Flanking Region of the Human Monocyte Chemoattractant Protein-1 Receptor (CCR2) Gene essential role of 5'-untranslated region in tissue-specific expression. *Journal of Biological Chemistry*. 1999;274(8):4646-54.

Yang J, Zhang L, Yu C, Yang XF, Wang H. Monocyte and macrophage differentiation: circulation inflammatory monocyte as biomarker for inflammatory diseases. *Biomarker research*. 2014;2(1):1.

Yuda M, Sawai T, Chinzei Y. Structure and Expression of an Adhesive Protein-like Molecule of Mosquito Invasive-stage Malarial Parasite. *The Journal of experimental medicine*. 1999;189(12):1947-52.

Yuda M, Yano K, Tsuboi T, Torii M, Chinzei Y. von Willebrand Factor A domain-related protein, a novel microneme protein of the malaria ookinete highly conserved throughout *Plasmodium* parasites. *Molecular and biochemical parasitology*. 2001;116(1):65-72.

Ziegler-Heitbrock L, Ancuta P, Crowe S, Dalod M, Grau V, Hart DN, Leenen PJ, Liu YJ, MacPherson G, Randolph GJ, Scherberich J. Nomenclature of monocytes and dendritic cells in blood. *Blood*. 2010;116(16):e74-80.

Ziegler-Heitbrock L. The CD14+ CD16+ blood monocytes: their role in infection and inflammation. *Journal of leukocyte biology*. 2007;81(3):584-92.