

References

References

- Acevedo HR, Rojas MD, Arceo SD, Soto Hernandez M, Martinez Vazquez M, Terrazas T, del Toro GV (2006) Effect of 6-nonadecyl salicylic acid and its methyl ester on the induction of micronuclei in polychromatic erythrocytes in mouse peripheral blood. *Mutat Res* 609(1):43-46 doi:10.1016/j.mrgentox.2006.06.002
- Chen C, Dickman MB (2005) Proline suppresses apoptosis in the fungal pathogen *Colletotrichum trifolii*. *Proc Natl Acad Sci U S A* 102(9):3459-3464 doi:10.1073/pnas.0407960102
- Cheng J, Park TS, Chio LC, Fischl AS, Ye XS (2003) Induction of apoptosis by sphingoid long-chain bases in *Aspergillus nidulans*. *Mol Cell Biol* 23(1):163-177 doi:10.1128/mcb.23.1.163-177.2003
- Cregan SP, Fortin A, MacLaurin JG, Callaghan SM, Cecconi F, Yu SW, Dawson TM, Dawson VL, Park DS, Kroemer G, Slack RS (2002) Apoptosis-inducing factor is involved in the regulation of caspase-independent neuronal cell death. *J Cell Biol* 158(3):507-517 doi:10.1083/jcb.200202130
- Fedorova ND, Badger JH, Robson GD, Wortman JR, Nierman WC (2005) Comparative analysis of programmed cell death pathways in filamentous fungi. *BMC Genom* 6:177 doi:10.1186/1471-2164-6-177
- Halestrap A (2005) Mitochondrial permeability: Dual role for the ADP/ATP translocator? *Nature* 430(7003):578-579 doi:10.1038/nature02816
- Hamann A, Brust D, Osiewacz HD (2008) Apoptosis pathways in fungal growth, development and ageing. *Trends Microbiol* 16(6):276-283 doi:10.1016/j.tim.2008.03.003
- Huang H, Hua X, Liu N, Li X, Liu S, Chen X, Zhao C, Lan X, Yang C, Dou QP, Liu J (2014) Anacardic acid induces cell apoptosis associated with induction of ATF4-dependent endoplasmic reticulum stress. *Toxicol Lett* 228(3):170-178 doi:10.1016/j.toxlet.2014.05.012
- Ito S, Ihara T, Tamura H, Tanaka S, Ikeda T, Kajihara H, Dissanayake C, Abdel-Motaal FF, El-Sayed MA (2007) α -Tomatine, the major saponin in tomato, induces programmed cell death mediated by reactive oxygen species in the fungal pathogen *Fusarium oxysporum*. *FEBS Lett* 581(17):3217-3222 doi:10.1016/j.febslet.2007.06.010
- Kubo I, Masuoka N, Ha TJ, Tsujimoto K (2006) Antioxidant activity of anacardic acids. *Food Chem* 99(3):555-562 doi:10.1016/j.foodchem.2005.08.023
- Liu P, Luo L, Guo J, Liu H, Wang B, Deng B, Long Ca, Cheng Y (2010) Farnesol induces apoptosis and oxidative stress in the fungal pathogen *Penicillium expansum*. *Mycologia* 102(2):311-318 doi:10.3852/09-176
- Liu S, Dean R (1997) G Protein α subunit genes control growth, development, and pathogenicity of *Magnaporthe grisea*. *Mol Plant Microbe Interact* 10(9):1075-1086

- Liu Z, Sun Y (2011) Role of Tip60 tumor suppressor in DNA repair pathway. *Chinese Sci Bull* 56(12):1212-1215 doi:10.1007/s11434-011-4433-z
- Machida K, Tanaka T, Fujita K, Taniguchi M (1998) Farnesol-induced generation of reactive oxygen species via indirect inhibition of the mitochondrial electron transport chain in the yeast *Saccharomyces cerevisiae*. *J Bacteriol* 180:4460-4465
- Madeo F, Fröhlich E, Fröhlich KU (1997) A yeast mutant showing diagnostic markers of early and late apoptosis. *J Cell Biol* 139:729–734
- Marek SM, Wu J, Glass NL, Gilchrist DG, Bostock RM (2003) Nuclear DNA degradation during heterokaryon incompatibility in *Neurospora crassa*. *Fungal Genet Biol* 40:126-137 doi:10.1016/S1087-1845(03)00086-0
- Mousavi SAA, Robson GD (2003) Entry into the stationary phase is associated with a rapid loss of viability and an apoptotic-like phenotype in the opportunistic pathogen *Aspergillus fumigatus*. *Fungal Genet Biol* 39(3):221-229 doi:10.1016/s1087-1845(03)00047-1
- Mousavi SAA, Robson GD (2004) Oxidative and amphotericin B-mediated cell death in the opportunistic pathogen *Aspergillus fumigatus* is associated with an apoptotic-like phenotype. *Microbiology* 150:1937-1945 doi:10.1099/mic.0.26830-0
- Muroi H, Kubo I (1996) Antibacterial activity of anacardic acid and totarol, alone and in combination with methicillin, against methicillin-resistant *Staphylococcus aureus*. *J Appl Bacteriol* 80(4):387-394
- Ogawa Y (2003) Mechanism of hydrogen peroxide-induced apoptosis of the human osteosarcoma cell line HS-Os-1. *Int J Mol Med* 12(4):459-463
- Omanakuttan A, Nambiar J, Harris RM, Bose C, Pandurangan N, Varghese RK, Kumar GB, Tainer JA, Banerji A, Perry JJ, Nair BG (2012) Anacardic acid inhibits the catalytic activity of matrix metalloproteinase-2 and matrix metalloproteinase-9. *Mol Microbiol* 82(4):614-622 doi:10.1124/mol.112.079020
- Pendergrass W, Wolf N, Poot M (2004) Efficacy of MitoTracker Green and CMXrosamine to measure changes in mitochondrial membrane potentials in living cells and tissues. *Cytometry Part A* 61(2):162-169 doi:10.1002/cyto.a.20033
- Pennisi E (2010) Armed and dangerous. *Science* 327(327):804-805
- Qi G, Zhu F, Du P, Yang X, Qiu D, Yu Z, Chen J, Zhao X (2010) Lipopeptide induces apoptosis in fungal cells by a mitochondria-dependent pathway. *Peptides* 31(11):1978-1986 doi:10.1016/j.peptides.2010.08.003
- Ramsdale M (2008) Programmed cell death in pathogenic fungi. *Biochim Biophys Acta* 1783(7):1369-1380 doi:10.1016/j.bbamcr.2008.01.021
- Savoldi M, Malavazi I, Soriani FM, Capellaro JL, Kitamoto K, da Silva Ferreira ME, Goldman MH, Goldman GH (2008) Farnesol induces the transcriptional accumulation of the

- Aspergillus nidulans* Apoptosis-Inducing Factor (AIF)-like mitochondrial oxidoreductase. Mol Microbiol 70(1):44-59 doi:10.1111/j.1365-2958.2008.06385.x
- Semighini CP, Hornby JM, Dumitru R, Nickerson KW, Harris SD (2006) Farnesol-induced apoptosis in *Aspergillus nidulans* reveals a possible mechanism for antagonistic interactions between fungi. Mol Microbiol 59(3):753-764 doi:10.1111/j.1365-2958.2005.04976.x
- Seong YA, Shin PG, Kim GD (2013) Anacardic acid induces mitochondrial-mediated apoptosis in the A549 human lung adenocarcinoma cells. Int J Oncol 42(3):1045-1051 doi:10.3892/ijo.2013.1763
- Seong YA, Shin PG, Yoon JS, Yadunandam AK, Kim GD (2014) Induction of the endoplasmic reticulum stress and autophagy in human lung carcinoma A549 cells by anacardic acid. Cell Biochem Biophys 68(2):369-377 doi:10.1007/s12013-013-9717-2
- Sharon A, Finkelstein A, Shlezinger N, Hatam I (2009) Fungal apoptosis: function, genes and gene function. FEMS Microbiol Rev 33(5):833-854 doi:10.1111/j.1574-6976.2009.00180.x
- Sukumari-Ramesh S, Singh N, Jensen MA, Dhandapani KM, Vender JR (2011) Anacardic acid induces caspase-independent apoptosis and radiosensitizes pituitary adenoma cells. J Neurosurg 114(6):1681-1690 doi:10.3171/2010.12.JNS10588
- Sun Y, Jiang X, Chen S, Price BD (2006) Inhibition of histone acetyltransferase activity by anacardic acid sensitizes tumor cells to ionizing radiation. FEBS Lett 580(18):4353-4356 doi:10.1016/j.febslet.2006.06.092
- Talbot NJ (2003) On the trail of a cereal killer: Exploring the biology of *Magnaporthe grisea*. Annu Rev Microbiol 57:177-202 doi:10.1146/annurev.micro.57.030502.090957
- Tilly JL, Kowalski KI, Johnson AL, Hsueh AJ (1991) Involvement of apoptosis in ovarian follicular atresia and postovulatory regression. Endocrinology 129(5):2799-2801
- Trevisan MT, Pfundstein B, Haubner R, Würtele G, Spiegelhalter B, Bartsch H, Owen RW (2006) Characterization of alkyl phenols in cashew (*Anacardium occidentale*) products and assay of their antioxidant capacity. Food Chem Toxicol 44(2):188-197 doi:10.1016/j.fct.2005.06.012
- Widlund PO, Lyssand JS, Anderson S, Niessen S, Yates JR, Davis TN (2006) Phosphorylation of the chromosomal passenger protein Bir1 is required for localization of Ndc10 to the spindle during anaphase and full spindle elongation. Mol Biol Cell 17(3):1065-1074
- Wissing S, Ludovico P, Herker E, Büttner S, Engelhardt SM, Decker T, Link A, Proksch A, Rodrigues F, Corte-Real M, Fröhlich KU, Manns J, Cande C, Sigrist SJ, Kroemer G, Madeo F (2004) An AIF orthologue regulates apoptosis in yeast. J Cell Biol 166(7):969-974 doi:10.1083/jcb.200404138
- Wu SC, Halley JE, Luttig C, Fernekes LM, Gutiérrez-Sánchez G, Darvill AG, Albersheim P (2006) Identification of an endo- β -1,4-D-xylanase from *Magnaporthe grisea* by gene

- knockout analysis, purification, and heterologous expression. *Appl Environ Microbiol* 72(2):986-993 doi:10.1128/AEM.72.2.986-993.2006
- Wu Y, He L, Zhang L, Chen J, Yi Z, Zhang J, Liu M, Pang X (2011) Anacardic acid (6-pentadecylsalicylic acid) inhibits tumor angiogenesis by targeting Src/FAK/Rho GTPases signaling pathway. *J Pharmacol Exp Ther* 339(2):403-411 doi:10.1124/jpet.111.181891
- Xiao L, LU Jian-Ping, Xiao-Hong L (2011) Induction and detection of apoptosis in rice blast fungus, *Magnaporthe oryzae*. *Acta Phytopathol Sin* 41(4):361-370
- Xu JR, Hamer JE (1996) MAP kinase and cAMP signaling regulate infection structure formation and pathogenic growth in the rice blast fungus *Magnaporthe grisea*. *Genes Dev* 10(21):2696-2706 doi:10.1101/gad.10.21.2696
- Yang H, Ren Q, Zhang Z (2008) Cleavage of Mcd1 by caspase-like protease Esp1 promotes apoptosis in budding yeast. *Mol Biol Cell* 19(5):2127-2134