

Contents

Title	i
Declaration	ii
Acknowledgements	iii
Contents	iv
List of figures	v

SECTION I

Chapter 1 – Introduction	1-3
Chapter 2 – Review of literature	4-23
2.1. Overview	
2.2. Phylogeny	
2.3. <i>Magnaporthe oryzae</i> as a model phytopathogen	
2.4. The infection cycle	
2.5. <i>M. oryzae</i> genome analysis	
2.6. Sexual reproduction in yeast	
2.7. Sexual reproduction in <i>M. oryzae</i>	
2.8. Cyclic AMP signalling during appressorium development	
2.9. G protein and MAPK signalling in <i>S. cerevisiae</i> and <i>M. oryzae</i>	
2.10. FAR1 in <i>S. cerevisiae</i> and other fungi	
2.11. Interspecific pheromone response in fungi	
Chapter 3 – Materials and methods	24-40
3.1. Microbial cultures and growth media	
3.1.1. <i>Escherichia coli</i>	
3.1.2. <i>Saccharomyces cerevisiae</i>	

3.1.3. *Magnaporthe oryzae*

3.2. Bacterial strains

3.3. Yeast strains

3.4. Fungal cultures

3.5. Competent cell preparation and transformation of *E. coli*

3.6. Transformation of *S. cerevisiae* with plasmid DNA

3.7. Isolation of plasmid DNA

3.8. Nucleic acid manipulations

3.9. Gene deletion by split marker technology

3.10. Fungal transformation

3.11. Phenotypic characterization of the transformants

3.12. DNA isolation from *M. oryzae*

3.13. Southern blot analysis

3.14. Complementation of $\Delta mfar1$ mutant with native gene

3.15. RNA isolation and Real time-PCR analysis

3.16. Overexpression of MFAR1

3.17. Pheromone response assays

3.18. Mating assays in *S. cerevisiae*

3.19. Mating type determination and fertility assessment

3.20. Subcellular localization of MFAR1

3.21. Statistics

Chapter 4- Results

41-104

4.1. Identification of *S. cerevisiae* FAR1 homolog in *M. oryzae*

4.2. MFAR1 complements mating defect in $\Delta far1$ in *S. cerevisiae*

4.3. VWA domain of MFAR1 is essential for complementation of mating defect

- 4.4. MFAR1 does not complement mating defect in Δ ste5 in *S. cerevisiae*
- 4.5. Gene knockout studies
- 4.6. Phenotypic characterization of mutants
- 4.7. Δ mfar1 mutants are not affected in appressorium formation and virulence
- 4.8. Complementation of Δ mfar1 mutants with MFAR1 in *M. oryzae*
- 4.9. Determination of mating type and fertility assessment of B157 strain
- 4.10. Δ mfar1 mutants show reduction in female fertility
- 4.11. Accumulation of PMK1 mRNA in Δ mfar1 mutants
- 4.12. Mfar1 is mainly localized in the nuclear region of *M. oryzae*
- 4.13. Yeast α -factor induces expression of PMK1 and MFAR1
- 3.14. Overexpression of MFAR1 causes reduction in appressorium formation
- 4.15. cAMP restores appressorium development in overexpression transformants
- 4.16. Δ mfar1 mutants do not show pheromone induced inhibition of appressorium
- 4.17. Expression analysis of cyclins in MFAR1 overexpression transformants

Chapter 5- Discussion	105-118
Chapter 6- Summary	119-121
Chapter 7- Conclusion	122-123
Appendix-I	124-126
Appendix-II	127-130
References	131-138

SECTION II

Chapter 1- Introduction	140-142
Chapter 2- Materials and methods	143-149
Chapter 3- Results	150-165
Chapter 4- Discussion	166-170
Chapter 5- Summary	171-172
Chapter 6- Supplementary information	173-176
References	177-181
Publications	182