

REFERENCES

- Abhilash PC, Singh N** (2009a) Seasonal variation of HCH isomers in open soil and plant-rhizospheric soil system of a contaminated environment. *Environ Sci Pollut Res Int.* **16:**727–740
- Abhilash PC, Singh N** (2009b) *Withania somnifera* Dunal-mediated dissipation of Lindane from simulated soil: implications for rhizoremediation of contaminated soils. *J Soils Sediments.* **10:**272–282
- Albright, R., Johnson, N., Sanderson, T.W., et al.** (1974) Pesticide residues in the top soil of five west Alabama counties. *Bull. Environ. Contam. Toxicol.* **12:** 378-384.
- Altschul SF, Gish W, Miller W, Myers EW, Lipman DJ** (1990) Basiclocal alignment search tool. *J Mol Biol* **215:**403–410
- Altschul SF, Madden TL, Schaffer AA, Zhang J, Zhang Z, Miller W & Lipman DJ,** (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucl Acids Res.* **25:** 3389–3402.
- Atkins, D.H.F. and Eggleton, A.E.J.** (1971) Studies of atmospheric washout and deposition of C-BHC, dieldrin and p,p-DDT using radiolabelled pesticides. In Proceedings of the Symposium on Nuclear Techniques in Environmental Pollution, Salzburg (Austria).
- ATSDR** (2005) Toxicological profile for hexachlorocyclohexanes. U.S. Department of Health & Human Services. Public Health Service. Agency for Toxic Substances and Disease Registry. August, 2005. <http://www.atsdr.cdc.gov/toxprofiles/tp43.html>

References

ATSDR Agency for Toxic Substances and Disease Registry (1998). Toxicological profile for alpha-, beta-, gamma-, and delta-hexachlorocyclohexane. Draft for public comment (update). U.S. Department of Health & Human Services

Atul K. Singh, Pankaj Chaudhary, Ankit S. Macwan, Upendra N. Diwedi, Ashwani Kumar, (2007). Selective loss of lin genes from hexachlorocyclohexane-degrading *Pseudomonas aeruginosa* ITRC-5 under different growth conditions. *Appl Microbiol Biotechnol.* **76**, 895–901.

Bachmann, W. De Bruin, J. C. Jumelet, H. H. N. Rijnaarts, and A. J. B. Zehender, (1988). Aerobic Biomineralization of Alpha-Hexachlorocyclohexane in Contaminated Soil. *Applied and Environmental Microbiolog.* **54**(2): 548-554.

Bala, K., P. Sharma, and R. Lal. (2010) *Sphingobium quisquiliarum* sp. nov., a hexachlorocyclohexane (HCH) degrading bacterium isolated from HCH contaminated soil. *Int. J. Syst. Evol. Microbiol.* **60**(2): 429-433

Battu RS, Singh B, Kang BK. (2004) Contamination of liquid milk and butter with pesticide residues in the Ludhiana district of Punjab state, India. *Ecotoxicol Environ Saf.* **59**(3):324-31.

Beland, F. A., S. O. Farwell, A. E. Robocker, and R. D. Geer. (1976). Electrochemical reduction and anaerobic degradation of lindane. *J. Agric. Food Chem.* **24**:753-756.

Benezet, H. J., and F. Matsumura. (1973) Isomerization of γ -BHC to α -BHC in the environment. *Nature* **243**:480-481.

Benimeli, C. S., G. R. Castro, A. P. Chaile, and M. J. Amoroso. (2006) Lindane removal induction by *Streptomyces* sp. M7. *J. Basic Microbiol.* **46**:348-357.

References

- Bergmann, J. G., and J. Sanik, Jr.** (1957). Determination of traceamounts of chlorine in *naphtha*. *Anal. Chem.* **29**:241-243.
- Bidlan, R., M. Afsar, and H. K. Manonmani.** (2004). Bioremediation of HCH-contaminated soil: elimination of inhibitory effects of the insecticide on radish and green gram seed germination. *Chemosphere*. **56**:803-811.
- Bintein, S. and Devillers, J.** (1996) Evaluating the environmental fate of lindane in France. *Chemosphere*. **32**: 2427-2440.
- Böltner, D., P. Godoy, J. Muñoz-Rojas, E. Duque, S. Moreno-Morillas, L. Sánchez, and J. L. Ramos.** (2007). Rhizoremediation of lindane by root-colonizing *Sphingomonas*. *Microb. Biotechnol.* **1**:87-93.
- Böltner, D., S. Moreno-Morillas, and J. L. Ramos.** (2005). 16S rDNA phylogeny and distribution of *lin* genes in novel hexachlorocyclohexane-degrading *Sphingomonas* strains. *Environ. Microbiol.* **7**:1329-1338. 21.
- Bouanchaud, D. H., M. R. Scavizzi, and Y. A. Chabbert,** (1969). Elimination by ethidium bromide of antibiotic resistance in enterobacteria and staphylococci. *J. Gen. Microbiol.* **54**:417-425.
- Boyle, A. W., M. M. Hagglom, and L. Y. Young.** (1999). Dehalogenation of lindane (γ -hexachlorocyclohexane) by anaerobic bacteria from marine sediments and by sulfate-reducing bacteria. *FEMS Microbiol. Ecol.* **29**:379-387.
- Breivik K, Pacyna JM, Munch J** (1999) Use of α -, β -, γ - hexachlorocyclohexane in Europe, 1970–1996. *Sci Total Environ.* **239**:151–163

References

- Brown, A.W.** (1978) *Ecology of Pesticides*. John Wiley and Sons, New York (USA).
- Bull, I.D., Parekh, N.R., Hall, G.H., Ineson, P. and Evershed, R.P** (2000) Detection and classification of atmospheric methane oxidizing bacteria in soil. *Nature*. **405**: 175-178.
- Bumpus, J.A., Tien, M., Wright, D. and Aust, S.D.** (1985) Oxidation of persistent environmental pollutants by a white rot fungus. *Science*. **228**: 1434-1436.
- Buser, H. R., and M. D. Muller.** (1995). Isomer and enantioselective degradation of hexachlorocyclohexane isomers in sewage sludge under anaerobic conditions. *Environ. Sci. Technol.* **29**:664-672.
- Butte, W., Fox, K. and Zauke, G.P.** (1991) Kinetics of bioaccumulation and clearance of isomeric hexachlorocyclohexanes. *Sci. Total Environ.* **109-110**: 377-382.
- Caccavo, F. Jr, Blakemore, R. P. & Lovley, D. R.** (1992). A hydrogen-oxidizing, Fe(III)-reducing microorganism from the Great Bay Estuary, New Hampshire. *Appl. Environ. Microbiol.* **58**, 3211-3216.
- Cai L, Liu G, Rensing C, Wang G.** (2006) Genes involved in arsenic transformation and resistance associated with different levels of arsenic-contaminated soils. *BMC Microbiol.* **8**: 9:4.
- CAPE (Community Action for Pesticide Elimination)** (2005) Lindane's dirty secret:
Indian facilities dump toxic waste May 2005
<http://www.docstoc.com/docs/27574041/LINDANES-DIRTY-SECRET> (Accessed 05/2010)
- Cérémonie, H., H. Boubakri, P. Mavingui, P. Simonet, and T. M. Vogel.** (2006). Plasmid-encoded γ -hexachlorocyclohexane degradation genes and insertion

References

- sequences in *Sphingobium francense* (ex-*Sphingomonas paucimobilis* Sp+). *FEMS Microbiol. Lett.* **257**:243-252.
- Clark, D.E., Smalley, H.E., Crookshank, H.R., et al.** (1974) Residues in food and feed: Chlorinated hydrocarbon insecticide residues in feed and carcasses of feedlot cattle, Texas-1972. *Pestic. Monit. J.* **8**: 180-183.
- Cotham, W.E. and Bidleman, T.F.** (1991) Estimating the Atmospheric deposition of organochlorine contaminants to the Arctic. *Chemosphere.* **22**: 165-188.
- Cunningham, C.J. and Philip, J.C.** (2000) Comparison of bioaugmentation and biostimulation in ex situ treatment of diesel contaminated soil. *Land Contam. Reclam.* **8**: 261-269.
- Dadhwal, M., A. Singh, O. Prakash, S. K. Gupta, K. Kumari, P. Sharma, S. Jit, M. Verma, C. Holliger, and R. Lal.** (2009a). Proposal of biostimulation for hexachlorocyclohexane (HCH)-decontamination and characterization of culturable bacterial community from high-dose point HCH-contaminated soils. *J. Appl. Microbiol.* **106**:381-392.
- Dadhwal, M., S. Jit, H. Kumari, and R. Lal.** (2009b) *Sphingobium chinhatense* sp. nov., a hexachlorocyclohexane (HCH)-degrading bacterium isolated from an HCH dumpsite. *Int. J. Syst. Evol. Microbiol.* **59**:3140-3144.
- Datta, J., A. K. Maiti, D. P. Modak, P. K. Chakrabarty, P. Bhattacharyya, and P. K. Ray.** (2000). Metabolism of γ -hexachlorocyclohexane by *Arthrobacter citreus* strain BI-100: identification of metabolites. *J. Gen. Appl. Microbiol.* **46**:59-67.

References

- Day, L.G. Hock, W.K. and McAlpine, G.** (1997) Farm Chemicals Manual: A guide to safe use and handling. Agsafe Limited, North Sydney (Australia).
- Deeb, R. A., and L. Alvarez-Cohen.** (2000). Aerobic biotransformation of gasoline aromatics in multicomponent mixtures. *Bioremed. J.* 4:171-179.
- Deeb, R. A., J. C. Spain, and L. Alvarez-Cohen.** (1999). Mineralization of benzene, toluene, ethylbenzene, *m*-xylene, and *p*-xylene by two *Rhodococcus* species. *Gen. Meet. Am. Soc. Microbiol., Chicago, IL.* Abstr. 99th 30 May to 3 June. p 553.
- Dietmar Boltner, Silvia Moreno-Morillas and Juan-Luis Ramos,** (2005). 16S rDNA phylogeny and distribution of *lin* genes in novel hexachlorocyclohexane-degrading *Sphingomonas* Strains. *Environmental Microbiology.* 7(9): 1329–1338.
- Doelman, P., L. Haanstra, E. de Ruiter, and J. Slange.** (1985). Rate of microbial degradation of high concentration of α -hexachlorocyclohexane in soil under aerobic and anaerobic conditions. *Chemosphere.* 14:565-570.
- Dogra, C., V. Raina, R. Pal, M. Suar, S. Lal, K. H. Gartemann, C. Holliger, J. R. van der Meer, and R. Lal.** 2004. Organization of *lin* genes and IS6100 among different strains of hexachlorocyclohexane-degrading *Sphingomonas paucimobilis*: evidence for horizontal gene transfer. *J. Bacteriol.* 186:2225-2235.
- Edwards, E. A., and D. Grbic-Galic.** (1992). Complete mineralization of benzene by aquifer microorganisms under strictly anaerobic conditions. *Appl. Environ. Microbiol.* 58:2663-2666.
- El Beit, I.O.D., Wheelock, J.V. and Cotton, D.E.** (1981) Factors affecting soil residues of dieldrin, endosulfan, gamma-HCH, dimethoate and pyrolan. *Ecotoxicol. Environ. Saf.* 5: 135-160

References

Endo, R., M. Kamakura, K. Miyauchi, M. Fukuda, Y. Ohtsubo, M. Tsuda, and Y. Nagata. (2005). Identification and characterization of genes involved in the downstream degradation pathway of γ -hexachlorocyclohexane in *Sphingomonas paucimobilis* UT26. *J. Bacteriol.* **187**:847-853.

Endo, R., Y. Ohtsubo, M. Tsuda, and Y. Nagata. (2007). Identification and characterization of genes encoding a putative ABC-type transporter essential for utilization of γ -hexachlorocyclohexane in *Sphingobium japonicum* UT26. *J. Bacteriol.* **189**:3712-3720.

EXTOXNET (Extension Toxicology Network) (1996)

Online:<http://ace.orst.edu/cgi-bin/mfs/01/pips/lindane.htm>

Fairlee, J. R., B. L. Burbank, and J. J. Perry. (1997). Biodegradation of groundwater pollutants by a combined culture of *Mycobacterium vaccae* and a *Rhodococcus* sp. *Can. J. Microbiol.* **43**:841-846.

FAO/WHO, (2011) JOINT FAO/WHO FOOD STANDARDS PROGRAMME CODEX COMMITTEE ON PESTICIDE RESIDUES 43rd Session Beijing, P.R. China, 4 - 9 April 2011 CONSIDERATION OF THE STATUS OF CODEX MRLS FOR LINDANE.

http://www.cclac.org/documentos/CCPR/2011/3%20Documentos/Documentos%20Ingles/pr43_14e.pdf (retrived on20-09-11)

Food and Agriculture Organization of the United Nations (2002), International Code of Conduct on the Distribution and Use of

References

Pesticides <http://www.fao.org/WAICENT/FAOINFO/AGRICULT/AGP/AGPP/Pesticid/Code/Download/code.pdf> (retrived on 20-09-11)

Francis, A. J., R. J. Spanggord, and G. I. Ouchi. (1975) Degradation of lindane by *Escherichia coli*. *Appl. Microbiol.* 29:567-568.

Federal Remediation Technology Roundtable (FRTR). (2006) Remediation Technologies Screening Matrix and Reference Guide, Version 4.0.
<http://www.frtr.gov//matrix2/section1/toc.html#Pref>

Genki Fuchu, Yoshiyuki Ohtsubo, Michihiro Ito, Ryo Miyazaki, Akira Ono, Yuji Nagata, Masataka Tsuda, (2008). Insertion sequence-based cassette PCR:cultivation-independent isolation of g-hexachlorocyclohexane-degrading genes from soil DNA. *Appl Microbiol Biotechnol.* 79:627-632.

Gillian A. Turnbull, Margrat Ousley, Allan Walker, Eve Shaw, and J. Alun W. Morgan, (2001). Degradation of Substituted Phenylurea Herbicides by *Arthrobacter globiformis* Strain D47 and Characterization of a Plasmid-Associated Hydrolase Gene, *puhA*. *Applied and Environmental Microbiology.* 67(5): 2270-2275.

Gupta, A., C. P. Kaushik, and A. Kaushik. (2000) Degradation of hexachlorocyclohexane (HCH; α , β , γ and δ) by *Bacillus circulans* and *Bacillus brevis* isolated from soil contaminated with HCH. *Soil Biol. Biochem.* 32:1803-1805.

Gupta, A., C. P. Kaushik, and A. Kaushik. (2001) Degradation of hexachlorocyclohexane isomers by two strains of *Alcaligenes faecalis* isolated from a contaminated site. *Bull. Environ. Contam. Toxicol.* 66:794-800.

Hayes, W.J. (1986) Pesticide studies in man. Williams & Wilkins, Baltimore (USA).

References

Hayes, W.J. and Laws, E.R. (1991) *Handbook of Pesticide Toxicology*. Academic Press Inc., San Diego (CA, USA).

HazDat (2005) Hazardous Substance Database. Agency for Toxic Substances and Disease Registry, Atlanta (GA, USA).

HCN (Health Council of the Netherlands): Committee on the evaluation of the carcinogenicity of chemical substances (1996) Evaluation of the carcinogenicity of chemical substances. Health Council of the Netherlands, Rijswijk (The Netherlands), publication no. 1996/26.

Heringa, Spencer, Monroe, Jonathan, and Herrick, James, (2007). A Simple, Rapid Method for Extracting Large Plasmid DNA from Bacteria. Available from *Nature Precedings*.

Heritage, A. D., and I. C. MacRae. (1977). Degradation of lindane by cell-free preparations of *Clostridium sphenoides*. *Appl. Environ. Microbiol.* **34**:222-224.

IARC (1973) Monographs on the evaluation of the carcinogenic risk of chemicals to man: some organochlorine pesticides. Volume 5. World Health Organization, Lyon, pp. 47-73.

Imai, R., Y. Nagata, M. Fukuda, M. Takagi, and K. Yano. (1991). Molecular cloning of a *Pseudomonas paucimobilis* gene encoding a 17-kilodalton polypeptide that eliminates HCl molecules from γ -hexachlorocyclohexane. *J. Bacteriol.* **173**:6811-6819.

IPEN International POPs Elimination Network (2005) Lindane. Answers to common questions

References

- http://www.ipen.org/penweb/documents/work%20documents/lindane%20answers_english.pdf (Accessed 05.09.2010)
- Ito, M., Z. Prokop, M. Klvana, Y. Otsubo, M. Tsuda, J. Damborsky, and Y. Nagata.** 2007. Degradation of beta-hexachlorocyclohexane by haloalkane dehalogenase LinB from gamma-hexachlorocyclohexane-utilizing bacterium *Sphingobium* sp. *MI1205*. *Arch. Microbiol.* **188**:313-325.
- Jagnow, G., K. Haider, and P. C. Ellwardt.** (1977). Anaerobic dechlorination and degradation of hexachlorocyclohexane isomers by anaerobic and facultative anaerobic bacteria. *Arch. Microbiol.* **115**:285-292.
- James K. Fredrickson, Margaret F. Romine, Alexander S. Beliaev, Jennifer M. Auchtung, Michael E. Driscoll, Timothy S. Gardner, Kenneth H. Nealson, AndreiL. Osterman, Grigoriy Pinchuk, Jennifer L. Reed , Dmitry A. Rodionov, Jorge L. M.Rodrigues, Daad A. Saffarini , Margrethe H. Serres , Alfred M. Spormann,Igor B. Zhulin, and James M. Tiedje (2008)** Towards environmental systems biology of *Shewanella*. *Nature* **6**: 592-603
- Jit S, Dadhwal M, Kumari H, Jindal S, Kaur J, Lata P, Niharika N, Lal D, Garg N, Gupta SK, Sharma P, Bala K, Singh A, Vijgen J, Weber R, Lal R.** (2011) Evaluation of hexachlorocyclohexane contamination from the last lindane production plant operating in India. *Environ Sci Pollut Res Int.* **18(4)**:586-597
- Johri, A. K., M. Dua, D. Tuteja, D. M. Saxena, and R. Lal.** (1998). Degradation of alpha, beta, gamma and delta-hexachlorocyclohexanes by *Sphingobium paucimobilis*. *Biotechnol. Lett.* **20**:2347-2353.

References

- Jornvall, H., B. Persson, M. Krook, S. Atrian, R. Gonzalez-Duarte, J. Jeffery, and D. Ghosh.** (1995). Short-chain dehydrogenases/reductases (SDR). *Biochemistry*. **34**:6003-6013.
- Juan Carlos Quintero , Maria Teresa Moreira , Gumersindo Feijoo , Juan M. Lema,** (2005). Anaerobic degradation of hexachlorocyclohexane isomers in liquid and soil slurry systems. *Chemosphere*. **61**: 528–536.
- Juhasz, A.L., Stanley, G.A. and Britz, M.L.** (2000) Degradation of high molecular weight PAHs in contaminated soil by a bacterial consortium: effects on Microtox and mutagenicity bioassays. *Bioremed. J.* **4**: 271-283.
- Kennedy, D.W., Aust, S.D. and Bumpus, J.A.** (1990) Comparative biodegradation of alkyl halide insecticides by the white rot fungus, *Phanaerochaete chrysosporium* (BKM-F-1767). *Appl. Environ. Microbiol.* **56**: 2347-2352.
- Kiyohara H, Nagao K & Yana K**, (1982). Rapid screen for bacteria degrading water-insoluble, solid hydrocarbons on agar plates. *Appl Environ Microbiol*. **43**: 454–457.
- Kmunicek, J., K. Hynkova, T. Jedlicka, Y. Nagata, A. Negri, F. Gago, R. C. Wade, and J. Damborsky.** (2005). Quantitative analysis of substrate specificity of haloalkane dehalogenase LinB from *Sphingomonas paucimobilis* UT26. *Biochemistry*. **44**:3390-3401.
- Kumar, M., P. Chaudhary, M. Dwivedi, R. Kumar, D. Paul, R. K. Jain, S. K. Garg, and A. Kumar.** (2005). Enhanced biodegradation of β - and δ -hexachlorocyclohexane in the presence of α - and γ -isomers in contaminated soils. *Environ. Sci. Technol.* **39**:4005-4011.

- Kumari B, Singh J, Singh S, Kathpal TS** (2005) Monitoring of butter and ghee (clarified butter fat) for pesticidal contamination from cotton belt of Haryana, India. *Environ Monit Assess.* **105**(1-3):111-20.
- Kumari, R., S. Subudhi, M. Suar, G. Dhingra, V. Raina, C. Dogra, S. Lal, J. R. van der Meer, C. Holliger, and R. Lal.** (2002). Cloning and characterization of *lin* genes responsible for the degradation of hexachlorocyclohexane isomers by *Sphingomonas paucimobilis* strain B90. *Appl. Environ. Microbiol.* **68**:6021-6028.
- Kuntz, K.W. and Warry, N.D.** (1983) Chlorinated organic contaminants in water and suspended sediments of the lower Niagara River. *J. Great Lakes Res.* **9**: 241-248.
- Kurzel, R.B. and Certrulo, C.L.** (1981) Critical Review. The effect of environmental pollutants on human reproduction, including birth defects. *Environ. Sci. Technol.* **15**: 626-640.
- Kutz, F.W., Wood, P.H. and Bottimore, D.P.** (1991) Organochlorine pesticides and polychlorinated biphenyls in human adipose tissue. *Rev. Environ. Contam. Toxicol.* **120**: 1-82.
- Lal R, Pandey G, Sharma P, Kumari K, Malhotra S, Pandey R, Raina V, Kohler HP, Holliger C, Jackson C, Oakeshott JG.** (2010). Biochemistry of microbial degradation of hexachlorocyclohexane and prospects for bioremediation. *Microbiol Mol Biol Rev.* **74**(1), 58-80.
- Lal, R., C. Dogra, S. Malhotra, P. Sharma, and R. Pal.** (2006). Diversity, distribution and divergence of *lin* genes in hexachlorocyclohexane-degrading sphingomonads. *Trends Biotechnol.* **24**:121-130.

- Lal, R., M. Dadhwal, K. Kumari, P. Sharma, A. Singh, H. Kumari, S. Jit, S. K. Gupta, A. Nigam, D. Lal, M. Verma, J. Kaur, K. Bala, and S. Jindal.** (2008). *Pseudomonas* sp. to *Sphingobium indicum*: a journey of microbial degradation and bioremediation of hexachlorocyclohexane. *Indian J. Microbiol.* **48**:3-18.
- Li Y-F** (1999) Global technical hexachlorocyclohexane usage and its contamination consequences in the environment: from 1948 to 1997. *Sci Total Environ.* **232**(3):121–158.
- Li Y-F, Cai DJ, Shan ZJ, Zhu ZL** (2001) Gridded Usage Inventories of Technical Hexachlorocyclohexane and Lindane for China with 1/6° Latitude by 1/4° Longitude Resolution. *Arch. Environ. Contam. Toxicol.* **41**: 261–266.
- Li Y-F, MacDonald R** (2005) Sources and pathways of selected organochlorine pesticides to the Arctic and the effect of pathway divergence on HCH trends in biota: a review. *Sci Total Environ.* **342**:87–106
- Li Y-F, Trevorscholtz M, Van Heyst BJ** (2003) Global gridded emission inventories of *beta*-hexachlorocyclohexane. *Environ Sci Technol.* **37**:3493–3498.
- Lloyd-Jones, G., Laurie, A.D., Hunter, D.W.F. & Fraser, R.** (1999). Analysis of catabolic genes for naphthalene and phenanthrene degradation in contaminated New Zealand soils. *FEMS Microb Ecol.* **29**: 69–79.
- Lodha, B., P. Bhat, M. S. Kumar, A. N. Vaidya, S. Mudliar, D. J. Killedar, and T. Chakrabarti.** (2007) Bioisomerization kinetics of γ -HCH and biokinetics of *Pseudomonas aeruginosa* degrading technical HCH. *Biochem. Eng. J.* **35**:12-19.

References

- Lopez Aparicio P, Recio MN, Priteo JC, Perez Albarsanz MA (1994). Role of lindane in membranes. Effects on membrane fluidity and activity of membrane-bound proteins. *Biosci* 14(3):131-8.
- Ma, A. Z., J. Wu, G. S. Zhang, T. Wang, and S. P. Li. (2005) Isolation and characterization of a HCH degradation *Sphingomonas* sp. strain BHC-A. *Acta Microbiol. Sin.* 45:728-732.
- MacRae, I. C., K. Raghu, and T. F. Castro. (1967). Persistence and biodegradation of four common isomers of benzene hexachloride in submerged soils. *J. Agric. Food Chem.* 15:911-914.
- Manickam N, Reddy MK, Saini HS & Shanker R, (2008). Isolation of hexachlorocyclohexane-degrading *Sphingomonas* sp. by dehalogenase assay and characterization of genes involved in γ -HCH degradation. *J Appl Microbiol.* 104: 952–960.
- Manickam, N., M. Mau, and M. Schlömann. (2006). Characterization of the novel HCH-degrading strain, *Microbacterium* sp. ITRC1. *Appl. Microbiol. Biotechnol.* 69:580-588.
- Manickam, N., R. Misra, and S. Mayilraj. (2007). A novel pathway for the biodegradation of γ -hexachlorocyclohexane by a *Xanthomonas* sp. strain ICH12. *J. Appl. Microbiol.* 102:1468-1478.
- Manonmani, H. K., D. H. Chandrashekaraiah, N. S. Reddy, C. D. Elcey, and A. A. Kunhi. (2000). Isolation and acclimation of a microbial consortium for improved

References

- aerobic degradation of α -hexachlorocyclohexane. *J. Agric. Food Chem.* **48**:4341-4351
- Manzano, M.A., Perales, J.A., Sales, D. and Quiroga, J.M.** (2003) Enhancement of aerobic microbial degradation of polychlorinated biphenyl in soil microcosms. *Environ. Toxicol. Chem.* **22**: 699-705.
- Mars, A. E., T. Kasberg, S. R. Kaschabek, M. H. van Agteren, D. B. Janssen, and W. Reineke.** (1997). Microbial degradation of chloroaromatics; use of the *meta*-cleavage pathway for mineralization of chlorobenzene. *J. Bacteriol.* **179**:4530-4537.
- Mathur HB, Johnson S, Singh B, Mishra R, Kumar A** (2003) Bottled water has pesticide residues. *Down Earth* 11:27-33
http://www.cseindia.org/html/lab/bottled_water_result.htm
- Mathur, HB, Sapna Johnson, Avinash Kumar (2003)** "Analysis of Pesticide Residues in Soft Drinks", Center for Science and Environment report, New Delhi, India
- Maule, A., Plyte, S. and Quirk, A.V.** (1987) Dehalogenation of organochlorine insecticides by mixed anaerobic microbial populations. *Pest. Biochem. Physiol.* **27**: 229-236.
- Mertens B, Blothe C, Windey K, De Windt W, Verstraete W**, (2007). Biocatalytic dechlorination of lindane by nano-scale particles of Pd(0) deposited on *Shewanella oneidensis*. *Chemosphere*. **66(1)**:99-105.
- Middeldorp, P. J., M. Jaspers, A. J. B. Zehnder, and G. Schraa.** (1996). Biotransformation of α -, β -, γ -, and δ -hexachlorocyclohexane under methanogenic conditions. *Environ. Sci. Technol.* **30**:2345-2349.

References

- Middeldorp, P. J., W. van Doesburg, G. Schraa, and A. J. Stams.** (2005). Reductive dechlorination of hexachlorocyclohexane (HCH) isomers in soil under anaerobic conditions. *Biodegradation*. **16**:283-290.
- Miyauchi, K., H. S. Lee, M. Fukuda, M. Takagi, and Y. Nagata.** (2002). Cloning and characterization of *linR*, involved in regulation of the downstream pathway for γ -hexachlorocyclohexane degradation in *Sphingomonas paucimobilis* UT26. *Appl. Environ. Microbiol.* **68**:1803-1807.
- Miyauchi, K., S. K. Suh, Y. Nagata, and M. Takagi.** (1998). Cloning and sequencing of a 2,5-dichlorohydroquinone reductive dehalogenase gene whose product is involved in degradation of γ -hexachlorocyclohexane by *Sphingomonas paucimobilis*. *J. Bacteriol.* **180**:1354-1359.
- Miyauchi, K., Y. Adachi, Y. Nagata, and M. Takagi.** (1999). Cloning and sequencing of a novel *meta*-cleavage dioxygenase gene whose product is involved in degradation of γ -hexachlorocyclohexane in *Sphingomonas paucimobilis*. *J. Bacteriol.* **181**:6712-6719.
- Miyazaki, R., Y. Sato, M. Ito, Y. Ohtsubo, Y. Nagata, and M. Tsuda.** (2006). Complete nucleotide sequence of an exogenously isolated plasmid, pLB1, involved in γ -hexachlorocyclohexane degradation. *Appl. Environ. Microbiol.* **72**:6923-6933.
- Mohn, W. W., B. Mertens, J. D. Neufeld, W. Verstraete, and V. de Lorenzo.** (2006). Distribution and phylogeny of hexachlorocyclohexane-degrading bacteria in soils from Spain. *Environ. Microbiol.* **8**:60-68.

References

- Mougin, C., Pericaud, C., Dubroca, J. and Asther, M.** (1997) Enhanced mineralization of Lindane in soils supplemented with the white rot basidiomycete *Phanaerochaeae chrysosporium*. *Soil Biol. Biochem.* **29**: 1321-1324.
- N.G.K. Karanth,** (2000). Challenges of Limiting Pesticide Residues in Fresh Vegetables: The Indian Experience. *4 Proceedings of the International Workshop, Montpellier, France.* 11-13 December.
- Nag SK, Raikwar MK** (2011) Persistent organochlorine pesticide residues in animal feed. *Environ Monit Assess.* **174**(1-4):327-335.
- Nagasawa, S., R. Kikuchi, and M. Matsuo.** (1993a). Indirect identification of an unstable intermediate in γ -HCH degradation by *Pseudomonas paucimobilis* UT26. *Chemosphere.* **26**:2279-2288.
- Nagasawa, S., R. Kikuchi, Y. Nagata, M. Takagi, and M. Matsuo.** (1993b). Aerobic mineralization of γ -HCH by *Pseudomonas paucimobilis* UT26. *Chemosphere.* **26**:1719-1728.
- Nagasawa, S., R. Kikuchi, Y. Nagata, M. Takagi, and M. Matsuo.** (1993c). Stereochemical analysis of γ -HCH degradation by *Pseudomonas paucimobilis* UT26. *Chemosphere.* **26**:1187-1201.
- Nagata Y, Ohtsubo Y, Endo R, Ichikawa N, Ankai A, Oguchi A, Fukui S, Fujita N, Tsuda M,** (2010). Complete genome sequence of the representative γ -hexachlorocyclohexane-degrading bacterium *Sphingobium japonicum* UT26. *J Bacteriol.* **192**(21), 5852-3.

References

- Nagata, Y., A. Futamura, K. Miyauchi, and M. Takagi.** (1999a). Two different types of dehalogenases, LinA and LinB, involved in γ -hexachlorocyclohexane degradation in *Sphingomonas paucimobilis* UT26 are localized in the periplasmic space without molecular processing. *J. Bacteriol.* **181**:5409-5413.
- Nagata, Y., K. Miyauchi, and M. Takagi.** (1999b). Complete analysis of genes and enzymes for γ -hexachlorocyclohexane degradation in *Sphingomonas paucimobilis* UT26. *J. Ind. Microbiol. Biotechnol.* **23**:380-390.
- Nagata, Y., K. Miyauchi, J. Damborsky, K. Manova, A. Ansorgova, and M. Takagi.** (1997). Purification and characterization of a haloalkane dehalogenase of a new substrate class from a γ -hexachlorocyclohexane-degrading bacterium, *Sphingomonas paucimobilis* UT26. *Appl. Environ. Microbiol.* **63**:3707-3710.
- Nagata, Y., K. Mori, M. Takagi, A. G. Murzin, and J. Damborsky.** (2001). Identification of protein fold and catalytic residues of γ -hexachlorocyclohexane dehydrochlorinase LinA. *Proteins.* **45**:471-477.
- Nagata, Y., R. Endo, M. Ito, Y. Ohtsubo, and M. Tsuda.** (2007). Aerobic degradation of lindane (γ -hexachlorocyclohexane) in bacteria and its biochemical and molecular basis. *Appl. Microbiol. Biotechnol.* **76**:741-752.
- Nagata, Y., R. Imai, A. Sakai, M. Fukuda, K. Yano, and M. Takagi.** (1993b). Isolation and characterization of Tn5-induced mutants of *Pseudomonas paucimobilis* UT26 defective in γ -hexachlorocyclohexane dehydrochlorinase (LinA). *Biosci. Biotechnol. Biochem.* **57**:703-709.
- Nagata, Y., R. Ohtomo, K. Miyauchi, M. Fukuda, K. Yano, and M. Takagi.** (1994). Cloning and sequencing of a 2,5-dichloro-2,5-cyclohexadiene-1,4-diol dehydrogenase

References

- gene involved in the degradation of γ -hexachlorocyclohexane in *Pseudomonas paucimobilis*. *J. Bacteriol.* **176**:3117-3125.
- Nagata, Y., T. Hatta, R. Imai, K. Kimbara, M. Fukuda, K. Yano, and M. Takagi.** (1993a). Purification and characterization of γ -hexachlorocyclohexane (γ -HCH) dehydrochlorinase (LinA) from *Pseudomonas paucimobilis*. *Biosci. Biotechnol. Biochem.* **59**:1582-1583.
- Nagata, Y., T. Nariya, R. Ohtomo, M. Fukuda, K. Yano, and M. Takagi.** (1993c). Cloning and sequencing of a dehalogenase gene encoding an enzyme with hydrolase activity involved in the degradation of γ -hexachlorocyclohexane in *Pseudomonas paucimobilis*. *J. Bacteriol.* **175**:6403-6410.
- Nagata, Y., Z. Prokop, Y. Sato, P. Jerabek, A. Kumar, Y. Ohtsubo, M. Tsuda, and J. Damborsky.** (2005). Degradation of β -hexachlorocyclohexane by haloalkane dehalogenase LinB from *Sphingomonas paucimobilis* UT26. *Appl. Environ. Microbiol.* **71**:2183-2185.
- Nalin, R., P. Simonet, T. M. Vogel, and P. Normand.** (1999). *Rhodanobacter lindaniclasticus* gen. nov., sp. nov., a lindane-degrading bacterium. *Int. J. Syst. Bacteriol.* **49**:19-23.
- Nawab, A., A. Aleem, and A. Malik.** (2003) Determination of organochlorine pesticides in agricultural soil with special reference to γ -HCH degradation by *Pseudomonas* strains. *Bioresour. Technol.* **88**:41-46.
- Newcombe, D.A. and Crowley, D.E.** (1999) Bioremediation of atrazine-contaminated soil by repeated applications of atrazine-degrading bacteria. *Appl. Microbiol. Biotechnol.* **51**:877-882.

References

- Ohisa, N., M. Yamaguchi, and N. Kurihara.** (1980). Lindane degradation by cell-free extracts of *Clostridium rectum*. *Arch. Microbiol.* **125**:221-225.
- Okeke, B. C., T. Siddique, M. C. Arbestain, and W. T. Frankenberger.** (2002) Biodegradation of γ -hexachlorocyclohexane (lindane) and α -hexachlorocyclohexane in water and a soil slurry by a *Pandoraea* species. *J. Agric. Food Chem.* **50**:2548-2555.
- Pal, R., S. Bala, M. Dadhwal, M. Kumar, G. Dhingra, O. Prakash, S. R. Prabagaran, S. Shivaji, J. Cullum, C. Holliger, and R. Lal.** (2005). Hexachlorocyclohexane-degrading bacterial strains *Sphingomonas paucimobilis* B90A, UT26 and Sp+, having similar *lin* genes, represent three distinct species, *Sphingobium indicum* sp. nov., *Sphingobium japonicum* sp. nov. and *Sphingobium francense* sp. nov., and reclassification of [Sphingomonas] *chungbukensis* as *Sphingobium chungbukense* comb. nov. *Int. J. Syst. Evol. Microbiol.* **55**:1965-1972.
- Persson, B., M. Krook, and H. Jornvall.** (1991). Characteristics of short-chain alcohol dehydrogenases and related enzymes. *Eur. J. Biochem.* **200**:537-543.
- Petrovskis EA, Vogel TM, Saffarini DA, Nealson KH, Adriaens P** (1995). Transformation of tetrachloromethane by *Shewanella putrefaciens* MR-1. In: Hinchee RE, Leeson A, Semprini L (eds) Bioremediation of chlorinated solvents. Battelle Press, Columbus, Ohio.
- Phillips TM, Seech AG, Lee H and Trevors JT,** (2001). Colorimetric assay for lindane dechlorination by bacteria. *J Microbiol Methods.* **47**: 181-188.

References

- Phillips, T. M., A. G. Seech, H. Lee, and J. T. Trevors.** (2005). Biodegradation of hexachlorocyclohexane (HCH) by microorganisms. *Biodegradation*. **16**:363-392.
- Picardal Flynn, Robert G. Arnold and Bryan B. Huey,** (1995). Effects of Electron Donor and Acceptor Conditions on Reductive Dehalogenation of Tetrachloromethane by *Shewanella putrefaciens* 200. *Applied and Environmental Microbiology*. **61**(1): 8-12.
- Pieper, D.H. and Reineke, W.** (2000) Engineering bacteria for bioremediation. *Curr. Opin. Biotechnol.* **1**: 262-270.
- Poindexter, J S.** (1981) Oligotrophy: fast and famine existence. *Adv. Microb. Ecol.* **5**: 63-89.
- Pooja Sharma, Mansi Verma, Kiran Bala, Aeshna Nigam, Rup Lal** (2010) *Sphingopyxis ummariensis* sp. nov., isolated from a hexachlorocyclohexane (HCH)-dump site in North India. *International journal of systematic and evolutionary microbiology* **60**(4):780-784
- Raina, V., A. Hauser, H. R. Buser, D. Rentsch, P. Sharma, R. Lal, C. Holliger, J. T. Poiger, M. D. Muller, and H. P. E. Kohler.** (2007). Hydroxylated metabolites of β - and δ -hexachlorocyclohexane: bacterial formation, stereochemical configuration, and occurrence in groundwater at a former production site. *Environ. Sci. Technol.* **41**:4292-4298.
- Raina, V., D. Rentsch, T. Geiger, P. Sharma, H. R. Buser, C. Holliger, R. Lal, and H. P. E. Kohler.** (2008). New metabolites in the degradation of α - and γ -hexachlorocyclohexane (HCH): pentachlorocyclohexenes are hydroxylated to

References

- cyclohexenols and cyclohexenediols by the haloalkane dehalogenase LinB from *Sphingobium indicum* B90A. *J. Agric. Food Chem.* **56**:6594-6603.
- Rajendran RB, Venugopalan VK, Ramesh R.** (1999) Pesticide residues in air from coastal environment, south India. *Chemosphere.* **39**(10):1699-706.
- Rajvinder Kaur a, John Macleod b, William Foley c, Murali Nayudu c** (2006) Gluconic acid: An antifungal agent produced by *Pseudomonas* species in biological control of take-all. *Phytochemistry* **67**: 595–604
- Rijnaarts, H. H. M., A. Bachmann, J. C. Jumelet, and A. J. B. Zehnder.** (1990). Effect of desorption and intraparticle mass transfer on the aerobic biomineralization of α -hexachlorocyclohexane in a contaminated calcareous soil. *Environ. Sci. Technol.* **24**:1349-1354.
- Rooney-Varga, J. N., R. T. Anderson, J. L. Fraga, D. Ringelberg, and D. R. Lovley.** (1999). Microbial communities associated with anaerobic benzene degradation in a petroleum-contaminated aquifer. *Appl. Environ. Microbiol.* **65**:3056-3063.
- Runes, H., Jenkins, J.J. and Bottomley, P.J.** (2001) Atrazine degradation by bioaugmented sediment from constructed wetlands. *Appl. Microbiol. Biotechnol.* **57**: 427-432.
- Ryo Endo, Yoshiyuki Ohtsubo, Masataka Tsuda, and Yuji Nagatay,** (2006). Growth Inhibition by Metabolites of γ -Hexachlorocyclohexane in *Sphingobium japonicum* UT26. *Biosci. Biotechnol. Biochem.* **70** (4): 1029–1032.
- Sahu SK, Patnaik, KK, Sharmila M & Sethunathan N,** (1990). Degradation of alpha, beta and γ -hexachlorocyclohexane by a soil bacterium under aerobic conditions. *Appl Environ Microbiol.* **56**: 3620–3622.

References

- Sahu, S. K., K. K. Patnaik, and N. Sethunathan.** (1992). Dehydrochlorination of δ -isomer of hexachlorocyclohexane by a soil bacterium, *Pseudomonas* sp. *Bull. Environ. Contam. Toxicol.* **48**:265-268.
- Sahu, S. K., K. K. Patnaik, S. Bhuyan, B. Sreedharan, N. Kurihara, T. K. Adhya, and N. Sethunathan.** (1995). Mineralization of α -, γ - and β -isomers of hexachlorocyclohexane by a soil bacterium under aerobic conditions. *J. Agric. Food Chem.* **43**:833-837.
- Saltikov W. Chad, Richard A, Wildman Jr. & Dianne K. Newman,** (2005). Expression Dynamics of Arsenic Respiration and Detoxification in *Shewanella* sp. Strain ANA-3. *J Bacteriol* **187**: 7390-7396.
- Sambrook J & Russell DW,** (2001). Molecular Cloning. A Laboratory Manual. 3rd edn. Cold Spring Harbor, N.Y.: Cold Spring Harbor Laboratory Press.
- Senoo K and Wada H,** (1989). Isolation and identification of an aerobic γ -HCH decomposing bacterium from soil. *Soil Sci Plant Nutr.* **35**: 79-87.
- Sharma, P., V. Raina, R. Kumari, S. Malhotra, C. Dogra, H. Kumari, H. P. E. Kohler, H. R. Buser, C. Holliger, and R. Lal.** (2006). Haloalkane dehalogenase LinB is responsible for β - and δ -hexachlorocyclohexane transformation in *Sphingobium indicum* B90A. *Appl. Environ. Microbiol.* **72**:5720-5727.
- Siddique, T., Okeke, B.C., Arshad, M. and Frankenberger, W.T.** (2002) Temperature and pH effects on biodegradation of hexachlorocyclohexane isomers in water and a soil slurry. *J. Agr. Food Chem.* **50**: 5070-5076.

References

- Silvia F. Pesce, Daniel A. Wunderlin**, (2004). Biodegradation of lindane by a native bacterial consortium isolated from contaminated river sediment. *International Biodeterioration and Biodegradation*. **54**: 255 – 260,
- Simonich SL & Hites RA**, (1995). Global distribution of persistent organochlorine compounds. *Science*. **269**: 1851–1854.
- Singh, A. K., P. Chaudhary, A. S. Macwan, U. N. Diwedi, and A. Kumar**. (2007a). Selective loss of *lin* genes from hexachlorocyclohexane-degrading *Pseudomonas aeruginosa* ITRC-5 under different growth conditions. *Appl. Microbiol. Biotechnol.* **76**:895-901.
- Singh, A., and R. Lal.** (2008). *Sphingobium ummariense* sp. nov., a hexachlorocyclohexane (HCH)-degrading bacterium, isolated from HCH-contaminated soil. *Int. J. Syst. Evol. Microbiol.* **59**:162-166.
- Singh, B.K. and Kuhad, R.C.** (1999) Biodegradation of lindane (γ -hexachlorocyclohexane) by the white-rot fungus *Trametes hirsustus*. *Lett. Appl. Microbiol.* **28**: 238-241.
- Smith, A.G.** (1991) Chlorinated Hydrocarbon Insecticides. In Hayes, W.J. and Laws, E.R.
- Staples, C.A., Werner, A. and Hoogheem, T.** (1985) Assessment of priority pollutant concentrations in the United States using STORET database. *Environ. Toxicol. Chem.* **4**:131-142.
- Steven D. Brown , Melissa R. Thompson , Nathan C. VerBerkmoes, Karuna Chourey Manesh Shah Jizhong Zhou , Robert L. Hettich and Dorothea K.**

References

- Thompson (2006)** Molecular Dynamics of the *Shewanella oneidensis* Response to Chromate Stress. *Molecular & Cellular Proteomics* **5**: 1054-1071.
- Suar, M., A. Hauser, T. Poiger, H. R. Buser, M. D. Muller, C. Dogra, V. Raina, C. Holliger, J. R. van der Meer, R. Lal, and H. P. E. Kohler.** (2005). Enantioselective transformation of alpha-hexachlorocyclohexane by the dehydrochlorinases LinA1 and LinA2 from the soil bacterium *Sphingomonas paucimobilis* B90A. *Appl. Environ. Microbiol.* **71**:8514-8518.
- Suar, M., J. R. van der Meer, K. Lawlor, C. Holliger, and R. Lal.** (2004). Dynamics of multiple *lin* gene expression in *Sphingomonas paucimobilis* B90A in response to different hexachlorocyclohexane isomers. *Appl. Environ. Microbiol.* **70**:6650-6656.
- Takeoka, H., Ramesh, A., Iwata, H., Tanabe, S., Subramanian, A.N., Mohan, A. et al.** (1991) Fate of the insecticide HCH in the tropical coastal area of south India. *Mar. Pollut.Bull.* **22**: 290-297.
- Thomas, J. C., F. Berger, M. Jacquier, D. Bernillon, F. Baud-Grasset, N. Truffaut, P. Normand, T. M. Vogel, and P. Simonet.** (1996). Isolation and characterization of a novel gamma-hexachlorocyclohexane-degrading bacterium. *J. Bacteriol.* **178**:6049-6055.
- Top, E.M., Maila, M.P., Clerinx, M., Goris, J., De Vos, P. and Verstraete, W.** (1999) Methane oxidation as a method to evaluate the removal of 2,4-dichlorophenoxyacetic acid (2,4-D) from soil by plasmid-mediated bioaugmentation. *FEMS Microbiol. Ecol.* **28**: 203-213.
- Toteja GS, Diwakar S, Mukherjee A, Singh P, Saxena BN, Kalra RL, Kapoor SK, Kaur H, Raizada RB, Singh V, Vaidya RC, Chakraborty S, Shirolkar SB,**

References

- Regupathy A, Douressamy.** (2006) Residues of DDT and HCH in wheat samples collected from different states of India and their dietary exposure: A multicentre study. *Food Additives and Contaminants.* **23**(3), 281–288.
- Toteja GS, Mukherjee A, Diwakar S, Singh P, Saxena BN.** (2003) Residues of DDT and HCH pesticides in rice samples from different geographical regions of India: a multicentre study. *Food Addit Contam.* **20**(10):933-939.
- Trantirek, L., K. Hynkova, Y. Nagata, A. Murzin, A. Ansorgova, V. Sklenar, and J. Damborsky.** (2001). Reaction mechanism and stereochemistry of γ -hexachlorocyclohexane dehydrochlorinase LinA. *J. Biol. Chem.* **276**:7734-7740.
- Tu, C. M.** (1976) Utilization and degradation of lindane by soil microorganisms. *Arch. Microbiol.* **108**:259-263.
- Ulman E** (1972) Lindane, monograph of an insecticide. Verlag K Schillinger, Friebur im Breisgau
- Unsworth, J.B, Wauchope, R.D, Klein, A.W., Dorn, E., Zeeh, B., Yeh, S.M., Akerblom, M.,Racke, K.D. and Rubin, B.** (1999) Significance of the long range transport of pesticides in the atmosphere. *Pure Appl. Chem.* **71**:1359-1383.
- USEPA** (United States Environmental Protection Agency) (1999) Field applications of in situ remediation technologies: permeable reactive barriers. EPA 542-R-99-002, p.114.
- Valls M and de Lorenzo V,** (2002). Exploiting the genetic and biochemical capacities of bacteria for the remediation of heavy metal pollution. *FEMS Microbiol Rev.* **26**: 327–338.

References

- van Doesburg, W., M. H. van Eekert, P. J. Middeldorp, M. Balk, G. Schraa, and A. J. Stams.** (2005). Reductive dechlorination of β -hexachlorocyclohexane (β -HCH) by a *Dehalobacter* species in coculture with a *Sedimentibacter* sp. *FEMS Microbiol. Ecol.* **54**:87-95.
- van Eekert, M. H. A., N. J. P. van Ras, G. H. Mentink, H. H. M. Rijnaarts, A. J. M. Stams, J. A. Field, and G. Schraa.** (1998). Anaerobic transformation of β -HCH by methanogenic granular sludge and soil microflora. *Environ. Sci. Technol.* **32**:3299-3304.
- Verma, A. and Pillai, M.K.K.** (1991) Bioavailability of soil-bound residues of DDT and HCH to certain plants. *Soil Biol. Biochem.* **23**: 347-351.
- Verma, K. Agrawal, N. Farooq, M. Misra R.B. and Hans R.K.** (2006) Endosulfan degradation by a *Rhodococcus* strain isolated from earthworm gut. *Ecotoxicology and Environmental Safety* **64** (3): 377-381
- Vijgen J** (2006) The legacy of lindane HCH isomer production. Main report. IHPA, Holte, January 2006
http://ew.eea.europa.eu/Agriculture/Agreports/obsolete_pesticides/lindane_production.pdf
- Vijgen John, P. C. Abhilash, Yi Fan Li, Rup Lal, Martin Forter, Joao Torres, Nandita Singh, Mohammad Yunus, Chongguo Tian, Andreas Schäffer, Roland Weber,** (2011). Hexachlorocyclohexane (HCH) as new Stockholm Convention POPs—a global perspective on the management of Lindane and its waste isomers. *Environ Sci Pollut Res.* **18**:152–162.

References

- Vijgen, J.** (2005) Obsolete pesticides: how to solve a worldwide society problem? In Lens, P., Grotenhuis, T., Malina, G. and Tabak, H. (eds.), *Soil and Sediment Remediation*. IWA Publishing, London (UK).
- Vikelsoe, J. and Johansen, E.** (2000) Estimation of dioxin emission from fires in chemicals. *Chemosphere*. **40**: 165-175.
- Viswanathan, R., Ray, S., Scheunert, I. and Korte F.** (1988) Investigations on accumulation and biotransformation by earthworms of lindane occurring as soil contaminant. Hazard Waste: Detect. Control Treat. Proc. *World Conf. Vol. (Pt A)*: 759-765.
- Walker, K., D. A. Vallero, and R. G. Lewis.** (1999). Factors influencing the distribution of lindane and other hexachlorocyclohexanes in the environment. *Environ. Sci. Technol.* **33**:4373-4378.
- Wauchope, R.D., Buttler, T.M., G., H.A., Beckers, A. and Burt, J.P.** (1992) SCS/ARS/CES Pesticide properties database for environmental decision making. *Rev. Environ. Contam. Toxicol.* **123**: 1-157.
- WHO** (World Health Organization) (2005) International Programme on Chemical Safety (IPCS) Chemical Safety Information from Intergovernmental Organizations. Online: <http://www.inchem.org/>
- Wild, S.R. and Jones, K.C.** (1992) Organic chemicals entering agricultural soils in sewage sludges: Screening for their potential to transfer to crop plants and livestock. *Sci. Total Environ.* **119**: 85-119.

References

- Willett, K. L., E. M. Ulrich, and R. A. Hites.** 1998. Differential toxicity and environmental fates of hexachlorocyclohexane isomers. *Environ. Sci. Technol.* **32**:2197-2207.
- Woese, C. R.** (1987) Bacterial evolution. *Microbiol. Rev.* **51**: 221-271.
- Wu, J., Q. Hong, P. Han, J. He, and S. Li.** (2007a) A gene *linB2* responsible for the conversion of β -HCH and 2,3,4,5,6-pentachlorocyclohexanol in *Sphingomonas* sp. BHC-A. *Appl. Microbiol. Biotechnol.* **73**:1097-1105.
- Wu, J., Q. Hong, Y. Sun, Y. Hong, Q. Yan, and S. Li.** 2007b. Analysis of the role of LinA and LinB in biodegradation of δ -hexachlorocyclohexane. *Environ. Microbiol.* **9**:2331-2340.
- Yamamoto, S., S. Otsuka, Y. Murakami, M. Nishiyama, and K. Senoo.** (2009) Genetic diversity of gamma-hexachlorocyclohexane-degrading sphingomonads isolated from a single experimental field. *Lett. Appl. Microbiol.* **49**:472-477.
- Yule, W. N., M. Chiba, and H. V. Morely.** (1967) Fate of insecticide residues. Decomposition of lindane in soil. *J. Agric. Food Chem.* **15**:1000-1004.
- Zoetemann, B.C.J., Harmsen, K. and Linders, J.B.H.J.** (1980) Persistent organic pollutants in river water and ground water of the Netherlands. *Chemosphere.* **9**: 231-249