

TABLE OF CONTENTS

	Page No
List of Abbreviations	i
List of Figures	iv
List of Tables	x
Chapter 1 General introduction and scope of thesis	1
1.1 Plant diseases and biocontrol	1
1.2 Plant Growth Promoting Rhizobacteria	3
1.3 Rhizosphere and PGPR	4
1.3.1 Positive and negative interactions among rhizobacteria and plants	6
1.4 <i>Pseudomonas</i> as a PGPR	9
1.5 PGPR traits of fluorescent pseudomonads	11
1.5.1 Siderophore production	11
1.5.2 Phosphate solubilization.	12
1.5.3 Lytic enzyme production	14
1.5.4 Induction of plant resistance mechanisms	14
1.5.5 Phytohormone production	15
1.5.6 Efficient Root colonization	16
1.5.7 Antibiosis	16
1.5.7.1 2,4-diacetylphloroglucinol(2,4-DAPG)	17
1.5.7.2 Pyoluteorin (PLT).	18
1.5.7.3 Pyrrolnitrin (PRN).	19
1.5.7.4 Phenazines (PHZ).	19
1.6 Scope of thesis	21
1.7 <i>References for Chapter 1</i>	24

Chapter 2	Isolation and characterization of plant growth promoting strains of fluorescent pseudomonads	
2.1	<i>Introduction</i>	35
2.1.1	Development of bio-control strains of fluorescent pseudomonads.	35
2.1.2	Standard plant growth promoting strains of fluorescent <i>Pseudomonas</i>	36
2.1.2.1	<i>Pseudomonas fluorescens</i> CHA0	36
2.1.2.2	<i>Pseudomonas fluorescens</i> Pf-5	38
2.1.2.3	2,4- DAPG producers	38
2.2	<i>Materials and methods</i>	39
2.2.1	Rhizospheric soil collection	39
2.2.2	Isolation of fluorescent pseudomonad strains.	40
2.2.3	Enrichment method for the isolation of efficient root colonizing fluorescent pseudomonads.	40
2.2.3.1	Surface sterilization and germination of <i>Vigna radiata</i> seeds	40
2.2.3.2	Plant assay for the effective root colonizers	41
2.2.3.3	Quantification of antifungal activity.	42
2.2.3.4	Quantification of phosphate solubilization ability.	43
2.2.4	Identification of fluorescent isolates by biochemical methods	44
2.2.4.1	Gram staining	44
2.2.4.2	Catalase test	44
2.2.4.3	Oxidase Test	44
2.2.4.4	Hugh-Leifson's Oxidation – Fermentation (OF) test	44
2.2.4.5	Arginine Dihydrolase test	45

2.2.5	Identification of isolates by molecular method	46
2.2.5.1	Genomic DNA isolation from isolated strains	46
2.2.5.2	PCR amplification of ITS region	46
2.2.6	Characterization of fluorescent pseudomonads strains based on PGPR traits.	48
2.2.6.1	Siderophore production.	48
2.2.6.2	Indole acetic acid production	49
2.2.6.3	HCN production	50
2.2.7	Characterization of fluorescent pseudomonads strains for lytic enzymes	50
2.2.7.1	Protease production	50
2.2.7.2	Chitinase Activity	50
2.2.7.3	Cellulase Activity	51
2.2.8	Bioassay for 2, 4 – DAPG	51
2.2.9	Characterization of PGPR strains for KMBA pathway	52
2.2.9.1	Preparation of bacterial extracts for ACC deaminase assay	52
2.2.9.2.	Assay of ACC Deaminase activity	52
2.2.10	Restriction Fragment Length Polymorphism for ITS amplicon	53
2.2.10.1	Restriction Endonuclease (RE) digestion of PCR products	53
2.3	<i>Results and discussion</i>	55
2.3.1	Isolation of plant growth promoting fluorescent strains by enrichment	55
2.3.2	Characterization of fluorescent bacterial isolates for the antifungal activity	55
2.3.3	Characterization of fluorescent isolates for the P-solubilization	59
2.3.4	Siderophore production by fluorescent bacterial isolates	61
2.3.5	Identification of isolates by biochemical tests	63
2.3.6	Identification of fluorescent pseudomonads strains by molecular	64

	method	
2.3.7	Characterization of fluorescent pseudomonads for indole acetic acid (IAA) production	65
2.3.8	Study of other traits responsible for antibiosis in fluorescent pseudomonads	67
2.3.8.1	Protease activity	68
2.3.8.2	Chitinase activity	68
2.3.8.3	Cellulase activity	68
2.3.9	Antibacterial activity by fluorescent pseudomonads	69
2.3.10	Characterization of PGPR strains for presence of ACC/ KMBA Pathway	71
2.3.10.1	ACC as a Nitrogen source	71
2.3.10.2	KMBA pathway in fluorescent pseudomonads strains	71
2.3.11	HCN production by fluorescent pseudomonads isolates	73
2.3.12	ITS-RFLP of fluorescent <i>Pseudomonas</i> strains	75
2.4	<i>Conclusion</i>	77
2.5	<i>References for Chapter 2</i>	78
Effect of environmental and nutritional factors on		
Chapter 3	antifungal metabolite production in fluorescent pseudomonads	83
3.1	<i>Introduction</i>	83
3.1.1	Biosynthesis of antifungal metabolites by fluorescent pseudomonads	83
3.1.1.1	2, 4- DAPG biosynthesis	83
3.1.1.2	Pyrrolnitrin biosynthesis	85
3.1.1.3	Pyoluteorin biosynthesis	85

3.1.1.4	Phenazine biosynthesis	86
3.1.1.5	Hydrogen cyanide production	87
3.1.2	Regulation biosynthesis of antibiotics	89
3.1.2.1	Abiotic factors	90
3.1.2.2	Biotic factors	91
3.1.2.3	Global regulatory mechanisms	92
3.1.2.4	Sigma factor mediated transcriptional regulation	93
3.1.2.5	Quorum sensing	94
3.1.2.6	Positive autoregulation	95
3.1.2.7	Negative regulation	96
3.1.3	Functional and genetic diversity of antibiotic producing <i>Pseudomonas</i> species	97
3.1.3.1	Detection and distribution of 2,4- DAPG-producing pseudomonads	100
3.2	<i>Materials and methods</i>	103
3.2.1	Bacterial strains maintenance and growth conditions	103
3.2.2	PCR based detection of the <i>phlD</i> , <i>hcnBC</i> , <i>pltC</i> , and <i>prn BC</i> in fluorescent pseudomonads	103
3.2.2.1	PCR amplification	103
3.2.3	Quantification of antifungal metabolites produced by fluorescent pseudomonads	105
3.2.3.1	Extraction and quantification of 2, 4- DAPG	105
3.2.3.2	Bioassay for 2,4- DAPG	105
3.2.3.3	Extraction of PRN	106
3.2.3.4	TLC analysis of PRN	107
3.2.3.5	Quantification of antifungal metabolites by HPLC	107
3.2.4	Effect of carbon sources and phosphate levels on 2,4- DAPG production by isolates	108

3.2.4.1	Growth on medium containing various concentrations of phosphate	108
3.2.4.2	Growth on medium containing various C sources	108
3.2.5	Studies on the effect of nutritional factors on antifungal metabolite production by fluorescent pseudomonad strains	108
3.2.6	Design of experiment for the combinations of nutritional factors.	110
3.2.6.1	Extraction, identification and quantification of antifungal metabolites	110
3.2.6.2	<i>In vitro</i> tests of fungal antagonism	111
3.2.6.3	Principal Component Analysis	111
3.3	<i>Results and Discussion</i>	112
3.3.1	Detection of <i>phlD</i> , <i>hcnBC</i> , <i>prn D</i> and <i>pltBC</i> among fluorescent <i>Pseudomonas</i> strains	112
3.3.1.1	Detection of <i>phlD</i> gene in fluorescent <i>Pseudomonas</i> strains	112
3.3.1.2	Detection of <i>hcnBC</i> in fluorescent <i>Pseudomonas</i> strains	112
3.3.1.3	Detection of <i>pltC</i> gene in fluorescent <i>Pseudomonas</i> strains	113
3.3.1.4	Detection of <i>prnC</i> gene in fluorescent <i>Pseudomonas</i> strains	113
3.3.2	Production of 2, 4-DAPG by fluorescent pseudomonads	118
3.3.2.1	Quantification of 2, 4-DAPG	118
3.3.2.2	Effect of C sources and P levels on 2, 4- DAPG production	120
3.3.2.2.1	Effect of carbon sources on 2, 4- DAPG production	121
3.3.2.2.2	Effects of inorganic phosphate on 2, 4- DAPG production	123
3.3.3	Pyrrolnitrin production by fluorescent <i>Pseudomonas</i> strains	125
3.3.4	Phenazine production by fluorescent <i>Pseudomonas</i> strains	126
3.3.4.1	Primary screening based on pigment production	126
3.3.4.2	Screening based on MnO ₂ reduction	126
3.3.4.3	Extraction and screening of MnO ₂ reducing molecules from culture supernatants	129

3.3.4.4	Identification of phenazine derivative based on redox potential	129
3.3.4.5	Quantification of phenazine production	132
3.3.4.6	Secondary screening for PCN production by selected strains	132
3.3.5	Effect of nutritional factors on the production of phenazine-1-carboxamide (PCN) in G44	133
3.3.5.1	Effect of nitrogen sources on PCN production	134
3.3.5.2	Effect of carbon sources on PCN production	134
3.3.5.3	Cumulative effect of PCN production supportive factors	137
3.3.5.4	UV-absorption spectra of phenazine derivatives	138
3.3.6	Statistical analysis for the effect of nutritional factors on antifungal metabolite production in fluorescent pseudomonad	139
3.3.6.1	Effect of nutrient combinations on growth and antifungal activity of <i>PfCHA0</i>	139
3.3.6.2	Effect on nutritional factors on antibiotic biosynthesis	145
3.3.6.3	Contribution of PRN, 2,4- DAPG and PLT to antifungal activity	152
3.3.6.4	Principal Component Analysis for day 2 and day 5 antifungal activity	153
3.3.7	Effect of biocontrol supportive nutritional factors on the antifungal metabolite production by fluorescent pseudomonad isolates	155
3.3.7.1	Effect of biocontrol supportive nutritional factors on the antifungal activity by isolated biocontrol strains:	155
3.3.7.2	Effect of combination of nutritional factors on the antifungal activity by G20	156
3.4	<i>Conclusion</i>	157
3.5	<i>References for Chapter 3</i>	159

Chapter 4	Studies on the interactions of fluorescent pseudomonads with rhizobia	176
4.1	<i>Introduction</i>	176
4.1.1	Rhizobia as a N ₂ fixer	176
4.1.1.1	Taxonomy of rhizobia	176
4.1.2	Microbe–Microbe interactions for sustainable agro-ecosystem development	177
4.1.2.1	Positive interactions in the rhizosphere	177
4.1.2.2	Negative interactions in the rhizosphere	179
4.2.	<i>Materials and methods</i>	183
4.2.1	Bacterial strains used in study	183
4.2.2.	Effect of pure antifungal metabolites on rhizobia	183
4.2.3	Dual culture test for compatibility of bio-control fluorescent pseudomonads with rhizobia	184
4.2.4	Rhizobial inhibition by ethyl acetate extracts of fluorescent pseudomonad strains	184
4.2.5	Interaction of fluorescent pseudomonads with rhizobial strains in the presence of fungal pathogen	184
4.2.6	Rhizobial culture inhibition by fluorescent pseudomonad strains under various nutritional conditions	185
4.2.7	Rhizobial inhibition by ethyl acetate extracts of fluorescent pseudomonas strains grown under different nutritional conditions	186
4.3	<i>Results and discussion</i>	186
4.3.1	Rhizobial inhibition by antibiotics -2, 4-DAPG, PLT, PRN and PHZ	186

4.3.2	Dual culture tests for rhizobia–fluorescent pseudomonad interaction	187
4.3.3	Rhizobial inhibition by ethyl acetate extraction of antibiotics from fluorescent <i>Pseudomonas</i> strains	189
4.3.4	Rhizobial inhibition by fluorescent pseudomonas strains under various nutritional conditions	192
4.3.4.1	Effect of DAPG production supportive media on rhizobial inhibition by fluorescent pseudomonads	192
4.3.4.2	Rhizobial inhibition by ethyl acetate extracts of fluorescent pseudomonads grown under different nutritional conditions	193
4.3.5	Triple culture technique to study the interaction of rhizobial, fluorescent pseudomonads and <i>R. bataticola</i>	195
4.4	<i>Conclusion</i>	198
4.5	<i>References for Chapter 4</i>	198
Chapter 5	Plant inoculation studies for the effect of fluorescent pseudomonads and rhizobia on <i>Vigna radiata</i> and <i>Cajanus cajan</i>	203
5.1	<i>Introduction</i>	203
5.1.1	PGPR interactions in rhizosphere and plant growth stimulation	203
5.1.2	Effect of co-inoculation of other PGPR and rhizobia on plant growth	204
5.2	<i>Materials and methods</i>	206
5.2.1	Microorganisms and the plant materials used	206
5.2.2	Plant inoculation study for the effect of fluorescent pseudomonad on plant growth	207
5.2.2.1	Preparation of synthetic media for plant assay	207

5.2.2.2	Seed sterilization and germination	208
5.2.2.3	Treatment of germinated seedlings with fluorescent pseudomonads	208
5.2.3	Plant study for the coinoculation effect of <i>PfCHA0</i> , <i>E.asburiae</i> PSI3, and rhizobial strains on <i>Cajanus Cajan</i>	209
5.2.4	Antibiotic sensitivity of bacterial strains using octa-discs.	210
5.2.5	Plant protection assay under biocontrol supportive medium.	210
5.2.6	Seed germination assay	210
5.3	<i>Results and discussion</i>	210
5.3.1	Effect of biocontrol strains of fluorescent pseudomonads on plant growth	210
5.3.2	Plant assay for the protection of <i>Vigna radiata</i> from <i>R.bataticola</i> by fluorescent pseudomonas strains	212
5.3.3	Coinoculation effect of <i>PfCHA0</i> , <i>E.asburiae</i> PSI3 and rhizobia on <i>Cajanus cajan</i>	213
5.3.4	Detection of treated strains in the pot soil using antibiotics sensitivity based analysis	215
5.3.5	Plant protection under biocontrol supportive medium.	220
5.4	<i>Conclusion</i>	221
5.5	<i>References for Chapter 5</i>	222

Research work presentation at international/national symposium/conference/workshops

Achievements

Summary of thesis