

Bibliography

- Aban, I. B., Meerschaert, M. M. and Panorska, A. K. (2006). Parameter estimation for the truncated Pareto distribution, *Journal of American Statistical Association*, 101(473): 270 – 277.
- Adlouni, S. El., Ezzahid, E. and Mouatassim, Y. (2011). Mixed distributions for loss severity modeling with zero in operational risk losses. *International Journal of Applied Mathematics and Statistics*, 21(11): 14 pages.
- Aitchison, J. (1955). On the distribution of a positive random variable having a discrete probability mass at the origin. *Journal of American Statistical Association*, 50: 901 – 908.
- Akaike, H. (1973). Information Theory and an Extension of the Maximum Likelihood Principle. In *Second International Symposium on Information Theory*, ed. B. N. Petrov and F. Csake (Budapest: Akademiai Kiado): 267 – 281.
- Akkaya, A. K. and Tiku, M. L. (2005). Robust estimation and hypothesis testing under short-tailedness and inlier, *Sociedad de Estadística e Investigación Operativa Test*, 14(1): 129 – 150.
- Al-Khedhairi, A. and El-Gohary, A. (2008). A new class of bivariate Gompertz distributions and its mixture. *International Journal of Mathematical Analysis*, 2: 235 – 253.
- Ananda, M. M., Dalpatadu, R. J. and Singh, A. K. (1996). Adaptive bayes estimators for parameters of the Gompertz survival model. *Applied Mathematics and Computation*, 75(2-3): 167 – 177.
- Anderson, T. W. and Darling, D. A. (1954). A test of goodness of fit. *Journal of American Statistical Association*, 49(268): 765 – 769.
- Bahadur, R. R. (1957). On unbiased estimates of uniformly minimum variance. *Sankhya*, 18, 211 – 224.
- Balasooriya, U. and Gadag, V. (1994). Test for upper outliers in the two-parameter exponential distribution. *Journal of Statistical Computation and Simulation*, 50(3 – 4): 249 – 259.

- Barankin, E. W. (1949). Extension of a theorem of Blackwell. *Annals of Mathematical Statistics*, 21, 280 – 284.
- Barnett, V. and Lewis, T. (1994). *Outliers in Statistical Data*, 3rd ed., John Wiley & Sons, New York.
- Bavagosai, P. and Muralidharan, K. (2016). Some inferential study on inliers in Lindley distribution. *International Journal of Statistics and Reliability Engineering*, 3(2): 108 – 129.
- Bavagosai, P. and Muralidharan, K. (2018). A Pareto II model with inliers at zero and one based on Type-II censored samples. *Reliability: Theory and Applications*, 13, No. 3 (50): 60 – 89.
- Bendre, S. M. and Kale, B. K. (1985). Masking effect on test for outliers in exponential models. *Journal of the American Statistical Association*, 80 (392): 1020 – 1025.
- Bipin, G. and Mintu, D. (2015). Detection of Multiple Upper Outliers in Exponential Sample under Slippage Alternative. *International Advanced Research Journal in Science, Engineering and Technology*, 2(8): 63 – 69. DOI: 10.17148/IARJSET.2015.2816
- Böhning, D. (1999). The lower bound method in Probit regression, *Computational Statistics and Data Analysis*, 30, pg. 13 – 17.
- Charalambides, C. H. (1974). Minimum variance unbiased estimation for a class of left truncated distributions. *Sankhya A*, 36: 392 – 418.
- Chen, Z. (1997). Parameter estimation of the Gompertz population. *Biometrical Journal*, 39(1): 117 – 124.
- Chikkagoudar, M. S. and Kunchur, S. H. (1983). Distribution of test statistics for multiple outliers in exponential samples. *Communication in Statistics –Theory and Methods*, 12: 2127 – 2142.
- Chikkagoudar, M. S. and Kunchur, S. H. (1987). Comparison of many outlier procedures for exponential samples. *Communication in Statistics –Theory and Methods*, 16: 627 – 645.
- Cramer, H. (1928). On the composition of elementary errors. *Skandinavisk Aktuarietidskrift*, 11: 13 – 74, 141–180.
- Cochran, W. G. (1941). The distribution of the largest of a set of estimated variances as a fraction of their total. *Annals of Eugenics*, 11, 47 – 52.

- David, H. A. (1981). *Order Statistics (2nd Edition)*, John Wiley, New York.
- Diebolt, J. and Robert, C. P. (1994). Estimation of finite mixture distributions through Bayesiansampling, *Journal of the Royal Statistical Society B*, Methodological, 56, (2): 363 – 375.
- Dixit, V. U. (2003) Estimation of parameters of mixed failure time distribution based on an extended modified sampling scheme. *Communication in Statistical Theory Methods*, 32(10): 1911 – 1923.
- Embrechts, P., Resnick, S. I. and Samorodnitsky, G (1999). Extreme value theory, *North American Actuarial Journal*, 3(2): 30 – 41.
- Epstein, B. and Sobel, M. (1953). Life testing, *Journal of American Statistical Association*, 48, 486-502.
- Escobar, M. D. and West, M. (1995). Computing nonparametric hierarchical models, *CiteseerX*.
- Ferguson, T. S. (1961). Rules of rejection of outliers. *Revue Institute Internationale de Statistica*, 29(3): 29 – 43.
- Ferguson, T. S. (1967). *Mathematical Statistics: A Decision Theoretic Approach*. New York and London Academic Press Inc.
- Ghitany, M. E., Atieh, B. and Nadarajah, B. (2008). Lindley distribution and its application. *Mathematics and Computers in Simulation*, 78(4): 493 – 506.
- Gompertz, B. (1825). On the nature of the function expressive of the law of human mortality and on the new mode of determining the value of life contingencies. *Philosophical Transactions of the Royal Society A*, 115: 513–580.
- Gordon, N. H. (1990). Maximum likelihood estimation for mixtures of two Gompertz distribution when censoring occurs. *Communications in Statistics-Simulation and Computation*, 19: 733–747.
- Gupta, R. C. (1977). Minimum variance unbiased estimation in modified power series distribution and some of its applications. *Communication in Statistics*, 6: 977 – 991.
- Gupta, R. C. and Kundu, D. (2001). Generalized exponential distribution: Different method of estimation. *Journal of Statistical Computation and Simulation*, 69, 315 – 337.

- Guttman, I. (1973). Care and handling of univariate multivariate outliers in detecting spuriousity – a Bayesian approach. *Technometrics*, 15: 723 – 738.
- Hanna, H. Abu-Zinadah (2014). Six method of estimations for the shape parameter of Exponentiated Gompertz distribution. *Applied Mathematical Sciences*, 8, 4349 – 4359.
- Hawkins, D. M. (1980). *Identification of outliers*. Chapman and Hall, London.
- Ismail, A. A. (2010). Bayes estimation of Gompertz distribution parameters and acceleration factor under partially accelerated life tests with type-I censoring. *Journal of Statistical Computation and Simulation*, 80(11): 1253 – 1264.
- Jaffe, D. M. and Russell, T. (1996). *Catastrophe Insurance, Capital Markets and Uninsurable Risk*. Philadelphia: Financial Institutions Center. The Wharton School, pp. 96 – 112.
- Jaheen, Z. F. (2003). A bayesian analysis of record statistics from the Gompertz model. *Applied Mathematics and Computation*, 145(2-3): 307 – 320.
- Jani, P. N. (1977). Minimum variance unbiased estimation for some left-truncated modified power series distributions. *Sankhya*, 39: 258 – 278.
- Jani, P. N. (1993). A characterization of one-parameter exponential family of distributions. *Calcutta Statistical Association Bulletin*, 43 (3–4): 253 – 256.
- Jani, P. N. and Dave, H. P. (1990). Minimum variance unbiased estimation in a class of exponential family of distributions and some of its applications. *Metron*, 48: 493 – 507.
- Jani, P. N. and Singh, A. K. (1995). Minimum variance unbiased estimation in multi-parameter exponential family of distributions. *Metron*, 53: 93 – 106.
- Jayade, V. P. (1993). Statistical inference for AR-process with mixed error. Unpublished Ph.D. thesis, Shivaji University, Kolhapur, Maharashtra.
- Jayade, V. P. and Prasad, M. S. (1990). Estimation of parameters of mixed failure time distribution. *Communication in Statistics – Theory Methods*, 19(12): 4667 – 4677.
- Johnson, N. L., Kotz, S. and Balakrishnan, N. (1995). *Continuous Univariate Distribution*. Vol. 2, Second Edition, John Wiley, New York.
- Joshi, S. W. and Park, C. J. (1974). Minimum variance unbiased estimation for truncated power series distributions. *Sankhya A*, 36: 305 – 314.

- Kale, B. K. (1975). Trimmed means and the method of maximum likelihood when spurious observations are present. *Applied Statistics*, R. P. Gupta, Ed., North Holland, Amsterdam, 177 – 185.
- Kale, B. K. (1998). Optimal estimating equations for discrete data with higher frequencies at a point. *Journal of Indian Statistical Association*, 36: 125 – 136.
- Kale, B. K. (2003). *Modified failure time distributions to accommodate instantaneous and early failures*. *Industrial Mathematics and Statistics*, Ed. J. C. Misra, Narosa Publishing House, New Delhi: 623 – 648.
- Kale, B. K. and Muralidharan, K. (2000). Optimal estimating equations in mixture distributions accommodating instantaneous or early failures. *Journal of the Indian Statistical Association*, 38: 317 – 329.
- Kale, B. K. and Muralidharan, K. (2006). Maximum likelihood estimation in presence of inliers. *Journal of Indian Society for Probability and Statistics*, 10: 65 – 80.
- Kale, B. K. and Muralidharan, K. (2007). Masking effect of inliers. *Journal of the Indian Statistical Association*, 45(1): 33 – 49.
- Kale, B. K. and Muralidharan, K. (2015). *Parametric Inference An Introduction*. Narosa Publishing House, New Delhi.
- Kao, J. H. K. (1958). Computer methods for estimating Weibull parameters in reliability studies. *Transactions of IRE-Reliability and Quality Control*, 13: 15 – 22.
- Kao, J. H. K. (1959). A graphical estimation of mixed Weibull parameters in life testing electron tube. *Technometrics*, 1: 389 – 407.
- Keyfitz, N. (1984). Heterogeneity and selection in population analysis. In Keyfitz N. Caswell H. (2005), *Applied mathematical demography* (3rd ed., pp. 477–493). New York, Springer.
- Khatri, C. G. (1959). On certain properties of power series distributions. *Biometrika*, 46: 486 – 490.
- Kimber, A. C. (1982). Tests for many outliers in an exponential sample. *Applied Statistics*, 31: 263 – 271.
- Kimber, A. C. and Stevens, H. J. (1981). The null distribution of a test for two upper outliers in an exponential sample. *Applied Statistics*, 30, No. 2: 153 – 157.

- Kleyle, R. M. and Dahiya, R. L. (1975). Estimation of parameters of mixed failure time distribution from censored data. *Communication in Statistics –Theory and Methods*, 4(9): 873 – 882.
- Kolmogorov, A. N. (1933). Sulla determinazione empirica di una legge di distribuzione. *Giornale dell’Istituto Italiano degli Attuari*, 4: 83 – 91.
- Lai, C. D., Khoo, B. C., Muralidharan, K. and Xie, M. (2007). Weibull model allowing nearly instantaneous failures. *Journal of Applied Mathematics and Decision Sciences*, Article ID 90842: 11 pages.
- Lawless, J. F. (2003). *Statistical Models and Methods for Lifetime Data*, Second Edition, Wiley: Hoboken, NJ, USA.
- Lehmann E. L. and Casella, G. (1998). *Theory of point estimation*, Second Edition, Springer.
- Lehmann, E. L. and Scheffe, H. (1950). Completeness, similar regions and ‘ unbiased estimation. *Sankhya* 10, 305 – 340.
- Lewis, T. and Feller, N. R. J. (1979). A recursive algorithm for null distributions for outliers: I. Gamma sample. *Technometrics*, 21: 371 – 376.
- Lin, C. and Balakrishnan, N. (2009). Exact computation of the null distribution of a test for multiple outliers in an exponential sample. *Computational Statistics & Data Analysis*, 53(9): 3281 – 3290.
- Lin, C. and Balakrishnan, N. (2014). Tests for Multiple Outliers in an Exponential Sample. *Communications in Statistics – Simulation and Computation*, 43(4): 706 – 722.
- Lindley, D. V. (1958). Fiducial distributions and bayes' theorem. *Journal of the Royal Statistical Society B*, 20: 102 – 107.
- Lindsay, B. G. (1995). *Mixture Models: Theory, Geometry, and Applications*. Hayward: Institute of Mathematical Statistics.
- Louzada, F., Ramos, P.L. and Ferreira, P.H. (2018). Exponential-Poisson distribution: estimation and applications to rainfall and aircraft data with zero occurrence. *Communication in Statistics-Simulation and Computation*. (www.researchgate.net/publication/325733386)
- Maiti, S. S. and Mukharji, I. (2016). Some estimators of the PDF and CDF of the Lindley distribution. *arXiv:1604.06308v1 [stat.AP]*.

- McLachlan, G. J. and Basford, K. E. (1988). *Mixture Models: Inference and Applications to Clustering*. New York: Marcel Dekker.
- McLachlan, G. Peel, D. A. (2000). *Finite mixture models*. New York: Wiley.
- Mendenhall, W. and Hader, R. J. (1958). Estimation of parameters of mixed exponentially distributed failure time distributions from censored life test data, *Biometrika*, 45: 504-520.
- Miller, R. G. (1960). Early failures in life testing. *Journal of American Statistical Association*, 48: 491 – 502.
- Muralidharan, K. (1999). Tests for the mixing proportion in the mixture of a degenerate and exponential distribution. *Journal of the Indian Statistical Association*, 37(2): 105 – 119.
- Muralidharan, K. (2000). The UMVUE and Bayes estimate of reliability of mixed failure time Distribution. *Communications in Statistics- Simulations and Computations*, 29(2), 603 – 619.
- Muralidharan, K. (2010). *Inlier prone models: A review*. ProbStat Forum, 3: 38 – 51.
- Muralidharan, K. (2014). Inferences on inliers in Rayleigh distribution. *Metron*, 72(3), 307 – 315.
- Muralidharan, K. and Arti, M. (2008). Analysis of instantaneous and early failures in Pareto distribution. *Journal of statistical theory and Applications*, 7: 187 – 204.
- Muralidharan, K. and Arti, M. (2013). Inlier proness in Normal distribution. *Reliability: Theory and Applications*, 8(1): 86 – 99.
- Muralidharan, K. and Bavagosai, P. (2016a). Some inferential studies on inliers in Gompertz distribution. *Journal of Indian Society for Probability and Statistics*, 17: 35 – 55.
- Muralidharan, K. and Bavagosai, P. (2016b). A revisit to early failure analysis in life testing. *Journal of the Indian Statistical Association*, 54(1 & 2): 43 – 69.
- Muralidharan, K. and Bavagosai, P. (2017). Analysis of lifetime model with discrete mass at zero and one. *Journal of Statistical Theory Practice*, 11(4): 670–692.
- Muralidharan, K. and Bavagosai, P. (2018). A new Weibull model with inliers at zero and one based on type-II censored samples. *Journal of Indian Society of Probability and Statistics*, 19: 121 – 151.

- Muralidharan, K. and Kale, B. K. (2002). Modified gamma distribution with singularity at zero. *Communications in Statistics– Simulation and computation*, 31(1): 143 – 158.
- Muralidharan, K. and Lathika, P. (2004). The concept of inliers. *Proceeding of first Sino-International Symposium on Probability, Statistics and Quantitative Management*, Taiwan, October: 77 – 92.
- Muralidharan, K. and Lathika, P. (2005). Statistical modeling of rainfall data using modified Weibull distribution. *Mausam, Indian Journal of Meteorology, Hydrology and Geophysics*, 56(4): 765 – 770.
- Muralidharan, K. and Lathika, P. (2006). Analysis of instantaneous and early failures in Weibull distribution. *Metrika*, 64(3): 305 – 316.
- Murthy, D. N. P., Xie, M. and Jiang, R. (2004). *Weibull model*. New York: Wiley.
- Panel on nonstandard mixtures of distributions (1989). Statistical methods and analysis in auditing. *Statistical Science*, 4(1): 2–33.
- Patel, S. R. (1978). Minimum variance unbiased estimation of multivariate modified power series distribution. *Metrika*, 25: 155 – 161.
- Patil, G. P. (1963a). Minimum variance unbiased estimation and certain problem of additive number theory. *Annals of Mathematics and Statistics*, 34: 1050 – 1056.
- Patil, G. P. (1965c). On multivariate generalized power series distribution and its application to the multinomial and negative multinomial, Classical and Contagious discrete Distributions, (Edited by G. P. Patel), *Statistical Publishing Society*, Calcutta: 183 – 194.
- Pearson, K. (1894). Contributions to the mathematical theory of evolution. *Philosophical Transactions of the Royal Society of London*, A, 185: 71 – 110.
- Reed, W. J. and Jorgensen, M. (2004). The double Pareto–lognormal distribution—A new parametric model for size distributions. *Communication in Statistics – Theory Methods* 33(8): 1733 – 1753.
- Reddy, C. S., Jha, C. S., Manaswini, G., Alekhya, V. V. L. P., Pasha, S. V., Satish, K. V., Diwakar, P. G. and Dadhwal, V. K. (2017). Nationwide assessment of forest burnt area in India using Resourcesat-2 AWiFS data. *Current Science*, 112(7): 1521 – 1532.

- Richardson, S. and Green, P. J. (1997). On Bayesian Analysis of Mixtures with an Unknown Number of Components. *Journal of the Royal Statistical Society: Series B*, 59(4): 731-792.
- Robbins, H. and Pitman, E. J. G. (1949). Application of the method of mixtures of quadratic forms in normal variates. *Annals of Mathematical Statistics*, 20: 552 – 560.
- Rohatgi, V. K. (1976). *An introduction to probability theory and mathematical statistics*. Wiley.
- Rosner, B. (1975). On the detection of many outliers. *Technometrics*, 17(2): 221 – 227.
- Roy, J. and Mitra, S. K. (1957). Unbiased minimum variance estimation in a class of discrete distributions. *Sankhya*, 18: 371 – 378.
- Schervish, M. (1995). *Theory of Statistics*. New York: Springer-Verlag.
- Shao, Y. and Nahn, M. G. (1999) Maximum product spacing method: A unified formulation with illustration of strong Consistency. *Illinois journal of mathematics*, 43, 190.
- Shawky, A. and Abu-Zinadah (2009). Exponentiated pareto distribution: Different method of estimations. *International Journal of Contemporary Methemathical Sciences*, 4(14): 677 – 693.
- Shawky, A. and Bakoban, R. A. (2012). Different methods of estimations. *Journal of Applied Mathematics*: 23 pages.
- Shinde, R. L. and Shanubhogue, A. (2000). Estimation of parameters and the mean life of a mixed failure time distribution. *Communications in Statistics– Theory and Methods*, 29(1): 2621 – 2642.
- Sinha, S. K. (1986). *Reliability and Life testing*. Wiley Eastern Limited.
- Singh, A. K. (2007). Some contributions on uniformly minimum variance unbiased estimations in exponential and irregular families of distributions. Unpublished Ph.D. thesis, The Sardar Patel University, Vallabh Vidyanagar.
- Singh, R. K., Singh, S. K. and Singh, U. (2016). Maximum product spacings method for the estimation of parameters of generalized inverted exponential distribution under progressive Type II censoring. *Journal of Statistics and Management Systems*, 9(2): 219 – 245.

- Stein, C. (1950). Unbiased estimates of minimum variance. *Annals of Mathematical Statistics*, 21, 406 – 415.
- Stephens, M. (2000). Dealing with label-switching in mixture models, *Journal of the Royal Statistical Society, Series B*, 62: 795 – 809.
- Swain, J., Venkatraman, S. and Wilson, J. (1988). Least squares estimation of distribution function in Johnson's translation system. *Journal of Statistical Computation and Simulation*, 29: 271 – 297.
- Schwarz, G. (1978). Estimating the Dimension of a Model. *Annals of Statistics*, 6 (1978): 461 – 464.
- Titterton, D. M., Smith, A. and Makov, U. E. (1985). *Statistical Analysis of finite mixture distribution*, John Wiley and Sons.
- Tukey, J. W. (1960). *A survey of sampling from contaminated distributions*. In Contributions to Probability and Statistics: Essays in Honor of Harold Hotelling (I. Olkin, S. G. Ghurye, W. Hoeffding, W. G. Madow and H. B. Mann, eds.) Stanford Univ. Press.: 448 – 485.
- UNECE (2000). Glossary of Terms on Statistical Data Editing. United Nations Statistical Commission and Economic Commission for Europe. URL: <http://www.unece.org/fileadmin/DAM/stats/publications/editingglossary.pdf>, last accessed 28 May 2014.
- Vannman, K. (1991). *Comparing samples from nonstandard mixtures of distributions with applications to quality comparison of wood*. Research report: 2, submitted to division of quality technology, Lulea University, Lulea, Sweden.
- Vannman, K. (1995). On the distribution of the estimated mean from the nonstandard mixtures of distribution. *Communication in Statistics– Theory and Methods*, 24(6):1569 – 1584.
- Veale, J. R. (1975). Improved estimation of expected life when one identified spurious observation may be present. *Journal of American Statistical Association*, 70: 398 – 401.
- Walker, S. G. and Adham, S. A. (2001). A multivariate Gompertz-type distribution. *Journal of Applied Statistics*, 28: 1051–1065.
- Walsh, J. E. (1950). Some estimates and tests based on the r smallest values in a sample. *Annals of Mathematical Statistics*, 21: 386 – 397.

Weibull, W. (1951). A statistical distribution function of wide applicability. *American Society of Mechanical Engineers Journal of Applied Mechanics*, 293 – 297.

Wu, J. W., Hung, W. L. and Tsai, C. H. (2004). Estimation of parameters of the Gompertz distribution using the least squares method. *Applied Mathematics and Computation*, 158(1): 133 – 147.

Zhang, J. (1998). Tests for multiple upper or lower outliers in an exponential sample. *Journal of Applied Statistics*, 1998, 25(2): 245 – 255.

http://www.cbioportal.org/study?id=brca_metabric#clinical.

<http://www.cpcb.gov.in>.

<http://www.measuredhs.com>.

http://www.dhsprogram.com/data/dataset/India_Standard-DHS_2006.cfm?flag=0
(The DHS Program. India: Standard DHS, 2005 – 06.)

[http://hydro.imd.gov.in/hydrometweb/\(S\(puzbfyie4n0p45dmrgzv45\)\)/PRODUCTS/Publications/Rainfall%20Statistics%20of%20India%20%202016/Rainfall%20Statistics%20of%20India%20-%202016.pdf](http://hydro.imd.gov.in/hydrometweb/(S(puzbfyie4n0p45dmrgzv45))/PRODUCTS/Publications/Rainfall%20Statistics%20of%20India%20%202016/Rainfall%20Statistics%20of%20India%20-%202016.pdf)

<https://rbi.org.in/Scripts/NEFTView.aspx>

<https://thetoolboss.com/average-snowfall-us-states>.