

References

- Adam G, Duncan H. 2001. Development of a sensitive and rapid method for the measurement of total microbial activity using fluorescein diacetate (FDA) in a range of soils. *Soil Biol Biochem.* 33: 943–951.
- Agnelli A, Ascher J, Corti G, Ceccherini MT, Nannipieri P, Pietramellara G. 2004. Distribution of microbial communities in a forest soil profile investigated by microbial biomass, soil respiration and DGGE of total and extracellular DNA. *Soil Biol Biochem.* 36(5):859–868.
- Albrechtsen HJ, Winding A. 1992. Microbial biomass and activity in subsurface sediments from Vejen, Denmark. *Microb Ecol.* 23(3):303–317.
- Albrechtsen HJ. 1994. Distribution of bacteria, estimated by a viable count method, and heterotrophic activity in different size fractions of aquifer sediment. *Geomicrobiol J.* 12(4):253–264.
- Alef K, Kleiner D. 1986. Arginine ammonification, a simple method to estimate microbial activity potentials in soils. *Soil Biol Biochem.* 18(2):233–235.
- Alef K. 1995. Soil respiration. In: *Methods in Applied Soil Microbiology and Biochemistry*. Alef K and Nannipieri P. (eds.), Academic Press, pp. 214–218.
- Alkorta I, Aizpurua A, Riga P, Albizu I, Amézaga I, Garbisu C. 2003. Soil enzyme activities as biological indicators of soil health. *Rev Environ Health.* 18(1):65–73.
- Altschul SF, Gish W, Miller W, Myers EW, Lipman DJ. 1990. Basic local alignment search tool. *J Mol Biol.* 215:403–410.
- Amann RI, Ludwig W, Schleifer KH. 1995. Phylogenetic identification and in situ detection of individual microbial cells without cultivation. *Microbiol Rev.* 59(1):143–169.
- Amend JP, Teske A. 2005. Expanding frontiers in deep subsurface microbiology. *Palaeogeogr Palaeoclimatol Palaeoecol.* 219(1–2):131–155.
- Anawar HM, Yoshioka T, Konohira E, Akai J, Freitas MC, Tareq SM. 2010. Sources of organic carbon and depositional environment in the Bengal delta plain sediments during the Holocene period. *Limnology.* 11(2):133–142.
- Anderson TH. 2003. Microbial eco-physiological indicators to assess soil quality. *Agric Ecosyst Environ.* 98(1–3):285–293.
- Arndt D, Xia J, Liu Y, Zhou Y, Guo AC, Cruz JA, Sinelnikov I, Budwill K, Nesbø CL, Wishart DS. 2012. METAGENassist: A comprehensive web server for comparative metagenomics. *Nucleic Acids Res.* 40(W1):88–95.

- Baas Becking LGM. 1934. *Geobiologie of inleiding tot de milieukunde*. Den Haag [The Netherlands]: W.P. Van Stockum and Zoon N.V.
- Bach EM, Williams RJ, Hargreaves SK, Yang F, Hofmockel KS. 2018. Greatest soil microbial diversity found in micro-habitats. *Soil Biol Biochem*. 118:217–226.
- Baker BJ, Lazar CS, Teske AP, Dick GJ. 2015. Genomic resolution of linkages in carbon, nitrogen, and sulfur cycling among widespread estuary sediment bacteria. *Microbiome*. 3(1):14.
- Balkwill DL. 1989. Numbers, diversity, and morphological characteristics of aerobic, chemoheterotrophic bacteria in deep subsurface sediments from a site in South Carolina. *Geomicrobiol J*. 7(1–2):33–52.
- Bao Z, Sato Y, Kubota M, Ohta H. 2006. Isolation and characterization of thallium-tolerant bacteria from heavy metal-polluted river sediment and non-polluted soils. *Microbes Environ*. 21(4):251-260.
- Baritz R, Wiese L, Verbeke I, Vargas R. 2018. Voluntary guidelines for sustainable soil management: Global Action for Healthy Soils. In: *International yearbook of soil law and policy 2017*, Springer, Cham, pp. 17–36.
- Beck M, Riedel T, Graue J, Köster J, Kowalski N, Wu CS, Wegener G, Lipsewiers Y, Freund H, Böttcher ME, Brumsack HJ. 2011. Imprint of past and present environmental conditions on microbiology and biogeochemistry of coastal Quaternary sediments. *Biogeosciences*. 8(1):55–68.
- Beelen van P, Doelman P. 1997. Significance and application of microbial toxicity tests in assessing ecotoxicological risks of contaminants in soil and sediment. *Chemosphere*. 34(3):455–499.
- Bell E, Lamminmäki T, Alneberg J, Andersson AF, Qian C, Xiong W, Hettich RL, Fruttschi M, Bernier-Latmani R. 2020. Active sulfur cycling in the terrestrial deep subsurface. *ISME J*. 14(5):1260–1272.
- Berryman K, Marden M, Eden D, Mazengarb C, Ota Y, Moriya I. 2000. Tectonic and paleoclimatic significance of Quaternary river terraces of the Waipaoa river, east coast, North Island, New Zealand. *New Zeal J Geol Geophys*. 43(2):229–245.

- Besemer K, Moeseneder M, Arrieta J, Herndl G, Peduzzi P. 2005. Complexity of bacterial communities in a river-floodplain system edited by foxit reader. *Appl Environ Microbiol.* 71(2):609–620.
- Bianchi TS. 2007. *Biogeochemistry of estuaries*. Oxford Univ Press, New York.
- Biddle JF, Lipp JS, Lever MA, Lloyd KG, Sørensen KB, Anderson R, Fredricks HF, Elvert M, Kelly TJ, Schrag DP, Sogin ML. 2006. Heterotrophic Archaea dominate sedimentary subsurface ecosystems off Peru. *Proc Natl Acad Sci U S A.* 103(10):3846–3851.
- Biddle JF, White JR, Teske AP, House CH. 2011. Metagenomics of the subsurface Brazos-Trinity Basin (IODP site 1320): Comparison with other sediment and pyrosequenced metagenomes. *ISME J.* 5(6):1038–1047.
- Blair NE, Leithold EL, Aller RC. 2004. From bedrock to burial: The evolution of particulate organic carbon across coupled watershed-continental margin systems. *Mar Chem.* 92(1-4 SPEC. ISS.):141–156.
- Blakely JK, Neher DA, Spongberg AL. 2002. Soil invertebrate and microbial communities, and decomposition as indicators of polycyclic aromatic hydrocarbon contamination. *Appl Soil Ecol.* 21(1):71–88.
- Bleam W. 2016. *Soil and Environmental Chemistry*, Second Edition. Academic Press.
- Błońska E, Lasota J, Zwydak M. 2017. The relationship between soil properties, enzyme activity and land use. *For Res Pap.* 78(1):39–44.
- Blume E, Bischoff M, Reichert JM, Moorman T, Konopka A, Turco RF. 2002. Surface and subsurface microbial biomass, community structure and metabolic activity as a function of soil depth and season. *Appl Soil Ecol.* 20(3):171–181.
- Borcard D, Legendre P, Drapeau P. 1992. Partialling out the spatial component of ecological variation. *Ecology.* 73(3):1045–1055.
- Bouwman AF, Bierkens MFP, Griffioen J, Hefting MM, Middelburg JJ, Middelkoop H, Slomp CP. 2013. Nutrient dynamics, transfer and retention along the aquatic continuum from land to ocean: Towards integration of ecological and biogeochemical models. *Biogeosciences.* 10(1):1–23.
- Breuker A, Köweker G, Blazejak A, Schippers A. 2011. The deep biosphere in terrestrial sediments in the Chesapeake Bay area, Virginia, USA. *Front Microbiol.* 2:1–13.

- Brügmann GE, Arndt NT, Hofmann AW, Tobschall HJ. 1987. Noble metal abundances in komatiite suites from Alexo, Ontario and Gorgona Island, Colombia. *Geochim Cosmochim Acta*. 51(8):2159–2169.
- Buongiorno J, Turner S, Webster G, Asai M, Shumaker AK, Roy T, Weightman A, Schippers A, Lloyd KG. 2017. Interlaboratory quantification of Bacteria and Archaea in deeply buried sediments of the Baltic Sea (IODP Expedition 347). *FEMS Microbiol Ecol*. 93(3):1–16.
- Buscot F, Varma A. (eds.). 2005. *Microorganisms in soils: Roles in genesis and functions*. Verlag Berlin Heidelberg, Springer.
- Chapman PM, Wang F. 2001. Assessing sediment contamination in estuaries. *Environ Toxicol Chem*. 20(1):3–22.
- Chen H, Li D, Mao Q, Xiao K, Wang K. 2019. Resource limitation of soil microbes in karst ecosystems. *Sci Total Environ*. 650:241–248.
- Chen J, Li J, Zhang H, Shi W, Liu Y. 2019. Bacterial heavy-metal and antibiotic resistance genes in a copper tailing dam area in northern China. *Front Microbiol*. 10:1–12.
- Chen J, Strous M. 2013. Denitrification and aerobic respiration, hybrid electron transport chains and co-evolution. *Biochim Biophys Acta - Bioenerg*. 1827(2):136–144.
- Chen YL, Chen LY, Peng YF, Ding JZ, Li F, Yang GB, Kou D, Liu L, Fang K, Zhang BB, Wang J. 2016. Linking microbial C:N:P stoichiometry to microbial community and abiotic factors along a 3500-km grassland transect on the Tibetan Plateau. *Glob Ecol Biogeogr*. 25(12):1416–1427.
- Chenu C, Stotzky G. 2002. Interactions between microorganisms and soil particles: an overview. In: Huang PM, Bollag JM, Senesi N, eds. *Interactions between soil particles and microorganisms*. Chichester, UK: John Wiley and Sons, pp 3-40.
- Chu HY, Zhu JG, Xie ZB, Zhang HY, Cao ZH, Li ZG. 2003. Effects of lanthanum on dehydrogenase activity and carbon dioxide evolution in a Haplic Acrisol. *Aust J Soil Res*. 41(4):731–739.
- Claus H. 2010. Copper-containing oxidases: Occurrence in soil microorganisms, properties, and applications. In: *Soil Heavy Metals*, Springer, Berlin, Heidelberg, pp. 281-313.
- Corbett MK, Eksteen JJ, Niu XZ, Croue JP, Watkin ELJ. 2017. Interactions of phosphate solubilising microorganisms with natural rare-earth phosphate minerals: a study utilizing Western Australian monazite. *Bioprocess Biosyst Eng*. 40(6):929–942.

- Costa OYA, Raaijmakers JM, Kuramae EE. 2018. Microbial extracellular polymeric substances: Ecological function and impact on soil aggregation. *Front Microbiol.* 9:1–14.
- Curd EE, Martiny JBH, Li H, Smith TB. 2018. Bacterial diversity is positively correlated with soil heterogeneity. *Ecosphere.* 9(1):e02079.
- D'Hondt S, Inagaki F, Zarikian CA, Abrams LJ, Dubois N, Engelhardt T, Evans H, Ferdelman T, Gribsholt B, Harris RN, Hoppie BW. 2015. Presence of oxygen and aerobic communities from sea floor to basement in deep-sea sediments. *Nat Geosci.* 8(4):299–304.
- Dandie CE, Wertz S, Leclair CL, Goyer C, Burton DL, Patten CL, Zebarth BJ, Trevors JT. 2011. Abundance, diversity and functional gene expression of denitrifier communities in adjacent riparian and agricultural zones. *FEMS Microbiol Ecol.* 77(1):69-82.
- Das BK, Behera BK, Chakraborty HJ, Paria P, Gangopadhyay A, Rout AK, Nayak KK, Parida PK, Rai A. 2020. Metagenomic study focusing on antibiotic resistance genes from the sediments of River Yamuna. *Gene.* 758:144951.
- Das SK, Varma A. 2010. Role of enzymes in maintaining soil health. In: *Soil enzymology*, Springer, Berlin, Heidelberg, Vol. 22, pp. 25–42.
- Dash HR, Das S. 2018. Molecular methods for studying microorganisms from atypical environments. *Methods in Microbiology.* 45:89-122.
- Davinic M, Fultz LM, Acosta-Martinez V, Calderón FJ, Cox SB, Dowd SE, Allen VG, Zak JC, Moore-Kucera J. 2012. Pyrosequencing and mid-infrared spectroscopy reveal distinct aggregate stratification of soil bacterial communities and organic matter composition. *Soil Biol Biochem.* 46:63–72.
- de Man JC. MPN tables, corrected. 1983. *Eur J Appl Microbiol Biotechnol.* 17(5): 301-305.
- Delgado-Baquerizo M, Bissett A, Eldridge DJ, Maestre FT, He JZ, Wang JT, Hamonts K, Liu YR, Singh BK, Fierer N. 2017. Palaeoclimate explains a unique proportion of the global variation in soil bacterial communities. *Nat Ecol Evol.* 1(9):1339–1347.
- Dhal B, Thatoi H, Das N, Pandey BD. 2010. Reduction of hexavalent chromium by *Bacillus* sp. isolated from chromite mine soils and characterization of reduced product. *J Chem Technol Biotechnol.* 85(11):1471–1479.
- Dhariwal A, Chong J, Habib S, King IL, Agellon LB, Xia J. 2017. MicrobiomeAnalyst: A web-based tool for comprehensive statistical, visual and meta-analysis of microbiome data. *Nucleic Acids Res.* 45(W1):W180–W188.

- Dilly O, Nannipieri P. 1998. Intracellular and extracellular enzyme activity in soil with reference to elemental cycling. *Zeitschrift für Pflanzenernährung und Bodenkd.* 161(3):243–248.
- Doran JW, Zeiss MR. 2000. Soil health and sustainability: managing the biotic component of soil quality. *Appl Soil Ecol.* 15(1):3–11.
- Eilers KG, Debenport S, Anderson S, Fierer N. 2012. Digging deeper to find unique microbial communities: The strong effect of depth on the structure of bacterial and archaeal communities in soil. *Soil Biol Biochem.* 50:58–65.
- Escalas A, Hale L, Voordeckers JW, Yang Y, Firestone MK, Alvarez-Cohen L, Zhou J. 2019. Microbial functional diversity: From concepts to applications. *Ecol Evol.* 9(20):12000–12016.
- Escudero C, Oggerin M, Amils R. 2018. The deep continental subsurface: the dark biosphere. *Int Microbiol.* 21(1–2):3–14.
- Etemadi O, Petrisor IG, Kim D, Wan MW, Yen TF. 2003. Stabilization of metals in subsurface by biopolymers: Laboratory drainage flow studies. *Soil Sediment Contam.* 12(5):647–661.
- Federle TW, Dobbins DC, Thornton-Manning JR, Jones DD. 1986. Microbial biomass, activity, and community structure in subsurface soils. *Groundwater.* 24(3):365–374.
- Fendorf SE. 1995. Surface reactions of chromium in soils and waters. *Geoderma.* 67(1–2):55–71.
- Fierer N, Schimel JP, Holden PA. 2003. Variations in microbial community composition through two soil depth profiles. *Soil Biol Biochem.* 35(1):167–176.
- Fierer N, Strickland MS, Liptzin D, Bradford MA, Cleveland CC. 2009. Global patterns in belowground communities. *Ecol Lett.* 12(11):1238–1249.
- Fischer H, Wanner SC, Pusch M. 2002. Bacterial abundance and production in river sediments as related to the biochemical composition of particulate organic matter (POM). *Biogeochemistry.* 61(1):37–55.
- Fondi M, Karkman A, Tamminen M V., Bosi E, Virta M, Fani R, Alm E, McInerney JO. 2016. “Every gene is everywhere but the environment selects”: Global geolocalization of gene sharing in environmental samples through network analysis. *Genome Biol Evol.* 8(5):1388–1400.
- Francis AJ, Slater JM, Dodge CJ. 1989. Denitrification in deep subsurface sediments. *Geomicrobiol J.* 7(1–2):103–116.
- Frankenberger WT, Bingham FT. 1982. Influence of salinity on soil enzyme activities. *Soil Sci Soc Am J.* 46(6):1173–1177.

- Fredrickson JK, Garland TR, Hicks RJ, Thomas JM, Li SW, McFadden KM. 1989. Lithotrophic and heterotrophic bacteria in deep subsurface sediments and their relation to sediment properties. *Geomicrobiol J.* 7(1–2):53–66.
- Freixa A, Ejarque E, Crognale S, Amalfitano S, Fazi S, Butturini A, Romaní AM. 2016. Sediment microbial communities rely on different dissolved organic matter sources along a Mediterranean river continuum. *Limnol Oceanogr.* 61(4):1389–1405.
- Frohne T, Rinklebe J, Diaz-Bone RA. 2014. Contamination of floodplain soils along the Wupper River, Germany, with As, Co, Cu, Ni, Sb, and Zn and the impact of pre-definite redox variations on the mobility of these elements. *Soil Sediment Contam.* 23(7):779–799.
- Fry JC. 2000. Bacterial diversity and “unculturables”. *Microbiol Today.* 27:186–188.
- Furtak K, Grządziel J, Gałązka A, Niedźwiecki J. 2020. Prevalence of unclassified bacteria in the soil bacterial community from floodplain meadows (fluvisols) under simulated flood conditions revealed by a metataxonomic approachss. *Catena.* 188: 104448.
- Gadd GM. 2004. Microbial influence on metal mobility and application for bioremediation. *Geoderma.* 122(2-4 SPEC. IIS.):109–119.
- Gadd GM. 2010. Metals, minerals and microbes: Geomicrobiology and bioremediation. *Microbiology.* 156(3):609–643.
- García C, Hernández T. 1997. Biological and biochemical indicators in derelict soils subject to erosion. *Soil Biol Biochem.* 29(2):171–177.
- Garland JL. 1997. Analysis and interpretation of community-level physiological profiles in microbial ecology. *FEMS Microbiol Ecol.* 24(4):289–300.
- Geets J, Borremans B, Diels L, Springael D, Vangronsveld J, Van Der Lelie D, Vanbroekhoven K. 2006. *DsrB* gene-based DGGE for community and diversity surveys of sulfate-reducing bacteria. *J Microbiol Methods.* 66(2):194–205.
- Ghiorse WC, Wilson JT. 1988. Microbial ecology of the terrestrial subsurface. *Adv Appl Microbiol.* 33(C):107–172.
- Gibling MR, Fielding CR, Sinha R. 2011. Alluvial valleys and alluvial sequences: towards a geomorphic assessment. *From River to Rock. Rec Preserv Fluv Sediments Their Subseq Interpret SEPM, Spec Publ.* 423–447.
- Giles HL, Hurley PW, Webster HWM. 1995. Simple approach to the analysis of oxides, silicates and carbonates using x-ray fluorescence spectrometry. *X-Ray Spectrom.* 24(4):205–218.

- Giller KE, Witter E, McGrath SP. 2009. Heavy metals and soil microbes. *Soil Biol Biochem.* 41(10):2031–2037.
- Gingras MK, MacEachern JA, Dashtgard SE, Zonneveld JP, Schoengut J, Ranger MJ, Pemberton SG. 2012. Estuaries. In: Knaust, D., Bromley, R.G. (Eds.), *Trace fossils as indicators of sedimentary environments. Developments in Sedimentology.* Elsevier B.V., pp. 463–505.
- Gittel A, Mußmann M, Sass H, Cypionka H, Könneke M. 2008. Identity and abundance of active sulfate-reducing bacteria in deep tidal flat sediments determined by directed cultivation and CARD-FISH analysis. *Environ Microbiol.* 10(10):2645–2658.
- Gobat JM, Aragno M, Matthey W. 2004. *The living soil: fundamentals of soil science and soil biology.* Science Publishers, U.S.: Enfield, NH.
- Goberna M, Insam H, Klammer S, Pascual JA, Sánchez J. 2005. Microbial community structure at different depths in disturbed and undisturbed semiarid Mediterranean forest soils. *Microb Ecol.* 50(3):315–326.
- Goberna M, Sánchez J, Pascual JA, García C. 2006. Surface and subsurface organic carbon, microbial biomass and activity in a forest soil sequence. *Soil Biol Biochem.* 38(8):2233–2243.
- Goordial J, D'Angelo T, Labonté JM, Poulton NJ, Brown JM, Stepanauskas R, Früh- Green GL, Orcutt BN. 2021. Microbial diversity and function in shallow subsurface sediment and oceanic lithosphere of the Atlantis Massif. *mBio* 12(4):e00490-21
- Goyal N, Jain SC, Banerjee UC. 2003. Comparative studies on the microbial adsorption of heavy metals. *Adv Environ Res.* 7(2):311-319.
- Griffin WT, Phelps TJ, Colwell FS, Fredrickson JK. 1997. Methods for obtaining deep subsurface microbiological samples by drilling. In “*The microbiology of the Terrestrial Deep Subsurface*” (P. S. Amy and D. A. Haldeman, Eds.), pp. 23–44. CRC press LLC, New York
- Groffman PM. 2012. Terrestrial denitrification: Challenges and opportunities. *Ecol Process.* 1(1):1–11.
- Gu Z, Gu L, Eils R, Schlesner M, Brors B. 2014. Circlize implements and enhances circular visualization in R. *Bioinformatics.* 30(19):2811–2812.
- Hamaki T, Suzuki M, Fudou R, Jojima Y, Kajiura T, Tabuchi A, Sen K, Shibai H. 2005. Isolation of novel bacteria and actinomycetes using soil-extract agar medium. *J Biosci Bioeng.* 99(5):485-492.

- Hammer Ø, Harper DAT, Ryan PD. 2001. PAST: Paleontological statistics software package for education and data analysis. *Palaeontol Electron.* 4. https://palaeo-electronica.org/2001_1/past/past.pdf
- Hansel CM, Fendorf S, Jardine PM, Francis CA. 2008. Changes in bacterial and archaeal community structure and functional diversity along a geochemically variable soil profile. *Appl Environ Microbiol.* 74(5):1620–1633.
- Hashimoto T, Whang KS, Nagaoka K. 2006. A quantitative evaluation and phylogenetic characterization of oligotrophic denitrifying bacteria harbored in subsurface upland soil using improved culturability. *Biol Fertil Soils.* 42(3):179–185.
- Hassen A, Saidi N, Cherif M, Boudabous A. 1998. Resistance of environmental bacteria to heavy metals. *Bioresour Technol.* 64(1):7-15.
- Hattori H. 1992. Influence of Heavy Metals on Soil Microbial Activities. *Soil Sci Plant Nutr.* 38(1):93–100.
- Hernandez L, Probst A, Probst JL, Ulrich E. 2003. Heavy metal distribution in some French forest soils: Evidence for atmospheric contamination. *Sci Total Environ.* 312(1–3):195–219.
- Hicks RJ, Fredrickson JK. 1989. Aerobic metabolic potential of microbial populations indigenous to deep subsurface environments. *Geomicrobiol J.* 7(1–2):67–77.
- Hill BH, Elonen CM, Jicha TM, Bolgrien DW, Moffett MF. 2010. Sediment microbial enzyme activity as an indicator of nutrient limitation in the great rivers of the Upper Mississippi River basin. *Biogeochemistry.* 97(2):195–209.
- Hill BH, Elonen CM, Jicha TM, Kolka RK, Lehto LRLP, Sebestyen SD, Seifert-Monson LR. 2014. Ecoenzymatic stoichiometry and microbial processing of organic matter in northern bogs and fens reveals a common P-limitation between peatland types. *Biogeochemistry.* 120(1–3):203–224.
- Hill BH, Elonen CM, Seifert LR, May AA, Tarquinio E. 2012. Microbial enzyme stoichiometry and nutrient limitation in US streams and rivers. *Ecol Indic.* 18:540–551.
- Hinojosa MB, Carreira JA, García-Ruiz R, Dick RP. 2004. Soil moisture pre-treatment effects on enzyme activities as indicators of heavy metal-contaminated and reclaimed soils. *Soil Biol Biochem.* 36(10):1559-1568.
- Holden PA, Fierer N. 2005. Microbial Processes in the Vadose Zone. *Vadose Zo J.* 4(1):1.

- Hong H, Li Z, Xue H, Zhu Y, Zhang K, Xiang S. 2007. Oligocene clay mineralogy of the Linxia Basin: Evidence of paleoclimatic evolution subsequent to the initial-stage uplift of the Tibetan Plateau. *Clays Clay Miner.* 55(5):491–503.
- Hong Y, Wu J, Wilson S, Song B. 2019. Vertical stratification of sediment microbial communities along geochemical gradients of a subterranean estuary located at the gloucester beach of Virginia, United States. *Front Microbiol.* 10:1–11.
- Hou D, O'Connor D, Igalavithana AD, Alessi DS, Luo J, Tsang DCW, Sparks DL, Yamauchi Y, Rinklebe J, Ok YS. 2020. Metal contamination and bioremediation of agricultural soils for food safety and sustainability. *Nat Rev Earth Environ.* 1(7):366–381.
- Houlton BZ, Bai E. 2009. Imprint of denitrifying bacteria on the global terrestrial biosphere. *Proc Natl Acad Sci U S A.* 106(51):21713–21716.
- Hu Y, Wang L, Tang Y, Li Y, Chen J, Xi X, Zhang Y, Fu X, Wu J, Sun Y. 2014. Variability in soil microbial community and activity between coastal and riparian wetlands in the Yangtze River estuary - Potential impacts on carbon sequestration. *Soil Biol Biochem.* 70:221–228.
- Huang PM, Wang MC, Wang MK. 2004. Mineral-organic-microbial interactions. In: *Encycl Soils Environ*, Elsevier, Vol. 4, pp. 486–499.
- Hugenholtz P. 2002. Exploring prokaryotic diversity in the genomic era. *Genome Biol.* 3(2):1–8.
- Hutchison JM, Seaman JC, Aburime SA, Radcliffe DE. 2003. Chromate transport and retention in variably saturated soil columns. *Vadose Zone J.* 2(4):702–714.
- Iyamuremye F, Dick RP. 1996. Organic amendments and phosphorus sorption by soils. *Adv Agron.* 56(C):139–185.
- Jaiswal D, Pandey J. 2018. Impact of heavy metal on activity of some microbial enzymes in the riverbed sediments: Ecotoxicological implications in the Ganga River (India). *Ecotoxicol Environ Saf.* 150:104–115.
- Jansson JK, Fredrickson JK. 2010. Stewards of a changing planet: Commentaries from ISME13 plenary lecturers. *ISME J.* 4(9):1079–1080.
- Jiang L, Zheng Y, Peng X, Zhou H, Zhang C, Xiao X, Wang F. 2009. Vertical distribution and diversity of sulfate-reducing prokaryotes in the Pearl River estuarine sediments, Southern China. *FEMS Microbiol Ecol.* 70(2):249–262.

- Jiang X, Yao L, Guo L, Liu G, Liu W. 2017. Multi-scale factors affecting composition, diversity, and abundance of sediment denitrifying microorganisms in Yangtze lakes. *Appl Microbiol Biotechnol.* 101(21):8015–8027.
- Jiao S, Peng Z, Qi J, Gao J, Wei G. 2021. Linking bacterial-fungal relationships to microbial diversity and soil nutrient cycling. *mSystems.* 6(2):e01052-20.
- Jickells TD, Andrews JE, Parkes DJ. 2016. Direct and indirect effects of estuarine reclamation on nutrient and metal fluxes in the global coastal zone. *Aquat Geochemistry.* 22(4):337–348.
- Jones RE, Beeman RE, Suflita JM. 1989. Anaerobic metabolic processes in the deep terrestrial subsurface. *Geomicrobiol J.* 7(1–2):117–130.
- Joulain C, Ramsing NB, Ingvorsen K. 2001. Congruent phylogenies of most common small-subunit rRNA and dissimilatory sulfite reductase gene sequences retrieved from estuarine sediments. *Appl Environ Microbiol.* 67(7):3314–3318.
- Juyal N, Chamyal LS, Bhandari S, Bhushan R, Singhvi AK. 2006. Continental record of the southwest monsoon during the last 130 ka: evidence from the southern margin of the Thar Desert, India. *Quat Sci Rev.* 25(19–20):2632–2650.
- Juyal N, Raj R, Maurya DM, Chamyal LS, Singhvi AK. 2000. Chronology of late Pleistocene environmental changes in the lower Mahi basin, western India. *J Quat Sci.* 15(5):501–508.
- Kaiser JP, Bollag JM. 1990. Microbial activity in the terrestrial subsurface. *Experientia.* 46(8):797–806.
- Kandeler E, Deiglmayr K, Tscherko D, Bru D, Philippot L. 2006. Abundance of *narG*, *nirS*, *nirK*, and *nosZ* genes of denitrifying bacteria during primary successions of a glacier foreland. *Appl Environ Microbiol.* 72(9):5957–5962.
- Karkanias P. 2010. Preservation of anthropogenic materials under different geochemical processes: A mineralogical approach. *Quat Int.* 214(1–2):63–69.
- Katz SA and Salem H. 1994. The biological and environmental chemistry of chromium. p. 28–42. VCH Publisher Inc., New York.
- Kaviya N, Upadhyay VK, Singh J, Khan A, Panwar M, Singh AV. 2019. Role of microorganisms in soil genesis and functions. In: *Mycorrhizosphere and Pedogenesis*, Springer, Singapore, pp. 25–52.

- Kemnitz D, Kolb S, Conrad R. 2005. Phenotypic characterization of Rice Cluster III archaea without prior isolation by applying quantitative polymerase chain reaction to an enrichment culture. *Environ Microbiol.* 7(4):553-565.
- Khurana, S., Heße, F., Hildebrandt, A., & Thullner, M. (2021). Predicting the impact of spatial heterogeneity on microbial redox dynamics and nutrient cycling in the subsurface. *Biogeosci Discuss.* 1-39.
- Kieft TL, Murphy EM, Haldeman DL, Amy PS, Bjornstad BN, McDonald EV, Ringelberg DB, White DC, Stair J, Griffiths RP, Gsell TC, Holben WE, Boone DR. 1998. Microbial transport, survival, and succession in a sequence of buried sediments. *Microbial Ecol.* 36(3):336-348.
- Kieft TL. 2010. Sampling the deep sub-surface using drilling and coring techniques. In *Handbook of Hydrocarbon and Lipid Microbiology*, Springer-Verlag Berlin Heidelberg, pp 3428-3441.
- Kirk JL, Beaudette LA, Hart M, Moutoglou P, Klironomos JN, Lee H, Trevors JT. 2004. Methods of studying soil microbial diversity. *J Microbiol Methods.* 58(2):169–188.
- Koiter AJ, Owens PN, Petticrew EL, Lobb DA. 2015. The role of gravel channel beds on the particle size and organic matter selectivity of transported fine-grained sediment: implications for sediment fingerprinting and biogeochemical flux research. *J Soils Sediments.* 15(10):2174–2188.
- Kondo R, Shigematsu K, Butani J. 2008. Rapid enumeration of sulphate-reducing bacteria from aquatic environments using real-time PCR. *Plankt Benthos Res.* 3(3):180–183.
- Krishna KR, Philip L. 2005. Bioremediation of Cr (VI) in contaminated soils. *J Hazard Mater.* 121(1-3):109-117.
- Kumar A, Mishra S, Kumar A, Singhal S. 2017. Environmental quantification of soil elements in the catchment of hydroelectric reservoirs in India. *Hum Ecol Risk Assess.* 23(5):1202-1218.
- Kumar S, Chaudhuri S, Maiti SK. 2013. Soil dehydrogenase enzyme activity in natural and mine soil - A review. *Middle East J Sci Res.* 13(7):898–906.
- Kumar S, Stecher G, Li M, Knyaz C, Tamura K. 2018. MEGA X: molecular evolutionary genetics analysis across computing platforms. *Mol Biol Evol.* 35(6):1547-1549.
- Kunze, GW, Dixon J. 1986. Pretreatment for mineralogical analysis. *Methods of Soil Analysis: Part 1 Physical and Mineralogical Methods.* 5: 91-100.
- Kusumgar S, Raj R, Chamyal LS, Yadav MG. 1998. Holocene paleoenvironmental changes in the lower Mahi basin, Western India. *Radiocarbon.* 40(2):819-823.

- Kuzyakov Y, Blagodatskaya E. 2015. Microbial hotspots and hot moments in soil: Concept & review. *Soil Biol Biochem.* 83:184–199.
- Ladd JN, Butler JH. 1972. Short-term assays of soil proteolytic enzyme activities using proteins and dipeptide derivatives as substrates. *Soil Biol Biochem.* 4(1):19–30.
- LaMontagne MG, Schimel JP, Holden PA. 2003. Comparison of subsurface and surface soil bacterial communities in California grassland as assessed by terminal restriction fragment length polymorphisms of PCR-amplified 16S rRNA genes. *Microbial Ecol.* 46(2):216–227.
- Lee N, Nielsen PH, Andreasen KH, Juretschko S, Nielsen JL, Schleifer KH, Wagner M. 1999. Combination of fluorescent in situ hybridization and microautoradiography - A new tool for structure-function analyses in microbial ecology. *Appl Environ Microbiol.* 65(3):1289–1297.
- Li Y, Wang H, Wu P, Yu L, Rehman S, Wang J, Yang S, Zhu N. 2020. Bioreduction of hexavalent chromium on goethite in the presence of *Pseudomonas aeruginosa*. *Environ Pollut.* 265:114765.
- Liaghati T, Preda M, Cox M. 2004. Heavy metal distribution and controlling factors within coastal plain sediments, Bells Creek catchment, southeast Queensland, Australia. *Environ Int.* 29(7):935–948.
- Limcharoensuk T, Sooksawat N, Sumarnrote A, Awutpet T, Kruatrachue M, Pokethitiyook P, Auesukaree C. 2015. Bioaccumulation and biosorption of Cd^{2+} and Zn^{2+} by bacteria isolated from a zinc mine in Thailand. *Ecotoxicol Environ Saf.* 122:322–330.
- Lin X, Kennedy D, Fredrickson J, Bjornstad B, Konopka A. 2012. Vertical stratification of subsurface microbial community composition across geological formations at the Hanford Site. *Environ Microbiol.* 14(2):414–425.
- Lininger KB, Wohl E, Rose JR. 2018. Geomorphic controls on floodplain soil organic carbon in the Yukon Flats, Interior Alaska, from reach to river basin scales. *Water Resour Res.* 54(3):1934–1951.
- Liu G, Wang Juan, Liu Xuan, Liu Xinhui, Li X, Ren Y, Wang Jing, Dong L. 2018. Partitioning and geochemical fractions of heavy metals from geogenic and anthropogenic sources in various soil particle size fractions. *Geoderma.* 312(October 2017):104–113.
- Liu S, Zhang X, Dungait JAJ, Quine TA, Razavi BS. 2021. Rare microbial taxa rather than *phoD* gene abundance determine hotspots of alkaline phosphomonoesterase activity in the karst rhizosphere soil. *Biol Fertil Soils.* 57(2):257–268.

- Liu YM, Cao WQ, Chen XX, Yu BG, Lang M, Chen XP, Zou CQ. 2020. The responses of soil enzyme activities, microbial biomass and microbial community structure to nine years of varied zinc application rates. *Sci Total Environ.* 737:140245.
- Liu YR, Zheng YM, Zhang LM, He JZ. 2014. Linkage between community diversity of sulfate-reducing microorganisms and methylmercury concentration in paddy soil. *Environ Sci Pollut R.* 21(2):1339-1348.
- Lloyd KG, May MK, Kevorkian RT, Steen AD. 2013. Meta-analysis of quantification methods shows that archaea and bacteria have similar abundances in the subseafloor. *Appl Environ Microbiol.* 79(24):7790–7799.
- Long ER, MacDonald DD. 1998. Recommended uses of empirically derived, sediment quality guidelines for marine and estuarine ecosystems. *Hum Ecol Risk Assess.* 4(5):1019–1039.
- Long PE, Williams KH, Hubbard SS, Banfield JF. 2016. Microbial metagenomics reveals climate-relevant subsurface biogeochemical processes. *Trends Microbiol.* 24(8):600–610.
- Lorch HJ, Benckieser G, Ottow JG. 1995. Basic methods for counting microorganisms in soil and water. In Alef K, Nannipieri P. (eds.) *Methods in Applied Soil Microbiology and Biochemistry*. Academic press, New York. pp. 146-161.
- Lovley DR, Chapelle FH. 1995. Deep subsurface microbial processes. *Rev Geophys.* 33(3):365–381.
- Lowell JL, Gordon N, Engstrom D, Stanford JA, Holben WE, Gannon JE. 2009. Habitat heterogeneity and associated microbial community structure in a small-scale floodplain hyporheic flow path. *Microb Ecol.* 58(3):611–620.
- Lv X, Ma B, Yu J, Chang SX, Xu J, Li Y, Wang G, Han G, Bo G, Chu X. 2016. Bacterial community structure and function shift along a successional series of tidal flats in the Yellow River Delta. *Sci Rep.* 6 (36550):1–10.
- Ma N, Wang W, Gao J, Chen J. 2017. Removal of cadmium in subsurface vertical flow constructed wetlands planted with *Iris sibirica* in the low-temperature season. *Ecol Eng.* 109:48–56.
- Madsen EL. 1995. Impacts of agricultural practices on subsurface microbial ecology. *Advances in agronomy (USA)*.

- Magnabosco C, Lin LH, Dong H, Bomberg M, Ghiorse W, Stan-Lotter H, Pedersen K, Kieft TL, van Heerden E, Onstott TC. 2018. The biomass and biodiversity of the continental subsurface. *Nat Geosci.* 11(10):707–717.
- Maher DT, Eyre BD. 2012. Carbon budgets for three autotrophic Australian estuaries: Implications for global estimates of the coastal air-water CO₂ flux. *Global Biogeochem Cycles.* 26(1).
- Mai YZ, Peng SY, Lai ZN. 2020. Structural and functional diversity of biofilm bacterial communities along the Pearl River Estuary, South China. *Reg Stud Mar Sci.* 33:100926
- Marcos MS, Carrera AL, Bertiller MB, Olivera NL. 2020. Grazing enhanced spatial heterogeneity of soil dehydrogenase activity in arid shrublands of Patagonia, Argentina. *J Soils Sediments.* 20(2):883–888.
- Margalef O, Sardans J, Fernández-Martínez M, Molowny-Horas R, Janssens IA, Ciais P, Goll D, Richter A, Obersteiner M, Asensio D, Peñuelas J. 2017. Global patterns of phosphatase activity in natural soils. *Sci Rep.* 7(1):1–13.
- Maurya DM, Malik JN, Raj R, Chamyal LS. 1997a. Soft-sediment deformation in the Quaternary sediments of the Lower Mahi river basin, Western India. *Curr Sci.* 72(7):519–522.
- Maurya DM, Malik JN, Raj R, Chamyal LS. 1997b. Holocene valley-fill terraces in the Lower Mahi valley, Gujarat. *Curr Sci.* 73(6):539–542.
- Maurya DM, Raj R, Chamyal LS. 2000. History of tectonic evolution of Gujarat alluvial plains, Western India during Quaternary: A review. *Jour Geol Soc Ind.* 55(4):343–366.
- McGill WB, Cole CV. 1981. Comparative aspects of cycling of organic C, N, S and P through soil organic matter. *Geoderma.* 26(4):267–286.
- McMahon S, Parnell J. 2018. The deep history of Earth's biomass. *J Geol Soc.* 175(5):716–720.
- McNabb JF, Dunlap WJ. 1975. Subsurface biological activity in relation to ground-water pollution. *Groundwater.* 13(1):33–44.
- Miletto M, Bodelier PLE, Laanbroek HJ. 2007. Improved PCR-DGGE for high resolution diversity screening of complex sulfate-reducing prokaryotic communities in soils and sediments. *J Microbiol Methods.* 70(1):103–111.
- Moorhead DL, Sinsabaugh RL, Hill BH, Weintraub MN. 2016. Vector analysis of ecoenzyme activities reveal constraints on coupled C, N and P dynamics. *Soil Biol Biochem.* 93:1–7.

- Mora A, Jumbo-Flores D, González-Merizalde M, Bermeo-Flores SA, Alvarez-Figueroa P, Mahlnecht J, Hernández-Antonio A. 2019. Heavy metal enrichment factors in fluvial sediments of an Amazonian basin impacted by gold mining. *Bull Environ Contam Toxicol.* 102(2):210-217.
- Mora AP De, Ortega-Calvo JJ, Cabrera F, Madejón E. 2005. Changes in enzyme activities and microbial biomass after “*in situ*” remediation of a heavy metal-contaminated soil. *Appl Soil Ecol.* 28(2):125–137.
- Morales DK, Ocampo W, Zambrano MM. 2007. Efficient removal of hexavalent chromium by a tolerant *Streptomyces* sp. affected by the toxic effect of metal exposure. *J Appl Microbiol.* 103(6):2704–2712.
- Morrissey EM, Gillespie JL, Morina JC, Franklin RB. 2014. Salinity affects microbial activity and soil organic matter content in tidal wetlands. *Glob Chang Biol.* 20(4):1351–1362.
- Mosher JJ, Levison BS, Johnston CG. 2003. A simplified dehydrogenase enzyme assay in contaminated sediment using 2-(p-iodophenyl)-3(p-nitrophenyl)-5-phenyl tetrazolium chloride. *J Microbiol Methods.* 53(3):411–415.
- Mosier AC, Francis CA. 2008. Relative abundance and diversity of ammonia-oxidizing archaea and bacteria in the San Francisco Bay estuary. *Environ Microbiol.* 10(11):3002–3016.
- Mosier AC, Francis CA. 2010. Denitrifier abundance and activity across the San Francisco Bay estuary. *Environ Microbiol Rep.* 2(5):667–676.
- Muyzer G, De Waal EC, Uitterlinden AG. 1993. Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. *Appl Environ Microbiol.* 59(3):695–700.
- Nannipieri P, Grego S, Ceccanti B. 1990. Ecological significance of the biological activity in soil. In: *Soil Biochemistry*, Marcel Dekker, New York, Vol. 6, pp. 293 – 355.
- Nannipieri P, Kandeler E, Ruggiero P. 2002. Enzyme activities and microbiological and biochemical processes in soil. *Enzymes in the environment*. Marcel Dekker, New York, pp.1-33.
- Narayani M, Shetty KV. 2013. Chromium-resistant bacteria and their environmental condition for hexavalent chromium removal: A review. *Crit Rev Environ Sci Technol.* 43(9):955–1009.

- Nema P, Paul D, Karmalkar NR, Shouche YS. 2019. Bacterial diversity in the metal-rich terrestrial deep subsurface sediments of Krishna Godavari basin, India. *Geomicrobiol J.* 36(10):917–932.
- Nesbitt HW, Young GM. 1982. Early Proterozoic climates and plate motions inferred from major element chemistry of lutites. *Nature.* 299(5885):715–717.
- Niemeyer JC, Lolata GB, de Carvalho GM, Da Silva EM, Sousa JP, Nogueira MA. 2012. Microbial indicators of soil health as tools for ecological risk assessment of a metal contaminated site in Brazil. *Appl Soil Ecol.* 59:96-105.
- Nithya C, Gnanalakshmi B, Pandian SK. 2011. Assessment and characterization of heavy metal resistance in Palk Bay sediment bacteria. *Mar Environ Res.* 71(4):283-294.
- Niu Z shun, Pan H, Guo X pan, Lu D pei, Feng J nan, Chen Y ru, Tou F yun, Liu M, Yang Y. 2018. Sulphate-reducing bacteria (SRB) in the Yangtze Estuary sediments: Abundance, distribution and implications for the bioavailability of metals. *Sci Total Environ.* 634:296–304.
- Oades JM. 1988. The retention of organic matter in soils. *Biogeochemistry.* 5(1):35–70.
- Onstott TC, Phelps TJ, Colwell FS, Ringelberg D, White DC, Boone DR, McKinley JP, Stevens TO, Long PE, Balkwill DL, Griffin WT. 1998. Observations pertaining to the origin and ecology of microorganisms recovered from the deep subsurface of Taylorsville Basin, Virginia. *Geomicrobiol J.* 15(4):353-385.
- Oulas A, Pavloudi C, Polymenakou P, Pavlopoulos GA, Papanikolaou N, Kotoulas G, Arvanitidis C, Iliopoulos I. 2015. Metagenomics: tools and insights for analyzing next-generation sequencing data derived from biodiversity studies. *Bioinform Biol Insights.* 9:75–88.
- Oze C, Bird DK, Fendorf S. 2007. Genesis of hexavalent chromium from natural sources in soil and groundwater. *Proc Natl Acad Sci.* 104(16):6544–6549.
- Pal A, Paul AK. 2004. Aerobic chromate reduction by chromium-resistant bacteria isolated from serpentine soil. *Microbiol Res.* 159(4):347-354.
- Pallud C, Van Cappellen P. 2006. Kinetics of microbial sulfate reduction in estuarine sediments. *Geochim Cosmochim Acta.* 70(5):1148–1162.
- Pan C, Liu C, Zhao H, Wang Y. 2013. Changes of soil physico-chemical properties and enzyme activities in relation to grassland salinization. *Eur J Soil Biol.* 55:13–19.

- Patel JK, Archana G. 2017. Diverse culturable diazotrophic endophytic bacteria from *Poaceae* plants show cross-colonization and plant growth promotion in wheat. *Plant Soil*. 417(1-2):99-116.
- Petersen DG, Blazewicz SJ, Firestone M, Herman DJ, Turetsky M, Waldrop M. 2012. Abundance of microbial genes associated with nitrogen cycling as indices of biogeochemical process rates across a vegetation gradient in Alaska. *Environ Microbiol*. 14(4):993-1008.
- Phelps TJ, Murphy EM, Pfiffner SM, White DC. 1994. Comparison between geochemical and biological estimates of subsurface microbial activities. *Microb Ecol*. 28(3):335-349.
- Phelps TJ, Raione EG, White DC, Fliermans CB. 1989. Microbial activities in deep subsurface environments. *Geomicrobiol J*. 7(1-2):79-91.
- Philippot L, Hallin S, Schlöter M. 2007. Ecology of denitrifying prokaryotes in agricultural soil. *Adv Agron*. 96(07):249-305.
- Pillai P, Archana G. 2012. A novel process for biodegradation and effective utilization of chrome shavings, a solid waste generated in tanneries, using chromium resistant *Bacillus subtilis* P13. *Process Biochem*. 47(12):2116-2122.
- Polti MA, Amoroso MJ, Abate CM. 2007. Chromium (VI) resistance and removal by *actinomycete* strains isolated from sediments. *Chemosphere*. 67(4):660-667.
- Polyak Y, Shigaeva T, Gubelit Y, Bakina L, Kudryavtseva V, Polyak M. 2017. Sediment microbial activity and its relation to environmental variables along the eastern Gulf of Finland coastline. *J Mar Syst*. 171:101-110.
- Pratish A, Kumar A, Hu Z. 2018. Adverse effect of heavy metals (As, Pb, Hg, and Cr) on health and their bioremediation strategies: a review. *Int Microbiol*. 21(3):97-106.
- Puls RW, Clark DA, Paul CJ, Vardy J. 1994. Transport and transformation of hexavalent chromium through soils and into ground water. *Soil Sediment Contam*. 3(2):203-224.
- Purkamo L, Kietäväinen R, Nuppenen-Puputti M, Bomberg M, Cousins C. 2020. Ultradeep microbial communities at 4.4 km within crystalline bedrock: Implications for habitability in a planetary context. *Life*. 10(1):2.
- Raj R, Maurya DM, Chamyal LS. 1999. Tectonic control on distribution and evolution of Ravines in the lower Mahi valley, Western India. *Jour Geol Soc Ind*. 53 (6):669-674.

- Rastelli E, Corinaldesi C, Dell'Anno A, Tangherlini M, Lo Martire M, Nishizawa M, Nomaki H, Nunoura T, Danovaro R. 2019. Drivers of bacterial α - and β -diversity patterns and functioning in subsurface Hadal sediments. *Front Microbiol.* 10:2609.
- Reid AJ, Carlson AK, Hanna DEL, Olden JD, Ormerod SJ, Cooke SJ. 2020. Conservation challenges to freshwater ecosystems. In: *Encycl World's Biomes*, pp. 270–278.
- Rice CW, Rogers KL. 2015. Denitrification in subsurface environments: Potential source for atmospheric nitrous oxide. *Agric Ecosyst Eff Trace Gases Glob Clim Chang.* (55):121–132.
- Ridley CM, Voordouw G. 2018. Aerobic microbial taxa dominate deep subsurface cores from the Alberta oil sands. *FEMS Microbiol Ecol.* 94(6):1–11.
- Rix GJ, Wainaina N, Ebrahimi A, Bachus RC, Limas M, Sancio R, Fait B, Mayne PW. 2019. Drilling and sampling of soil and rock. In: *Manual on subsurface investigations, national academies of sciences, engineering, and medicine*, Washington, DC, The National Academies Press. pp. 94-116.
- Robles-Camacho J, Armienta MA. 2000. Natural chromium contamination of groundwater at Leon Valley, Mexico. *J Geochemical Explor.* 68(3):167–181.
- Roosa S, Wattiez R, Prygiel E, Lesven L, Billon G, Gillan DC. 2014. Bacterial metal resistance genes and metal bioavailability in contaminated sediments. *Environ Pollut.* 189:143-151.
- Ruan B, Wu P, Liu J, Jiang L, Wang H, Qiao J, Zhu N, Dang Z, Luo H, Yi X. 2020. Adhesion of *Sphingomonas* sp. GY2B onto montmorillonite: A combination study by thermodynamics and the extended DLVO theory. *Colloids Surfaces B Biointerfaces.* 192(April):111085.
- Sambrook J, Russell DW. 2001. *Molecular cloning: a laboratory manual*, 3rd edn. Cold Springs Harbor, Cold Springs Harbor Laboratory Press.
- Samson R, Shah M, Yadav R, Sarode P, Rajput V, Dastager SG, Dharne MS, Khairnar K. 2019. Metagenomic insights to understand transient influence of Yamuna River on taxonomic and functional aspects of bacterial and archaeal communities of River Ganges. *Sci Total Environ.* 674:288–299.
- Sánchez-Andrea I, Knittel K, Amann R, Amils R, Sanz JL. 2012. Quantification of Tinto river sediment microbial communities: Importance of sulfate-reducing bacteria and their role in attenuating acid mine drainage. *Appl Environ Microbiol.* 78(13):4638–4645.
- Saviozzi A, Cardelli R, Din Puccio R. 2011. Impact of salinity on soil biological activities: A laboratory experiment. *Commun Soil Sci Plant Anal.* 42(3):358–367.

- Schippers A, Kock D, Höft C, Köweker G, Siegert M. 2012. Quantification of microbial communities in subsurface marine sediments of the Black Sea and off Namibia. *Front Microbiol.* 3:1–11.
- Schjønning P, Thomsen IK, Jens PM, Hubert dJ, Kristian K, Christensen BT. 1999. Turnover of organic matter in differently textured soils. I. Physical characteristics of structurally disturbed and intact soils. *Geoderma.* 89:177–198.
- Schlöter M, Dilly O, Munch JC. 2003. Indicators for evaluating soil quality. *Agric Ecosyst Environ.* 98(1–3):255–262.
- Schmidt G, Laskowski Sr M. 1961. Phosphate ester cleavage (Survey). In: Boyer PD, Lardy H, Myrback K. (eds). *The enzymes*, 2nd edn, Academic Press, New York, pp. 3-35.
- Schnecker J, Wild B, Takriti M, Alves RJ, Gentsch N, Gittel A, Hofer A, Klaus K, Knoltsch A, Lashchinskiy N, Mikutta R. 2015. Microbial community composition shapes enzyme patterns in topsoil and subsoil horizons along a latitudinal transect in Western Siberia. *Soil Biol Biochem.* 83:106–115.
- Schnürer J, Rosswall T. 1982. Fluorescein diacetate hydrolysis as a measure of total microbial activity in soil and litter. *Appl Environ Microbiol.* 43(6):1256-1261.
- Shang J, Zhang W, Chen X, Li Y, Niu L, Wang L, Zhang H. 2021. How environmental stress leads to alternative microbiota states in a river ecosystem: A new insight into river restoration. *Water Res.* 203:117538.
- Shao T, Zhao JJ, Liu A, Long X, Rengel Z. 2020. Effects of soil physicochemical properties on microbial communities in different ecological niches in coastal area. *Appl Soil Ecol.* 150:103486.
- Sharma A, Kumar K. 2018. The Mahi: an important west flowing river of central India. In: *The Indian Rivers*, Springer, Singapore, pp. 287–299.
- Siddikee MA, Tipayno SC, Kim K, Chung J, Sa T. 2011. Influence of varying degree of salinity-sodicity stress on enzyme activities and bacterial populations of coastal soils of yellow sea, South Korea. *J Microbiol Biotechnol.* 21(4):341–346.
- Silva O, Duarte A, Cabrita J, Pimentel M, Diniz A, Gomes E. 1996. Antimicrobial activity of Guinea-Bissau traditional remedies. *J Ethnopharmacol.* 50(1):55-59.
- Sin SN, Chua H, Lo W, Ng LM. 2001. Assessment of heavy metal cations in sediments of Shing Mun River, Hong Kong. *Environ Int.* 26(5-6):297-301.

- Sinclair JL, Ghiorse WC. 1989. Distribution of aerobic bacteria, protozoa, algae, and fungi in deep subsurface sediments. *Geomicrobiol J.* 7(1–2):15–31.
- Sinsabaugh RL, Findlay S. 1995. Microbial production, enzyme activity, and carbon turnover in surface sediments of the Hudson River estuary. *Microb Ecol.* 30(2):127–141.
- Sinsabaugh RL, Hill BH, Follstad Shah JJ. 2009. Eoenzymatic stoichiometry of microbial organic nutrient acquisition in soil and sediment. *Nature.* 462(7274):795–798.
- Sinsabaugh RL, Lauber CL, Weintraub MN, Ahmed B, Allison SD, Crenshaw C, Contosta AR, Cusack D, Frey S, Gallo ME, Gartner TB. 2008. Stoichiometry of soil enzyme activity at global scale. *Ecol Lett.* 11(11):1252–1264.
- Smith CJ, Nedwell DB, Dong LF, Osborn AM. 2007. Diversity and abundance of nitrate reductase genes (*narG* and *napA*), nitrite reductase genes (*nirS* and *nrfA*), and their transcripts in estuarine sediments. *Appl Environ Microbiol.* 73(11):3612–3622.
- Speir TW, Ross DJ. 1978. Soil phosphatase and sulphatase. In: Burns RG (eds.), *Soil enzymes*, Academic press, London, UK, pp 197–250.
- Srinath T, Verma T, Ramteke PW, Garg SK. 2002. Chromium (VI) biosorption and bioaccumulation by chromate resistant bacteria. *Chemosphere.* 48(4):427–435.
- Staley J, Konopka A. 1985. Measurement of In Situ Activities of Nonphotosynthetic Microorganisms in Aquatic and Terrestrial Habitats. *Annu Rev Microbiol.* 39(1):321–346.
- Stanin FT. 2005. The transport and fate of chromium (VI) in the environment. In: *Chromium (VI) handbook*, CRC Press, Florida, USA. pp 165–214.
- Stegen JC, Konopka A, McKinley JP, Murray C, Lin X, Miller MD, Kennedy DW, Miller EA, Resch CT, Fredrickson JK. 2016. Coupling among microbial communities, Biogeochemistry, and Mineralogy across Biogeochemical Facies. *Sci Rep.* 6:1–14.
- Stone MM, DeForest JL, Plante AF. 2014. Changes in extracellular enzyme activity and microbial community structure with soil depth at the Luquillo Critical Zone Observatory. *Soil Biol Biochem.* 75:237–247.
- Stott DE, Andrews SS, Liebig MA, Wienhold BJ, Karlen DL. 2010. Evaluation of β -glucosidase activity as a soil quality indicator for the soil management assessment framework. *Soil Sci Soc Am J.* 74(1):107–119.

- Subrahmanyam G, Archana G, Chamyal LS. 2011a. Soil microbial activity and its relation to soil indigenous properties in semi arid alluvial and estuarine soils of Mahi river basin, Western India. *Int J Soil Sci.* 6(4):224-237.
- Subrahmanyam G, Archana G, Chamyal LS. 2011b. Microbial activity and diversity in the late Pleistocene palaeosols of alluvial Mahi River basin, Gujarat, western India. *Curr Sci.* 101(2):202-209.
- Subrahmanyam G, Hu HW, Zheng YM, Gattupalli A, He JZ, Liu YR. 2014. Response of ammonia oxidizing microbes to the stresses of arsenic and copper in two acidic alfisols. *Appl Soil Ecol.* 77:59–67.
- Subrahmanyam G, Kumar K, Shah AP, Maurya DM, Sharma A, Chamyal LS, Archana G. 2021. Geochemical characteristics control potential microbial activity in exposed Late Quaternary alluvial deposits. *Pedobiologia.* 4:150747.
- Subrahmanyam G, Shen JP, Liu YR, Archana G, Zhang LM. 2016. Effect of long-term industrial waste effluent pollution on soil enzyme activities and bacterial community composition. *Environ Monit Assess.* 188(2):112.
- Subrahmanyam G. 2013. Ph.D. thesis: Bacterial diversity and activity of semiarid soils of Mahi River basin, western India. Submitted to Department of Microbiology, The M.S. University of Baroda.
- Sudhakaran M, Ramamoorthy D, Savitha V, Kirubakaran N. 2019. Soil enzyme activities and their relationship with soil physico-chemical properties and oxide minerals in coastal agroecosystem of Puducherry. *Geomicrobiol J.* 36(5):452–459.
- Swennen R, Van Der Sluys J. 2002. Anthropogenic impact on sediment composition and geochemistry in vertical overbank profiles of river alluvium from Belgium and Luxembourg. *J Geochemical Explor.* 75(1–3):93–105.
- Tabatabai MA. 1994. Soil enzymes. In: Weaver RW, Angle JS, Bottomley PS (eds.), *Methods of soil analysis, part 2, Microbiological and biochemical properties*, SSSA Book Series No. 5., Soil Science Society of America, Madison, WI, pp 775–833.
- Takeuchi M, Komai T, Hanada S, Tamaki H, Tanabe S, Miyachi Y, Uchiyama M, Nakazawa T, Kimura K, Kamagata Y. 2009. Bacterial and archaeal 16S rRNA genes in Late Pleistocene to Holocene muddy sediments from the Kanto plain of Japan. *Geomicrobiol J.* 26(2):104–118.

- Tamindžija D, Chromikova Z, Spaić A, Barak I, Bernier-Latmani R, Radnović D. 2019. Chromate tolerance and removal of bacterial strains isolated from uncontaminated and chromium-polluted environments. *World J Microbiol Biotechnol.* 35(4).
- Taylor JP, Wilson B, Mills MS, Burns RG. 2002. Comparison of microbial numbers and enzymatic activities in surface soils and subsoils using various techniques. *Soil Biol Biochem.* 34(3):387-401.
- Taylor SR, McLennan SM. 1985. *The continental Crust: its composition and evolution.* Blackwell Scientific Publications, Oxford, pp 1–312.
- Tchounwou PB, Yedjou CG, Patlolla AK, Sutton DJ. 2012. Heavy metal toxicity and the environment. In *Molecular, clinical and environmental toxicology.* p. 133-164. Springer, Basel.
- Thacker U, Parikh R, Shouche Y, Madamwar D. 2006. Hexavalent chromium reduction by *Providencia* sp. *Process Biochem.* 41(6):1332–1337.
- Thatoi H, Das S, Mishra J, Rath BP, Das N. 2014. Bacterial chromate reductase, a potential enzyme for bioremediation of hexavalent chromium: A review. *J Environ Manage.* 146:383–399.
- Thomas C, Ionescu D, Ariztegui D. 2015. Impact of paleoclimate on the distribution of microbial communities in the subsurface sediment of the Dead Sea. *Geobiology.* 13(6):546–561.
- Töwe S, Kleinedam K, Schlöter M. 2010. Differences in amplification efficiency of standard curves in quantitative real-time PCR assays and consequences for gene quantification in environmental samples. *J Microbiol methods.* 82(3):338-341.
- Tscherko D, Rustemeier J, Richter A, Wanek W, Kandeler E. 2003. Functional diversity of the soil microflora in primary succession across two glacier forelands in the Central Alps. *Eur J Soil Sci.* 54(4):685–696.
- Turner S, Schippers A, Meyer-Stüve S, Guggenberger G, Gentsch N, Dohrmann R, Condron LM, Eger A, Almond PC, Peltzer DA, Richardson SJ. 2014. Mineralogical impact on long-term patterns of soil nitrogen and phosphorus enzyme activities. *Soil Biol Biochem.* 68:31–43.
- Verchot LV, Borelli T. 2005. Application of para-nitrophenol (pNP) enzyme assays in degraded tropical soils. *Soil Biol Biochem.* 37(4):625–633.

- Verma K, Pandey J. 2019. Heavy metal accumulation in surface sediments of the Ganga River (India): speciation, fractionation, toxicity, and risk assessment. *Environ Monit Assess.* 191:414.
- Vigneron A, Cruaud P, Roussel EG, Pignet P, Caprais JC, Callac N, Ciobanu MC, Godfroy A, Cragg BA, Parkes JR, Van Nostrand JD. 2014. Phylogenetic and functional diversity of microbial communities associated with subsurface sediments of the Sonora Margin, Guaymas Basin. *PLoS One.* 9(8):9–13.
- Vranova V, Rejsek K, Formanek P. 2013. Proteolytic activity in soil: A review. *Appl Soil Ecol.* 70:23–32.
- Waldrop MP, Balser TC, Firestone MK. 2000. Linking microbial community composition to function in a tropical soil. *Soil Biol Biochem.* 32(13):1837–1846.
- Wang H, Wu P, Liu J, Yang S, Ruan B, Rehman S, Liu L, Zhu N. 2020. The regulatory mechanism of *Chryseobacterium* sp. resistance mediated by montmorillonite upon cadmium stress. *Chemosphere.* 240:124851.
- Wang Q, Garrity GM, Tiedje JM, Cole JR. 2007. Naïve Bayesian classifier for rapid assignment of rRNA sequences into the new bacterial taxonomy. *Appl Environ Microbiol.* 73:5261–5267.
- Ward JV. 1989. The four-dimensional nature of lotic ecosystems. *J North Am Benthol Soc.* 8(1):2-8.
- Waring BG, Weintraub SR, Sinsabaugh RL. 2014. Eoenzymatic stoichiometry of microbial nutrient acquisition in tropical soils. *Biogeochemistry.* 117(1):101–113.
- Warnes GR, Bolker B, Bonebakker L, Gentleman R, Huber W, Liaw A, Lumley T, Maechler M, Magnusson A, Moeller S, Schwartz M. 2015. gplots: Various R programming tools for plotting data. <http://cran.r-project.org/package=gplots>.
- Waters CN, Zalasiewicz JA, Williams M, Ellis MA, Snelling AM. 2014. A stratigraphical basis for the Anthropocene? *Geol Soc Spec Publ.* 395(1):1–21.
- Whalen JK, Warman PR. 1996. Arylsulfatase activity in soil and soil extracts using natural and artificial substrates. *Biol Fertil Soils.* 22(4):373–378.
- White C, Shaman AK, Gadd GM. 1998. An integrated microbial process for the bioremediation of soil contaminated with toxic metals. *Nat Biotechnol.* 16(6): 572-575.
- Wiegand I, Hilpert K, Hancock RE. 2008. Agar and broth dilution methods to determine the minimal inhibitory concentration (MIC) of antimicrobial substances. *Nat Protoc.* 3(2):163.

- Williams KH, Kemna A, Wilkins MJ, Druhan J, Arntzen E, N'Guessan AL, Long PE, Hubbard SS, Banfield JF. 2009. Geophysical monitoring of coupled microbial and geochemical processes during stimulated subsurface bioremediation. *Environ Sci Technol.* 43(17):6717–6723.
- Wilms R, Sass H, Kopke B, Koster J. 2006. Specific bacterial, archaeal, and eukaryotic communities in tidal-flat sediments along a vertical profile of several meters. *Appl Environ Microbiol.* 72(4):2756–2764.
- Wilson K. 2001. Preparation of genomic DNA from bacteria. *Current Protocols in Molecular Biology.* 56:2.4.1-2.4.5.
- Wood WW, Petraitis MJ. 1984. Origin and distribution of carbon dioxide in the unsaturated zone of the southern high plains of Texas. *Water Resour Res.* 20(9):1193–1208.
- Yeomans JC, Bremner JM, McCarty GW. 1992. Denitrification capacity and denitrification potential of subsurface soils. *Commun Soil Sci Plant Anal.* 23(9–10):919–927.
- Zanaroli G, Negroni A, Häggblom MM, Fava F. 2015. Microbial dehalogenation of organohalides in marine and estuarine environments. *Curr Opin Biotechnol.* 33:287–295.
- Zelege J, Lu S, Wang J, Huang J, Li B, Ogram A V, Quan Z-X. 2013. Methyl coenzyme m reductase a (mcra) gene-based investigation of methanogens in the mudflat sediments of yangtze river estuary, China. *Microb Ecol.* 66(2):257–267.
- Zhao J, Scheibe TD, Mahadevan R. 2011. Model-based analysis of the role of biological, hydrological and geochemical factors affecting uranium bioremediation. *Biotechnol Bioeng.* 108(7):1537–1548.
- Zhou Z, Meng H, Liu Y, Gu J, Li M. 2017. Stratified bacterial and archaeal community in mangrove and intertidal wetland mudflats revealed by high throughput 16s rRNA gene sequencing. *Front Microbiol.* 8:1–19.
- Zhu JY, Zhang JX, Li Q, Han T, Hu YH, Liu XD, Qin WQ, Chai LY, Qiu GZ. 2014. Bioleaching of heavy metals from contaminated alkaline sediment by auto- and heterotrophic bacteria in stirred tank reactor. *Trans Nonferrous Met Soc China.* 24(9):2969–2975.
- Zlatkin IV, Schneider M, De Bruijn FJ, Forney LJ. 1996. Diversity among bacteria isolated from the deep subsurface. *J Ind Microbiol Biotechnol.* 17(3–4):219–227.