

6. REFERENCES

- Abraham, N.M., Jefferson, K.K., 2012. *Staphylococcus aureus* clumping factor B mediates biofilm formation in the absence of calcium. *Microbiol. (United Kingdom)* 158, 1504–1512.
- Abu-Qatouseh, L.F., Chinni, S. V., Seggewiß, J., Proctor, R.A., Brosius, J., Rozhdestvensky, T.S., Peters, G., Eiff, C. Von, Becker, K., 2010. Identification of differentially expressed small non-protein-coding RNAs in *Staphylococcus aureus* displaying both the normal and the small-colony variant phenotype. *J. Mol. Med.* 88, 565–575.
- Acuña, L.G., Barros, M.J., Nuñez, P., Peñaloza, D., Montt, F., Pedraza, D., Crossley, K., Gil, F., Fuentes, J.A., Calderón, I.L., 2020. The *cis*-encoded antisense RNA IsrA from *Salmonella Typhimurium* represses the expression of STM0294.1n (*iasE*), an SOS-induced gene coding for an endoribonuclease activity. *Biochem. Biophys. Res. Commun.* 526, 706–712.
- Aiba, H., 2007. Mechanism of RNA silencing by Hfq-binding small RNAs. *Curr. Opin. Microbiol.* 10, 134–139.
- Anderson, K.L., Roberts, C., Disz, T., Vonstein, V., Hwang, K., Overbeek, R., Olson, P.D., Projan, S.J., Dunman, P.M., 2006. Characterization of the *Staphylococcus aureus* heat shock, cold shock, stringent, and SOS responses and their effects on log-phase mRNA turnover. *J. Bacteriol.* 188, 6739–6756.
- Antignac, A., Sieradzki, K., Tomasz, A., 2007. Perturbation of cell wall synthesis suppresses autolysis in *Staphylococcus aureus*: Evidence for coregulation of cell wall synthetic and hydrolytic enzymes. *J. Bacteriol.* 189, 7573–7580.
- Arbade, G.K., 2016. Extra cytoplasmic sigma factors in *Staphylococcus aureus*; their role and significance in the survival of cocci. *J. Appl. Biotechnol. Bioeng.* 1, 53–57.
- Augagneur, Y., King, A.N., Germain-Amiot, N., Sassi, M., Fitzgerald, J.W., Sahukhal, G.S., Elasri, M.O., Felden, B., Brinsmade, S.R., 2020. Analysis of the CodY RNome reveals RsaD as a stress-responsive riboregulator of overflow metabolism in *Staphylococcus aureus*. *Mol. Microbiol.* 113, 309–325.
- Azam, M.S., Vanderpool, C.K., 2020. Translation inhibition from a distance: The small RNA SgrS silences a ribosomal protein S1-dependent enhancer. *Mol. Microbiol.* 114, 391–408.
- Baba, T., Bae, T., Schneewind, O., Takeuchi, F., Hiramatsu, K., 2008. Genome sequence of *Staphylococcus aureus* strain Newman and comparative analysis of staphylococcal genomes: Polymorphism and evolution of two major pathogenicity islands. *J. Bacteriol.* 190, 300–310.
- Baba, T., Schneewind, O., 1998. Targeting of muralytic enzymes to the cell division site of Gram-positive bacteria: Repeat domains direct autolysin to the equatorial surface ring of *Staphylococcus aureus*. *EMBO J.* 17, 4639–4646.
- Baker, C.S., Morozov, I., Suzuki, K., Romeo, T., Babitzke, P., 2002. CsrA regulates glycogen biosynthesis by preventing translation of glgC in *Escherichia coli*. *Mol. Microbiol.* 44, 1599–1610.

- Barquist, L., Vogel, J., 2015. Accelerating discovery and functional analysis of small RNAs with new technologies. *Annu. Rev. Genet.* 49, 367–394.
- Bayer, A.S., Schneider, T., Sahl, H.G., 2013. Mechanisms of daptomycin resistance in *Staphylococcus aureus*: Role of the cell membrane and cell wall. *Ann. N. Y. Acad. Sci.* 1277, 139–158.
- Beaume, M., Hernandez, D., Farinelli, L., Deluen, C., Linder, P., Gaspin, C., Romby, P., Schrenzel, J., Francois, P., 2010. Cartography of methicillin-resistant *S. aureus* transcripts: Detection, orientation and temporal expression during growth phase and stress conditions. *PLoS One* 5, e10725.
- Beisel, C.L., Storz, G., 2011. The base-pairing RNA Spot 42 participates in a multioutput feedforward loop to help enact catabolite repression in *Escherichia coli*. *Mol. Cell* 41, 286–297.
- Beisel, C.L., Updegrove, T.B., Janson, B.J., Storz, G., 2012. Multiple factors dictate target selection by Hfq-binding small RNAs. *EMBO J.* 31, 1961–1974.
- Bervoets, I., Charlier, D., 2019. Diversity, versatility and complexity of bacterial gene regulation mechanisms: opportunities and drawbacks for applications in synthetic biology. *FEMS Microbiol. Rev.* 43, 304–339.
- Bhakdil, S., Trantum-Jensen, J., 1991. Alpha-Toxin of *Staphylococcus aureus*. *Microbiol. Rev.* 55(4), 733–751.
- Binsker, U., Palankar, R., Wesche, J., Kohler, T.P., Prucha, J., Burchhardt, G., Rohde, M., Schmidt, F., Bröker, B.M., Mamat, U., Pané-Farré, J., Graf, A., Ebner, P., Greinacher, A., Hammerschmidt, S., 2018. Secreted immunomodulatory proteins of *Staphylococcus aureus* activate platelets and induce platelet aggregation. *Thromb. Haemost.* 118, 745–757.
- Bischler, T., Tan, H.S., Nieselt, K., Sharma, C.M., 2015. Differential RNA-seq (dRNA-seq) for annotation of transcriptional start sites and small RNAs in *Helicobacter pylori*. *Methods* 86, 89–101.
- Bischoff, M., Dunman, P., Kormanec, J., Macapagal, D., Murphy, E., Mounts, W., Berger-Bächi, B., Projan, S., 2004. Microarray-based analysis of the *Staphylococcus aureus* σ B regulon. *J. Bacteriol.* 186, 4085–4099.
- Biswas, R., Voggu, L., Simon, U.K., Hentschel, P., Thumm, G., Götz, F., 2006. Activity of the major staphylococcal autolysin Atl. *FEMS Microbiol. Lett.* 259, 260–268.
- Böcher, S., Tønning, B., Skov, R.L., Prag, J., 2009. *Staphylococcus lugdunensis*, a common cause of skin and soft tissue infections in the community. *J. Clin. Microbiol.* 47, 946–950.
- Bohn, C., Rigoulay, C., Bouloc, P., 2007. No detectable effect of RNA-binding protein Hfq absence in *Staphylococcus aureus*. *BMC Microbiol.* 7, 10.
- Bohn, C., Rigoulay, C., Chabelskaya, S., Sharma, C.M., Marchais, A., Skorski, P., Borezée-Durant, E., Barbet, R., Jacquet, E., Jacq, A., Gautheret, D., Felden, B., Vogel, J., Bouloc, P., 2010. Experimental discovery of small RNAs in *Staphylococcus aureus* reveals a riboregulator of central metabolism. *Nucleic Acids*

Res. 38, 6620–6636.

- Boisset, S., Geissmann, T., Huntzinger, E., Fechter, P., Bendridi, N., Possedko, M., Chevalier, C., Helfer, A.C., Benito, Y., Jacquier, A., Gaspin, C., Vandenesch, F., Romby, P., 2007. *Staphylococcus aureus* RNAIII coordinately represses the synthesis of virulence factors and the transcription regulator Rot by an antisense mechanism. *Genes Dev.* 21, 1353–1366.
- Bose, J.L., Lehman, M.K., Fey, P.D., Bayles, K.W., 2012. Contribution of the *Staphylococcus aureus* Atl AM and GL Murein hydrolase activities in cell division, autolysis, and biofilm formation. *PLoS One* 7, e42244.
- Bossi, L., Figueroa-Bossi, N., 2007. A small RNA downregulates LamB maltoporin in *Salmonella*. *Mol. Microbiol.* 65, 799–810.
- Bouvier, M., Sharma, C.M., Mika, F., Nierhaus, K.H., Vogel, J., 2008. Small RNA binding to 5' mRNA coding region inhibits translational initiation. *Mol. Cell* 32, 827–837.
- Brantl, S., 2007. Regulatory mechanisms employed by *cis*-encoded antisense RNAs. *Curr. Opin. Microbiol.* 10, 102–109.
- Bronesky, D., Desgranges, E., Corvaglia, A., François, P., Caballero, C.J., Prado, L., Toledo Arana, A., Lasa, I., Moreau, K., Vandenesch, F., Marzi, S., Romby, P., Caldelari, I., 2019. A multifaceted small RNA modulates gene expression upon glucose limitation in *Staphylococcus aureus*. *EMBO J.* 38, e99363.
- Bronesky, D., Wu, Z., Marzi, S., Walter, P., Geissmann, T., Moreau, K., Vandenesch, F., Caldelari, I., Romby, P., 2016. *Staphylococcus aureus* RNAIII and its regulon link quorum sensing, stress responses, metabolic adaptation, and regulation of virulence gene expression. *Annu. Rev. Microbiol.* 70, 299–316.
- Bronner, S., Monteil, H., Prévost, G., 2004. Regulation of virulence determinants in *Staphylococcus aureus*: Complexity and applications. *FEMS Microbiol. Rev.* 28, 183–200.
- Bronner, S., Monteil, H., Prévost, G., Jørgensen, M.G., Pettersen, J.S., Kallipolitis, B.H., Roberts, M., Rowley, G., Kormanec, J., Elisabeth, M., Zalm, J., 2020. sRNA-mediated control in bacteria: An increasing diversity of regulatory mechanisms. *Biochim. Biophys. Acta - Gene Regul. Mech.* 28, 183–200.
- Brown, A., Fernández, I.S., Gordiyenko, Y., Ramakrishnan, V., 2016. Ribosome-dependent activation of stringent control. *Nature* 534, 277–280.
- Browning, D.F., Busby, S.J.W., 2004. The regulation of bacterial transcription initiation. *Nat. Rev. Microbiol.* 2, 57–65.
- Burlak, C., Hammer, C.H., Robinson, M.-A., Whitney, A.R., McGavin, M.J., Kreiswirth, B.N., Deleo, F.R., 2007. Global analysis of community-associated methicillin-resistant *Staphylococcus aureus* exoproteins reveals molecules produced *in vitro* and during infection. *Cell Microbiol.* 9, 1172–1190.
- Caldelari, I., Chao, Y., Romby, P., 2013. RNA-mediated regulation in pathogenic bacteria. *Cold Spring Harb. Perspect. Med.* 3, a010298.

- Casino, P., Rubio, V., Marina, A., 2010. The mechanism of signal transduction by two-component systems. *Curr. Opin. Struct. Biol.* 20, 763-771.
- Chabelskaya, S., Bordeau, V., Felden, B., 2014. Dual RNA regulatory control of a *Staphylococcus aureus* virulence factor. *Nucleic Acids Res.* 42, 4847-4858.
- Chabelskaya, S., Gaillot, O., Felden, B., 2010. A *Staphylococcus aureus* small RNA is required for bacterial virulence and regulates the expression of an immune-evasion molecule. *PLoS Pathog.* 6, e1000927.
- Chakravarty, S., Massé, E., 2019. RNA-dependent regulation of virulence in pathogenic bacteria. *Front. Cell. Infect. Microbiol.* 9, 1–16.
- Chan, P.F., Foster, S.J., Ingham, E., Clements, M.O., 1998. The *Staphylococcus aureus* alternative sigma factor $\sigma(B)$ controls the environmental stress response but not starvation survival or pathogenicity in a mouse abscess model. *J. Bacteriol.* 180, 6082–6089.
- Chao, Y., Papenfort, K., Reinhardt, R., Sharma, C.M., Vogel, J., 2012. An atlas of Hfq-bound transcripts reveals 3' UTRs as a genomic reservoir of regulatory small RNAs. *EMBO J.* 31, 4005–4019.
- Chen, S., Lesnik, E.A., Hall, T.A., Sampath, R., Griffey, R.H., Ecker, D.J., Blyn, L.B., 2002. A bioinformatics based approach to discover small RNA genes in the *Escherichia coli* genome. *BioSystems* 65, 157–177.
- Cheung, G.Y.C., Duong, A.C., Otto, M., 2012. Direct and synergistic hemolysis caused by *Staphylococcus* phenol-soluble modulins: Implications for diagnosis and pathogenesis. *Microbes Infect.* 14, 380–386.
- Chevalier, C., Boisset, S., Romilly, C., Masquida, B., Fechter, P., Geissmann, T., Vandenesch, F., Romby, P., 2010. *Staphylococcus aureus* RNAIII binds to two distant regions of coa mRNA to arrest translation and promote mRNA degradation. *PLoS Pathog.* 6, e1000809.
- Chien, Y.T., Cheung, A.L., 1998. Molecular interactions between two global regulators, sar and agr, in *Staphylococcus aureus*. *J. Biol. Chem.* 273, 2645–2652.
- Chien, Y.T., Manna, A.C., Projan, S.J., Cheung, A.L., 1999. SarA, a global regulator of virulence determinants in *Staphylococcus aureus*, binds to a conserved motif essential for sar-dependent gene regulation. *J. Biol. Chem.* 274, 37169–37176.
- Cho, S.H., Strickland, I., Boguniewicz, M., Leung, D.Y.M., 2001. Fibronectin and fibrinogen contribute to the enhanced binding of *Staphylococcus aureus* to atopic skin. *J. Allergy Clin. Immunol.* 108, 269–274.
- Chu, X., Xia, R., He, N., Fang, Y., 2013. Role of Rot in bacterial autolysis regulation of *Staphylococcus aureus* NCTC8325. *Res. Microbiol.* 164, 695–700.
- Chunhua, M., Yu, L., Yaping, G., Jie, D., Qiang, L., Xiaorong, T., Guang, Y., 2012. The expression of LytM is down-regulated by RNAIII in *Staphylococcus aureus*. *J. Basic Microbiol.* 52, 636-641.
- Cisar, E.A.G., Geisinger, Edward, Muir, T.W., Novick, R.P., 2009. Symmetric signalling

- within asymmetric dimers of the *Staphylococcus aureus* receptor histidine kinase AgrC. *Mol. Microbiol.* 74, 44-57.
- Clarke, Simon R., Brummell, K.J., Horsburgh, M.J., McDowell, P.W., Mohamad, S.A.S., Stapleton, M.R., Acevedo, J., Read, R.C., Day, N.P.J., Peacock, S.J., Mond, J.J., Kokai Kun, J.F., Foster, S.J., 2006. Identification of *in vivo*-expressed antigens of *Staphylococcus aureus* and their use in vaccinations for protection against nasal carriage. *J. Infect. Dis.* 193, 1098–1108.
- Clarke, Simon R, Foster, S.J., Clarke, S.R., Foster, S.J., 2006. Surface adhesins of *Staphylococcus aureus*. *Adv. Microb. Physiol.* 51, 187-224.
- Condon, C., French, S., Squires, C., Squires, C.L., 1993. Depletion of functional ribosomal RNA operons in *Escherichia coli* causes increased expression of the remaining intact copies. *EMBO J.* 12, 4305–4315.
- Cooney, J., Kienle, Z., Foster, T.J., O'Toole, P.W., 1993. The gamma-hemolysin locus of *Staphylococcus aureus* comprises three linked genes, two of which are identical to the genes for the F and S components of leukocidin. *Infect. Immun.* 61, 768–771.
- Cordwell, S.J., Larsen, M.R., Cole, R.T., Walsh, B.J., Proteome, A., 2002. Comparative proteomics of *Staphylococcus aureus* and the response of methicillin-resistant and methicillin-sensitive strains to Triton X-100. *Microbiology* 148, 2765–2781.
- Darfeuille, F., Unoson, C., Vogel, J., Wagner, E.G.H., 2007. An antisense RNA inhibits translation by competing with standby ribosomes. *Mol. Cell* 26, 381–392.
- Delauné, A., Dubrac, S., Blanchet, C., Poupel, O., Mäder, U., Hiron, A., Leduc, A., Fitting, C., Nicolas, P., Cavaillon, J.M., Adib-Conquy, M., Msadek, T., 2012. The WalKR system controls major staphylococcal virulence genes and is involved in triggering the host inflammatory response. *Infect. Immun.* 80, 3438–3453.
- Divyakolu, S., Chikkala, R., Ratnakar, K.S., Sritharan, V., 2019. Hemolysins of *Staphylococcus aureus* — An update on their biology, role in pathogenesis and as targets for anti-virulence therapy. *Advances in Infectious Diseases.* 9, 80-104.
- Dos Santos, R.F., Arraiano, C.M., Andrade, J.M., 2019. New molecular interactions broaden the functions of the RNA chaperone Hfq. *Curr. Genet.* 65, 1313–1319.
- Dubrac, S., Boneca, I.G., Poupel, O., Msadek, T., 2007. New insights into the WalK/WalR (YycG/YycF) essential signal transduction pathway reveal a major role in controlling cell wall metabolism and biofilm formation in *Staphylococcus aureus*. *J. Bacteriol.* 189, 8257–8269.
- Dubrac, S., Msadek, T., 2008. Tearing down the wall: peptidoglycan metabolism and the WalK/WalR (YycG/YycF) essential two-component system. *Adv. Exp. Med. Biol.* 631, 214–28.
- Dubrac, S., Msadek, T., 2004. Identification of genes controlled by the essential YycG/YycF two-component system of *Staphylococcus aureus*. *J. Bacteriol.* 186, 1175–1181.
- Dunman, P.M., Murphy, E., Haney, S., Palacios, D., Tucker-Kellogg, G., Wu, S., Brown, E.L., Zagursky, R.J., Shlaes, D., Projan, S.J., 2001. Transcription profiling-based

- identification of *Staphylococcus aureus* genes regulated by the agr and/or sarA loci. *J. Bacteriol.* 183, 7341–7353.
- Durand, S., Braun, F., Helfer, A.C., Romby, P., Condon, C., 2017. sRNA-mediated activation of gene expression by inhibition of 5'-3' exonucleolytic mRNA degradation. *Elife* 6, 1–23.
- Durand, S., Braun, F., Lioliou, E., Romilly, C., Helfer, A.C., Kuhn, L., Quittot, N., Nicolas, P., Romby, P., Condon, C., 2015. A Nitric Oxide Regulated Small RNA Controls Expression of Genes Involved in Redox Homeostasis in *Bacillus subtilis*. *PLoS Genet.* 11, 1–31.
- Durica-mitic, S., Go, Y., Go, B., 2018. Carbohydrate utilization in bacteria: making the most out of sugars with the help of small regulatory RNAs. *Microbiol. Spectr.* 6.
- Dyballa, N., Metzger, S., 2009. Fast and sensitive colloidal Coomassie G-250 staining for proteins in polyacrylamide gels. *J. Vis. Exp.* 30, 1431.
- Entenza, J.M., Foster, T.J., Eidhin, D.N., Vaudaux, P., Francioli, P., Moreillon, P., 2000. Contribution of clumping factor B to pathogenesis of experimental endocarditis due to *Staphylococcus aureus*. *Infect. Immun.* 68, 5443–5446.
- Entenza, J.M., Moreillon, P., Senn, M.M., Kormanec, J., Dunman, P.M., Berger-Bächi, B., Projan, S., Bischoff, M., 2005. Role of σ B in the expression of *Staphylococcus aureus* cell wall adhesins ClfA and FnbA and contribution to infectivity in a rat model of experimental endocarditis. *Infect. Immun.* 73, 990–998.
- Eyraud, A., Tattevin, P., Chabelskaya, S., Felden, B., 2014. A small RNA controls a protein regulator involved in antibiotic resistance in *Staphylococcus aureus*. *Nucleic Acids Res.* 42, 4892–4905.
- Fechter, P., Caldelari, I., Lioliou, E., Romby, P., 2014. Novel aspects of RNA regulation in *Staphylococcus aureus*. *FEBS Letters* 588, 2523–2529.
- Fender, A., Elf, J., Hampel, K., Zimmermann, B., Wagner, E.G.H., 2010. RNAs actively cycle on the Sm-like protein Hfq. *Genes Dev.* 24, 2621–2626.
- Ferreira, A., O'Byrne, C.P., Boor, K.J., 2001. Role of σ B in Heat, Ethanol, Acid, and Oxidative Stress Resistance and during Carbon Starvation in *Listeria monocytogenes*. *Appl. Environ. Microbiol.* 67, 4454–4457.
- Foster, S.J., Takahashi, J., Komatsuzawa, H., Yamada, S., Nishida, T., Labischinski, H., Fujiwara, T., Ohara, M., Yamagishi, J. ichi, Sugai, M., 2002. Molecular characterization of an atl null mutant of *Staphylococcus aureus*. *J. Bacteriol.* 144, 601–612.
- Foster, T. J., Geoghegan, J. A., Ganesh, V. K., & Höök, M., 2014. Adhesion, invasion and evasion: the many functions of the surface proteins of *Staphylococcus aureus*. *Nat. Rev. Microbiol.* 12, 49–62.
- Fozo, E.M., Hemm, M.R., Storz, G., 2008. Small toxic proteins and the antisense RNAs that repress them. *Microbiol. Mol. Biol. Rev.* 72, 579–589.
- Francez-Charlot, A., Frunzke, J., Reichen, C., Ebnetter, J.Z., Gourion, B., Vorholt, J.A.,

2009. Sigma factor mimicry involved in regulation of general stress response. *Proc. Natl. Acad. Sci. U. S. A.* 106, 3467–3472.
- Fröhlich, K.S., Papenfort, K., Fekete, A., Vogel, J., 2013. A small RNA activates CFA synthase by isoform-specific mRNA stabilization. *EMBO J.* 32, 2963–2979.
- Geisinger, E., Adhikari, R.P., Jin, R., Ross, H.F., Novick, R.P., 2006. Inhibition of rot translation by RNAIII, a key feature of *agr* function. *Mol. Microbiol.* 61, 1038–1048.
- Geissmann, T., Chevalier, C., Cros, M.J., Boisset, S., Fechter, P., Noirot, C., Schrenzel, J., François, P., Vandenesch, F., Gaspin, C., Romby, P., 2009. A search for small noncoding RNAs in *Staphylococcus aureus* reveals a conserved sequence motif for regulation. *Nucleic Acids Res.* 37, 7239–7257.
- Georg, J., Hess, W.R., 2011. Cis -antisense RNA, another level of gene regulation in bacteria. *Microbiol. Mol. Biol. Rev.* 75, 286–300.
- Gimpel, M., Heidrich, N., Mäder, U., Krügel, H., Brantl, S., 2010. A dual-function sRNA from *B. subtilis*: SR1 acts as a peptide encoding mRNA on the gapA operon. *Mol. Microbiol.* 76, 990–1009.
- Gnanamani, A., Hariharan, P., Paul-Satyaseela, M., 2017. *Staphylococcus aureus*: Overview of bacteriology, clinical diseases, epidemiology, antibiotic resistance and therapeutic approach. *Frontiers in Staphylococcus aureus.* 4, 28.
- Gogol, E.B., Rhodius, V.A., Papenfort, K., Vogel, J., Gross, C.A., 2011. Small RNAs endow a transcriptional activator with essential repressor functions for single-tier control of a global stress regulon. *Proc. Natl. Acad. Sci. U. S. A.* 108, 12875–12880.
- Goodyear, C.S., Silverman, G.J., 2003. Death by a B cell superantigen: In vivo VH-targeted apoptotic supraclonal B cell deletion by a staphylococcal toxin. *J. Exp. Med.* 197, 1125–1139.
- Gordon, R.J., Lowy, F.D., 2008. Pathogenesis of methicillin-resistant *Staphylococcus aureus* infection. *Clin. Infect. Dis.* 46, S350–S359.
- Gottesman, S., 2005. Micros for microbes: Non-coding regulatory RNAs in bacteria. *Trends Genet.* 21, 399–404.
- Guillier, M., Gottesman, S., 2006. Remodelling of the *Escherichia coli* outer membrane by two small regulatory RNAs. *Mol. Microbiol.* 59, 231–247.
- Guldimann, C., Boor, K.J., Wiedmann, M., Guariglia-Oropeza, V., 2016. Resilience in the face of uncertainty: Sigma factor B fine-tunes gene expression to support homeostasis in gram-positive bacteria. *Appl. Environ. Microbiol.* 82, 4456–4469.
- Gupta, R.K., Luong, T.T., Lee, C.Y., 2015. Erratum: RNAIII of the *Staphylococcus aureus* *agr* system activates global regulator MgrA by stabilizing mRNA. *Proc. Natl. Acad. Sci. U. S. A.* 112, E7306.
- Haag, A.F., Bagnoli, F., 2016. The role of two-component signal transduction systems in *Staphylococcus aureus* virulence regulation. In: Bagnoli F., Rappuoli R., Grandi G. (Eds). *Staphylococcus aureus. Curr. Top. Microbiol. Immunol.* 409, 145–198.

- Hammer, B.K., Bassler, B.L., 2007. Regulatory small RNAs circumvent the conventional quorum sensing pathway in pandemic *Vibrio cholerae*. *Proc. Natl. Acad. Sci. U. S. A.* 104, 11145-11149.
- Haq, I.U., Müller, P., Brantl, S., 2020. SR7-a dual-function antisense RNA from *Bacillus subtilis*. *RNA Biol.* 18, 104–117.
- Harms, A., Brodersen, D.E., Mitarai, N., Gerdes, K., 2018. Toxins, targets, and triggers: an overview of toxin-antitoxin biology. *Mol. Cell* 70, 768–784.
- Herman-bausier, P., Labate, C., Towell, A.M., Derclaye, S., Geoghegan, J.A., 2018. *Staphylococcus aureus* clumping factor A is a force-sensitive molecular switch that activates bacterial adhesion. *Proc. Natl. Acad. Sci. U. S. A.* 115, 5564-5569.
- Higgins, J., Loughman, A., Van Kessel, K.P.M., Van Strijp, J.A.G., Foster, T.J., 2006. Clumping factor A of *Staphylococcus aureus* inhibits phagocytosis by human polymorphonuclear leucocytes. *FEMS Microbiol. Lett.* 258, 290–296.
- Hirschhausen, N., Schlesier, T., Schmidt, M.A., Götz, F., Peters, G., Heilmann, C., 2010. A novel staphylococcal internalization mechanism involves the major autolysin Atl and heat shock cognate protein Hsc70 as host cell receptor. *Cell. Microbiol.* 12, 1746–1764.
- Holmqvist, E., Li, L., Bischler, T., Barquist, L., Vogel, J., 2018. Global maps of ProQ binding in vivo reveal target recognition via RNA structure and stability control at mRNA 3' ends. *Mol. Cell* 70, 971-982.e6.
- Holmqvist, E., Vogel, J., 2018. RNA-binding proteins in bacteria. *Nat. Rev. Microbiol.* 16, 601–615.
- Holmqvist, E., Wright, P.R., Li, L., Bischler, T., Barquist, L., Reinhardt, R., Backofen, R., Vogel, J., 2016. Global RNA recognition patterns of posttranscriptional regulators Hfq and CsrA revealed by UV crosslinking in vivo. *EMBO J.* 35, 991–1011.
- Hu, J., Zhang, X., Liu, X., Chen, C., Suna, B., 2015. Mechanism of reduced vancomycin susceptibility conferred by walk mutation in community-acquired methicillin-resistant *Staphylococcus aureus* strain MW2. *Antimicrob. Agents Chemother.* 59, 1352–1355.
- Huntzinger, E., Boisset, S., Saveanu, C., Benito, Y., Geissmann, T., Namane, A., Lina, G., Etienne, J., Ehresmann, B., Ehresmann, C., Jacquier, A., Vandenesch, F., Romby, P., 2005. *Staphylococcus aureus* RNAIII and the endoribonuclease III coordinately regulate spa gene expression. *EMBO J.* 24, 824–835.
- Huseby, M., Shi, K., Kent Brown, C., Digre, J., Mengistu, F., Keun, S.S., Bohach, G.A., Schlievert, P.M., Ohlendorf, D.H., Earhart, C.A., 2007. Structure and biological activities of beta toxin from *Staphylococcus aureus*. *J. Bacteriol.* 189, 8719–8726.
- Hüttenhofer, A., 2005. Experimental RNomics: A global approach to identify non-coding RNAs in model organisms. *Handb. RNA Biochem.* 643–654.
- Ii, R.T., Ibba, M., 2020. Translational regulation of environmental adaptation in bacteria. *J. Biol. Chem.* 295, 10434–10445.

- Ishii, K., Adachi, T., Yasukawa, J., Suzuki, Y., Hamamoto, H., Sekimizu, K., 2014. Induction of virulence gene expression in *Staphylococcus aureus* by pulmonary surfactant. *Infect. Immun.* 82, 1500–1510.
- Ivain, L., Eyraud, A., Hallier, M., Tattevin, P., Felden, B., Chabelskaya, S., 2017. An in vivo reporter assay for sRNA-directed gene control in Gram-positive bacteria: identifying a novel sRNA target in *Staphylococcus aureus*. *Nucleic Acids Res.* 45, 4994–5007.
- Jacob, F., Monod, J., 1961. Genetic regulatory mechanisms in the synthesis of proteins. *J. Mol. Biol.* 3,318-356.
- Jacob, F., Monod, J., 1959. Genes of structure and genes of regulation in the biosynthesis of proteins. *C. R. Hebd. Seances Acad. Sci.* 249, 1282–1284.
- Jayaswal, R.K., Lee, Y.I., Wilkinson, B.J., 1990. Cloning and expression of a *Staphylococcus aureus* gene encoding a peptidoglycan hydrolase activity. *J. Bacteriol.* 172, 5783–8.
- Ji, G., Beavis, R.C., Novick, R.P., 1995. Cell density control of staphylococcal virulence mediated by an octapeptide pheromone. *Proc. Natl. Acad. Sci. U. S. A.* 92, 12055–12059.
- Jørgensen, M.G., Pettersen, J.S., Kallipolitis, B.H., 2020. sRNA-mediated control in bacteria: An increasing diversity of regulatory mechanisms. *Biochim. Biophys. Acta - Gene Regul. Mech.* 1863, 194504.
- Josefsson, E., Hartford, O., O'brien, L., Patti, J.M., Foster, T., 2001. Protection against experimental *Staphylococcus aureus* arthritis by vaccination with clumping factor A, a novel virulence determinant. *J. Infect. Dis.* 184, 1572–1580.
- Kaito, C., Saito, Y., Nagano, G., Ikuo, M., Omae, Y., Hanada, Y., Han, X., Kuwahara-Arai, K., Hishinuma, T., Baba, T., Ito, T., Hiramatsu, K., Sekimizu, K., 2011. Transcription and translation products of the cytolysin gene psm-mec on the mobile genetic element SCCmec regulate *Staphylococcus aureus* virulence. *PLoS Pathog.* 7, e1001267.
- Kajimura, J., Fujiwara, T., Yamada, S., Suzawa, Y., Nishida, T., Oyamada, Y., Hayashi, I., Yamagishi, J.I., Komatsuzawa, H., Sugai, M., 2005. Identification and molecular characterization of an N-acetylmuramyl-L- alanine amidase Sle1 involved in cell separation of *Staphylococcus aureus*. *Mol. Microbiol.* 58, 1087–1101.
- Karlsson, A., Saravia-Otten, P., Tegmark, K., Morfeldt, E., Arvidson, S., 2001. Decreased amounts of cell wall-associated protein A and fibronectin-binding proteins in *Staphylococcus aureus* sarA mutants due to up-regulation of extracellular proteases. *Infect. Immun.* 69, 4742–4748.
- Kathirvel, M., Buchad, H., Nair, M., 2016. Enhancement of the pathogenicity of *Staphylococcus aureus* strain Newman by a small noncoding RNA SprX1. *Med. Microbiol. Immunol.* 205, 563–574.
- Kim, S., Reyes, D., Beaume, M., Francois, P., Cheung, A., 2014. Contribution of teg49 small RNA in the 5' upstream transcriptional region of sarA to virulence in

- Staphylococcus aureus*. *Infect. Immun.* 82, 4369-4379.
- Kim, W., Choi, J.S., Kim, D., Shin, D., Suk, S., Lee, Y., 2019. Mechanisms for Hfq-independent activation of rpoS by DsrA, a small RNA, in *Escherichia coli*. *Mol. Cells* 42, 426–439.
- Koenig, R.L., Ray, J.L., Maleki, S.J., Smeltzer, M.S., Hurlburt, B.K., 2004. *Staphylococcus aureus* AgrA binding to the RNAIII-agr regulatory region. *J. Bacteriol.* 186, 7549–7555.
- Komatsuzawa, H., Sugai, M., Nakashima, S., Yamada, S., Matsumoto, A., Oshida, T., Suginaka, H., 1997. Subcellular localization of the major autolysin, ATL and its processed proteins in *Staphylococcus aureus*. *Microbiol. Immunol.* 41, 469-479.
- Kwiecinski, J., Jin, T.A.O., Josefsson, E., 2014. Surface proteins of *Staphylococcus aureus* play an important role in experimental skin infection. *APMIS.* 122, 1240-1250.
- Lacey, K.A., Mulcahy, M.E., Towell, A.M., Geoghegan, J.A., McLoughlin, R.M., 2019. Clumping factor B is an important virulence factor during *Staphylococcus aureus* skin infection and a promising vaccine target. *PLoS Pathog.* 15, e1007713.
- Lalaouna, D., Baude, J., Wu, Z., Tomasini, A., Chicher, J., Marzi, S., Vandenesch, F., Romby, P., Caldelari, I., Moreau, K., 2019. RsaC sRNA modulates the oxidative stress response of *Staphylococcus aureus* during manganese starvation. *Nucleic Acids Res.* 47, 9871–9887.
- Lalaouna, D., Desgranges, E., Caldelari, I., Marzi, S., 2018. MS2-Affinity Purification Coupled With RNA Sequencing Approach in the Human Pathogen *Staphylococcus aureus*. *Methods Enzymol.* 612, 393-411.
- Lalaouna, D., Prévost, K., Eyraud, A., Massé, E., 2017. Identification of unknown RNA partners using MAPS. *Methods* 117, 28–34.
- Lasa, I., Toledo-Arana, A., Dobin, A., Villanueva, M., De Los Mozos, I.R., Vergara-Irigaray, M., Segura, V., Fagegaltier, D., Penadés, J.R., Valle, J., Solano, C., Gingeras, T.R., 2011. Genome-wide antisense transcription drives mRNA processing in bacteria. *Proc. Natl. Acad. Sci. U. S. A.* 108, 20172–20177.
- Le Pabic, H., Germain-Amiot, N., Bordeau, V., Felden, B., 2015. A bacterial regulatory RNA attenuates virulence, spread and human host cell phagocytosis. *Nucleic Acids Res.* 43, 9232–9248.
- Lee, D.J., Minchin, S.D., Busby, S.J.W., 2012. Activating transcription in bacteria. *Annu. Rev. Microbiol.* 66, 125–152.
- Lioliou, E., Fechter, P., Caldelari, I., Jester, B.C., Dubrac, S., Helfer, A.C., Boisset, S., Vandenesch, F., Romby, P., Geissmann, T., 2016. Various checkpoints prevent the synthesis of *Staphylococcus aureus* peptidoglycan hydrolase LytM in the stationary growth phase. *RNA Biol.* 13, 427–440.
- Lioliou, E., Sharma, C.M., Caldelari, I., Helfer, A.C., Fechter, P., Vandenesch, F., Vogel, J., Romby, P., 2012. Global regulatory functions of the *Staphylococcus aureus* endoribonuclease III in gene expression. *PLoS Genet.* 8, e1002782.

- Liu, G., Xiang, H., Tang, X., Zhang, K., Wu, X., Wang, X., Guo, N., Feng, H., Wang, G., Liu, L., Shi, Q., Shen, F., Xing, M., Yuan, P., Liu, M., Yu, L., 2011. Transcriptional and functional analysis shows sodium houttuynfonate-mediated inhibition of autolysis in *Staphylococcus aureus*. *Molecules* 16, 8848–8865.
- Livak, K.J., Schmittgen, T.D., 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2- $\Delta\Delta$ CT method. *Methods* 25, 402–408.
- Lokstein, H., Dienst, D., Schürgers, N., Wallner, T., Kopp, D., Stazic, D., Kuchmina, E., Klähn, S., Lokstein, H., Hess, W.R., Wilde, A., 2014. The small regulatory RNA SyR1/PsrR1 controls photosynthetic functions in cyanobacteria. *Plant Cell* 26, 3661–3679.
- Lopes, A.-A., Yoshii, Y., Yamada, S., Nagakura, M., Kinjo, Y., Mizunoe, Y., Okudaa, K., 2019. Roles of lytic transglycosylases in biofilm formation and β -lactam resistance in methicillin-resistant *Staphylococcus aureus*. *Antimicrob. Agents Chemother.* 63, e01277-19.
- Lorenz, U., Lorenz, B., Schmitter, T., Streker, K., Erck, C., Wehland, J., Nicke, J., Zimmermann, B., Ohlsen, K., 2011. Functional antibodies targeting IsaA of *Staphylococcus aureus* augment host immune response and open new perspectives for antibacterial therapy. *Antimicrob. Agents Chemother.* 55, 165-173.
- Lorenz, U., Ohlsen, K., Karch, H., Hecker, M., Thiede, A., Hacker, J., 2000. Human antibody response during sepsis against targets expressed by methicillin resistant *Staphylococcus aureus*. *FEMS Immunol. Med. Microbiol.* 29, 145-153.
- Lotz, T.S., Suess, B., 2018. Small-Molecule-Binding Riboswitches. *Microbiol. Spectr.* 6, 1–12.
- Loughran, A.J., Atwood, D.N., Anthony, A.C., Harik, N.S., Spencer, H.J., Beenken, K.E., Smeltzer, M.S., Smeltzer, S., 2014. Impact of individual extracellular proteases on *Staphylococcus aureus* biofilm formation in diverse clinical isolates and their isogenic sarA mutants. *Microbiology open* 3, 897–909.
- Majdalani, N., Cunnig, C., Sledjeski, D., Elliott, T., Gottesman, S., 1998. DsrA RNA regulates translation of RpoS message by an anti-antisense mechanism, independent of its action as an antisilencer of transcription, *Proc. Natl. Acad. Sci. U. S. A.* 95, 12462-12467.
- Mann, M., Wright, P.R., Backofen, R., 2017. IntaRNA 2.0: Enhanced and customizable prediction of RNA-RNA interactions. *Nucleic Acids Res.* 45, 435-439.
- Marchais, A., Naville, M., Bohn, C., Bouloc, P., Gautheret, D., 2009. Single-pass classification of all noncoding sequences in a bacterial genome using phylogenetic profiles. *Genome Res.* 19, 1084–1092.
- Massé, E., Vanderpool, C.K., Gottesman, S., 2005. Effect of RyhB small RNA on global iron use in *Escherichia coli*. *J. Bacteriol.* 187, 6962–6971.
- Mauro, T., Rouillon, A., Felden, B., 2016. Insights into the regulation of small RNA expression: SarA represses the expression of two sRNAs in *Staphylococcus aureus*. *Nucleic Acids Res.* 44, 10186-10200.

- McGavin, M.J., Zahradka, C., Rice, K., Scott, J.E., 1997. Modification of the *Staphylococcus aureus* fibronectin binding phenotype by V8 protease. *Infect. Immun.* 65, 2621–2628.
- Melamed, S., Faigenbaum-Romm, R., Peer, A., Reiss, N., Shechter, O., Bar, A., Altuvia, Y., Argaman, L., Margalit, H., 2018. Mapping the small RNA interactome in bacteria using RIL-seq. *Nat. Protoc.* 13, 1–33.
- Melamed, S., Peer, A., Faigenbaum-Romm, R., Gatt, Y.E., Reiss, N., Bar, A., Altuvia, Y., Argaman, L., Margalit, H., 2016. Global mapping of small RNA-target interactions in bacteria. *Mol. Cell* 63, 884–897.
- Meyer, M.M., 2017. The role of mRNA structure in bacterial translational regulation. *Wiley Interdiscip. Rev. RNA* 8, 10.1002/wrna.1370
- Miyakoshi, M., Chao, Y., Vogel, J., 2015. Regulatory small RNAs from the 3' regions of bacterial mRNAs. *Curr. Opin. Microbiol.* 24, 132–139.
- Mongodin, E., Bajolet, O., Cutrona, J., Bonnet, N., Dupuit, F., Puchelle, E., De Bentzmann, S., 2002. Fibronectin-binding proteins of *Staphylococcus aureus* are involved in adherence to human airway epithelium. *Infect. Immun.* 70, 620–630.
- Monk, I.R., Shah, I.M., Xu, M., 2012. Transforming the untransformable: application of direct transformation to manipulate genetically *Staphylococcus aureus* and *Staphylococcus epidermidis*. *MBio* 3, e00277–11.
- Morfeldt, E., Taylor, D., Von Gabain, A., Arvidson, S., 1995. Activation of alpha-toxin translation in *Staphylococcus aureus* by the *trans*-encoded antisense RNA, RNAIII. *EMBO J.* 14, 4569–4577.
- Morrison, J.M., Anderson, K.L., Beenken, K.E., Smeltzer, M.S., Dunman, P.M., Sebastien, P., 2012. The staphylococcal accessory regulator, SarA, is an RNA-binding protein that modulates the mRNA turnover properties of late-exponential and stationary phase *Staphylococcus aureus* cells. *Front. Cell Infect. Microbiol.* 2, 26.
- Nakagawa, S., Niimura, Y., Gojobori, T., 2017. Comparative genomic analysis of translation initiation mechanisms for genes lacking the Shine-Dalgarno sequence in prokaryotes. *Nucleic Acids Res.* 45, 3922–3931.
- Nakamura, Y., Oscherwitz, J., Cease, K.B., Chan, S.M., Muñoz-Planillo, R., Hasegawa, M., Villaruz, A.E., Cheung, G.Y.C., McGavin, M.J., Travers, J.B., Otto, M., Inohara, N., Núñez, G., 2013. *Staphylococcus* δ -toxin induces allergic skin disease by activating mast cells. *Nature* 503, 397–401.
- Nega, M., Tribelli, P.M., Hipp, K., Stahl, M., Götz, F., 2020. New insights in the coordinated amidase and glucosaminidase activity of the major autolysin (Atl) in *Staphylococcus aureus*. *Commun. Biol.* 3, 695.
- Nickerson, N.N., Prasad, L., Jacob, L., Delbaere, L.T., McGavin, M.J., 2007. Activation of the SspA serine protease zymogen of *Staphylococcus aureus* proceeds through unique variations of a trypsinogen-like mechanism and is dependent on both autocatalytic and metalloprotease-specific processing. *J. Biol. Chem.* 282, 34129–

34138.

- Nilsen, T.W., 2013. Gel purification of RNA. *Cold Spring Harb. Protoc.* 8, 180–183.
- Novick, R.P., 2003. Autoinduction and signal transduction in the regulation of staphylococcal virulence. *Mol. Microbiol.* 48, 1429–1449.
- Novick, R.P., Ross, H.F., Projan, S.J., Kornblum, J., Kreiswirth, B., Moghazeh, S., 1993. Synthesis of staphylococcal virulence factors is controlled by a regulatory RNA molecule. *EMBO J.* 12, 3967–3975.
- O’Callaghan, R.J., Callegan, M.C., Moreau, J.M., Green, L.C., Foster, T.J., Hartford, O.M., Engel, L.S., Hill, J.M., 1997. Specific roles of alpha-toxin and beta-toxin during *Staphylococcus aureus* corneal infection. *Infect. Immun.* 65, 1571–1578.
- Oesterreich, B., Lorenz, B., Schmitter, T., Kontermann, R., Zenn, M., Zimmermann, B., Haake, M., Lorenz, U., Ohlsen, K., 2014. Characterization of the biological anti-staphylococcal functionality of hUK-66 IgG1, a humanized monoclonal antibody as substantial component for an immunotherapeutic approach. *Hum. Vaccines Immunother.* 10, 926–937.
- Olejniczak, M., Storz, G., 2017. ProQ/FinO-domain proteins: another ubiquitous family of RNA matchmakers? *Mol. Microbiol.* 104, 905–915.
- Oshida, T., Takano, M., Sugai, M., Suginaka, H., Matsushita, T., 1998. Expression analysis of the autolysin gene (atl) of *Staphylococcus aureus*. *Microbiol. Immunol.* 42, 655–659.
- Overl per, A., Kraus, A., Gurski, R., Wright, P.R., Georg, J., Hess, W.R., Narberhaus, F., 2014. Two separate modules of the conserved regulatory RNA AbcR1 address multiple target mRNAs in and outside of the translation initiation region. *RNA Biol.* 11, 624–640.
- Pain, A., Ott, A., Amine, H., Rochat, T., Bouloc, P., Gautheret, D., 2015. An assessment of bacterial small RNA target prediction programs. *RNA Biol.* 12, 509–513.
- Papenfort, K., Sun, Y., Miyakoshi, M., Vanderpool, C.K., Vogel, J., 2013. Small RNA-mediated activation of sugar phosphatase mRNA regulates glucose homeostasis. *Cell* 153, 426–437.
- Papenfort, K., Vogel, J., 2010. Regulatory RNA in bacterial pathogens. *Cell Host Microbe* 8, 116–127.
- Patterson-Fortin, L.M., Vakulskas, C.A., Yakhnin, H., Babitzke, P., Romeo, T., 2013. Dual posttranscriptional regulation via a cofactor-responsive mRNA leader. *J. Mol. Biol.* 425, 3662–3677.
- Periasamy, S., Joo, H.S., Duong, A.C., Bach, T.H.L., Tan, V.Y., Chatterjee, S.S., Cheung, G.Y.C., Otto, M., 2012. How *Staphylococcus aureus* biofilms develop their characteristic structure. *Proc. Natl. Acad. Sci. U. S. A.* 109, 1281–1286.
- Peterson, P.K., Verhoef, J.A.N., Sabath, L.D., Quie, P.G., 1977. Effect of protein A on staphylococcal opsonization. *Infect. Immun.* 15, 760–764.

- Pfeiffer, V., Papenfort, K., Lucchini, S., Hinton, J.C.D., Vogel, J., 2009. Coding sequence targeting by MicC RNA reveals bacterial mRNA silencing downstream of translational initiation. *Nat. Struct. Mol. Biol.* 16, 840–846.
- Phanaksri, T., Luxananil, P., Panyim, S., Tirasophon, W., 2015. Synergism of regulatory elements in σ B- and σ A-dependent promoters enhances recombinant protein expression in *Bacillus subtilis*. *J. Biosci. Bioeng.* 120, 470–475.
- Pichon, C., Felden, B., 2005. Small RNA genes expressed from *Staphylococcus aureus* genomic and pathogenicity islands with specific expression among pathogenic strains. *Proc. Natl. Acad. Sci. U. S. A.* 102, 14249–14254.
- Pinel-Marie, M.L., Brielle, R., Riffaud, C., Germain-Amiot, N., Polacek, N., Felden, B., 2021. RNA antitoxin SprF1 binds ribosomes to attenuate translation and promote persister cell formation in *Staphylococcus aureus*. *Nat. Microbiol.* 6, 209–220.
- Porayath, C., Suresh, M.K., Biswas, R., Nair, B.G., Mishra, N., Pal, S., 2018. International Journal of Biological Macromolecules Autolysin mediated adherence of *Staphylococcus aureus* with Fibronectin, Gelatin and Heparin. *Int. J. Biol. Macromol.* 110, 179–184.
- Potts, A.H., Vakulskas, C.A., Pannuri, A., Yakhnin, H., Babitzke, P., Romeo, T., 2017. Global role of the bacterial post-transcriptional regulator CsrA revealed by integrated transcriptomics. *Nat. Commun.* 8, 1596.
- Que, Y., Haeffliger, J., Piroth, L., François, P., Widmer, E., Entenza, J.M., Sinha, B., Herrmann, M., Francioli, P., Vaudaux, P., Moreillon, P., 2005. Fibrinogen and fibronectin binding cooperate for valve infection and invasion in *Staphylococcus aureus* experimental endocarditis. *J. Exp. Med.* 201, 1627–1635.
- Queck, S.Y., Jameson-Lee, M., Villaruz, A.E., Bach, T.H.L., Khan, B.A., Sturdevant, D.E., Ricklefs, S.M., Li, M., Otto, M., 2008. RNAIII-Independent target gene control by the agr quorum-sensing system: Insight into the evolution of virulence regulation in *Staphylococcus aureus*. *Mol. Cell* 32, 150–158.
- Raina, M., Aoyama, J., Bhatt, S., Paul, B.J., Storz, G., 2021. AzuCR RNA modulates carbon metabolism as a dual-function RNA in *Escherichia coli*. *bioRxiv* 2021.04.27.441574.
- Rasigade, J.P., Trouillet-Assant, S., Ferry, T., Diep, B.A., Sapin, A., Lhoste, Y., Ranfaing, J., Badiou, C., Benito, Y., Bes, M., Couzon, F., Tigaud, S., Lina, G., Etienne, J., Vandenesch, F., Laurent, F., 2013. PSMs of hypervirulent *Staphylococcus aureus* act as intracellular toxins that kill infected osteoblasts. *PLoS One* 8, e63176.
- Raychaudhuri, D., Chatterjee, A.N., 1985. Use of resistant mutants to study the interaction of Triton X-100 with *Staphylococcus aureus*. *J. Bacteriol.* 164, 1337–1349.
- Roberts, C., Anderson, K.L., Murphy, E., Projan, S.J., Mounts, W., Hurlburt, B., Smeltzer, M., Overbeek, R., Disz, T., Dunman, P.M., 2006. Characterizing the effect of the *Staphylococcus aureus* virulence factor regulator, SarA, on log-phase mRNA half-lives. *J. Bacteriol.* 188, 2593–2603.

- Roberts, M., Rowley, G., Kormanec, J., Zalm, M.E.J., 2017. The role of alternative sigma factors in pathogen virulence, in: Gurtler, J.B., Doyle, M.P., Kornacki, J.L. (Eds.), *Foodborne pathogens: virulence factors and host susceptibility*. Springer International Publishing, Cham, 229–303.
- Robledo, M., Frage, B., Wright, P.R., Becker, A., 2015. A stress-induced Small RNA modulates alpha-rhizobial cell cycle progression. *PLoS Genet.* 11, 1005153.
- Rochat, T., Bohn, C., Morvan, C., Le Lam, T.N., Razvi, F., Pain, A., Toffano-Nioche, C., Ponien, P., Jacq, A., Jacquet, E., Fey, P.D., Gautheret, D., Bouloc, P., 2018. The conserved regulatory RNA RsaE down-regulates the arginine degradation pathway in *Staphylococcus aureus*. *Nucleic Acids Res.* 46, 8803–8816.
- Rodriguez Ayala, F., Bartolini, M., Grau, R., 2020. The stress-responsive alternative sigma factor SigB of *Bacillus subtilis* and its relatives: An old friend with new functions. *Front. Microbiol.* 11, 1–20.
- Romeo, T., Gong, M., Mu Ya Liu, Brun-Zinkernagel, A.M., 1993. Identification and molecular characterization of *csrA*, a pleiotropic gene from *Escherichia coli* that affects glycogen biosynthesis, gluconeogenesis, cell size, and surface properties. *J. Bacteriol.* 175, 4744–4755.
- Sabnis, N.A., Yang, H., Romeo, T., 1995. Pleiotropic regulation of central carbohydrate metabolism in *Escherichia coli* via the gene *csrA*. *J. Biol. Chem.* 270, 29096–29104.
- Saito, S., Kakeshita, H., Nakamura, K., 2009. Novel small RNA-encoding genes in the intergenic regions of *Bacillus subtilis*. *Gene* 428, 2–8.
- Sakata, N., Mukai, T., 2007. Production profile of the soluble lytic transglycosylase homologue in *Staphylococcus aureus* during bacterial proliferation. *FEMS Immunol. Med. Microbiol.* 49, 288–295.
- Sakata, N., Terakubo, S., Mukai, T., 2005. Subcellular location of the soluble lytic transglycosylase homologue in *Staphylococcus aureus*. *Curr. Microbiol.* 50, 47–51.
- Sambrook, J., Russell, D.W., 2001. Sambrook & Russel - Molecular Cloning - Vol 1, 2, 3 - 3rd Edition - c2000 Cshl Press.pdf.
- Sauter, C., Basquin, J., Suck, D., 2003. Sm-like proteins in Eubacteria: The crystal structure of the Hfq protein from *Escherichia coli*. *Nucleic Acids Res.* 31, 4091–4098.
- Sayed, N., Jousselin, A., Felden, B., 2012. A *cis*-antisense RNA acts in trans in *Staphylococcus aureus* to control translation of a human cytolytic peptide. *Nat. Struct. Mol. Biol.* 19, 105–113.
- Scheifele, D.W., Bjornson, G.L., 1988. Delta toxin activity in coagulase-negative Staphylococci from the bowels of neonates. *J. Clin. Microbiol.* 26, 279–282.
- Schmitz, F.J., Veldkamp, K.E., Van Kessel, K.P.M., Verhoef, J., Van Strijp, J.A.G., 1997. Delta-toxin from *Staphylococcus aureus* as a costimulator of human neutrophil oxidative burst. *J. Infect. Dis.* 176, 1531–1537.
- Schumacher, M.A., Pearson, R.F., Müller, T., Valentin-hansen, P., Brennan, R.G., 2002.

- Structures of the pleiotropic translational regulator Hfq and an Hfq-RNA complex: a bacterial Sm-like protein. *EMBO J.* 21, 3546-3556.
- Semsey, S., Tolstorukov, M.Y., Virnik, K., Zhurkin, V.B., Adhya, S., 2004. DNA trajectory in the Gal repressosome. *Genes Dev.* 18, 1898-1907.
- Sharma, C.M., Darfeuille, F., Plantinga, T.H., Vogel, J., 2007. A small RNA regulates multiple ABC transporter mRNAs by targeting C/A-rich elements inside and upstream of ribosome-binding sites. *Genes Dev.* 21, 2804-2817.
- Sharma, C.M., Hoffmann, S., Darfeuille, F., Reignier, J., Findeiß, S., Sittka, A., Chabas, S., Reiche, K., Hackermüller, J., Reinhardt, R., Stadler, P.F., Vogel, J., 2010. The primary transcriptome of the major human pathogen *Helicobacter pylori*. *Nature.* 464, 250-255.
- Sharma, C.M., Vogel, J., 2014. Differential RNA-seq: The approach behind and the biological insight gained. *Curr. Opin. Microbiol.* 19, 97-105.
- Sherwood, A. V., Henkin, T.M., 2016. Riboswitch-mediated gene regulation: Novel RNA architectures dictate gene expression responses. *Annu. Rev. Microbiol.* 70, 361-374.
- Shinji, H., Yosizawa, Y., Tajima, A., Iwase, T., Sugimoto, S., Seki, K., Mizunoe, Y., 2011. Role of fibronectin-binding proteins A and B in *in vitro* cellular infections and *in vivo* septic infections by *Staphylococcus aureus*. *Infect. Immun.* 79, 2215-2223.
- Singh, R., Ray, P., 2014. Quorum sensing-mediated regulation of staphylococcal virulence and antibiotic resistance. *Future Microbiol.* 9, 669-681.
- Singh, V.K., Carlos, M.R., Singh, K., 2010. Physiological significance of the peptidoglycan hydrolase, LytM, in *Staphylococcus aureus*. *FEMS Microbiol. Lett.* 311, 167-175.
- Sittka, A., Lucchini, S., Papenfort, K., Sharma, C.M., Rolle, K., 2008. Deep sequencing analysis of small noncoding RNA and mRNA targets of the global post-transcriptional regulator Hfq. *PLoS Genet.* 4, 1000163.
- Smirnov, A., Förstner, K.U., Holmqvist, E., Otto, A., Günster, R., Becher, D., Reinhardt, R., Vogel, J., 2016. Grad-seq guides the discovery of ProQ as a major small RNA-binding protein. *Proc. Natl. Acad. Sci. U. S. A.* 113, 11591-11596.
- Smirnov, A., Wang, C., Drewry, L.L., Vogel, J., 2017. Molecular mechanism of mRNA repression in trans by a ProQ-dependent small RNA. *EMBO J.* 36, 1029-1045.
- Solovyev, V., Salamov, A., 2013. Automatic annotation of microbial genomes and metagenomic sequences. In metagenomics and its applications in agriculture, biomedicine and environmental studies (Ed. R.W. Li). *Nov. Sci. Publ.*
- Somerville, G.A., Proctor, R.A., 2009. At the crossroads of bacterial metabolism and virulence factor synthesis in staphylococci. *Microbiol. Mol. Biol. Rev.* 73, 233-248.
- Song, T., Mika, F., Lindmark, B., Liu, Z., Schild, S., Bishop, A., Zhu, J., Camilli, A., Johansson, J., Vogel, J., Wai, S.N., 2008. A new *Vibrio cholerae* sRNA modulates colonization and affects release of outer membrane vesicles. *Mol. Microbiol.* 70, 100-111.

- Soper, T.J., Woodson, S.A., 2008. The rpoS mRNA leader recruits Hfq to facilitate annealing with DsrA sRNA. *RNA* 14, 1907–1917.
- Spaan, A.N., Vrieling, M., Wallet, P., Badiou, C., Reyes-Robles, T., Ohneck, E.A., Benito, Y., De Haas, C.J.C., Day, C.J., Jennings, M.P., Lina, G., Vandenesch, F., Van Kessel, K.P.M., Torres, V.J., Van Strijp, J.A.G., Henry, T., 2014. The staphylococcal toxins γ -haemolysin AB and CB differentially target phagocytes by employing specific chemokine receptors. *Nat. Commun.* 5, 5438.
- Srivastava, S.K., Rajasree, K., Fasim, A., Arakere, G., Gopal, B., 2014. Influence of the AgrC-AgrA complex on the response time of *Staphylococcus aureus* quorum sensing. *J. Bacteriol.* 196, 2876–2888.
- Stapleton, Melanie R., Horsburgh, M.J., Hayhurst, E.J., Wright, L., Jonsson, I.M., Tarkowski, A., Kokai-Kun, J.F., Mond, J.J., Foster, S.J., 2007. Characterization of IsaA and SceD, two putative lytic transglycosylases of *Staphylococcus aureus*. *J. Bacteriol.* 189, 7316–7325.
- Starosta, A.L., Lassak, J., Jung, K., Wilson, D.N., 2014. The bacterial translation stress response. *FEMS Microbiol. Rev.* 38, 1172–1201.
- Sugai, M., Komatsuzawa, H., Akiyama, T., Hong, Y., Oshida, T., Miyake, Y., Yamaguchi, T., 1995. Identification of endo- β -N-acetylglucosaminidase and N-acetylmuramyl-L-alanine amidase as cluster-dispersing enzymes in *Staphylococcus aureus*. *J. Bacteriol.* 177, 1491–1496.
- Suzuki, K., Babitzke, P., Kushner, S.R., Romeo, T., 2006. Identification of a novel regulatory protein (CsrD) that targets the global regulatory RNAs CsrB and CsrC for degradation by RNase E. *Genes Dev.* 20, 2605–2617.
- Takahashi, J., Komatsuzawa, H., Yamada, S., Nishida, T., Labischinski, H., Fujiwara, T., Ohara, M., Yamagishi, J., Sugai, M., 2002. Molecular characterization of an atl null mutant of *Staphylococcus aureus*. *Microbiol. Immunol.* 46, 601–12.
- Tam, K., Torres, V.J., 2018. *Staphylococcus aureus* Secreted Toxins and Extracellular Enzymes. *Microbiol. Spectr.* 7.
- Taverna, F., Negri, A., Piccinini, R., Zeconi, A., Nonnis, S., Ronchi, S., Tedeschi, G., 2007. Characterization of cell wall associated proteins of a *Staphylococcus aureus* isolated from bovine mastitis case by a proteomic approach. *Vet. Microbiol.* 119, 240–247.
- Testoni, F., Montanaro, L., Poggi, A., Visai, L., Campoccia, D., Arciola, C.R., 2011. Internalization by osteoblasts of two *Staphylococcus aureus* clinical isolates differing in their adhesin gene pattern. *Int. J. Artif. Organs* 34, 789–798.
- Titration, P., 2018. Global Regulation by CsrA and Its RNA Antagonists. *Microbiol. Spectr.* 6.
- Tomasini, A., Moreau, K., Chicher, J., Geissmann, T., Vandenesch, F., Romby, P., Marzi, S., Caldelari, I., 2017. The RNA targetome of *Staphylococcus aureus* non-coding RNA RsaA: Impact on cell surface properties and defense mechanisms. *Nucleic Acids Res.* 45, 6746–6760.

- Traxler, M.F., Summers, S.M., Nguyen, H.T., Zacharia, V.M., Hightower, G.A., Smith, J.T., Conway, T., 2008. The global, ppGpp-mediated stringent response to amino acid starvation in *Escherichia coli*. *Mol. Microbiol.* 68, 1128–1148.
- Trunk, T., S. Khalil, H., C. Leo, J., 2018. Bacterial autoaggregation. *AIMS Microbiol.* 4, 140–164.
- Tuchscher, L., Bischoff, M., Lattar, S.M., Llana, M.N., 2015. Sigma factor SigB is crucial to mediate *Staphylococcus aureus* Adaptation during chronic infections. *PLoS pathog.* 11, e1004870
- Untergasser, A., Cutcutache, I., Koressaar, T., Ye, J., Faircloth, B.C., Remm, M., Rozen, S.G., 2012. Primer3-new capabilities and interfaces. *Nucleic Acids Res.* 40, 1–12.
- Urban, J.H., Vogel, J., 2008. Two seemingly homologous noncoding RNAs act hierarchically to activate glmS mRNA translation. *PLoS Biol.* 6, 0631–0642.
- Urbanowski, M.L., Stauffer, L.T., Stauffer, G. V., 2000. The gcvB gene encodes a small untranslated RNA involved in expression of the dipeptide and oligopeptide transport systems in *Escherichia coli*. *Mol. Microbiol.* 37, 856–868.
- Van den Berg, S., Bonarius, H.P.J., van Kessel, K.P.M., Elsinga, G.S., Kooi, N., Westra, H., Bosma, T., van der Kooi-Pol, M.M., Koedijk, D.G.A.M., Groen, H., van Dijk, J.M., Buist, G., Bakker-Woudenberg, I.A.J.M., 2015. A human monoclonal antibody targeting the conserved staphylococcal antigen IsaA protects mice against *Staphylococcus aureus* bacteremia. *Int. J. Med. Microbiol.* 305, 55–64.
- Vanderpool, C.K., Gottesman, S., 2004. Involvement of a novel transcriptional activator and small RNA in post-transcriptional regulation of the glucose phosphoenolpyruvate phosphotransferase system. *Mol. Microbiol.* 54, 3875.
- Vaudaux, P.E., Franç Ois, P., Proctor, R.A., Mcdevitt, D., Foster, T.J., Albrecht, R.M., Lew, D.P., Wabers, H., Cooper, S.L., 1995. Use of adhesion-defective mutants of *Staphylococcus aureus* to define the role of specific plasma proteins in promoting bacterial adhesion to canine arteriovenous shunts. *Infect. Immun.* 63, 585-590.
- Villanueva, M., García, B., Valle, J., Rapún, B., Ruiz De Los Mozos, I., Solano, C., Martí, M., Penadés, J.R., Toledo-Arana, A., Lasa, I., 2018. Sensory deprivation in *Staphylococcus aureus*. *Nat. Commun.* 9, 1–12.
- Vockenhuber, M.P., Suess, B., 2012. Streptomyces coelicolor sRNA scr5239 inhibits agarase expression by direct base pairing to the dagA coding region. *Microbiology* 158, 424–435.
- Vogel, J., Bartels, V., Tang, T.H., Churakov, G., Slagter-Jäger, J.G., Hüttenhofer, A., Wagner, E.G.H., 2003. RNomics in *Escherichia coli* detects new sRNA species and indicates parallel transcriptional output in bacteria. *Nucleic Acids Res.* 31, 6435–6443.
- Vollmer, W., Joris, B., Charlier, P., Foster, S., 2008. Bacterial peptidoglycan (murein) hydrolases. *FEMS Microbiol. Rev.* 32, 259-268.
- Wadler, C.S., Vanderpool, C.K., 2007. A dual function for a bacterial small RNA: SgrS performs base pairing-dependent regulation and encodes a functional polypeptide.

- Proc. Natl. Acad. Sci. U. S. A. 104, 20454–20459.
- Wang, R., Braughton, K.R., Kretschmer, D., Bach, T.H.L., Queck, S.Y., Li, M., Kennedy, A.D., Dorward, D.W., Klebanoff, S.J., Peschel, A., DeLeo, F.R., Otto, M., 2007. Identification of novel cytolytic peptides as key virulence determinants for community-associated MRSA. *Nat. Med.* 13, 1510–1514.
- Wassarman, K.M., 2018. 6S RNA, a Global Regulator of Transcription. *Microbiol. Spectr.* 6.
- Wassarman, K.M., Storz, G., 2000. 6S RNA regulates *E. coli* RNA polymerase activity. *Cell* 101, 613–623.
- Waters, L.S., Storz, G., 2009. Review Regulatory RNAs in Bacteria. *Cell* 136, 615–628.
- Wilke, G.A., Wardenburg, J.B., 2010. Role of a disintegrin and metalloprotease 10 in *Staphylococcus aureus* α -hemolysin - mediated cellular injury. *Proc. Natl. Acad. Sci. U. S. A.* 107, 13473–13478.
- Wright, P.R., Georg, J., Mann, M., Sorescu, D.A., Richter, A.S., Lott, S., Kleinkauf, R., Hess, W.R., Backofen, R., 2014. CopraRNA and IntaRNA: Predicting small RNA targets, networks and interaction domains. *Nucleic Acids Res.* 42(Web Server issue), W119-W123.
- Xue, T., Zhang, X., Sun, H., Sun, B., 2014. ArtR, a novel sRNA of *Staphylococcus aureus*, regulates α -toxin expression by targeting the 5' UTR of sarT mRNA. *Med. Microbiol. Immunol.* 203, 1–12.
- Yamada, S., Sugai, M., Komatsuzawa, H., Nakashima, S., Oshida, T., Matsumoto, A., Suginaka, H., 1996. An autolysin ring associated with cell separation of *Staphylococcus aureus*. *J. Bacteriol.* 178, 1565–1571.
- Zapf, R.L., Wiemels, R.E., Keogh, R.A., Holzschu, D.L., Howell, K.M., Trzeciak, E., Caillet, A.R., King, K.A., Selhorst, S.A., Naldrett, M.J., Bose, J.L., Carroll, R.K., 2019. The Small RNA Teg41 Regulates Expression of the Alpha Phenol-Soluble Modulins and Is Required for Virulence in *Staphylococcus aureus*. *MBio* 10, e02484-18.
- Zhang, A., Wassarman, K.M., Rosenow, C., Tjaden, B.C., Storz, G., Gottesman, S., 2003. Global analysis of small RNA and mRNA targets of Hfq. *Mol. Microbiol.* 50, 1111–1124.
- Zheng, L., Yan, M., Fan, F., Ji, Y., 2015. The essential WalK Histidine Kinase and WalR regulator differentially mediate autolysis of staphylococcus aures RN4220. *J. Nat. Sci.* 1, 1–14.
- Zhou, X., Halladin, D.K., Rojas, E.R., Koslover, E.F., Lee, T.K., Huang, K.C., Theriot, J.A., 2015. Mechanical crack propagation drives millisecond daughter cell separation in *Staphylococcus aureus*. *Science*. 348, 574–578.
- Zmantar, T., Kouidhi, B., Miladi, H., Mahdouani, K., Bakhrouf, A., 2010. A Microtiter plate assay for *Staphylococcus aureus* biofilm quantification at various pH levels and hydrogen peroxide supplementation. *New Microbiol.* 33, 137–145.

Zuker, M., 2003. Mfold web server for nucleic acid folding and hybridization prediction. *Nucleic Acids Res.* 31, 3406-3415.