

List of Tables:

Table No.	Title of tables	Page No.
2.1	Prevalence rate of bacteriological positive pulmonary TB in previously reported studies according to various criteria.	3
2.2	Estimated tuberculosis mortality in India	12
2.3	India: Number of TB death, which could be expected among cases reported in 1991 at deferent rate of treatment completion and potential reduction in mortality	12
2.4	Target and achievement of new case detection in NTP during 1994 to 1998	17
2.5	Treatment outcomes, NTP, 1992-1997	17
2.6	Review of NTP in India	19
2.7	Treatment outcomes, RNTCP, 1993-1998	22
2.8	First action taken by chest symptomatic in various studies in India	28
2.9	Source and nature of past treatment among sputum positive chest symptomatics found in a population based survey	29
2.10	Summary of key finding from studies of factors influencing patient adherence to TB treatment	31
5.1.1	Prevalence of chest symptomatic patients	48
5.1.2	Table showing availability of chest symptomatic patients and interviewed out of available by surveys team	48
5.1.3	Sex distribution of chest symptomatic patients interviewed	49
5.1.4	Educational status of chest symptomatic patients interviewed	49
5.1.5	Income-wise distribution of chest symptomatic patients	50
5.1.6	Age distribution of chest symptomatic patients	51
5.1.7	Smoking habit of chest symptomatic patients interviewed	52

Table No.	Title of tables	Page No.
5.1.8	Alcoholic habit of chest symptomatic patients interviewed	52
5.1.9	Awareness and action taken by chest symptomatic patients for their symptoms	53
5.1.10	Place, where the treatment taken by chest symptomatic patients for their Symptoms	53
5.1.11	Prevalence of symptoms among the chest symptomatic patients	54
5.1.12	Chest symptomatic patients submitted for various investigations by treating physician to rule out Tuberculosis	55
5.1.13	Proportion Chest symptomatic patients submitted for investigation to rule out Tuberculosis	55
5.1.14	Knowledge regarding symptoms of tuberculosis among the chest symptomatic patients	56
5.1.15	Recognition of symptoms of tuberculosis by the chest symptomatic patients	56
5.1.16	Knowledge about the fact of TB among the chest symptomatic patients	57
5.1.17	Knowledge regarding facilities for diagnosis and treatment of TB available in the their district among the chest symptomatic patients	58
5.1.18	Knowledge of facilities where diagnosis and treatment for TB is available free of cost, nearer to the house of chest symptomatic patients	58
5.1.19	Frequency of health worker visit to their house during one month as reported by chest symptomatic patients	59
5.1.20	Knowledge of chest symptomatic patients about purpose of health worker visit	59

Table No.	Title of tables	Page No.
5.1.21	Awareness of the fact that the health worker can help for diagnosis and treatment of tuberculosis among the chest symptomatic patients	60
5.1.22	Commonest method of disposal of sputum by chest symptomatic patients	60
5.1.23	Chest symptomatic patients who were given sputum sample for AFB examination to study team	61
5.1.24	Reason for not given sputum sample for AFB examination	61
5.1.25	Sputum smear AFB positive among the chest symptomatic patients	62
5.2.1	TB Patients interviewed out of total registered by surveys team	63
5.2.2	Reasons, why not interviewed the TB Patients	63
5.2.3	TB patients registered, who had taken treatment during the year 1998 at selected villages	64
5.2.4	Sex distribution of TB patients interviewed	65
5.2.5	Educational status of TB patients	65
5.2.6	Distribution of TB patients as per age groups	66
5.2.7	Age and Sex distribution of TB patients	67
5.2.8	Acceptance of diagnosis of TB by patients	67
5.2.9	Symptoms of TB experience by patients	68
5.2.10	Knowledge of TB symptoms among patients	68
5.2.11	Help seeking behavior of TB patients	69
5.2.12	Diagnosis of TB suspected by physician in patients	69
5.2.13	Diagnostic laboratory test undergone by patients	70
5.2.14	Sputum AFB examination in patients	70
5.2.15	Place of treatment as reported by TB patients	71
5.2.16	Drug regimens received by TB patients treated at govt. facilities	71

Table No.	Title of tables	Page No.
5.2.17	Drug regimens received by TB patients treated at NGO run TB Hospital	72
5.2.18	Drug regimens received by TB patients treated at Private Hospital	72
5.2.19	Regularity of taking drug by patients	73
5.2.20	Side effect of drug observed by patient	73
5.2.21	Buying of drug from drug shops by patients	74
5.2.22	Money spent for the treatment of TB by patient	74
5.2.23	Drugs taken in presence of DOTs provider in case of patient received RNTCP regimen	75
5.2.24	Categories of health personnel who provide the dots treatment	75
5.2.25	Default occasion, in taking treatment by TB patients	76
5.2.26	Default Tb patients visited by health personnel for default retrieval	76
5.2.27	Categories of health personnel visited to default patients	77
5.2.28	Default retrieval latter received by TB patients from treating health institutions	77
5.2.29	Knowledge of duration of treatment in TB patients	78
5.2.30	Knowledge about the availability of facilities for diagnosis and treatment of TB in the district located nearer to house of patient	78
5.2.31	Cause of TB as perceived by patient	79
5.2.32	Transmission of TB as perceived by patient	79
5.2.33	Commonest methods of disposal of sputum by patients	79
5.3.1	Death registration in village Panchayat register	80
5.3.2	Proportion of death attributed to TB	80
5.3.3	Crude death rate & TB death rate	81
5.3.4	Place of death of TB patients	84

Table No.	Title of tables	Page No.
5.3.5	Place of treatment of TB patients	84
5.3.6	Age specific death rate	85
5.3.7	Sex and cause of death	86
5.3.8	Other associated disease in TB patients who died	86
5.4.1	Training received for National TB Control Program reported by medical officers	87
5.4.2	Duration of TB training reported by medical officers	87
5.4.3	Time lapse after training of National TB Control Program reported by Medical officers	88
5.4.4	Priority to National TB Control Program reported by medical officers	88
5.4.5	Availability of National TB Control Program module reported by medical officers	89
5.4.6	Proportion of chest TB symptomatic patients of new OPD at their institution are examine for sputum AFB reported by medical officers	89
5.4.7	Proportion of medical officer correctly knew the health institution where the diagnosis and treatment of TB facilities available in relation to TB training received	90
5.4.8	Proportion of medical officers who reported one or more visit of supervisor for TB program supervision in current year 1998	90
5.4.9	Proportion of medical officers who reported one or more visit of supervisor for TB program supervision in last 3 months (year 1998) at sub-center located at remote area	91
5.4.10	Who prepare the monthly monitoring report of TB control program at primary health care institution as reported by medical officer	91

Table No.	Title of tables	Page No.
5.4.11	Proportion of medical officer who report that they had received the feed back of monthly monitoring report with in 3 months of their submitted	92
5.4.12	Proportion of medical officer who received TB training and correctly report the National TB regimen	92
5.4.13	Proportion of medical officer who did not received TB training and correctly report the National TB regimen	93
5.4.14	Awareness of default TB patients at their own institute among the medical officer	93
5.4.15	Categories of health personnel visit the default TB patients at their own area reported by medical officer	94
5.4.16	Status of anti -TB drugs supply through the year as reported by medical officer	94
5.5.1	various categories of Para-medical health personnel Interviewed by survey team	95
5.5.2	Availability of TB control program module with Para-medical health personnel	95
5.5.3	Priority to National TB Control Program as reported by Para medical health personnel	96
5.5.4	ty of TB Control Programme among trained and untrained paramedical health personnel	96
5.5.5	Training received for National TB Control Program reported by Para-medical health personnel	97
5.5.6	Time lapse after training of National TB Control Program reported by Para medical health personnel	97
5.5.7	Duration of TB program training reported by Para-medical health personnel	98
5.5.8	Awareness about the vaccine for prevention of TB among the Para-medical health personnel	98

Table No.	Title of tables	Page No.
5.5.9	Status of BCG training in Para-medical health personnel who are responsible for BCG vaccination in field (i. e. ANM, FHW, FHS, HV)	99
5.5.10	Time lapse after BCG training reported by Para medical health personnel who are responsible for BCG vaccination in field (i.e., FHW, FHS, HV)	99
5.5.11	Knowledge regarding age of child for BCG vaccination as reported by Para medical health personnel who are responsible for BCG vaccination in field (i. e. ANM, FHW, FHS, HV)	100
5.5.12	Knowledge regarding site of child for BCG vaccination as reported by Para medical health personnel who are responsible for BCG vaccination in field (i. e. ANM, FHW, FHS, HV)	100
5.5.13	Knowledge about the cardinal symptom of Tuberculosis as reported by Para medical health personnel	101
5.5.14	Knowledge about the method of diagnosis of Tuberculosis as reported Para-medical health personnel	101
5.5.15	Knowledge about the number of sputum sample to be examine for diagnosis and follow-up of TB patient among the Para-medical health personnel	102
5.5.16	Knowledge about correct place for diagnosis and treatment of TB patient among the Para-medical health personnel	102
5.5.17	Number of Para-medical health personnel, who made the reference of TB chest symptomatic patients for diagnosis of TB, during their field visit	103
5.5.18	Place of reference of chest TB symptomatic patients by Para-medical health personnel during their field visit	103

Table No.	Title of tables	Page No.
5.5.19	Knowledge about the Dots and RNTCP regimen of TB treatment among the Para-medical health personnel	104
5.5.20	Who provide treatment to TB patients, reported by Para-medical health personnel?	104
5.5.21	One or more Supervisory visit for TB control program made by supervisory authority in previous 3 months as reported by Para-medical health personnel	105
5.5.22	One or more Supervisory visit for TB control program made by supervisory authority in previous 3 months and their visit includes the home visit of default TB patient as reported by Para-medical health personnel	105
5.6.1	Availability of TB patients treatment cards at selected districts	106
5.6.2	Sex distribution of TB patient's treatment cards	106
5.6.3	TB patients treatment cards as per disease classification	107
5.6.4	Sputum smear examination done in pulmonary TB patients as per treatment cards	107
5.6.5	Table showing the sputum AFB smear examination results as per TB treatment cards	108
5.6.6	Table showing X- Rays Chest examination done in sputum smear AFB positive TB Patients	108
5.6.7	Table showing X-Rays Chest examination done in sputum smear AFB Negative TB Patients	109
5.6.8	Table showing Type of TB patients treated as per treatment cards at selected institutions	109
5.6.9	Place of treatment as per treatments cards	110
5.6.10	Dot providers to the TB patients as per TB treatment cards at Mehsana	111

Table No.	Title of tables	Page No.
5.6.11	Community volunteer as a DOT providers to the TB patients as per TB treatment cards at Mehsana11	111
5.6.12	Treatment regimens received by TB patients as per treatment cards	112
5.6.13	Sputum smear follow-up activities done during course of treatment in TB patients as per treatment cards	113
5.6.14	Sputum smear conversion rate of pulmonary TB patients (smear AFB positive) as per treatment cards	113
5.6.15	Treatment outcome of TB patients treated during year 1998 at selected PHC as per treatment cards review by study team.	114
5.6.16	Summary of Quarterly report submitted to state by the DTC year 1998	115