LIST OF TABLES

Table	e	Page
1.	Chemical composition of agents in finish receipe.	56
2.	Preliminary data of the fabrics	. 76
3.	Data of the finishing agents used	77
4.	Percent shrinkage of wool fabric (W) treated	
	with acrylamide polymer finish	8Ø
5.	Percent shrinkage of cotton fabric (C) treated	
	with acrylamide polymer finish	82
6.	Percent shrinkage of cotswool fabric (CW) treated	
	with acrylamide polymer finish	84
7.	Percent shrinkage of wool fabric (W) treated with	
	chlorine and 5% acrylamide polymer finish	87
8.	Percent shrinkage of wool fabric (W) treated	
	with 5% acrylamide polymer finish	9Ø
9.	Percent shrinkage of wool fabrics (W, W and W)	
	treated with 5% acrylamide polymer finish	93
1Ø.	Percent elastic recovery of wool fabric (W)	
	treated with acrylamide polymer finish	97
11.	Percent elastic recovery of cotton fabric (C)	
	treated with acrylamide polymer finish	99
12.	Percent elastic recovery of cotswool fabric (CW)	
	treated with acrylamide polymer finish	99
13.	Tensile strength of wool fabric (W) treated	
	with acrylamide polymer finish	1Ø3
14.	Tensile strength of cotton fabric (C) treated	
	with acrylamide polymer finish	1Ø5

	ı
Table	Page
15. Tensile strength of costwool fabric (CW) treat	ated .
with acrylamide polymer finish	1Ø7
16a. Percent elongation of wool fabric (W) treate	ed
with acrylamide polymer finish (warp)	110
16b. Percent elongation of wool fabric (W) treate	ed
with acrylamide polymer finish (weft)	11Ø
17a. Percent elongation of cotton fabric (C) treat	ced
with acrylamide polymer finish (warp)	. 112
17b. Percent elongation of cotton fabric (C) treat	ed
with acrylamide polymer finish (weft)	. 112
18a. Percent elongation of cotswool fabric (CW) tr	ceated
with acrylamide polymer finish (warp)	. 115
18b. Percent elongation of cotswool fabric (CW) tr	reated
with acrylamide polymer finish (weft)	. 115
19. Tearing strength of fabrics (W, C and CW) tre	eated
with acrylamide polymer finish (warp)	117
20. Bending length of fabrics (W, C and CW) treat	ed
with acrylamide polymer finish	121
21. Wrinkle recovery of fabrics (W, C and CW) tre	eated
with acrylamide polymer finish	125
22. Appearance rating of fabrics (W, C and CW) tr	eated
with acrylamide polymer finish	129
23. Percent retention of pleats in wool fabric (W)
treated with acrylamide polymer finish	135
24. Percent retention of pleats in cotton fabric (C)
treated with acrylamide polymer finish	137

• • • • • • • • • • • • • • • • • • •	1 1
Table	Page
25. Percent retention of pleats in cotswool fabric (CW))
treated with acrylamide polymer finish	137
26. Percent finish on acrylamide treated fabrics)
(W, C and CW) before (a) and after (b) washing	140
27. Wrinkle recovery of acrylamide treated	;
fabrics before (a) and after (b) washing	142
28. Bending length of acrylamide treated fabrics	,
before (a) and after (b) washing	142
29. Percent pleat retention in garments (half skirts)	o f
wool, cotton and cotswool (W , C and CW) fabrics	
treated with 5% acrylamide polymer finish	15Ø
30. Percent elastic recovery of wool fabric (W) treate	∌đ
with 5% acrylamide polymer finish	181
31. Tensile strength of wool fabric (W) treated	1 1 1
with 5% acrylamide polymer finish	181
32a. Percent elongation of wool fabric (W) treated	
with 5% acrylamide polymer finish	184
32b. Percent. elongation of wool fabric (W)	
treated with 5% acrylamide polymer finish	184
33. Tearing strength of wool fabric (W) treated	
with 5% acrylamide polymer finish	186
34. Bending length of wool fabric (W) treated	1
with 5% acrylamide polymer finish	186
35. Wrinkle recovery of wool fabric (W) treated	, 4 ,
with 5% acrylamide polymer finish	189

Tab:	le	Page
36.	Appearance rating of wool fabric (W) treated	
	with 5% acrylamide polymer finish	189
37.	Percent retention of pleats in wool fabric (W)	
	treated with 5% acrylamide polymer finish	192
38.	Percent retention of pleats in wool fabric (W and W)	
	treated with 5% acrylamide polymer finish	192
3 9.	Percent finish on acrylamide treated wool fabric (W)	
	before (a) and after (b) washing	195
4Ø.	Wrinkle recovery of acrylamide treated wool fabric (W	2)
	before (a) and after (b) washing	195
41.	Bending length of acrylamide treated wool fabric (W)	
	before (a) and after (b) washing	195