

BIBLIOGRAPHY

Agarwal RK. Childhood obesity: emerging challenges. *Indian Pediatrics*, 2008; 45: 443-444.

Amin TT, Sultan AI, Ali A. Overweight and obesity and their association with dietary habits, and socio demographic characteristics among male primary school children in Al-Hassa, Kingdom of Saudi Arabia. *Indian J Community Medicines*, 2008; 33 (3): 172 – 181.

Anderson AS, Solano L, Lin KG. Nutrition education and behaviour modification in cancer prevention, Summary of working group 1. *Asia Pacific J Clin Nutr*, 2002; 11: S772.

Anrig CD. The obese child. *Dynamic Chiropractic*, 2003; 21: 27-31.

Arya S, Isharwal S, Misra A, Pandey RM, Rastogi K, Vikram NK, Dhingra V, Chatterjee A, Sharma R, Luthra K. Creactive protein and dietary nutrients in urban Asian Indian adolescents and young adults. *Nutrition*, 2006; 22: 865 - 71.

Barker DJ. Fetal origins of coronary heart disease. *BMJ*, 1995; 311 (6998): 171 – 4.

Bassett DR, Fitzhugh EC, Heath GW, et al. Estimated energy expenditures for school-based policies and active living. *Am J Prev Med*, 2013; 44 (2): 108 - 113.

Begozzi RP. The self-regulation of attitudes, intensions, and behaviour. *Social sciences quarterly*, 1992; 55: 178-204.

Berk LE. *Child Development* (5th ed.). Boston: Allyn and Bacon, 2000. Best, 2010.

Bharadwaj S, Misra A, Khurana L, Gulati S, Shah P, Naval KV. Childhood obesity in Asian Indians: a burgeoning cause of insulin resistance, diabetes and sub-clinical inflammation. *Asia Pac J Clin Nutr*, 2008; 17 (1): 172-175.

Bhargava SK, Sachdev HS, Fall CH, et al. Relation of serial changes in childhood body mass index to impaired glucose tolerance in young adulthood. *New England Journal of Medicine*, 2004; 350: 865 – 875.

Bhuiyan MU, Zaman S, Ahmed T. Risk factors associated with overweight and obesity among urban school children and adolescents in Bangladesh, a case-control study. *BMC Pediatric*, 2013: 13-72.

Bourdeaudhuij ID, Yngve A, Velde SJ et al. Personal, social and environmental correlates of vegetable intake in normal weight and overweight 9 – 13 year old boys. *International Journal of Behavioral Nutrition and Physical Activity*, 2006: 3 (37).

Branca F, Nikogosian H, Lobstein T. The challenge of obesity in the WHO European region and the strategies for response. Publication of WHO Regional Office for Europe, ISBN 9789289014090, 2007: 1 – 339.

Briss PA, Zaza S, Pappaioanou M, et al. Developing an Evidence Based Guide to Community Prevention Services – Methods: The Task Force on Community Prevention Services. *Am J Prev Med*, 2000: 18 (11): 35 – 43.

Bronfenbrenner U. *Annals of child development*, 1989: 6: 187–249.

Bronfenbrenner U. *International Encyclopedia of Education Vol 3, 2nd Ed.* Oxford Elsevier, 1994.

Bronfenbrenner U. *The Ecology of Human Development: Experiments by Nature and Design.* Cambridge, MA: Harvard University Press, ISBN 0-674-22457-4, 1979.

Broussard L. School-Based Health Centers: Politics and Community Support. *Policy Politics Nursing Practice*, 2002: 3 (3): 235-239.

Bushy A, Stanton MP, Freeman HK. The effect of a stress management programme on knowledge and perceived self-efficacy among participants from a Faith community: A pilot study. *Journal of Rural Nursing and Health Care*, 2004: 4 (2): 52 – 60.

Caballero B, Clay T, Davis SM, et al. Pathways: a school-based, randomized controlled trial for the prevention of obesity in American Indian schoolchildren. *Am J Clin Nutr*, 2003: 78: 1030–8.

Carrel AI, Logue J, Deininger H, et al., An after school exercise program improves fitness and body composition in elementary school children. *J Phys Educ. Sport Manag*, 2011: 2 (3): 32 – 36.

Caulfield LE, Onis M, Blössner M, Black RE. Undernutrition as an underlying cause of child deaths associated with diarrhea, pneumonia, malaria, and measles. *Am J Clin Nutr*, 2004: 80 (1): 193-198.

Chandna S, Sehgal S. Prevalence of deficiency diseases among school Children. *Health arid Population - Perspectives and Issues*, 1994: 17: 108-113.

Chekravathy MV, Booth FW. Eating, exercise and “thify” genotypes: Connecting the dots towards an evolutionary understanding of modern chronic disease. *Journal of applied physiology*, 2004; 96 (1): 3-10.

Chen S, Kim Y, Gao Z. The contributing role of physical education in youth's daily physical activity and sedentary behavior. *BMC Public Health*, 2014; 14: 110.

Chinn S, Rona RJ. Prevalence and trends in overweight and obesity in three cross-sectional studies of British children. *Br Med J*, 2001; 322: 24 – 26.

Contento I, Balch GI Bronner YL. Nutrition education and implications. *J of Nutrition Education*, 1995; 27 (6): 298-311.

Contento IR. Overview of determinants of food choice and dietary change: Implications for nutrition education (Chapter 2). *Nutrition Education (linking research, theory, and practice)* second edition. Jones and Bartlett Publishers, 2005.

Corvalan C. Latin America: Avoiding the nutrition transition “TRAP” 10th Dr. Abraham Horwitz Lecture. Tackling the double burden of malnutrition, A global agenda. *Standing Committee on Nutrition (SCN NEWS)*, 2006; 32: 38-45.

Daniel SR. The consequences of childhood overweight and obesity. *Spring*, 2006; 16 (1): 47 – 61.

Dapi LN, Novedovi C, Janlert U, Haglin L. Adolescents food habits and nutritional status in urban and rural areas in Cameroon, Africa. *Scandinavian Journal of Nutrition*, 2006; 49 (4): 151 – 158.

Datar A, Nicosia N. Junk food in schools and childhood obesity. Much ado about nothing. *Working Paper*, 2009: 1 – 58.

Delisle H and Strychar I. Obesity at adolescence prevention is timely even in low income countries. Tackling the double burden of malnutrition, A global agenda. *Standing Committee on Nutrition (SCN NEWS)*, 2006; 32: 51-55.

Dewey KG. Tackling the double burden of malnutrition what actions are needed at the individual and family level? Tackling the double burden of malnutrition, A global agenda. *Standing Committee on Nutrition (SCN NEWS)*, 2006; 32: 16-20.

Dhruv S. and Bhatt K. Assessment of the cardio metabolic risk factors among young adult hostel girls aged 18-26 years of Vadodara city. Unpublished Dissertation Thesis, Department of Foods and nutrition, M S University of Baroda, Vadodara, India, 2010.

Dietz WH. Health consequences of obesity in youth: childhood predictors of adult disease. *Pediatrics*, 1998; 101 (4): 518 – 524.

Doak CM, Adair LS, Bentley M, Monteiro C, Popkin BM. The dual burden household and the nutrition paradox. *Int. J Obesity*, 2005; 29: 129-36.

Dudley D, Okely A, Pearson P, Cotton W. A Systematic Review of the Effectiveness of Physical Education and School Sport Interventions Targeting Physical Activity, Movement Skills and Enjoyment of Physical Activity. *European Physical Education Review*, 2011; 17 (3): 353-378.

Eaton SB, Korner MJ. Palaeolithic nutrition revisited: A twelve-year retrospective on its nature and implication. *European journal of clinical nutrition*, 1997; 51 (4): 207-216.

Edward AF. Understanding obesity and program participation in the context of poverty and food insecurity. *J. Nutr*, 2003; 133: 2225 – 2231.

Eisenmann JC, Barte RT, Wang MQ. Physical activity, TV viewing and weight in US youth: 1999 Youth Risk Behaviour Survey. *Obes Res*, 2002; 10: 379 – 85.

Eschemeyer D, Upton C. FoodCrops: Addressing Childhood Obesity through School Services and National Services. *Childhood Obesity*, 2013; 9 (1): 7 – 10.

Faigenbaum AD, Westcott WL, Loud RL, Long C. The Effects of Different Resistance Training Protocols on Muscular Strength and Endurance Development in Children. *Pediatrics*, 1999; 104: e5.

Februhartanty J. Nutrition Education: It Has Never Been an Easy Case for Indonesia. *Food Nutr Bull*, 2005; 2 (2): S267 - 74.

Festa A, D'Agostino R Jr, Williams K, Karter AJ, Mayer DEJ, Tracy RP, Haffner SM. The relation of body fat mass and distribution to markers of chronic inflammation. *Intl J Obesity*, 2001; 25 (10): 1407 – 1415.

Fiatarone MA, O'Neill EF, Ryan ND, Clements KM, Solares GR, Nelson ME, Roberts SB, Kehayias JJ, Lipsitz LA, Evans WJ. Exercise training and nutritional supplementation for physical frailty in very elderly people. *N Engl J Med*, 1995; 330 (25): 1769 – 1775.

Florentino RF. Summary. *Asia pacific J Clin Nutr*, 2002; 11: S670 – S675.

Florentino RF. The burden of obesity in Asia: Challenges in assessment, prevention and management. *Asia Pacific j Clin Nutr*, 2002; 11: S676 – S680.

Freedman DS, Khan LK, Serdula MK, Dietz WH, Srinavasan R, Berenson GS. The relation of childhood BMI to adult adiposity: The Bogalusa Heart study. *Pediatrics*, 2005; 115 (1): 22 – 7.

Fries JF. Physical activity, the compression of morbidity, and the health of the elderly. *J R Soc Med*, 1996; 89: 64 – 68.

Gales-Camus CL. Nutrition: an input and foundation for health. Tackling the double burden of malnutrition, A global agenda. Standing Committee on Nutrition (SCN NEWS), 2006; 32: 7-9.

Gibbisons KL. The primary school years. *MJA*, 2002; 176: S115 – S116.

Gillespie S, Haddad L. Attacking the Double burden of Malnutrition in Asia and Pacific. ADB Nutrition and Development Series No. 4. Asian Development Bank, Manila, Philippines, 2001.

Golan M, Crow S. Targeting parents exclusively in the treatment of childhood obesity: Long-term results. *Obesity Research*, 2004; 12 (2): 357 – 361.

Gollwitzer PM. Implementation intentions-strong effects of simple plans. *American psychologist*, 1999; 54: 493-503.

Gopalan C. Health care in India: Past and present. *Bulletin of the Nutrition Foundation of India*, 2011; 32 (2): 6 – 8.

Gopalan C. “Small is healthy”? For the poor, not for rich! *NFI Bulletin*, 1983; 4: 4 – 8.

Gopalan C. Child Care in India: Emerging Challenges. *Indian Paediatrics*, 1993; 30: 593 - 601.

Gopalan C. The changing epidemiology of malnutrition in a developing society – the unforeseen factors. *Current Science*, 1999; 77 (10): 1257 – 1262.

Gosh S, Zaidi I, Anandiahshmy, Chaoudhury P, Bhargava SK. Growth and development of children in different ecological settings. *Indian J Nutr Diet*, 1979; 64: 1480 – 1485.

Goyal JP, Kumar N, Parmar I, Shah VB, Patel B. Determinants of overweight and obesity in affluent adolescent in Surat city, South Gujarat Region, India. *Indian Journal of Community Medicines*, 2007; 36 (4): 296 – 300.

Goyal RK, Shah VN, Saboo BD, Phatak SR, Shah NN, Gohel MC, Raval PB, Patel SS. Prevalence of Overweight and Obesity in Indian Adolescent School Going Children: Its Relationship with Socioeconomic Status and Associated Lifestyle Factors. JAPI, 2010; 58: 151-157.

Graf C, Koch B, Falkowski G, et al. Effects of school-based intervention on BMI and motor abilities in childhood. Journal of Sports Science and Medicines, 2005; 4: 291 – 299.

Grier SA, Mensinger J, Huang SH, Kumanyika SK, Stettler N. Fast-Food marketing and children's fast food consumption: exploring parents' influence in an ethnically diverse sample. American Marketing Association, 2007; 26 (2): 221 – 235.

Groffik D, Sigmund E, Fromel K, et al. The Contribution of School breaks to the All Day Physical Activity of 9 and 10 year old Overweight and Non-overweight Children. Int J Public Health, 2012.

Gupta MC, Joshi YK, Kapil U. Knowledge of students regarding nutrition. Indian Pediatr, 1990; 27: 761-763.

Hales CN, Barker DJP. Type 2 (non-insulin dependent) diabetes mellitus: The thrifty phenotype hypothesis. Diabetologia, 1992; 35: 595 – 601.

Hasanbegovic S, Mesihovic –Dinasevic S, Cuplov M, et al. Epidemiology and etiology of obesity in children and youth of Sarajevo Canton. Bosnian J of Basic Medical Sciences, 2010; 10 (2): 140 – 146.

Hesketh K, Waters E, Green J, Salmon I, Williams J. Healthy eating, activity and obesity prevention: a qualitative study of parent and child perceptions in Australia. Health Promotion International, 2011; 20 (1): 19 – 26.

Hills AP, Wahlqvist ML. Exercise and Obesity. Smith Gordon & Co Ltd, 1994: London.

Hu FB, Manson JE, Stampfer MJ, Colditz G, Liu S, Solomon CG, Willett WC. Diet, lifestyle and the risk of type 2 diabetes mellitus in women. N Engl J Med, 2001; 345: 790 – 797.

Huang T-K, Brownson R, Esposito L, Green L, Homer C. Next steps in obesity prevention: Applying the systems approach. Childhood obesity, 2013; 9 (1): 11 – 14.

Iyer U, Gandh H. Obesity in school children magnitude and risk factor analysis. Unpublished thesis, Department of Foods and Nutrition, Faculty of Family and Community Science, The M. S. University of Baroda, Vadodara, 2004.

Iyer U, Elayath N, Akolkar A. Magnitude and Determinants of Overweight and Obesity in 6 – 12 years old School Children of Vadodara City. *CurrPediatr. Res.*, 2011; 15 (2): 105 – 109.

Jadavji NM, Esther CA. Literature review – A 21st century epidemic: Childhood obesity in North America. *The Journal of Young Investigators: An undergraduate Peer Reviewed Science Journal*, 2010; 20 (6).

James WPT, Siitasiri S, UL Haw M et al., Ending malnutrition by 2020 – An agenda for change in the millennium. *Food and Nutrition Bulletin*, 2000: 1S – 76S.

Kafatos A., Manios Y., Moschandreas J. et al. Health and Nutrition Education in Primary Schools of Crete: Follow-Up Changes in Body Mass Index and Overweight Status. *European Journal of Clinical Nutrition*, 2005; 59: 1090 - 1092.

Kanani S, Saxena T. Towards healthy food choices, fitness and mental health among well to do adolescents to reduce dual burden of malnutrition in schools of urban Vadodara. Unpublished thesis, Department of Foods and Nutrition, Faculty of Family and Community Science, The M. S. University of Baroda, Vadodara, 2008.

Kanani S, Agarwal V. Studies on Underprivileged School Going Girls in Urban Vadodara: Assessment Of Pubertal Growth, Nutritional Status and Impact of Nutrition Communication Strategies. Unpublished thesis, Department of Foods and Nutrition, Faculty of Family and Community Science, The M. S. University of Baroda, Vadodara, 1998.

Kanani S., Jain S. Determinants of dual burden of malnutrition among affluent adolescents in urban Vadodara secondary schools and development of a nutrition communication strategy. Unpublished Dissertation Thesis, Department of Foods and nutrition, M S University of Baroda, Vadodara, India, 2010.

Kaneria Y, Singh P, Sharma DC. Prevalence of overweight and obesity in relation to socio-economic conditions in two different groups of school-age children of Udaipur city (Rajasthan). *Journal, Indian Academy of Clinical Medicine*, 2006; 7 (2): 133 – 135.

Kapil U, Singh P, Pathak P, Dwivedi SN, Bhasin S. Prevalence of obesity amongst affluent adolescent school children in Delhi. *Indian Pediatr*, 2002; 39: 449-52.

Kappan J. Effect of aerobic training on body mass index on sedentary obese women. *Indian Journal of Applied Research*, 2013: 2 (2).

Kasmini K. Prevalence of overweight and obesity among school children age 7-16 years amongst the three major ethnic groups of Kuala Lumpur, Malasia. *Asia Pac J Clin Nutr*, 1997: 6: 172-4.

Katz D, L, O'Connell M, Njike V. Y, et al. Strategies for the Prevention and Control of Obesity in the School Setting: Systematic Review and Meta-analysis. *Internal Journal of Obesity*, 2008: 32(12): 1780 - 1789.

Katz D, L, O'Connell M, Yeh M.C, et al. Public Health Strategies for Preventing and Controlling Overweight and Obesity in School and Worksite Settings. A Report on Recommendations of the Task Force on Community Preventive Services, 2005: 54 (RR10): 1-12.

Katz D. School interventions effective in childhood obesity prevention and control: Results of a review and meta analysis by Yale researchers. *International J of Obesity*, 2008.

Kaur S, Kapil U, Singh P. Pattern of chronic diseases amongst adolescent obese children in developing countries. *Current Science*, 2005: 88 (7): 1052 - S1056.

Kaur N, Sidhu S, Kaur R. Overweight and obesity in affluent school children of Punjab. *Ann Hum Biol*. 2006: 33(2): 255 - 9.

Kaur S, Walia I. Body mass index, waist circumference and waist hip ratio among nursing students. *Nursing and Midwifery Research Journal*, 2007: 3 (2): 84 – 90.

Kelishadi R, Ghatrehsamani S, Hosseini M, Mirmoghtadaee P, Mansouri S, Poursafa P. Barriers to Physical Activity in a Population-based Sample of Children and Adolescents in Isfahan, Iran. *Int J Prev Med*, 2010: 1(2): 132-138.

Kennedy E. Healthy lifestyle. Healthy people – The Mega Country Health Promotion Network. *Asia Pacific J Clin Nutr*, 2002: 11: S738 – S739.

Kennedy G, Nantel G, Shetty P. The double burden of malnutrition: Case studies from six developing countries. *FAO Food and Nutrition Paper*, 2006: 84: 1 – 20.

Khadilkar VV, Khadilkar AV, Borade AB, Chiplonkar SA. Body mass index cut offs for screening for childhood overweight and obesity in Indian children. *Indian Pediatrics*, 2011: 49: 29 – 34.

Khan NA, Raine LB, Drollette ES, et al. Impact of the FITKids Physical Activity Intervention on Adiposity in Prepubertal Children. *PEDIATRICS*, 2014: 133 (4): e875 - e883.

Kolbe L. Education reform and the goals of modern school health programs. *The State Education Standard*, 2002: 3(4): 4-11.

Kowalski KC, Peter RE, Kowalski NP. Convergent validity of physical activity questionnaire for adolescents. *Pediatric Exercise Science*, 1997: 9: 342 - 352.

Krawinkel MB. Overcoming undernutrition with local resources in Africa, Asia and Latin America. *J Sci Food Agric*, 2012: 92: 2757-9.

Kumar S, Mahabalraju DK, Anuroopa MS. Prevalence of obesity and its influencing factor among affluent school children of Devangere city. *Indian Journal of Community medicine*, 2007: (1): 15 - 17.

Kuriyan R, Thomas T, Lokesh D, et al. Waist circumference and waist for height percentiles in urban South Indian children aged 3-16 years. *Indian Pediatrics*, 2011: 48: 765 - 771

Kurpad SS, Tandon H, Srinivasan K. Waist circumference correlates better with body mass index than waist to hip ratio in Asian Indians. *Natl Med J India*, 2003: 16: 189 - 92.

Labadarios D, Steyn NP, Mgijima C, Daldla N. Review of the South African nutrition policy 1994-2002 and targets for 2007: Achievements and challenges. *Nutrition*, 2005: 21: 100 - 8.

Langille LD, Rodgers MW. Exploring the Influence of a Social Ecological Model on School-Based Physical Activity. *Health Educ Behav.*, 2009: 37(6):879-94.

Law M, Stewart D, Letts L, et al. Guidelines for Critical Review Form - Qualitative Studies. *Users' Guides to the Medical Literature XXIII, JAMA, CASP*, 1998: 284: 478-482.

Laxmaiah A, Nagall B, Vijayaraghavan K and Nair M. Factors affecting prevalence of overweight among 12- to 17-year-old Urban adolescents in Hyderabad, India. *Obesity*, 2007: 1384-1390.

Laxmaiah A, Balakrishna N, Vijayaraghavan, Nair M. Factors affecting prevalence of overweight among urban adolescents in Hyderabad. *Nutrition News. National Institute of Nutrition*, 2008: 29 (1).

Lee Yh, Song Yw, Kim Hs, Lee Sy, et al. The Effects of an Exercise Program on Anthropometric, Metabolic and Cardiovascular Parameters in Obese Children. *Korean Circ J*, 2010; 40 (4): 179 - 84.

Liquori T, Koch PD, Contento IR, Castle J. The cook shop program: outcome evaluation of a nutrition education program linking lunchroom food experiences with classroom cooking experiences. *Journal of nutrition education*, 1998; 30 (5):302.

Lissau I. Parental neglect during childhood and increased risk of obesity in young adulthood. *The Lancet*, 1994; 343 (8893): 324 - 327.

Low LCK. Childhood obesity in developing countries. Hong Kong, China. *World J Pediatr*, 2010; 6 (3): 197-199.

Lowe MR. Self -regulation of energy intake in the prevention and treatment of obesity : Is it feasible? *Obesity Research*, 2003; 11: 44S-59S.

Macbeth AG. Bicycle lanes in Toronto. *ITE Journal*, 1999; (69): 38 - 46.

Mani UV, Mani I, Iyer U, et al. Childhood obesity: A cause of concern (Baroda experience). UGC/DSA Program of FN Department. *Scientific Reports Series*, 2008; (6).

Mani UV, Nanda Kumar S. Studies on the impact of nutrition health promotion program in an industrial set up (dear study) and supplementation of gymnema Sylvester in type 2 diabetic patients. Unpublished Dissertation Thesis, Department of Foods and nutrition, M S University of Baroda, Vadodara, India, 2007.

Marcus B.H, Williams D.M, Dubbert P.M, et al. AHA Scientific Statements. *Circulation*, 2006; 114: 2739 - 2752.

Martorell R, Kettel KL, Hughes ML, Grummer-Strawn LM. Overweight and obesity in preschool children from developing countries. *Int J Obes Relat Metab Disord*, 2000; 24: 959 - 967.

McCarthy HD, Cole TJ, Fry T, Jebb SA, Prentice AM. Body fat reference curves for children. *Int J Obesity*, 2006; 30(4): 598 - 602.

McCambridge TM, Bernhardt DT, Brenner JS, and Congeni JA. Active Healthy Living: Prevention of Childhood Obesity Through Increased Physical Activity. *Pediatrics*, 2006; 117; 1834-1842.

McCormack GR, Giles-Corli B, Timperio A, Wood G, Villanueva K. A cross-sectional study of the individual, social and built environmental correlates of pedometer based physical activity among elementary school children. *International Journal of Behavioral Nutrition and Physical activity*, 2011: 8 – 30.

McMillen IC, Robinson JS. Developmental origins of metabolic syndrome: prediction, plasticity and programming. *Physiological Reviews*, 2005: 85:571 – 633.

Mehan M, Kohli C. Operational research on promoting healthy behaviours among employees of a selected industry near Baroda. Unpublished Dissertation Thesis, Department of Foods and nutrition, M S University of Baroda, Vadodara, India, 2007.

Mehan M, Shah B. Risk factor profile of the non – communicable diseases among high income (18-65 year) free living population, of urban Baroda. Unpublished Dissertation Thesis, Department of Foods and nutrition, M S University of Baroda, Vadodara, India, 2006.

Mikkelsen LO, Nupponen H, Kaprio J, Kautiainen H, et al. Adolescent flexibility, endurance strength and physical activity as predictors of adult tension, low back pain and knee injury: a 25 year follow up study. *Br. J. Sports Med*, 2006: 40: 107 – 113.

Misra A, Khurana L, Isharwal S and Bharadwaj S. South Asian diets and insulin resistance. *British J of Nutr*, 2008: 1-9.

Misra A, Khurana L. Obesity and the metabolic syndrome in developing countries. *J Clin Endocrinol Metab*, 2008: 93: S9-S30.

Misra A, Khurana L. Obesity-related non-communicable diseases: South Asians vs White Caucasians. *IntJ Obese*, 2011: 35 (2): 167 – 87.

Misra A, Vikram NK, Gupta R, et al. Waist circumference cutoff points and action levels for Asian Indians for identification of abdominal obesity. *International Journal of Obesity*, 2006: 30: 106 – 111.

Misra A, Chowbey P, Makkar BM, Vikram NK, Wasir JS, Chadha D, Joshi SR, Sadikot S, Gupta R, Gulati S, Munjal YP, Consensus Group. Consensus Statement for Diagnosis of Obesity, Abdominal Obesity and the Metabolic Syndrome for Asian Indians and Recommendations for Physical Activity, Medical and Surgical Management. *JAPI*, 2009: 57.

Misra A, Khurana L, Vikram NK, Goel A, Wasir JS. Metabolic Syndrome in Children: Current Issues and South Asian Perspective. *Nutrition*, 2007; 23: 895 – 910.

Misra A, Vikram NK. Insulin resistance syndrome (metabolic syndrome) and obesity in Asian Indians: evidence and implications. *Nutrition*, 2004; 20: 482–491.

Mohan B, Kumar N, Aslam N, Rangbulla A, Kumbkarni S, Sood NK, Wander GS. Prevalence of sustained hypertension and obesity in urban and rural school going children in Ludhian. *Indian Heart J*, 2004; 56 (3): 10-4.

Monterio PO, Victora CG, Barros FC, Monterio LM. Birth size, early childhood growth and adolescent obesity in a Brazilian birth cohort. *International Journal of Obesity*, 2003; 27: 1274 – 1282.

Moreno LA, Mesana MI, Fleta J, Ruiz JR, Gonzalace-Gross M, Saria A, Marcos A, Bueno M. Overweight, obesity and body fat composition in Spanish Adolescents. *Ann Nutr Metab*, 2005; 49: 71 – 76.

Mukoma W, Flisher AJ. Evaluations of health promoting schools: a review of nine studies. *Health Promotion International*, 2004; 19 (3): 357 – 368.

Mushtaq MU, Gull S, Abdullah HM, et al. Waist circumference, waist hip ratio and waist height ratio percentiles and central obesity among Pakistani children age five to twelve years. *BMC Pediatrics*, 2011; 11: 105.

Musso C, Graffigna M, Soutelo J, et. al. Cardiometabolic risk factors as apolipoprotein B, triglyceride/HDL-cholesterol ratio and C-reactive protein, in adolescents with and without obesity: cross-sectional study in middle class suburban children. *Pediatr Diabeties*, 2011; 12(3): 229-34.

Mwiria K. The Crucial Role of Nutrition In Education. Column in *Daily Nation on the Web*. Tigania West, Kenya, 2004.

Nader PR. Frequency and intensity of activity of third grade children in physical education. *Arch Pediatr Adoles Med*, 2003; 157: 185-190.

Nambiar V, Gandhi N. Action Project of Augmentation and evaluation of use of vegetables in the Mid Day Meal Scheme of Urban Vadodara. Unpublished Dissertation Thesis, Department of Foods and nutrition, M S University of Baroda, Vadodara, India, 2008.

Nambiar V, Nitya S. Impact of Augmentation of vegetables in the Mid Day Meal Scheme along with behaviour change communication on nutritional status and cognitive development of school children (8-15 years). Dissertation Thesis,

Department of Foods and nutrition, M S University of Baroda, Baroda, India, 2008.

Nambiar VS, Desai R. Positive and Negative Deviant Behaviors Affecting The Mid Day Meal Programme (MDMP) In Government Aided Primary Schools Of An Urban Indian City: Causes, Consequences And Solutions. *Int. J. of BioMed Research Association*, 2012: 3 (3): 0976-8324.

Nambiar VS, Nithya S, Pandit N. Strengthening .the Mid Day Meal Programme (MDMP) with Non-Pharmaceutical Measures: Role of Dietary Diversification and Nutrition Communication. *Journal of Hospital and Clinical Pharmacy*, 2012: 3 (11): 2229 – 6921.

Nambiar VS, Patel N. Monitoring and evaluation of Mid-day meal programme in schools of rural Vadodara and its impact on the nutritional status of children (11-16 years). Unpublished Dissertation Thesis, Department of Foods and nutrition, M S University of Baroda, Vadodara, India, 2010.

Nambiar VS, Roy K. Monitoring and evaluation of the mid day meal programme in tribal schools of chhota udepur and the impact of the mid day meal programme on nutritional status of adolescents. Unpublished Dissertation Thesis, Department of Foods and nutrition, M S University of Baroda, Vadodara, India, 2010.

Nambiar VS, Saptashri A. Impact of nutrition health education and yoga sessions on the nutritional and mental health status of the school children. Unpublished Dissertation Thesis, Department of Foods and nutrition, M S University of Baroda, Vadodara, India, 2012.

Neel JV. Diabetes mellitus: A “thrifty” genotype rendered detrimental by “progress”? *American journal of human Genetics*, 1962: 14: 353-362.

NICE. Physical Activity and Intervention Review 7, Intervention Review: Family and Community. Public Health Collaborating Centre, 2008.

NIHCM. Childhood obesity-advancing effective prevention and treatment: An overview for health professionals, 2003: 1-48.

NIHCM. National Institute for Health Care Management foundation. Childhood Obesity Harnessing the Power of Public and Private Partnerships, 2007: 1 – 28.

Nugent RA. Contributions and constraints from agriculture in achieving a nutrition strategy to prevent chronic diseases. *Asia Pacific J Clin Nutr*, 2002: 11: S767 – S771.

Ogden CL, Carroll MD, Curtin LR, Flegal KM. Prevalence of high body mass index in US children and adolescents, 2007–2008. *JAMA*, 2010; 303;242.

Papadimitriou A, Kounadi D, Konstantinidou M, Xepapadaki P, Nicolaidou P. Prevalence of Obesity in Elementary Schoolchildren Living in Northeast Attica, Greece. *Obesity*, 2006; 14: 1113 – 1117.

Pate RR, Davis MG, Robinson TN, Stone EJ, McKenzie TL, Young JC. Promoting physical activity in children and youth: A leadership role for school: A scientific statement from American Heart Association Council on nutrition, physical activity and metabolism in collaboration with the council on cardiovascular disease in the young and cardiovascular nursing. *Circulation*, 2006; 114: 1214-1224.

Paxson C, Donahus E, Orlean CT, Grisso JA. Childhood obesity: The future of children, 2006: 16 (1): 1 – 227.

Pérez-Rodrigo C, Aranceta J. Nutrition education in schools: experiences and challenges. *European Journal of Clinical Nutrition*, 2003; 57 (1): S82-S85.

Popkin B, Horton S, Kim S. The Nutrition Transition and Prevention of Diet-Related Chronic Diseases in Asia and the Pacific. ADB Nutrition and Development Series No.6. Manila: Asian Development Bank, 2001.

Popkin BM, Doak CM. The obesity epidemic is a worldwide phenomenon. *Nutr Rev*, 1998; 56 (4): 106 – 114.

Popkin BM. Nutrition in transition: then changing global nutrition challenge. *Asia Pacific J Clin Nutr*, 2001; 10: S13-S18.

Popkin BM. The nutrition transition in the developing world. *Development Policy Review*, 2003; 21:581–97.

Powell P, Spears K, Rebori M. What is obesogenic environment? University of Nevada Cooperative Extension. Fact Sheet, 2010.

Prochaska JO, Diclemente CC. The transtheoretical approach: crossing the traditional boundaries of therapy. Homewood, IL: Dow Jones-Irwin, 1984.

Puska P. Nutrition and global prevention on non-communicable diseases. *Asia Pacific J Clin Nutr*, 2002; 11: S755 – S758.

Qazi IA, Charoo BA, Sheikh MA. Childhood Obesity. Indian J Endocrinology and Metabolism. 2010; 14 (1): 19 – 25.

Raj M, Sundara KR, Paul M, Kumar RK. Blood pressure distribution in Indian children. Indian Pediatrics, 2009; 47: 477 – 485.

Raj M, Sundaram KR, Paul M, Kumar KR. Blood Pressure Distribution in Indian Children. Indian Pediat, 2010; 47: 447-485.

Ramchandran P. Nutrition transition in India. Bulletin of the Nutrition Foundation of India (NFI), 2011; 32 (2): 1 – 7.

Ranachandran A, Snehalatha C, Vinitha R, Thayyil M, Kumar CK, Sheeba L, Joseph S, Vijay, V. Prevalence of overweight in urban Indian adolescent school children. Diabetes Res Clin Pract, 2002; 57: 185-90.

Reddy D, Maj, Kushwaha AS, Col Lt, Kotwal A, Col SM, Basannar DR, Mahen A, Air Cmde. Study of blood pressure profile of school children 6–15 years in a rural setting of Maharashtra. Med J Armed Forces India, 2012; 68(3): 222–225.

Rieder J, Khan U.I, Heo M, et al. Evaluation of a Community Based Weight Management Programme for Predominantly Sever Obese, Difficult-to-Reach, Inner-City Minority Adolescents. Childhood Obesity, 2013; 9 (4): 292 – 304.

Robinson TN. Reducing children's television viewing to prevent obesity. A randomized controlled trial. JAMA, 1999; 282 (16): 1561 – 1567.

Rodrigo C. P, Aranceta J. Nutrition Education in Schools: Experiences and Challenges. European Journal of Clinical Nutrition, 2003; 57 (1): S82–S85.

Rogoff B. The cultural nature of human development. New York: Oxford University Press, 2003.

Rondó PH, Pereira JA and Lemos JO. High sensitivity C-reactive protein concentrations, birthweight and cardiovascular risk markers in Brazilian children. Eur J Clin Nutr, 2013; 67(6):664-9.

Sahu T, Sahani N, Patnaik L. Childhood anemia - A study in tribal area of Mohana block in Orissa Indian journal of community medicine, 2007; 32(1): 43-45.

Saraswathy YS, Najafi M, Gangadhar MR, Malini SS. Prevalence of childhood obesity in school children from rural and urban areas in Mysore, Karnataka, India. *J Life Sci*, 2011; 3 (1): 51 – 55.

Sarbib JL. Nutrition: a renewed opportunity in development. Tackling the double burden of malnutrition, A global agenda. Standing Committee on Nutrition (SCN NEWS), 2006: 32: 10-12.

Savage G, Wahlqvist ML, Lee D, Snelson B. *Age Fit*. Pan Mac-Millan, 2002: Sydney.

Savitha MR, Sandeep B. The study of lipid profile, diet and other cardiovascular risk factors in children born to parents having premature Ischemic Heart Disease. *Indian journal of community medicine*, 2011; 36 (4): 291 – 295.

Schmidhubder J, Shetty A. Nutrition transition, obesity and noncommunicable diseases: drivers, outlook and concerns. *SCN*, 2005: 29: ISSN 1564-3743.

Schwarz D.F. The Philadelphia Experience: Actionable Strategies for Childhood Obesity Prevention. *Childhood Obesity*, 2013: 9 (4): 282 – 285.

SCN (Standing Committee on Nutrition). Tackling the double burden of malnutrition: A global agenda. Geneva. *SCN News*, 2006: 32.

Scwarzer R., Fuchs R. Self-efficacy and health behaviours. In predicting health behaviour, edited by M. Conner and P. Norman. Buckingham, UK: open university press, 1995.

Shah P, Misra A, Gupta N, Hazra DK, et al. Improvement in nutrition-related knowledge and behaviour of urban Asian Indian school children: findings from the “Medical education for children/Adolescents for Realistic prevention of obesity and diabetes and for healthy AGEing (MARG) intervention study. *British J of Nutrition*, 2010: 104:427-436.

Sharma A, Sharma K and Mathur KP. Growth pattern and prevalence of obesity in affluent school children of Delhi. *Public Health Nutr*, 2007: 10: 485-91.

Sharma AK, Shukla D, Kannan AT. Calorie and Protein Intake and its Determinants Among Adolescent School Girls in Delhi. *Indian Journal of Community Medicine*, 2005: 30 (1).

Sharma I. Trends in the intake of ready – to – eat food among urban school children in Nepal. *SCN News*, 1998: 16: 21 – 2.

Shashidhar MK, Kumar GS, Kotian SS. Prevalence and determinants of overweight and obesity among adolescent school children of south Karnataka, India. *Indian J of Comm Medicine*, 2010; 35 (1): 176-178.

Shetty P. The double burden of malnutrition in developing economies. Supplement. *Indian J Pediatr*, 2009; 76: S1-S3.

Shields M. Overweight and obesity among children and youth. *Statistics Canada Catalogue 82-003. Health Reports*, 2006; 17 (3): 27-42.

Shrimpton R. Life cycle and gender perspectives on the double burden of malnutrition and the prevention of diet related chronic diseases. *SCN News*, 2006; 33: 11 - 14.

Sidhu S, Marwah, Prabhjot. Prevalence of overweight and obesity among the affluent adolescent school children of Amritsar, Punjab. *Coll Antrop*, 2005; 1:53-5.

Singh AS, Paw A, Chin MJ, Brug, Mechelen WV. Design of the Dutch obesity intervention in teenagers (NRG-DOIT): systematic development, implementation and evaluation of a school – based intervention aimed at the prevention of excessive weight gain in adolescents. *BMC public health*, 2006; 6:304.

Singh AS, Paw A, Chin MJ, Brug, Mechelen WV. Short-term effects of school-based weight gain prevention among adolescent s. *Archives of paediatric and adolescent medicine*, 2007; 161 (6): 565-571.

Singhal N, Misra A, Shah P, Gulati S, Bhatt S, Sharma S and Pandey RM. Impact of intensive school-based nutrition education and lifestyle interventions on insulin resistance, β -cell function, disposition index, and subclinical inflammation among Asian Indian adolescents: a controlled intervention study. *Metab Syndr Relat Disord*, 2011; 9(2):143-50.

Singhal N, Misra A, Shah P, Rastogi K, Vikram NK. Secular Trends in Obesity, Regional Adiposity and Metabolic Parameters among Asian Indian Adolescents in North India: A Comparative Data Analysis of Two Selective Samples 5 Years Apart (2003, 2008). *Ann Nutr Metab*, 2010; 56:176-181.

Smith FL, Eyzaguirre PB, Matig OE, Johns T. Managing biodiversity for food and nutrition security in West Africa: Building on indigenous knowledge for more sustainable livelihoods. Diet-related chronic diseases and the double burden of malnutrition in West Africa. *Standing Committee on Nutrition (SCN NEWS)*, 2006; (33): 22 - 26.

Snelling AM, Kennard T. The impact of nutrition standards on competitive food offerings and purchasing behaviours of high school students. *Journal of School health*, 2009: 79 (11): 541 – 546.

Sniehotta FF, Scholz UR, Schwarzer R. Bridging the intention- behaviour gap-planning, self-affiance, and action control in the adoption and maintance of physical exercise. *Psychology and health*, 2005: 20: 143-160.

SoRelle R. Cardiovascular News. *Circulation*, 2002: 105: 908Ie – 9082e.

Soto C, White J. H. School Health Initiatives and Childhood Obesity: BMI Screening and Reporting. *Policy Polit Nurs Pract*. 2010: 11 (2): 108-14.

Soekirman H, Jus'at I, Jahari AB. Regional study of the nutritional status of urbes Jakarta Bogor, Indonesia. *Food Nutr Bull*, 2002: 23: 31 – 40.

Speiser PW, Rudolf MCJ, Anhalt H, et al. Childhood obesity. *J. Clin. Endocrinology Metab*, 2005: 90: 1871 – 1887.

Stampfer MJ, Hu FB, Manson JE, Rimm EB, Willett WC. Primary prevention of coronary heart disease in women through diet and lifestyle. *N Engl J Med*, 2000: 343: 16 – 22.

Stefanov T, Temelkova-Kurktschiev T, Koehler C, Henkel E, Schaper F, Hanefeld M. Association of physical activity with insulin resistance, subclinical inflammation, coagulation, and fibrinolytic biomarkers among population at high risk for type 2 diabetes. *Folia Med (Plovdiv)*, 2012: 54(2):32-9.

Subramanian SV, Kawachi I, Smith GD. Income inequality and the double burden of under- and overnutrition in India. *J Epidemiol Community Health*, 2007: 61:802-809.

Swick KJ, Williams R. An Analysis of Bronfenbrenner's Bio-Ecological Perspective for EARLY Childhood Educators: Implications for Working with Families Experiencing Stress. *Early Childhood Education Journal*, 2006: 33 (5).

Swinburn B. Undernutrition and Childhood Obesity Together Deliver Potent Punch Worldwide. *Curbing the Obesity & Undernutrition Epidemic Could Forestall Major Assault on Global Health. Global Health and Environment Monitor*, 2004: 12 (1).

Thakre SB, Mohane SP, Ughade SM, Thakre SS, Morey SS, Humne AY. Correlates of overweight and obesity among urban school going children of Nagpur city. *Journal of Clinical and Diagnostic Research*, 2011: 5 (8): 1593 – 1597.

Thiam I, Samba K, Lwanga D. Diet related Chronic Disease in the West Africa Region. Diet-related Chronic Diseases and the Double Burden of Malnutrition in West Africa. Standing Committee on Nutrition SCN News. 10th Annual ECOWAS Nutrition Forum, 2006: 33: 7 – 10.

Toftager M, Christiansen LB, Kristensen PL, Troelsen J. SPACE for physical activity - a multicomponent intervention study: study design and baseline findings from a cluster randomized controlled trial. BMC Public Health, 2011: 11:777.

Tontisirin K, Bhattacharjee L, Yusuf HKM, Nandi BK. Improving nutritional status at national and community levels: lessons from South Asia. Bulletin of the Nutrition Foundation of India, 2009: 30 (1): 1 – 5.

Tremblay MS, Shields M, Lanoie M, et al. Fitness of Canadian children and youth: results from the 2007-2009 Canadian Health Measures Survey. Health Reports, 2009: 12 (1): 1 – 14.

Tummers N. Teaching Yoga for Life. Champaign, IL: Human Kinetics, 2009.

Uauy R, Solomons NW. The role of international community: Forging a common agenda in tackling the double burden of malnutrition. Tackling the double burden of malnutrition, A global agenda. Standing Committee on Nutrition (SCN NEWS), 2006: 32: 24-37.

Urbina EM, Khoury PR, McCoy CE, et al. Triglycerides to HDL-C ratio and increased arterial stiffness in children, adolescents and young adults. Pediatrics, 2013: 131 (4): e1082 – e1090.

Vikram NK, Misra A, Dwivedi M, Sharma R, Pandey RM, Luthra K, Chatterjee A, Dhingra V, Jaiikhani BL, Talwar KK, Guleria R. Correlations of C-reactive protein levels with anthropometric profile, percentage of body fat and lipids in healthy adolescents and young adults in urban North India. Atherosclerosis, 2003: 168: 305 - 13.

Vikram NK, Pandey RM, Misra A, Sharma R, Devi JR, Khanna N. Non-obese (body mass index <25 kg/m²) Asian Indians with normal waist circumference have high cardiovascular risk. Nutrition 2003; 19: 503-509.

Vyas S, Choudhry M. Prevalence of anaemia in tribal school children. Journal of Human Ecology, 2005: 17(4): 289-291.

BIBLIOGRAPY AND WEBLIOGRAPHY

Wahlqvist ML, Specht RL. Food variety and biodiversity: eco-nutrition Asia Pac J Clin Nutr, 1998: 7: 314 – 319.

Wahlqvist ML. Eco-nutritional disease or nutrition and chronic disease. Asia Pacific J Clin Nutr, 2002: 11: S753 – S754.

Wang Y, Lobstein T. Worldwide trends in childhood overweight and obesity. International Journal of Pediatric Obesity, 2006: 1: 11 – 25.

Wang Y, Monterio C, Popkin BM. Trends of obesity and underweight in older children and adolescents in the United states, Brazil, China and Russia. Am J Clin Nutr, 2002: 75: 971 -7.

Wansink B. Convenient, Attractive and Normative: The CAN Approach to Making Children Slim by Design. Childhood Obesity, 2013: 9 (4): 277 – 278.

Ward D.S., Vaughn A. and Story M. Expert and Stakeholder Consensus on Priorities for Obesity Prevention Research in Early Care and Education Setting. Childhood Obesity, 2013: 9 (2): 116 – 124.

Wardle J, Guthrie CA, Sanderson S, Rapport L. Development of the children's eating behaviour questionnaire. J. Child Psychol. Psychiat, 2001: 42 (7): 963 – 970.

Warraich HJ, Javed F, Faraz-ul-Haq M, Khawaja FB, Saleem S. Prevalence of Obesity in School-Going Children of Karachi. Plos One, 2009: 4 (3):1-6.

Welch GN, Loscalzo J. Homocysteine and atherothrombosis. N Engl J Med, 1998: 338 (15): 1042 – 1450.

Weisell RC. Body mass index as an indicator of obesity. Asia Pacific J Clin Nutr, 2002: 11: S681 – S684.

WHO. Global recommendations on physical activity for health, 2010.

WHO. Monica Project. Risk Factors. Int J Epid, 1989: 18 (1): S46 – S55.

WHO. Preventing chronic disease: a vital investment, Geneva, 2005.

WHO/FAO Diet, Nutrition and the prevention of Chronic Disease. A report of a joint WHO/FAO expert consultation, Geneva, 28 January – 1 February 2002. WHO Technical Report Series 916 WHO, Geneva, 2003.

Winson A. School food environment and the obesity issue: content, structural determinants and agency in Canadian high schools. *Agric Hum Values*, 2008: 25: 499 – 511.

Woodward-Lopez G, Ikeda J, Crawford P. An excerpt from: Improving children's academic performance, health and quality of life. A top policy commitment in response to children's obesity and health crisis in California. University of California, 2005

WHO. The World Health Report: life in the 21st century: a vision for all Geneva: World Health Organization, 1998.

Wu DM, Chu NF, Shen MH, Wang SC. Obesity, plasma high sensitivity C-reactive protein levels and insulin resistance status among school children in Taiwan. *Clin Biochem*, 2006: 39(8):810-5.

Wu G, Meininger CJ. Arginine nutrition and cardiovascular function. *J Nutr*, 2000: 130 (11): 2626 – 2629.

Xiaodong Y. Actions needed at the national level the Chinese experience. Tackling the double burden of malnutrition, A global agenda. Standing Committee on Nutrition (SCN NEWS), 2006: 32: 21-23.

Yagnik C. Nutrition, growth, and body size in relation to insulin resistance and type 2 diabetes. *Current Diabetes Reports*, 2003: 2: 108 – 14.

Yagnik CS, Lubree HG, Rege SS, Naik SS, Deshpande JA, Deshpande SS, Joglekar CV, Yudkin JS. Adiposity and hyperinsulinemia in Indians are present at birth. *J Clin Endocrinol Metab*, 2002: 87: 5575-80.

WBLOGRAPHY

DCPS, 2011. Accessed on: 6.07.2013. Adapted from <http://dcps.dc.gov/DCPS/About+DCPS/Strategic+Documents/Effective+Schools+Framework>

CDC, 2008. Accessed on: 17.08.2012. Available at: www.cdc.gov/HealthyYouth/KeyStrategies.

CDC, 2013. Coordinated school health. Adolescents and school health Accessed on: 27.02.2013. Available at: <http://www.cdc.gov/HealthyYouth/CSHP/>

BIBLIOGRAPY AND WEBLIOGRAPHY

CDC, 2013. Components of Coordinated School Health. Accessed on: 21.08.2013. Available at: <http://www.cdc.gov/healthyyouth/cshp/components.htm>

Epianalysis, 2012. Sick societies: responding to the global challenge of chronic disease. Accessed on: 8.01.2012. Available at: <http://epianalysis.wordpress.com/2012/01/08/sicksocieties/>

Wikipedia, 2007. http://en.wikipedia.org/wiki/Secondary_data
Centre for Critical Qualitative Health Research. Accessed on: 12.08.2013. Available at: <http://www.ccqhr.utoronto.ca/what-is-critical-qualitative-research>

India's Population Report, 2013. Accessed on 23.02.2013. Available at: <http://www.indiaonlinepages.com/population/india-current-population.html>

NSSO, 2011. Reports of the National Sample Survey Organization. 1975 – 2000. Accessed on 25.5.2011. Available at: http://mospi.nic.in/mospi_nsso_rept_pubn.htm.

Palmer S, 2013. Center for Communications, Health and Environment. Accessed on: 23.09.2013. Available at: <http://www.ceche.org/programs/globalhealth/globalhealth.html>

SEM (Socio Ecology Model), 2013. Accessed on: Available at: http://en.wikipedia.org/wiki/Social_ecological_model

Shroff MP, 2012. Is Gujarat the diabetic capital of India? Accessed on 19.02.2012. Available at: <http://www.dnaindia.com/analysis/1652211/column-is-gujarat-the-diabetic-capital-of-india>

Sight and Life, 2013. The Double Burden of Malnutrition. Accessed on 21.01.2013. Available at: <http://www.sightandlife.org/fields-of-work/malnutrition.html>

The World Bank, 2013. India undernourished children: A call for reforms and actions. Accessed on 1.01.2014. Available at: <http://web.worldbank.org/WBSITE/EXTERNAL/COUNTRIES/SOUTHASIAEXT/0,,contentMDK:20916955~pagePK:146736~piPK:146830~theSitePK:223547,00.html>

Varma S, 2013. India home to a quarter of the world's hungry: Global Hunger Index report. The Times of India. 2013. Accessed on: 26.12.2013 Available at: <http://timesofindia.indiatimes.com/india/India-home-to-a-quarter-of-the-worlds-hungry-Global-Hunger-Index-report/articleshow/24171694.cms>

WHO, 2006. Nutrition Data Banks. Global Data Base on Obesity and Body Mass Index (BMI) in Adults. Accessed on: 26.05.2014. Available at: <http://apps.who.int/bmi/>

NDOC, 2010 (National Diabetes, Obesity and Cholesterol Foundation). Childhood Obesity. 2010. Accessed on: 12.12.2013 Available at: http://www.ndoc.org/Childhood_Obesity.aspx

Griffin K, 2006. Accessed on: 10.01.2014. Available at: http://wws-roxen.princeton.edu/chwpapers/briefs/AA%20parents_12142006_FINAL.pdf

USDA, 2013. Accessed on: 28.05.2014. Available at: www.cnpp.usda.gov
Child Refuge Report, 2007. Accessed on 13.09.2013. Available on: <http://childrefuge.org/print/the-effects-of-print-media-on-youth-and-society-in-general.html>

Toprani Advanced Lab Systems, 2012. Accessed on 16.11.2013. Available at: <http://www.topranilabs.com/contact/contact1.htm>.

Webmed (AHA), 2005. Accessed on: 3.02.2014. Available at: <http://www.webmd.com/cholesterol-management/finding-the-ideal-cholesterol-ratio>

Webmed (AHA), 2005. Accessed on: 3.02.2014. Available at: www.webmd.com/heart-disease/guide/heart-disease-c-reactive-protein-crp-testing

Vaz M. Physical inactivity as a driver of obesity – The Indian perspective. Session III: The obesogenic environment during childhood and adolescence. ICMR CHIR Workshop. 2009. Accessed on: 25.06.2012. Available at: http://www.icmr.nic.in/final/childhood_obesity/5.%20Session%20III-%20The%20Obesogenic%20Environment.pdf

Active living. Healthy schools for healthy kids. The Robert Wood Johnson Foundation. 2003; 1 – 45. <http://www.rwjf.org/content/dam/farm/reports/reports/2003/rwjf12790>

NFHS III (2005-06). Accessed on: 26.08.2011. Available at: <http://www.rchiips.org/nfhs/nfhs3.shtml>

Sports, field and court dimensions, 2012. Accessed on: 12.11.2013. Available at: <http://www.sportsknowhow.com/dimensions/index.html>

BIBLIOGRAPY AND WEBLIOGRAPHY

Katz DL. Controlling Childhood Obesity by Following the Leader. Preventive Medicine Column. ABC News, 2006. Available at: <http://www.davidkatzmd.com/admin/archives/following%20Arkansas.Times.8-20-06.doc>

NCHS (National Center for Health Statistics), 2005. Accessed on: 15.10.2012. Available at: <http://www.cdc.gov/nchs/data/hus/hus05.pdf>

IOTF (International Obesity Task Force). International Association for the Study of Obesity. The Asia – Pacific perspective: redefining obesity and its treatment.

WHO Western Pacific Region, 2000. Accessed on: 18.03.2012. Available at: <http://www.wpro.who.int/nutrition/documents/docs/Redefiningobesity.pdf>

ATP III (2004). Accessed on: 26.11.2013. Available at: www.nhlbi.nih.gov/guidelines/cholesterol/

ADA (2013). Accessed on 26.11.2013. Available at: http://care.diabetesjournals.org/content/36/Supplement_1/S11.full

FAO. The State of Food Insecurity in the World. Rome, 2005. Accessed on: 12.08.12. Available at: ftp://ftp.fao.org/docrep/fao/008/a0050e/a0050e_full.pdf

FAO. The State of Food and Agriculture. Food and Agriculture Organization of the United Nations. Rome, 2013. Accessed on: 26.01.15. Available at: <http://www.fao.org/docrep/018/i3300e/i3300e.pdf>