

List of Figures

Figure No.	Title	Page No.
Fig 2.1	Growth curve of a bacterial culture	17
Fig 2.2	Chemical structure of relevant fructooligosaccharides:a) 1-kestose (GF2), b) nystose (GF3), c) 1-b-fructofuranosyl nystose (GF4).	51
Fig 5.1 (a-d)	Physicochemical properties of fresh ambils	126
Fig 5.2 (a-s)	Nutritional composition of fresh ambils	132
Fig 5.3 (a-h)	Sensory attributes of fresh Rice ambil over a storage period of 5 days	136
Fig 5.4 (a-e)	Physicochemical attributes of fresh Rice ambil over a storage period of 5 days	138
Fig 5.5	Microbial content of freshly prepared rice ambil over the storage period	139
Fig 5.6 (a-h)	Sensory attributes of fresh Barley ambil over a storage period of 5 days	141
Fig 5.7 (a-e)	Physicochemical attributes of fresh Barley ambil over a storage period of 5 days	143
Fig 5.8	Microbial content of freshly prepared barley ambil over the storage period	144
Fig 5.9 (a-h)	Sensory attributes of fresh Pearl millet ambil over a storage period of 5 days	146
Fig 5.10 (a-e)	Physicochemical attributes of fresh pearl millet ambil over a storage period of 5 days	148
Fig 5.11	Microbial content of freshly prepared pearl millet ambil over the storage period	149
Fig 5.12 (a-h)	Sensory attributes of fresh finger millet ambil over a storage period of 5 days	151
Fig 5.13 (a-e)	Physicochemical attributes of fresh finger millet ambil over a storage period of 5 days	153
Fig 5.14	Microbial content of freshly prepared finger millet ambil over the storage period	154

Fig 5.15 (a-h)	Sensory attributes of packaged rice ambil over a storage period of 180 days (6 months)	156
Fig 5.16 (a-e)	Physicochemical parameters of packaged rice ambil over a storage period of 180 days (6 months)	158
Fig 5.17	Frequency of consumption of curd/buttermilk (percentages)	169
Fig 5.18	Frequency of consumption fruit juices (percentages)	170
Fig 5.19	Frequency of consumption probiotic drinks (percentage)	171
Fig 5.20	Age wise distribution of selected subjects for the study	172
Fig 5.21	Gender wise distribution of selected subjects for the study	172
Fig 5.22	Average rate of liking of packaged ambil by different age groups	173
Fig 5.23	Hedonic rating of the product given by different age groups	174
Fig 5.24	Consumer liking of the idea of ambil	175
Fig 5.25	Consumer views on need of the packaged rice ambil commercially	176
Fig 5.26	Consumer preference for purchasing the packaged rice ambil	177
Fig 5.27	Consumer preference for the cost of packaged rice ambil	178
Fig 5.28	Consumer preference to recommend the product to others	179
Fig 5.29	Consumer preference for flavours of packaged rice ambil	180
Fig 5.30	Consumer preference for package size of the packaged rice ambil	181
Fig 5.31	Factors affecting purchase of health drinks by the consumers	182

List of Plates

Plate No.	Title	Page No.
Plate 4.1	Preparation of rice ambil	62
Plate 4.2	Preparation of pearl millet ambil	62
Plate 4.3	Preparation of barley ambil	62
Plate 4.4	Preparation of finger millet ambil	62
Plate 4.5	Colour and flavor added rice ambil	63
Plate 4.6	Sensory evaluation of ambils by panel members	65
Plate 4.7	Preparation of dilutions of ambil samples for DNA isolation	67
Plate 4.8	Agarose gel electrophoresis (1%) showing the amplification of the PCR products for 55 minutes at 100volt	70
Plate 4.9	Bulk production of rice ambil at Amul	83
Plate 4.10	UHT processing machine	83
Plate 4.11	Tetra packing machine	83
Plate 4.12	Consumer acceptability in Experimental school of MS University of Baroda	87
Plate 4.13	Consumer acceptability in Food fest held at Dept. of Food and Nutrition, Faculty of Family and Community Sciences MS University of Baroda	88