

BIBLIOGRAPHY

Bibliography

- Agarwal DK, Singh P, Chakrabarty M, Shaikh AJ and Gayal SG (2003). Cottonseed oil quality utilization and processing. Central Institute for Cotton Research Nagpur (source: www.cicr.org.in accessed on 27th January 2015).
- Agrawal A, Gupta R, Varma K and Mathur B (2008). High trans fatty acid content in common Indian fast foods. *Nutrition and Food Science*, 38(6): 564-569.
- Akoh CC and Lai O-M (2005). *Healthful Lipids*. Champaign: AOCS Press, 1–32.
- Al-Moosa S, Allin S, Jemiai N, Al-Lawati J and Mossialos E (2006). Diabetes and urbanization in the Omani population: An analysis of national survey data. *Popul Health Metr*, 4:1-20.
- Albers MJ, Harnack LJ, Steffen LM and Jacobs DR (2008). Marketplace survey of trans-fatty acid content of margarines and butter, cookies and snack cakes and savory snacks. *Journal of the American Dietetic Association*, 108(2): 367-370.
- Alireza S, Tan CP, Hamed and Che Man YB (2010). Effect of frying process on fatty acid composition and iodine value of selected vegetable oils and their blends. *International Food Research Journal*, 17(2): 295-302.
- American Academy of Allergy Asthma and Immunology (AAAAI) (2011). Getting the facts on food allergy.
- Anderson B, Rafferty AP, Lyon-Callo S, Fussman C and Imes G (2011). Fast-food consumption and obesity among Michigan adults. *Preventing Chronic Disease*, 8(4): A71.
- Anderson CAM, Appel LJ, Okuda N, Brown AJ, Chan Q, Zhao L, Ueshima H, Kesteloot H, Miura K, Curb JD, Yoshita K, Elliott P, Yamamoto ME and Stamler J (2010). Dietary source of sodium in China, Japan, the United Kingdom, the United States, women and men aged 40 to 59 years: The INTERMAP study. *J Am Diet Assoc*, 110(5): 736–745.
- Anderson G and Chu E (2007). Expanding priorities-confronting chronic disease in countries with low income. *N Engl J Med*, 356: 209-11.
- Anderson J, Perryman S and Prior S (2010). Dietary Fiber. Food and Nutrition Series, Fact Sheet No. 9.3. Colorado State University (Source: <http://www.ext.colostate.edu/pubs/foodnut/09333.html/> accessed on 16th July 2014)

- Annunziata A and Vecchio R (2012). Factors affecting use and understanding of nutrition information on food labels: Evidences from consumers. *Agricultural Economics Review*, 13(2):103-116.
- Ansorena D, Echarte A, Olle Rand Astiasaran I (2013). 2012: No trans fatty acids in Spanish bakery products. *Food Chem*, 138 (1):422-429.
- Aounallah-Skhiri H, Traissac P, Ati JE, Eymard-Duvernay S, Landais E, Achour N, Delpeuch F, Romdhane HB and Maire B (2011). Nutrition transition among adolescents of a South-Mediterranean country: dietary patterns, association with socio-economic factors, overweight and blood pressure. A cross-sectional study in Tunisia. *Nutrition Journal*, 10:38.
- Appel LJ, Moore TJ, Obarzanek E, Vollmer WM, Svetkey LP, Sacks FM, et al (1997). A clinical trial of the effects of dietary patterns on blood pressure. DASH Collaborative Research Group. *N Engl J Med*, 336:1117-1124.
- Ares G and Gambaro A (2007). Influence of gender, age and motives underlying food choice on perceived healthiness and willingness to try functional foods. *Appetite*, 49:148-158.
- Ares G, Gimenez A and Gambaro A (2008). Influence of nutritional knowledge on perceived healthiness and willingness to try functional foods. *Appetite*, 51:663-668.
- Arild C, Rustan AC and Drevon NC (2005). Fatty acids: Structures and Properties. *Encyclopedia of Life Sciences*, John Wiley & Sons, Ltd, 1-7.
- Asaria P, Chisholm D, Mathers C, Ezzati M and Beaglehole R (2007). Chronic disease prevention: Health effects and financial costs of strategies to reduce salt intake and control tobacco use. *Lancet*, 370:2044-2053.
- Asgary S, Nazari B, Sarrafzadegan N, Parkhideh S, Saberi S, Esmailzadeh A and Azadbakht L (2009). Evaluation of fatty acid content of some Iranian fast foods with emphasis on trans fatty acids. *Asia Pac J Clin Nutr*, 18(2):187-192.
- Astrup A, Dyerberg J, Elwood P, Hermansen K, Hu FB, Jakobsen MU, et al (2011). The role of reducing intakes of saturated fat in the prevention of cardiovascular disease: Where does the evidence stand in 2010? *Am J Clin Nutr*, 93:684-688.
- Aryee GA (2013). Awareness and use of nutrition labels on pre-packaged foods among consumers in Accra. Master's dissertation, Department of Nutrition and Food Science, University Of Ghana, Legon (Source: <http://ugspace.ug.edu.gh> accessed on 13th February 2015).

- Barr S (2010). Reducing dietary sodium intake: The Canadian context. *Appl Physiol Nutr Metab*, 35:1-8.
- Barreiro-Hurle J, Gracia A and de-Magistris T (2010a). Does nutrition information on food products lead to healthier food choices? *Food Policy*, 35:221-229.
- Basil MD, Basil DZ and Deshpande S (2009). A comparison of consumers and dieticians: Nutrition focus, food choice and mental accounting. *Journal of Nonprofit and Public Sector Marketing*, 21:283-297.
- Bassett CMC, Edel AL, Patenaude AF, McCullough RS, Blackwood DP, Chouinard PY, Paquin P, Lamarche B and Pierce GN (2010). Dietary vaccenic acid has anti-atherogenic effects in LDLr^{-/-} Mice. *The Journal of Nutrition*, 140(1):18-24.
- Basu S, McKee M, Galea G and Stuckler D (2013). Relationship of soft drink consumption to global overweight, obesity and diabetes: A cross-national analysis of 75 countries. *American Journal of Public Health*, 103(11): 2071-2077.
- Benoit SC, Kemp CJ, Elias CF, Abplanalp W, Herman JP, Migrenne S, Lefevre A-L, Cruciani-Guglielmacci C, Magnan C, Yu F, Niswender K, Irani BG, Holland WL and Clegg DJ (2009). Palmitic acid mediates hypothalamic insulin resistance by altering PKC- θ subcellular localization in rodents. *J. Clin. Invest*, 119:2577-2589.
- Berning JP, Chouinard HH, Manning KC, McCluskey JJ and Sprott DE (2010). Identifying consumer preferences for nutrition information on grocery store shelf labels. *Food Policy*, 35:429-436.
- Bhargava A (2004). Socio-economic and behavioural factors are predictors of food use in the National Food Stamp Program Survey. *Br J Nutr*, 92:497-506.
- Block JP, Chandra A, McManus KD, Willett WC (2010). Point-of-purchase price and education intervention to reduce consumption of sugary soft drinks. *Am J Public Health*, 100(8):1427-1433.
- Borgmeier I and Westenhoefer J (2009). Impact of different food label formats on healthiness evaluation and food choice of consumers: A randomized-controlled study. *BMC Public Health*, 9:184.
- Borra S (2006). Consumer perspectives on food labels. *Am J Clin Nutr*, 83(suppl):1235S.

- Bowman S, Gortmaker S, Ebbeling C, Pereira M and Ludwig D (2004). Effects of fast-food consumption on energy intake and diet quality among children in a national household survey. *Pediatrics*, 113(1):112-118.
- Bowman SA, Gortmaker SL, Ebbeling CB, Pereira MA and Ludwig DS (2004). Effects of fast-food consumption on energy intake and diet quality among children in a National Household Survey. *Pediatrics*, 113:112-118.
- Boyce JA, Assa'ad A, Burks AW, Jones SM, Sampson HA, Wood RA, et al. (2010). Guidelines for the diagnosis and management of food allergy in the United States: Summary of the NIAID-sponsored expert panel report. *J Allergy Clin Immunol*, 126(1):S1-S58.
- Bozhinov P and Chrysochou P (2012). The effect of the 'Keyhole' label on the structure of the Danish food market, Aarhus School of Business, Department of Marketing and Statistics.
- Brand J, Nicholson P, Thorburn A and Truswell A (1985). Food processing and the glycemic index. *Am J Clin Nutr*, 42(6):1192-1196.
- Bray GA, Nielsen SJ and Popkin BM (2004). Consumption of high fructose corn syrup in beverages may play a role in the epidemic of obesity. *Am J Clin Nutr*, 79:537-543.
- Bredbenner C, Alfieri L, Wong A and Cottee P (2001). The inherent educational qualities of nutrition labels. *Family and Consumer Sciences Research Journal*, 29(3):265-280.
- Brown IJ, Tzoulaki I, Candeias V, et. al. (2009). Salt intakes around the world: Implications for public health. *Int J Epidemiol* , 38:791-813.
- Caplan P (2002). Food in middle-class Madras households from the 1970s to the 1990s. In: Cwiertka, K., Walraven, B. (Eds.). *Asian Food: The Global and the Local*, Honolulu: University of Hawaii Press.
- Carrera-Bastos P, Fintess-Villaba M, O'Keefe JH, Lindeberg S and Cordain L (2011). The Western diet and lifestyle and diseases of civilization. *Res Rep Clin Cardiol*, 2:15-35.
- Castro MA, Barros RR, Bueno MB, Cesar CLG and Fisberg RM (2009). Trans fatty acid intake among the population of the city of Sao Paulo, South eastern Brazil. *Rev Public Health*, 43(6):991-997.
- Centers for Disease Control and Prevention (CDC) (2012). Get The Facts: Sodium's role in processed food. (www.cdc.gov accessed on 26th September 2013).

- Chan C, Patch C and Williams P (2005). Australian consumers are skeptical about but influenced by claims about fat on food labels. *European Journal of Clinical Nutrition*, 59:148-151.
- Chan M (2011). Non-communicable diseases damage health, including economic health. New York: World Health Organization.
- Chan T, Narasimhan C and Zhang Q (2008). Decomposing promotional effects with a dynamic structural model of flexible consumption. *J Mark Res*, 45:487-498.
- Chandon P and Wansink B (2002). When are stockpiled products consumed faster? A convenience-salience framework of post purchase consumption incidence and quantity. *J Mark Res*, 39:321-335.
- Chandorkar S and Joshi A (2012). A study on functional utility of nutrition labels towards making healthy food choices. Unpublished master's dissertation, Department of Foods and Nutrition, The M.S. University of Baroda, Vadodara, Gujarat, India.
- Chandorkar S. and Shah P (2014). Arriving at a realistic serving size, nutrient composition and nutrient profiling of commonly consumed processed foods. Unpublished master's dissertation, Department of Foods and Nutrition, The M.S. University of Baroda, Vadodara, Gujarat, India.
- Chang HY, Hu YW, Yue CS, Wen YW, Yeh WT, Hsu LS, Tsai SY and Pan WH (2006). Effect of potassium-enriched salt on cardiovascular mortality and medical expenses of elderly men. *American Journal of Clinical Nutrition*, 83(6):1289-1296.
- Chong E W-T, Sinclair AJ and Guymer RH (2006). Facts on fats. *Clinical and Experimental Ophthalmology*, 34: 464-471.
- Chou SY, Grossman M and Saffer H (2004). An economic analysis of adult obesity: Results from the behavioral risk factor surveillance system. *J Health Econ*, 23:565-587.
- Chou SY, Rashad I and Grossman M (2008). Fast-food restaurant advertising on television and its influence on childhood obesity. *Journal of Law and Economics*, 51:599-618.
- Christian T and Rashad I (2009). Trends in U.S. food prices, 1950-2007. *Econ Hum Biol*, 7:113-120.
- Chung SWC, Tong SK, Lin VFP, Chen MY, Ma JKM, Xiao Y and Ho YY (2013). Trans fatty acids in the Hongkong food supply. *Journal of Chemistry (Hindawi Publishing Corporation)*, 1-7.

- Code of Federal Regulations (2014), US (21CFR101.12), Title 21, Volume 2. Sec. 101.12 .Revised 1st April, 2014
(Source:<http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/cfrsearch.cfm?fr=101.12> Accessed on 30th December 2014).
- Codex Alimentarius (1985). Guidelines on Nutrition Labeling (CAC/GL 2-1985).
- Codex Alimentarius (2010). General Standard for the Labelling of Prepackaged Foods, CODEX STAN 1-1985, amendment in 2010.
- Codex Alimentarius (2013). Guidelines for use of nutrition and health claims (CAC/GL 23-1997), amendment 2013.
- Codex Alimentarius (2013). Guidelines on Nutrition Labeling (CAC/GL 2-1985).
- Cook NR, Cutler JA, Obarzanek E, Buring JE, Rexrode KM, Kumanyika SK, Appel LJ and Whelton PK (2007). Long term effects of dietary sodium reduction on cardiovascular disease outcomes: observational follow-up of the trials of hypertension prevention (TOHP). *BMJ*, 334:885.
- Cook NR, Obarzanek E, Cutler JA, Buring JE, Rexrode KM, Kumanyika SK, Appel LJ and Whelton PK (2009). Trials of Hypertension Prevention Collaborative Research Group. Joint effects of sodium and potassium intake on subsequent cardiovascular disease: The Trials of Hypertension Prevention (TOHP) follow-up study. *Arch Intern Med*, 169 (1):32-40.
- Coombes R. (2011). Trans fats: Chasing a global ban. *BMJ*, 343:1-3.
- Cordain L, Eaton S, Sebastian A, Mann N, Lindeberg S, Watkins B, O'Keefe J, and Brand-Miller J (2005). Origins and evolution of the Western diet: Health implications for the 21st century. *Am J Clin Nutr*, 81(2): 341-354.
- Cowburn G and Stockley L (2005). Consumer understanding and use of nutrition labelling: A systematic review. *Public Health Nutrition*, 8(1):21-28.
- Crush J, Frayne B and McLachlan M (2011). Rapid Urbanization and the Nutrition Transition in Southern African. Urban Food Security Series No. 7. Queen's University and African Food Security Urban Network, (AFSUN): Idasa Publishing, Kingston and Cape Town.
- Curran MA (2002). Nutrition labelling: Perspectives of a bi-national agency for Australia and New Zealand. *Asia Pacific J Clin Nutr*, 11(2): S72-S76. .

- Curtis CJ, Niederman SA, and Kansagra SM (2013). Availability of Potassium on the Nutrition Facts Panel of US Packaged Foods. *JAMA Intern Med*, 173 (9):828-829.
- Cutler DM, Glaeser EL and Shapiro JM (2003). Why have Americans become more obese? *Journal of Economic Perspectives*, 17:93-118.
- Damasceno NR, Perez-Heras A, Serra M, Cofan M, Sala-Vila A, Salas-Salvado J and Ros E (2011). Crossover study of diets enriched with virgin olive oil, walnuts or almonds. Effects on lipids and other cardiovascular risk markers. *Nutr Metab Cardiovasc Dis*, Suppl 1:S14-S20.
- Dave JM, An LC, Jeffery RW and Ahluwalia JS (2009). Relationship of attitudes toward fast food and frequency of fast-food intake in adults. *Obesity*, 17(6):1164-1170.
- De Meester F (2009). Progress in lipid nutrition: The Columbus concept addressing chronic diseases. *World Rev Nutr Diet*, 100:110-121.
- De Meester F and Watson RR (2008). Wild type foods in health promotion and disease prevention. NJ: Humana Press, 3-20.
- Deininger DU and Sur M (2007). Food safety in a globalizing world: Opportunities and challenges for India. South Asia Sustainable Development Department, World Bank.
- Department of Health-UK (2013). Nutrient Analysis of a range of processed foods with particular reference to trans fatty acids (summary version-macro and micro nutrients) (source: www.dh.gov.uk/publications).
- Derby BM and Levy AS (2001). Do food labels work? Gauging the effectiveness of food labels pre and post NLEA. In: Bloom, P.N., Gundlach, G.T. (Eds.), *Handbook of Marketing and Society*. Sage, Thousand Oaks, CA: 372-398.
- Devine A, Criddle R, Dick I, Kerr D and Prince R (1995). A longitudinal study of the effect of sodium and calcium intakes on regional bone density in postmenopausal women. *Am. J. Clin Nutr*, 62:740-745.
- Dolson L (2014). Sugar's many disguises: Recognizing sugar on food labels (Source: <http://lowcarbdiets.about.com/od/whattoeat/a/sugars.htm> accessed on 26th August 2014).
- Drewnowski A (2004). Obesity and the food environment: Dietary energy density and diet costs. *American Journal of Preventive Medicine*, 27(S3):154-162.

- Drewnowski A (2007). The real contribution of added sugars and fats to obesity. *Epidemiol Rev*, 29:160-171.
- Drewnowski A and Darmon N (2005). The economics of obesity: Dietary energy density and energy cost. *Am J Clin Nutr*, 82: S265.
- Drichoutis AC, Lazaridis P and Nayga RM (2005). Nutrition knowledge and consumer use of nutritional food labels. *European Review of Agricultural Economics*, 32 (1):93-118.
- Duffrey KJ, Gordon-Larsen P, Shikany JM, Guilkey D, Jacobs DR and Popkin BM (2010). Food price and diet and health outcomes: 20 years of the CARDIA Study. *Archives of Internal Medicine*, 170:420-426.
- DuPont JJ, Greaney JL, Wenner MM, Lennon-Edwards SL, Sanders PW, Farquhar WB and Edwards DG (2013). High dietary sodium intake impairs endothelium-dependent dilation in healthy salt-resistant humans. *J Hypertens*, 31(3):530-536.
- Dwyer JT, Fulgoni III VL, Clemens RA, Schmidt DB and Freedman MR (2012). Is “Processed” a Four-Letter Word? The role of processed foods in achieving dietary guidelines and nutrient recommendations. *Adv Nutr*, 3:536-548.
- Edson FG and Poe CF (1948). Determination of reducing sugars in food products. *J Ass. Off. Agric. Chem*, 31:769:776.
- Eicher-Miller HA, Fulgoni III VL and Keast DR (2012). Contributions of processed foods to dietary intake in the US from 2003–2008: A Report of the Food and Nutrition Science Solutions Joint Task Force of the Academy of Nutrition and Dietetics, American Society for Nutrition, Institute of Food Technologists and International Food Information Council. *J Nutr*, 142:2065S-2072S.
- Elliott CD (2010). Sweet and salty: Nutritional content and analysis of baby and toddler foods. *Journal of Public Health*, 33(1):63-70.
- Elliott SS, Keim NL, Stern JS, Teff K and Havel PJ (2002). Fructose, weight gain and the insulin resistance syndrome. *Am J Clin Nutr*, 76:911-922.
- Emrich TE, Arcand J and L’Abbe MR (2012). Front-of-pack nutrition labelling systems: A missed opportunity? *Can J Public Health*, 103(4):e260-e262.
- Epstein LH, Dearing KK, Paluch RA, Roemmich JN and Cho D (2007). Price and maternal obesity influence purchasing of low and high energy-dense foods. *Am J Clin Nutr*, 86(4):914-922.

- Epstein LH, Handley EA, Dearing KK, Cho DD, Roemmich JN, Paluch RA, Raja S, Pak Y and Spring B (2006). Purchases of food in youth. Influence of price and income. *Psychol Sci*, 17(1):82-89.
- Esmailzadeh A and Azadbakht L (2008). Home use of vegetable oils, markers of systemic inflammation and endothelial dysfunction among women. *Am J Clin Nutr*, 88: 913-921.
- Estevez-Gonzalez MD, Saavedra-Santana P, Lopez-Rios L, Chirino R, Cebrero-Garcia E, Pena-Quintana L and Betancor-Leon P (2010). HDL cholesterol levels in children with mild hypercholesterolemia: Effect of consuming skim milk enriched with olive oil and modulation by the TAQ 1B polymorphism in the CETP gene. *Ann Nutr Metab*, 56:288-293.
- European Food Safety Authority (EFSA) (2005). Opinion of the Scientific Panel on Dietetic Products, Nutrition and Allergies on a request from the Commission related to the Tolerable Upper Intake level of sodium. *The EFSA Journal*, 209: 1-26.
- European Food Safety Authority (EFSA) (2010). Outcome of the public consultation on the draft opinion of the scientific panel on dietetic products, nutrition and allergies (NDA) on dietary reference values for fats, including saturated fatty acids, polyunsaturated fatty acids, monounsaturated fatty acids, trans fatty acids and cholesterol. *EFSA Journal*, 8(5):1507.
- Food and Agricultural Organization (FAO) (2010). Fats and fatty acids in human nutrition. Report of an expert consultation. *FAO Food and Nutrition Paper* 91. 10-14 November 2008, Geneva.
- Fattore E and Fanelli R (2013). Palm oil and palmitic acid: A review on cardiovascular effects and carcinogenicity. *International Journal of Food Sciences and Nutrition*, 64(5).
- Ferreira Tavares LF, Fonseca SC, Rosa MLG and Yokoo EM (2011). Relationship between ultra-processed foods and metabolic syndrome in adolescents from a Brazilian Family Doctor Program. *Public Health Nutrition*, 15(1):82–87.
- Feunekes GIJ, Gortemaker IA, Willems AA, Lion R and Kommer M. van den (2008). Front-of-pack nutrition labeling: Testing effectiveness of different nutrition labelling formats front-of-pack in four European countries. *Appetite*, 50:57-70.

- Filippou A, Teng KT, Berry SE and Sanders TAB (2014). Palmitic acid in the sn-2 position of dietary triacylglycerols does not affect insulin secretion or glucose homeostasis in healthy men and women. *European Journal of Clinical Nutrition*, 68:1036-1041.
- Finkelstein EA, Ruhm CJ and Kosa KM (2005). Economic causes and consequences of obesity. *Annu Rev Public Health*, 26:239-257.
- Floros JD, Newsome R, Fisher W, Barbosa-Canovas GV, Chen H, Dunne CP, German JB, Hall RL, Heldman DR, Karwe MV, et al (2010). Feeding the world today and tomorrow: The importance of Food Science and Technology. *Comprehensive Reviews in Food Science and Food Safety*, 9:572-599.
- Food Safety and Standards Act (FSSA) (2011) (Packaging and Labeling Regulations).
- Food Safety and Standards Act (FSSA) (2012). Draft on Regulation on Labelling (Claims).
- Food Safety and Standards Act (FSSA) (2011). Food Products Standards and Food Additives Regulations.
- Food Safety Authority of Ireland (FSAI) (2008). Trans Fatty Acid Survey of Fast Foods in Ireland.
(Source:https://www.google.co.in/?gfe_rd=cr&ei=Sj6HVMqcl8aEoAO2uYLQB A#q=trans+fatty+acid+survey+of+fst+foods+in+ireland accessed on 10th December 2014).
- Food Safety Authority of Ireland (FSAI) (2009). A research study into consumer's attitudes to food labeling.
(Source: http://www.fsai.ie/assets/0/86/204/9f8b5edc-565e-4f10-8c0f-th_oct7015f742da09.pdf accessed on 10th December, 2014).
- Food Standards Agency (FSA) (2007). Front of pack-Traffic light signpost - Technical Guidance, 2.
- Forslund HB, Torgerson JS, Sjostrom L and Lindroos AK (2005). Snacking frequency in relation to energy intake and food choices in obese men and women compared to a reference population. *International Journal of Obesity*, 29:711-719.
- Frassetto LA, Schloetter M, Mietus-Synder M, et al (2009). Metabolic and physiologic improvements from consuming a paleolithic, hunter gatherer type diet. *Eur J Clin Nutr*, 63(8): 947-955.

- French SA and Stables G (2003). Environmental interventions to promote vegetable and fruit consumption among youth in school settings. *Prev Med*, 37:593-610.
- Fu H, Yang L, Yuan H, Rao P and Lo YM (2008). Assessment of trans fatty acids content in popular western-style products in China. *J Food Sci*, 73(8):s383-s391.
- Garsetti M, de-Vries J, Smith M et al. (2007) Nutrient profiling schemes: Overview and comparative analysis. *Eur J Nutr*, 46:15-28.
- Geleijnse JM, Kok FJ and Grobbee DE (2003). Blood pressure response to changes in sodium and potassium intake: A meta-regression analysis of randomised trials. *J Hum Hypertens*, 17:471-480.
- Ghafoorunissa (2008). Role of trans fatty acids in health and challenges to their reduction in Indian foods. *Asia Pac J Clin Nutr*, 17(S1):212-215.
- Ghotra BS, Dyal SD and Narine SS (2002). Lipid shortenings: A Review. *Food Research International*, 35:1015-1048.
- Gillingham LG, Gustafson JA, Han SY, Jassal DS and Jones PJ (2010). High-oleic rapeseed (canola) and flaxseed oils modulate serum lipids and inflammatory biomarkers in hyper-cholesterolaemic subjects. *Br J Nutr*, 105:417-427.
- Godwin SL, Speller-Henderson L and Thompson C (2006). Evaluating the Nutrition Label: Its Use in and Impact on Purchasing Decision by Consumers. *Journal of Food Distribution Research*, 37(1):76-80.
- Goyal A and Singh NP (2007). Consumer perception about fast food in India: An exploratory study. *British Food Journal*, 109(2):182-195.
- Gracia A, Loureiro M and Nayga RM (2007). Do consumers perceive benefits from the implementation of EU mandatory nutritional labelling program? *Food Policy*, 32:160-174.
- Graham DJ and Jeffery RW (2011). Location, location, location: Eye-tracking evidence that consumers preferentially view prominently positioned nutrition information. *J Am Diet Assoc*, 111:1704-1711.
- Graham I, Atar D, Borch-Johnsen K, Boysen G, Burell G, Cifkova R, et al (2007). European guidelines on cardiovascular disease prevention in clinical practice: Fourth Joint Task Force of the European Society of Cardiology and other societies on cardiovascular disease prevention in clinical practice

- (constituted by representatives of nine societies and by invited experts). *Eur J Cardiovasc Prev Rehabil*, 14(2):S1-113.
- Grimes CA, Campbell K, Riddell, L and Nowson CA (2011). Sources of sodium in Australian children's diets and the effect of the application of sodium targets to food products to reduce sodium intake. *British Journal of Nutrition*, 105(3):468-477.
 - Gross LS, Li L, Ford ES and Liu S (2004). Increased consumption of refined carbohydrates and the epidemic of type 2 diabetes in the United States: An ecologic assessment. *Am J Clin Nutr*, 79:774-779.
 - Grunert KG and Wills JM (2007). A review of European research on consumer response to nutrition information on food labels. *J Public Health*, 15:384-399.
 - Grunert KG, Fernandez-Celemin L, Wills JM, Bonsmann SSG and Nureeva L (2010b). Use and understanding of nutrition information on food labels in six European countries. *J Public Health*, 18:261-277.
 - Grunert KG, Wills JM and Fernandez-Celemin L (2010). Nutrition knowledge and use and understanding of nutrition information on food labels among consumers in the UK. *Appetite*, 55:177-189.
 - Gupte MD, Ramachandran V and Mutatkar RK (2001). Epidemiological profile of India: Historical and contemporary perspectives. *Journal of Bioscience*, 26(4):437-464.
 - Guthrie JF and Morton JF (2000). Food sources of added sweeteners in diets of Americans. *J Am Diet Assoc*, 100:43-48.
 - Halkjaer J, Tjonneland A, Overvad K and Sorensen TI (2009). Dietary predictors of 5-year changes in waist circumference. *Journal of the American Dietetic Association*, 109(8):1356-1366.
 - Hall SA, Kaufman JS, Millikan RC, Ricketts TC, Herman D and Savitz DA (2005). Urbanization and breast cancer incidence in North Carolina, 1995-1999. *Ann Epidemiol*, 15:796-803.
 - Harris JL, Pomeranz JL, Lobstein T and Brownell KD (2009). A crisis in the marketplace: How food marketing contributes to childhood obesity and what can be done. *Annu Rev Public Health*, 30:211-225.
 - Havas S, Dickinson B and Wilson M (2007). The urgent need to reduce sodium consumption. *JAMA*, 298:1439-1441.

- Hawkes C (2006). Uneven dietary development: linking the policies and processes of globalization with the nutrition transition, obesity and diet-related chronic diseases. *Globalization and Health*, 2:4.
- Hawkes C (2007). Globalization and the Nutrition Transition: A case study. Case study 10-1 of the program: Food policy for developing countries: The role of government in the global food system.
- Hawkes C, Chopra M, Friel S, Lang T and Thow AM (2007). Globalization, food and nutrition transition. WHO Commission on social determinants of health. Globalization and health knowledge network. Institute of Population Health, Globalization and Health Equity, Ottawa.
- He F and MacGregor GA (2004). Effect of longer-term modest salt reduction on blood pressure. *Cochrane Database Syst Rev*, (3):CD004937.
- He F and MacGregor GA (2009). A comprehensive review on salt and health and current experience of worldwide salt reduction programmes. *J Hum Hypertens*, 23:363-384.
- He FJ and MacGregor GA (2001). Beneficial effects of potassium. *British Medical Journal*, 323:497-501.
- He FJ and MacGregor GA (2010). Reducing population salt intake worldwide: From evidence to implementation. *Prog Cardiovasc Dis*, 52:363-382.
- He K, Zhao L, Daviglus ML, Dyer AR, Horn LV, Garside D, Zhu L, Guo D, Wu Y, Zhou B, Stamler J and for the INTERMAP Cooperative Research Group (2008). Association of monosodium glutamate intake with overweight in Chinese adults: the INTERMAP Study. *Obesity*, 16(8):1875-1880.
- He K, Du S, Xun P, Sharma S, Wang H, Zhai F and Popkin B (2011). Consumption of monosodium glutamate in relation to incidence of overweight in Chinese adults: China Health and Nutrition Survey (CHNS). *Am J Clin Nutr*, 93:1328-1336.
- Hooper L, Bartlett C, Davey Smith G and Ebrahim S. (2004). Advice to reduce dietary salt for prevention of cardiovascular disease. *Cochrane Database Syst Rev*, (1):CD003656.
- Hostmark AT and Haug A (2013). Percentages of oleic acid and arachidonic acid are inversely related in phospholipids of human sera. *Lipids in Health and Disease*, 12:106.
- Hsu PK, Lin KM and Chau CF (2009). Esterification of insoluble fiber using high-pressure homogenisation and their potential vitamin carrying and releasing abilities. *Food Chemistry*, 113(4):1015-1019.

- Hu FB (2010). Sugar-sweetened beverages as a major modifiable risk factor for type 2 diabetes. *Official Journal of International Chair on Cardiometabolic Risk*. 3(3):9-12.
- Hu FB and Malik VS (2010). Sugar-sweetened beverages and risk of obesity and type 2 diabetes: Epidemiologic evidence. *Physiol Behav*, 100(1):47-54.
- Hu FB, Manson JE and Willett WC (2001). Types of dietary fat and risk of coronary heart disease: A critical review. *J Am Coll Nutr*, 20:5-19.
- Hu FB, Wang B, Chen C, et al (2000). Body mass index and cardiovascular risk factors in a rural Chinese population. *Am J Epidemiol*, 151:88-97.
- Huang J. and Bouis H (1996). Structural Changes in the Demand for Food in Asia. *Agriculture and the Environment Discussion Paper 11*. Washington, DC, International Food Policy Research Institute. In: Bhalla GS, Hazell P and Kerr J (1999). *Prospects for India's Cereal Supply and Demand to 2020*. International Food Policy Research Institute.
- Huang Z, Wang B, Pace RD and OH JH (2006). Trans fatty acid content of selected foods in an African-American community. *Journal of Food Science*, 71(6):C322-C327.
- Hughes C, Wellard L, Lin J, Suen KL and Kathy Chapman K (2013). Regulating health claims on food labels using nutrient profiling: What will the proposed standard mean in the Australian supermarket? *Public Health Nutrition*, 16(12):2154-2161.
- Hunter JE (2005). Dietary levels of trans fatty acids basis for health concerns and industry efforts to limit use. *Nutrition Research*, 25: 499-513.
- Hussain SS (2013). Bangladesh labeling requirements for packaged food. *USDA Foreign Agricultural Service, Global Agriculture Information Centre (GAIN Report Number- BG3008)*.
- Huth PJ, Fulgoni III VL, Keast DR, Park K and Auestad N (2013). Major food sources of calories, added sugars, and saturated fat and their contribution to essential nutrient intakes in the U.S. diet: Data from the national health and nutrition examination survey (2003–2006). *Nutrition Journal*, 12:116.
- Indian Food Processing Industry-Opportunities and Outlook-2015 (2012). *Gyan Research and Analytics Pvt. Ltd.*
- Industry News and Innovations (2005). Sensible Solution Program shows nutrition criteria on packaging. *Diabetic Microvascular Complications Today*: 46.

- Innis SM, Greenm TJ and Halsey TK (1999). Variability in the trans fatty acid content of foods within a food category: Implications for estimation of dietary trans fatty acid intakes. *Journal of the American College of Nutrition*, 18(3):255-260.
- Insawang T, Selmi C, Cha'on U, Pethlert S, Yongvanit P, Areejitranusorn P, Boonsiri P, Khampitak T, Tangrassameeprasert R, Pinitsoontorn C, Prasongwattana V, Gershwin ME and Hammock BD (2012). Monosodium glutamate (MSG) intake is associated with the prevalence of metabolic syndrome in a rural Thai population. *Nutrition and Metabolism*, 9:50.
- International Food Information Council Foundation (IFIC) (2010). Understanding our food communications tool kit.
(Source: <http://www.foodinsight.org/LinkClick.aspx?fileticket=6aMsmHu8Y/c=> accessed on 18th January 2014).
- International Food Information Council Foundation (IFIC) (2011). Food and health survey-Consumer attitude towards food safety, nutrition and health.
- International Food Information Council Foundation (IFIC) (2013). Food and health survey-consumer attitude towards food safety, nutrition and health.
- Isken F, Klaus S, Osterhoff M, Pfeiffer AFH Andreas F. H. and Weickert MO (2010). Effects of long-term soluble vs. insoluble dietary fiber intake on high-fat diet-induced obesity in C57BL/6J mice. *The Journal of Nutritional Biochemistry*, 21(4):278-284.
- Jesionkowska K, Sijtsema SJ and Konopacka D et al (2009). Dried fruit and its functional properties from a consumer's point of view. *J Horticult Sci Biotechnol*, 84:85-88.
- Johnson R and Bethany L (2010). Weighing in on added sugars and health. *American Dietetic Association*, 110(9):1296-1299.
- Johnson RJ, Segal MS, Sautin Y, Nakagawa T, Feig DI, Kang D, Gersch MS, Benner S and Sanchez-Lozada LG (2007). Potential role of sugar (fructose) in the epidemic of hypertension, obesity and the metabolic syndrome, diabetes, kidney disease and cardiovascular disease. *Am J Clin Nutr*, 86:899-906.
- Johnson S, Sahu R, Saxena P, Mathur HB and Agarwal HC (2012). Nutritional analysis of junk food. Centre for Science and Environment, Pollution Monitoring Laboratory, New Delhi
(Source: http://www.downtoearth.org.in/dte/userfiles/images/Nutritional_Analysis_Junk_Food.pdf accessed on 18th August 2014).

- Jones G and Richardson M (2007). An objective examination of consumer perception of nutrition information based on healthiness ratings and eye movements. *Public Health Nutr*, 10:238-244.
- Jordan I, Hebestreit A, Swai B and Krawinkel MB (2013). Dietary patterns and breast cancer risk among women in northern Tanzania: A case-control study. *Eur J Nutr*, 52:905-915.
- Joshi P, Mofidi S and Sicherer SH (2002). Food and drug reactions and anaphylaxis interpretation of commercial food ingredient labels by parents of food-allergic children. *J Allergy Clin Immunol*, 109:1019-1021.
- Karimi Z, Jessri M, Houshiar-Rad A, Hamid-Reza and Rashidkhani B (2013). Dietary patterns and breast cancer risk among women. *Public Health Nutrition*: 17(5):1098-1106.
- Karn S, Abraham RA and Ramakrishnan L (2013). Assessment of trans fatty acid content in widely consumed snacks by gas chromatography in a developing country. *Food and Nutrition Sciences*, 4:1281-1286.
- Kavanagh K, Jones KL, Sawyer J, Kelley K, Carr JJ, Wagner JD and Rudel LL (2007). Trans fat diet induces abdominal obesity and changes in insulin sensitivity in monkeys. *Obesity*, 15(7).
- Kennedy G, Nantel G and Shetty P (2004). Globalization of food systems in developing countries: A synthesis of country case studies. Food and Nutrition Paper. Food and Agriculture Organization of the United Nations, Rome.
- Khan FS, Lotia-Farrukh I, Khan AJ, Siddiqui ST, Sajun SZ, Malik AA, Burfat A, Arsha MH, Codlin AJ, Reiningger BM, McCormick JB, Afridi N and Fisher-Hoch SP (2013). The burden of non-communicable disease in transition communities in an Asian megacity: Baseline findings from a cohort study in Karachi, Pakistan. *PLoS one*, 8(2).
- Kim JA, Kim SM, Lee JS et al. (2007). Dietary patterns and the metabolic syndrome in Korean adolescents: 2001 Korean National Health and Nutrition Survey. *Diabetes Care*, 30:1904-1905.
- Kleef E, Trijp H, Paeps F and Fernandez-Celemin L (2007). Consumer preferences for front-of-pack calories labeling. *Public Health Nutrition*, 11(2):203-213.
- Ko GT, So W-y, Chow C-c, Wong PT, Tong SD, Hui SS, Kwok R, Chan A, Chan CL and Chan JC (2010). Risk associations of obesity with sugar-sweetened beverages and lifestyle factors in Chinese: The 'Better Health for

- Better Hong Kong' health promotion campaign. *European Journal of Clinical Nutrition*, 64:1386-1392.
- Kosulwat V (2002). The nutrition and health transition in Thailand. *Public Health Nutr*, 5(1A):183-189.
 - KPMG (2005). *Consumer Markets in India: The next big things*. KPMG International, 213-405.
 - Krause DC (2011). Urbanization, obesity and the protective effect of traditional food behaviors in Fiji. Department of Social Sciences, California Polytechnic State University, Thesis- Bachelor's of Science in Anthropology/Geography.
 - Kris-Etherton PM, Lefevre M, Mensink RP, Petersen B, Fleming J and Flickinger BD (2012). Trans Fatty Acid Intakes and Food Sources in the U.S. Population: NHANES 1999-2002. *Lipids*, 47:931-940.
 - Kumar S and Ali J (2011a). Assessing consumer awareness and usage of food labels and influences on food buying behavior. Paper presented at 21st Annual IFAMA World Forum and Symposium on the Road to 2050: Sustainability as a Business Opportunity, Frankfurt, Germany during June 20-23, 2011.
 - Kumar S and Ali J (2011b). Regulatory arrangements for disclosure of nutritional information on food labels in India. Paper presented at 21st Annual IFAMA World Forum and Symposium on the Road to 2050: Sustainability as a Business Opportunity, Frankfurt, Germany during June 20-23, 2011.
 - Lakdawalla D and T Philipson (2009). The growth of obesity and technological change. *Economics and Human Biology*, 7:283-293.
 - Lakdawalla D and Philipson T (2002). The growth of obesity and technological change: A theoretical and empirical examination. Working paper number 8946. Cambridge, MA: National Bureau of Economic Research.
 - Lakdawalla D, Philipson T and Bhattacharya J (2005). Welfare-enhancing technological change and the growth of obesity. *Am Econ Rev*, 95:253-257.
 - Lanham-New SA and Lambert H (2012). Potassium. *American Society for Nutrition. Adv. Nutr*, 3:820-821.
 - Laws of Malaysia (2006), Act 281, Food Act 1983 ammendment 2006, The Commissioner of Law Revision, Malaysia under the Authority of the Revision of Laws Act 1968 in collaboration with Percetakan Nasional Malaysia BHD 2006.

- Lawton CL, Delargry HJ, Brockman J, Simith RC and Blundell JE (2000). The degree of saturation of fatty acids influences in post ingestive satiety. *British Journal of Nutrition*, 83(5):473-482.
- Laxmaiah A, Rao VS, Rao GMS and Brahmam GNV (2009). Assessment of current scenario of food labeling in India. National Institute of Nutrition, Hyderabad. A report developed under Government of India and WHO collaborative programme (Biennium 2008-09).
- Lazaridis P and Nayga RM (2006). Consumer's use of nutritional labels: A review of research studies and issues. *Academy of Marketing Science Review*, 9.
- Lazarou C. and Kalavana T (2009). Urbanization influences dietary habits of Cypriot children: The CYKIDS study. *Int J Public Health*, 54:69-77.
- Lee E, Lee S and Park Y (2008a). n-3 Polyunsaturated fatty acids and trans fatty acids in patients with the metabolic syndrome: A case-control study in Korea. *British Journal of Nutrition*, 100: 609-614.
- Lee Y et al (2008b). Analytical dietary fiber database for the National Health and Nutrition Survey in Korea. *Journal of Food Composition and Analysis*, 21(1):S35-S42.
- Lemaitre RN, et.al. (2002). Cell membrane trans-fatty acids and the risk of primary cardiac arrest. *Circulation*, 105:697-701.
- Levy AS, Fein SB and Schucker RE (1996). Performance characteristics of seven nutrition label formats. *Journal of Public Policy and Marketing*, 15(1):1-15.
- Lewis JE, Arheart KL, LeBlanc WG, et al (2009). Food label use and awareness of nutritional information and recommendations among persons with chronic disease. *Am J Clin Nutr*, 90(5):1351-1357.
- Liancheng Zhao Ka He, Daviglus ML, Dyer AR, Horn LV, Zhu GDL, Guo D, Wu Y, Zhou B, Stamler J and for the INTERMAP Cooperative Research Group (2008). Association of monosodium glutamate intake with overweight in Chinese adults: The INTERMAP Study Obesity, 16(8):1875-1880.
- Liu Z-M, Ho SC, Tang N, Chan R, Chen Y-m, et al. (2014). Urinary sodium excretion and dietary sources of sodium intake in Chinese postmenopausal women with prehypertension. *PLoS One*, 9(8):e104018.
- Lobato JC, Costa AJ and Sichieri R (2009). Food intake and prevalence of obesity in Brazil: An ecological analysis. *Public Health Nutr*, 12:2209-2215.

- Lopez-Garcia E, Schulze MB, Manson JE, Meigs JB, Albert CM, Rifai N, et al. (2004). Consumption of (n-3) fatty acids is related to plasma biomarkers of inflammation and endothelial activation in women. *J Nutr*, 134:1806-1811.
- Lopez-Garcia E, Schulze MB, Meigs JB, et al (2005). Consumption of trans fatty acids is related to plasma biomarkers of inflammation and endothelial dysfunction. *J Nutr*, 135:562-566.
- Louie J, Flood VM, Rangan A, Hector D and Gill T (2008). A comparison of two nutrition signposting systems for use in Australia. *NSW Public Health Bulletin*, 19(7/8):121-126.
- Ludwig DS (2011). Technology, diet and the burden of chronic disease. *JAMA*, 305:1352-1353.
- Ludwig DS, Peterson KE and Gortmaker SL (2001). Relation between consumption of sugar-sweetened drinks and childhood obesity: A prospective, observational analysis. *Lancet*, 357:505-508.
- Lyhne N and Ovesen L (1995). Added sugars and nutrient density in the diet of Danish children. *Scandinavian Journal of Nutrition*, 43:4-7.
- Lyly M, Roininen K, Honkapaa K, et al. (2007). Factors influencing consumer's willingness to use beverages and ready-to-eat frozen soups containing oat beta-glucan in Finland, France and Sweden. *Food Qual Prefer*, 18:242-255.
- Ludwig DS (2011). Technology, diet and the burden of chronic disease. *JAMA*, 305:1352-1353.
- Magriplis E, Farajian P, Pounis GD, Risvas G, Panagiotakos DB and Zampelas A (2011). High sodium intake of children through 'hidden' food sources and its association with the Mediterranean diet: The GRECO study, 29(6):1069-1076.
- Mahgoub SE, Lesoli PP and Gobotswang K (2007). Awareness and use of nutrition information on food packages among Consumers in Maseru (Lesotho). *African J. of Food Agri Nutr and Dev*, 7(6).
- Maletnlema TN (2002). A Tanzanian perspective on the nutrition transition and its implications for health. *Public Health Nutr*, 5(1A):163-168.
- Malik VS, Schulze MB and Hu FB (2006). Intake of sugar-sweetened beverages and weight gain: A systematic review. *Am J Clin Nutr*, 84:274-288.
- Mamat H, Hamid MA and Hill SE (2012). Major fatty acid composition of commercial semi-sweet biscuit. *Borneo Science*, 31.

- Manthena JSK, Mythili K and Rao VS (2012). Current scenario of health and nutrition claims on food labels in India: A study of pre-packaged food. *As. J. Food Ag-Ind*, 5(01): 45-51.
- Mariotti F, Kalonji E, Huneau JF, et al (2010). Potential pitfalls of health claims from a public health nutrition perspective. *Nutr Rev*, 68:624-638.
- Market Analysis Report (2010). The Japanese consumer-behavior, attitudes and perceptions toward food products, ISSN 1920-6593, AAFC No. 11179E.
- Marlett JA, McBurney MI and Slavin JL (2002). Health implications of dietary fiber. *J Am Diet Assoc*, 102:993-1000.
- Marmot M, Allen J, Bell R, Bloomer E and Goldblatt P (2012). Consortium for the European review of social determinants of health and the health divide. WHO European review of social determinants of health and the health divide. *The Lancet*, 380:1011-1029.
- Mathenge W, Foster A and Kuper H (2010). Urbanization, ethnicity and cardiovascular risk in a population in transition in Nakuru, Kenya: A population based survey. *BMC Public Health*, 10: 569.
- Matsudo V et al (2002). Promotion of physical activity in a developing country: The Agita Sao Paulo experience. *Public Health Nutrition*, 5:253-261.
- McCarthy J, Barr D and Sinclair A (2008). Determination of trans fatty acid levels by FTIR in processed foods in Australia. *Asia Pacific Journal of Clinical Nutrition*, 17(3):391-396.
- Meador MM and Jie M (2013). General rules for nutrition labeling of prepackaged foods. USDA Foreign Agricultural Service, Global Agriculture Information Centre (GAIN, Report Number-CH13001).
- Mendez MA and Popkin B (2005). Globalization, urbanization and nutritional change in the developing world. *J Agric Dev Econ*, 1:220-241.
- Menezes EW et al (2009). New information on carbohydrates in the Brazilian food composition databases. *Journal of Food Composition and Analysis*, 22(5):446-452.
- Mensink RP, Zock PL, Kester AD and Katan MB (2003). Effects of dietary fatty acids and carbohydrates on the ratio of serum total to HDL cholesterol and on serum lipids and apolipoproteins: A meta-analysis of 60 controlled trials. *Am J Clin Nutr*, 77:1146-1155.
- Mhurchu CN, Capelin C, Dunford EK, Webster JL, Bruce C Neal and Jebb SA (2011). Sodium content of processed foods in the United Kingdom: Analysis

- of 44,000 foods purchased by 21,000 households. *Am J Clin Nutr*, 93:594-600.
- Micha R, Michas G, Lajous M and Mozaffarian D (2013). Processing of meats and cardiovascular risk: Time to focus on preservatives. *BMC Medicine*, 11:136.
 - Mishra A and Mishra H (2011). The influence of price discount versus bonus pack on the preference for virtue and vice foods. *J Mark Res*, 48:196-206.
 - Mohsin F (2005). Understanding packaged food trends in Asia Pacific. Euromonitor International.
 - Mont O and Power K (2009). European Topic Centre on Sustainable Consumption and Production. Understanding factors that shape consumption. ETC/SCP Working Paper No 1/2013.
 - Monteiro CA (2009). Nutrition and health. The issue is not food, nor nutrients, so much as processing. *Public Health Nutrition*, 12(5):729-731.
 - Monteiro C, Cannon G, Levy RB, Claro RM and Moubarac J-C (2012). The food system. Ultra-processing. The big issue for disease, good health, well-being. *World Nutr*, 3:527-569.
 - Monteiro C, Levy RB, Claro RM, Castro I and Cannon G (2011). Increasing consumption of ultra-processed foods and likely impact on human health: Evidence from Brazil. *Public Health Nutr*, 14(1):5-13.
 - Monteiro CA, Levy RB, Claro RM, Ribeiro de Castro IR and Cannon G (2010). A new classification of foods based on the extent and purpose of their processing. *Cad Public Health, Rio de Janeiro*, 26(11):2039-2049.
 - Moodie R, Stuckler D, Monteiro C, Sheron N, Neal B, Thamarangsi T, et al (2013). Profits and pandemics: Prevention of harmful effects of tobacco, alcohol, and ultra-processed food and drink industries. *Lancet*, 381:670-679.
 - Moubarac JC, Batal M, Martins APB, Claro R, Levy RB, Cannon G and Monteiro C (2014). Processed and ultra-processed Food Products: Consumption Trends in Canada from 1938 to 2011. *Can Diet Pract Res*, 75:15-21.
 - Moubarac JC, Martins AP, Levy RB, Claro RM, Cannon G, Monteiro C (2013). Consumption of ultra-processed foods and likely impact on human health: Evidence from Canada. *Public Health Nutr*, 16(2):2240-2248.
 - Mozaffarian D, Pischon T, Hankinson SE, et al (2004). Dietary intake of trans fatty acids and systemic inflammation in women. *Am J Clin Nutr*, 79:606-612.

- Muller H, Seljeflot I, Solvoll K and Pedersen JI (2001). Partially hydrogenated soybean oil reduces postprandial t-PA activity compared with palm oil. *Atherosclerosis*, 155:467-476. new data, proposal)
- Narine SS and Marangoni AG (1999). Relating structure of fat crystal networks to mechanical properties: A review. *Food Research International*, 32:227-248.
- Narkwichian N, Tongyong L and Patarapanich C (2009). Analysis of trans fatty acid in some foods by attenuated total reflection-fourier transform infrared spectroscopy. *J Health Res*, 23(4):185-190.
- National Academy of Science, Institute of Medicine (NAS-IOM) (2005). Dietary reference intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein and amino acids. (Macronutrients Washington, DC: National Academies Press.
(Source:<http://www.health.gov/dietaryguidelines/dga2005/document/html/chapter6.htm> accessed on 16th September 2014).
- Nayga Jr RM (2000). Nutrition knowledge, gender and food label use. *The Journal of Consumer Affairs*, 34(1).
- Nettleton JA, Polak J F, Tracy R, Burke GL and Jacobs DR (2009). Dietary patterns and incident cardiovascular disease in the Multi-Ethnic Study of Atherosclerosis. *Am J Clin Nutr*, 90:647-654.
- Ng SW, Zaghloul S, Ali H, Harrison G, Yeatts K, Sadig ME and Popkin BM (2011). Nutrition Transition in the United Arab Emirates (UAE). *Eur J Clin Nutr*, 65(12):1328-1337.
- Ni Mhurchu C and Gorton D (2007). Nutrition labels and claims in New Zealand and Australia: A review of use and understanding. *Aust N Z J Public Health*, 31:105-112.
- Ni Mhurchu C, Blakely T, Jiang Y, et al (2010). Effects of price discounts and tailored nutrition education on supermarket purchases: A randomized controlled trial. *Am J Clin Nutr*, 91:736-747.
- Nicklas TA, Hampl JS, Taylor CA, Thompson VJ and Heird WC (2004). Monounsaturated fatty acid intake by children and adults: Temporal trends and demographic differences. *Nutr Rev*, 62:132-141.
- Nicolaou N, Siddique N and Custovic A (2005). Allergic disease in urban and rural populations: Increasing prevalence with increasing urbanization. *Allergy*, 60:1357-1360.

- Nielsen SJ and Popkin BM (2004). Changes in beverage intake between 1977 and 2001. *Am J Prev Med*, 27:205-210.
- Nishida C, Uauy R, Kumanyika S and Shetty P (2004). The Joint WHO/FAO Expert Consultation on diet, nutrition and the prevention of chronic diseases: Process, product and policy implications. *Public Health Nutr* 7:245S-250S.
- Noor MI (2002). The nutrition and health transition in Malaysia. *Public Health Nutrition*, 5(1A):191-195.
- Nor-Aini I and Miskandar MS (2007). Utilization of palm oil and palm products in shortenings and margarines. *European Journal of Lipid and Science Technology*, 109: 422-432.
- Norwegian Food Safety Authority and The Norwegian Directorate of Health (2010).
- Nutrition Labeling and Education Act (1990). Public Law 101-533, 104 Stat 2353.
- Otite FO, Jacobson MF, Dahmubed A and Mozaffarian D (2013). Trends in trans fatty acids reformulations of US supermarket and brand-name foods from 2007 through 2011. *Prev Chronic Dis*, 10:120-198.
- Passos MEA, Moreira CFF, Pacheco MTB, Takase I, Lopes MLM and Valente-Mesquita VL (2013). Proximate and mineral composition of industrialized biscuits. *Food Sci. Technol*, Campinas, 33(2):323-331.
- Pednekar MS, Gupta R and Gupta PC (2011). Illiteracy, low educational status and cardiovascular mortality in India. *BMC Public Health*, 11:567.
- Pelletier AL, Chang WW, Delzell JE and McCall JW (2004). Patient's understanding and use of snack food package nutrition labels. *J Am Board Fam Pract*, 17:319-323.
- Peters-Teixeira A and Badrie N (2005). Consumer's perception of food packaging in Trinidad, West Indies and its related impact on food choices. *Int J Consum Stud*, 29:508-514.
- Pettee KK and Ainsworth BE (2009). The building healthy lifestyles conference: Modifying lifestyles to enhance physical activity diet and reduce cardiovascular disease. *Am J Lifestyle Med*, 3(Suppl 1): 6s-10s.
- Philipson T and Posner R (2003). The long run growth of obesity as a function of technological change. *Perspectives in Biology and Medicine*, 46:87-108.
- Pieretti MM, Chung D, Pacenza R, Slotkin T and Sicherer SH (2009). Audit of manufactured products: Use of allergen advisory labels and identification of labeling ambiguities. *J Allergy Clin Immunol*, 124:337-341.

- Popkin BM (1998). The nutrition transition and its health implications in lower-income countries. *Public Health Nutrition*, 1(1):5-21.
- Popkin BM (2002a). An overview on the nutrition transition and its health implications: The Bellagio meeting. *Public Health Nutr*, 5:93-103.
- Popkin BM (2002b). The shift in stages of the nutritional transition in the developing world differs from past experiences. *Public Health Nutrition*, 5:205-214.
- Popkin BM (2004). The Nutrition Transition: An overview of world patterns of change. *Nutrition Reviews*, 62(7):S140-S143.
- Popkin BM (2006a). Global nutrition dynamics: The world is shifting rapidly toward a diet linked with non-communicable diseases. *Am J Clin Nutr*, 84 (2):289-298.
- Popkin BM (2006b). Technology, transport, globalization and the nutrition transition. *Food Policy*, 31(6):554-569.
- Popkin BM and Gordon-Larsen P (2004). The nutrition transition: Worldwide obesity dynamics and their determinants. *International Journal of Obesity*, 28(Suppl 3):S2-S9.
- Popkin BM and Nielsen SJ (2003). The sweetening of the world's diet. *Obes Res*, 11: 1325-1332.
- Powell LM (2009). Fast food costs and adolescent body mass index: Evidence from panel data. *J Health Econ*, 28:963-970.
- Processed Food Regulations (C.R.C, c. 291) (2013), Canada.
- Provencher V, Polivy J and Herman CP (2008). Perceived healthiness of food. If it's healthy, you can eat more. *Appetite*, 52:340-344.
- Rao AN, Koch M, Ghosh S and Kumar VS (2010). Food allergy investigations and its significance in Autism spectrum disorders. *Int. J Pharma and Bio Sciences*, 1(4):B59-B66.
- Raju KVR (2002). Quality Control of Processed Foods. Asian Productivity Organization, China.
- Ramachandran P. (2007). Nutrition transition in India 1947-2007. Nutrition Foundation of India, New Delhi.
- Rabo India Finance Pvt. Ltd (2005). Report for Ministry of Food Processing Industries, Government of India. Vision, Strategy and Action Plan for Food Processing Industries in India, Volume I.

- Ranilovic J and Baric IC (2011). Differences between younger and older populations in nutrition label reading habits. *British Food Journal*, 113(1):109-121.
- Ratnayake WMN, et. al. (2009). Trans Fatty Acids: Current contents in Canadian foods and estimated levels for the Canadian population. *J AOAC Int*, 92(5):1258-1276.
- Rayner G, Hawkes C, Lang T and Bello W (2006). Trade liberalization and the diet transition: A public health response. *Health Promot Int*, 21:67-74.
- Reardon M, Gobern S, Martinez K, Shen W, Reid T and McIntosh M (2012). Oleic acid attenuates trans-10, cis-12 conjugated linoleic acid-mediated inflammatory gene expression in human adipocytes. *Lipids*, 47:1043-1051.
- Reardon T and Berdegue JA (2002). The rapid rise of supermarkets in Latin America: Challenges and opportunities for development. *Dev Policy Rev*, 20:371-388.
- Reedy J and Krebs-Smith SM (2010). Dietary sources of energy, solid fats and added sugars among children and adolescents in the United States. *J Am Diet Assoc*, 110:1477-1484.
- Riserus U, Willett WC and Hu FB (2009). Dietary fats and prevention of type 2 diabetes. *Prog Lipid Res*, 48(1):44-51.
- Rivera JA, Barquera S, Gonzalez-Cossio T, Olaiz G and Sepulveda J (2004). Nutrition transition in Mexico and in other Latin American countries. *Nutr Rev*, 62(7 Pt 2):S149-S157.
- Roberto CA, Bragg MA, Schwartz MB, Seamans MJ, Musicus A, Novak N and Brownell KD (2012). Facts up front versus traffic light food labels: A randomized controlled trial. *Am J Prev Med*, 43(2):134-141.
- Roe BE, Levy AS and Derby BM (1999). The impact of health claims on consumer search and product evaluation outcomes. Results from FDA experimental data. *J Public Policy Mark*, 18:89-115.
- Roos NM, Bots ML and Katan MB (2001). Replacement of dietary saturated fatty acids by trans fatty acids lowers serum HDL cholesterol and impairs endothelial function in healthy men and women. *Arterioscler Thromb Vasc Biol*, 21:1233-1237.
- Rosengren A, Hawken S, Ounpuu S, et al (2004). Association of psychosocial risk factors with risk of acute myocardial infarction in 11119 cases, 13648

controls from 52 countries (the INTERHEART Study): Case control study. *Lancet*, 364:937-952.

- Rothman RL, Housam R, Weiss H, Davis D, Gregory R, Gebretsadik T, Shintan A and Elasy TA (2006). Patient understanding of food labels the role of literacy and numeracy. *Am J Prev Med*, 31(5):391-398.
- Ryan M, McInerney D, Owens D, Collins P, Johnson A and Tomkin GH (2000). Diabetes and the Mediterranean diet: A beneficial effect of oleic acid on insulin sensitivity, adipocyte glucose transport and endothelium-dependent vaso reactivity. *QJM*, 93:85-91.
- Sacks FM, Svetkey LP, Vollmer WM, Appel LJ, Bray GA, Harsha D et al (2001). DASH-Sodium Collaborative Research Group. Effects on blood pressure of reduced dietary sodium and the Dietary Approaches to Stop Hypertension (DASH) diet. *N Engl J Med*, 344:3-10.
- Saha S, Vemula SR, Mendu VV and Gavaravarapu SM (2013). Knowledge and practices of using food label information among adolescents attending schools in Kolkata, India. *J Nutr Educ Behav*, 45(6):773-779.
- Sanders T and Emery P (2003). *Molecular Basis of Human Nutrition*. Taylor and Francis Inc, New York (ISBN 0-748-40753).
- Satia JA, Galanko JA and Neuhouser ML (2005). Food nutrition labels use is associated with demographic, behavioral and psychosocial factors and dietary intake among African Americans in North Carolina. *J Am Diet Assoc*, 105:392-402.
- Schmidt DB (2009). Environment and consumer perspectives surrounding processed foods. IFT 2009 Annual Meeting. International Food Information Council (IFIC).
- Schulze MB, Liu S, Rimm EB, Manson JE, Willett WC and Hu FB (2004). Glycemic index, glycemic load and dietary fiber intake and incidence of type 2 diabetes in younger and middle-aged women. *Am J Clin Nutr*, 80:348-356.
- Schwab U, Lauritzen L, Tholstrup T, Haldorsson TI, Riserus U, Uusitupa M and Becker W (2014). Effect of the amount and type of dietary fat on cardiometabolic risk factors and risk of developing type-2 diabetes, cardiovascular diseases and cancer: A systematic review. *Food and Nutrition Research*, 58:25145.
- Scopp AL (1991). MSG and hydrolyzed vegetable protein induced headache: Review and case studies, headache. *The Journal of Head and Face Pain*, 31(2):107-110.

- Shaffer ER and Brenner J (2007). Globalization and its impact on health. Center for Policy Analysis on Trade and Health, San Francisco, CA. Part of an education project of the Global Health education Consortium and collaborating partners.
- Shetty PS (2002). Nutrition transition in India. *Public Health Nutrition*, 5 (1A):175-182.
- Shimizu T (2002). Newly established regulation in Japan: Foods with health claims. *Asia Pacific J Clin Nutr*, 11(2):S94-S96.
- Signal L, Lanumata T, Robinson J, Tavila A, Wilton J and Mhurchu CN (2007). Perceptions of New Zealand nutrition labels by Maori, Pacific and low-income shoppers. *Public Health Nutrition*, 1-8.
- Silverglade B and Heller IR (2010). Center for Science in the Public Interest.
- Simons E, Weiss CC, Furlong TJ and Sicherer SH (2005). Impact of ingredient labeling practices on food allergic consumers. *Annals of Allergy, Asthma and Immunology*, 95(5): 426-428.
- Simopoulos AP and De Meester F (2009). A balanced omega-6/omega-3 fatty acid ratio. Cholesterol and coronary heart disease. Basel, Karger: *World Rev Nutr Diet*, 100:1-21.
- Singh RB, De Meester F and Wilczynska A (2010). The Tsim Tsoom approaches for prevention of cardiovascular diseases. *Cardiol Res Pract*, 18.
- Singh RB, Moshiri M, De Meester F, Juneja L, Muthusamy V and Manoharan S (2011b). The evolution of low w-6/w-3 ratio dietary pattern and risk of cardiovascular diseases and diabetes. *J Altern Med Res*, 3:45-57.
- Singh RB, Reddy KK, Fedacko J, De Meester F, Wilczynska A and Wilson DW (2011a). Ancient concepts in nutrition and diets in hunter gatherers. *Open Nutraceuticals J*, 4:130-135.
- Singh RB, Singh V, Kulshrestha SK, et al (2005). Social class and all cause mortality in an urban population of North India. *Acta Cardiol*, 60:611-617.
- Singh RB, Takahashi T, Nakaoka T, Otsuka K, Toda E, Shin HH, Lee M, Beeharay V, Hristova K, Fedacko J, Pella D, Meester FD, Wilson DW, Juneja LR and Martirosyan DM (2013). Nutrition in transition from Homo sapiens to Homo economicus. *The Open Nutraceuticals Journal*, 6:6-17.
- Soliman AER, Elmakhzangy A and Ramadan MF (2006). Antiradical performance and physicochemical characteristics of vegetable oils upon frying of french fries: A preliminary comparative study. *Journal of Food Lipids*, 13 (3):259-276.

- Somerset SM (2003). Refined sugar intake in Australian children. *Public Health Nutrition*, 6: 809-813.
- Stachowska E, Luterek K, Gutowska I, Zyluk P, Bober J and Chlubek D (2006). Atherogenic trans isomers of fatty acids in some food products. *Annales Academiae Medicae Stetinensis*, 52(1):13-16.
- Stamoulis KG, Pingali P and Shetty P (2004). Emerging challenges for food and nutrition policy in developing countries. *eJADE*, 1:154-167.
- Stender S, Dyerberg J and Astrup A (2006). Consumer protection through a legislative ban on industrially produced trans fatty acids in foods in Denmark. *Scandinavian Journal of Food and Nutrition*, 50(4):155 -160.
- Stockley L (2007). Review of 'Front of Pack' nutrition schemes. Brussels: European Heart Network.
- Stran KA and Knol LL (2013). Determinants of food label use differ by sex. *J Acad Nutr Diet*, 113:673-679.
- Strong, K, Mathers C, Leeder S and Beaglehole R (2005). Preventing chronic diseases: How many lives can we save? *Lancet*, 366(7496):1578-1582.
- Stuckler D and Siegel K (2011). *Sick societies: Responding to the global challenge of chronic disease*. Oxford: Oxford University Press.
- Stuckler D, McKee M, Ebrahim S and Basu S (2012). Manufacturing epidemics: The role of global producers in increased consumption of unhealthy commodities including processed foods, alcohol and tobacco. *PLoS Med*, 9(6):e1001235.
- Sullivan AD (2003). Determining how low-income food shoppers perceive, understand and use food labels. *Can J Diet Pract Res*, 64:25-30.
- Sun Q, Ma J, Campos H, Hankinson SE, Manson JE, Stampfer MJ, Rexrode KM, Willett WC and Hu FB (2007). A prospective study of trans fatty acids in erythrocytes and risk of coronary heart disease. *Circulation*, 115:1858-1865.
- Tao Y, Li J, Lo YM, Tang Q and Wang Y (2010). Food nutrition labelling practice in China. *Public Health Nutrition*, 14(3):542-550.
- Tata Strategic Management Group (TSMG) (2009). *Processed food industry in India: A mega growth opportunity*, F&B News Magazine.
- Tavella M, Peterson G, Espeche M, Cavallero E, Cipolla L, et. al. (2000). Trans fatty acid content of a selected foods in Argentina. *Food Chemistry*, 69: 209-213.

- Taylor CL and Wilkening VL (2008). How the nutrition food label was developed, Part 1: The Nutrition Facts Panel. *Journal of the American Dietetic Association*, 108(3):437-442.
- Teo K, Chow CK, Vaz M, Rangarajan S and Yusuf S (2009). The Prospective Urban Rural Epidemiology (PURE) study: Examining the impact of societal influences on chronic non-communicable diseases in low, middle and high-income countries. *Am Heart J*, 158:1-7.
- Teres S, Barcelo-Coblijn G, Benet M, Alvarez R, Bressani R, Halver JE and Escriba PV (2008). Oleic acid content is responsible for the reduction in blood pressure induced by olive oil. *Proc Natl Acad Sci USA*, 105:13811-13816.
- Theuwissen E and Mensink RP (2008). Water-soluble dietary fibers and cardiovascular disease. *Physiology and Behavior*, 94(2):285-292.
- Thiebaut ACM, Jiao L, Silverman DT, Cross AJ, Thompson FE, Subar AF, Hollenbeck AR, Schatzkin A and Stolzenberg-Solomon RZ (2009). Dietary fatty acids and pancreatic cancer in the NIH-AARP diet and health study. *J Natl Cancer Inst*, 101:1001-1011.
- Thomas M, Desai KK and Seenivasan S (2011). How credit card payments increase unhealthy food purchases: Visceral regulation of vices. *J Consum Res*, 38:505-524.
- Timms RE (1985). Physical properties of oils and mixtures of oils. *Journal of the American Oil Chemist's Society*, 62:241-249.
- Tosh SM and Yada S (2010). Dietary fibres in pulse seeds and fractions: Characterization, functional attributes and applications. *Food Research International*, 43: 450-460.
- Tsai CJ, Leitzmann MF, Willett WC and Giovannucci EL (2005). Long-term intake of trans-fatty acids and risk of gallstone disease in men. *Arch Intern Med*, 165:1011-1015.
- Tsugane S, Sasazuki S, Kobayashi M and Sasaki S (2004). Salt and salted food intake and subsequent risk of gastric cancer among middle-aged Japanese men and women. *Br J Cancer*, 90:128-134.
- United States Food and Drug Administration (2004). How to understand and use the nutrition facts label. (Source: <http://www.cfsan.fda.gov/~dms/foodlab.html> accessed on 16th September 2014).
- Uauy R and Solomons NW (2006). The role of the international community: Forging a common agenda in tackling the double burden of malnutrition.

- News 32. Geneva, Switzerland: UN Standing Committee on Nutrition: 24-37 (Source: <http://www.unscn.org> accessed on 16th September 2014).
- United Kingdom-Food Standards Agency (UK-FSA) (2007). Front of pack nutritional signpost labelling technical guide, Issue 1. (Source: http://www.5aldia.org/datos/60/pdf_13_6051.pdf accessed on 2nd December 2014).
 - United States Food and Drug Administration (USFDA) (2009). Guidance for Industry: A Food Labeling Guide, Ingredient Lists. (Source: <http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/LabelingNutrition/ucm064880.htm> accessed on 22nd May 2013).
 - Urpi-Sarda M, Casas R, Chiva-Blanch G, Romero-Mamani ES, Valderas-Martinez P, Arranz S, Andres-Lacueva C, Llorach R, Medina-Remón A, Lamuela-Raventós RM, Estruch R (2012). Virgin olive oil and nuts as key foods of the mediterranean diet effects on inflammatory biomarkers related to atherosclerosis. *Pharmacol Res*, 65:577-583.
 - Usmanova N and Thor E (2003). Communicating nutritional information to the global consumer: Adapting to shifting consumer attitudes toward nutrition. *International Food and Agribusiness Management Review*, 6(2).
 - Uusitupa M, Hermansen K, Savolainen MJ, Schwab U, Kolehmainen M, Brader L, et al. (2013). Effects of an isocaloric healthy nordic diet on insulin sensitivity, lipid profile and inflammation markers in metabolic syndrome- A Randomized Study (SYSDIET). *J Intern Med*, 274:52-66.
 - Van den Wijngaart AW (2002). Nutrition labelling: Purpose, scientific issues and challenges. *Asia Pacific J Clin Nutr*, 11(2):S68-S71. (nutr labeling, 204)name change in text
 - Vassiliou EK, Gonzalez A, Garcia C, Tadros JH, Chakraborty G and Toney JH (2009). Oleic acid and peanut oil high in oleic acid reverse the inhibitory effect of insulin production of the inflammatory cytokine TNF-alpha both in vitro and in vivo systems. *Lipids Health Dis*, 26:25.
 - Vaz M, Yusuf S, Bharathi AV, Kurpad AV and Swaminathan S (2005). Nutrition in India: The nutrition transition in India, *SAJCN*, 18(2):198-201.
 - Vemula SR, Gavaravarapu SM, Mendu VV, Mathur P and Avula L (2013). Use of food label information by urban consumers in India: A study among supermarket shoppers. *Public Health Nutr*, 22:1-11.

- Vepa SS (2004). Impact of globalization on the food consumption of urban India. In: Globalization of Food Systems in Developing Countries: Impact on Food Security and Nutrition. Food and Nutrition Paper 83. Food and Agriculture Organization of United Nations, Rome, 2004.
- Verbeke W, Scholderer J and Lahteenma L (2009). Consumer appeal of nutrition and health claims in three existing product concepts. *Appetite*, 52:684-692.
- Viinanen A, Munhbayarlah S, Zevgee T, et al (2005). Prevalence of asthma, allergic rhinoconjunctivitis and allergic sensitization in Mongolia. *Allergy*, 60:1370-1377.
- Vijayabaskar M and Sundaram N (2012). Market study on key determinants of ready-to-eat/cook products with respect to Tier-I cities in Southern India. *Zenith International Journal of Multidisciplinary Research*, 2(6):168-180.
- Vinikoor LC, Millikan RC, Satia JA, Schroeder JC, Martin CF, Ibrahim JG and Sandler RS (2010). Trans-fatty acid consumption and its association with distal colorectal cancer in the North Carolina Colon Cancer Study II. *Cancer Causes Control*, 21:171-180.
- Vinikoor LC, Schroeder JC, Millika RC, Satia JA, Martin CF, Ibrahim J, Galanko JA and Sandler RS (2008). Consumption of trans-fatty acid and its association with colorectal adenomas. *Am J Epidemiol*, 168:289-297.
- Voon PT, Wai Ng TK, Lee VKM and Nesaretnam K (2011). Diets high in palmitic acid (16:0), lauric and myristic acids (12:0 + 14:0), or oleic acid (18:1) do not alter postprandial or fasting plasma homocysteine and inflammatory markers in healthy Malaysian adults. *Am J Clin Nut*.
- Vorster HH (2002). The emergence of cardiovascular disease during urbanisation of Africans. *Public Health Nutr*, 5(1A):239-243.
- Vorster HH, Venter CS, Wissing MP and Margetts BM (2005). The nutrition and health transition in the North West Province of South Africa: A review of the THUSA (Transition and Health during Urbanisation of South Africans) study. *Public Health Nutrition*, 8(5): 480-490.
- Vyth EL, Steenhuis IHM, Mallant SF et al. (2009). A front-of-pack nutrition logo: A quantitative and qualitative process evaluation in the Netherlands. *J Health Commun*, 14: 631-645.
- Vyth EL, Steenhuis IHM, Roodenburg AJC, Brug J and Seidell JC (2010). Front-of-pack nutrition label stimulates healthier product development. A

- quantitative analysis. *International Journal of Behavioral Nutrition and Physical Activity*, 7:65.
- Wang L, Manson JE, Forman JP, Gaziano JM, Buring JE and Sesso HD (2010). Dietary fatty acids and the risk of hypertension in middle-aged and older women. *Hypertension*, 56(4):598-604.
 - Wansink B (2004). Environmental factors that increase the food intake and consumption volume of unknowing consumers. *Annu Rev Nutr*, 24:455-479.
 - Washi S (2012). Awareness of food labeling among consumers in groceries in Al-Ain, United Arab Emirates. *International Journal of Marketing Studies*, 4(1):38-47.
 - Weaver CM (2013). Potassium and Health. *American Society for Nutrition. Adv. Nutr*, 4:368S-377S.
 - Webster JL, Dunford EK and Neal BC (2010). A systematic survey of the sodium contents of processed foods. *Am J Clin Nutr*, 91(2):413-420.
 - WHO/FAO Food Standards (2010). Codex Alimentarius. General standard for the labelling of prepackaged foods. Codex Stan 1-1985 (Amended in 2010). Available at: <http://www.codexalimentarius.net>
 - WHO/FAO (2003). Joint WHO/FAO Expert Consultation. Diet, nutrition and the prevention of chronic diseases. *World Health Organ Tech Rep Ser*, 916: 1-149. (Source: http://whqlibdoc.who.int/trs/who_trs_916.pdf accessed on 24th September 2014)
 - WHO/FAO (2008). Interim summary of conclusions and dietary recommendations on total fat and fatty acids. From the Joint FAO/WHO Expert Consultation on Fats and Fatty Acids in Human Nutrition, 10-14 November, 2008, WHO, Geneva. (Source: http://www.who.int/nutrition/topics/FFA_summary_rec_conclusion.pdf accessed on 28th November 2014)
 - Williams P (2005). Consumer understanding and use of health claims for foods. *Nutrition Reviews*, 63(7): 256-264.
 - Woodward E, Eyles H and Mhurchu CN (2012). Key opportunities for sodium reduction in New Zealand processed foods. *Aust N Z J Public Health*, 36(1):84-89.
 - World Health Organization (WHO) (2003). Diet, nutrition and the prevention of chronic diseases. Report of a Joint WHO/FAO Expert Consultation. WHO Technical Report Series No. 916. World Health Organization, Geneva.

- World Health Organization (WHO) (2007). Reducing salt intake in populations: Report of a WHO Forum and Technical Meeting, 5–7 October 2006, Paris, France, WHO: Geneva, Switzerland.
- World Health Organization (WHO) (2010). Global status report on non-communicable diseases.
- World Health Organization (WHO) (2012). Guideline: Potassium intake for adults and children. Geneva.
- World Health Organization (WHO) (2012). Guideline: Sodium intake for adults and children. Geneva.
- Wright H, Mitchell D, Mickle S, Goldman G and Cook A (2003). Foods commonly eaten in the United States, 1989-1991 and 1994-1996: Are portion sizes changing? *J Am Diet Assoc*, 103:41-47.
- Yadav K and Krishnan A (2008). Changing patterns of diet, physical activity and obesity among urban, rural and slum populations in North India. *International Association for the Study of Obesity*, 9:400-408.
- Yang Q, Liu T, Kuklina EV, Flanders WD, Hong Y, Gillespie C, Chang MH, Gwinn M, Dowling N, Khoury MJ and Hu FB (2011). Sodium and potassium intake and mortality among US adults: Prospective data from the Third National Health and Nutrition Examination Survey. *Arch Intern Med*, 171(13):1183-1191.
- Young L and Swinburn B (2002). Impact of the Pick the Tick food information programme on the salt content of food in New Zealand. *Health Promotion International*, 17 (1):13-19.
- Young LR and Nestle M (2002). The Contribution of Expanding Portion Sizes to the US Obesity Epidemic. *Am J Public Health*, 92:246-249.
- Zhang J, Li L, Song P, Wang C, Man Q, Meng L, Cai J and Kurilich A (2012). Randomized controlled trial of oatmeal consumption versus noodle consumption on blood lipids of urban chinese adults with hypercholesterolemia. *Nutrition Journal*, 11:54.
- Zock PL and Mensink RP (1996). Dietary Trans-fatty Acids and serum lipoproteins in humans. *Curr Opin Lipidol*, 7:34-7.
- Zock PL, de Vries JHM and Katan MB (1994). Impact of myristic acid versus palmitic acid on serum lipid and lipoprotein levels in healthy women and men. *Arterioscler Thromb*, 14:567-575.