

# LIST OF FIGURES

Sr. No.	Figure	Figure Caption	Page No.
1	Figure 1.1	Silver coins of Maurya Empire	2
2	Figure 1.2	Silver coins of Rupee Sher Shah Suri	2
3	Figure 1.3	1 Paisa issued by Sayla State	3
4	Figure 1.4	Indian Rupee coins in 1862	3
5	Figure 1.5	Half Aana of King George VI series, 1945	3
6	Figure 1.6	British India Rupee in 1947	3
7	Figure 1.7	Rs. 100 of Hyderabad State	3
8	Figure 1.8	Five Rupees, 1922	3
9	Figure 1.9	Portugese Indian 1 Rupee, 1924	3
10	Figure 1.10	French Indian 1 Rupee, 1938	3
11	Figure 1.11	George VI Indian 1 Rupee, RBI 1937	3
12	Figure 1.12	1 Rupee, British India	3
13	Figure 2.1.	The OpenCV spectrum	41
14	Figure 2.2.	Android versions, December 2017	42
15	Figure 3.1.	An overall view of the proposed system	45
16	Figure 3.2.	A Perfect GrabCut output for the image shown in rectangle	49
17	Figure 3.3.	A <i>cGrab-Cut</i> Output	49
18	Figure 3.4.	Time reduction in the GrabCut by the <i>cGrab-Cut</i>	49
19	Figure 4.1.	Squares showing pixels in image and corresponding matrix of 0s and 1s	51
20	Figure 4.2.	The ORB angle calculation	53
21	Figure 4.3.	Number of correctly identified images using the <i>HORB</i> and the ORB	58
22	Figure 4.4	Recognition accuracy of the <i>HORB</i> and the ORB	58
23	Figure 4.5	Recognition Time taken by the <i>HORB</i> and the ORB	59
24	Figure 4.6	Average time taken per image by the <i>HORB</i> and the ORB	59
25	Figure 4.7	The overall performance of the <i>HORB</i> and the ORB	60

26	Figure 4.8	Ant Colony, red dots show the pheromones dropped by ants	61
27	Figure 4.9	Number of correctly identified images using the <i>ACORB</i> and the ORB	64
28	Figure 4.10	Recognition accuracy of the <i>ACORB</i> and the ORB	64
29	Figure 4.11	Recognition Time taken by the <i>ACORB</i> and the ORB	65
30	Figure 4.12	Average time taken per image by the <i>ACORB</i> and the ORB	65
31	Figure 4.13	The Overall performance of the <i>ACORB</i> and the ORB	66
32	Figure 4.14	The Accuracy performance of the ORB, the <i>HORB</i> , and the <i>ACORB</i>	66
33	Figure 4.15	The time performance of the ORB, the <i>HORB</i> and the <i>ACORB</i>	67
34	Figure 5.1	The image classification process	69
35	Figure 5.2	Supervised Vs. Unsupervised Learning	70
36	Figure 5.3	Factors that affect the image classification process	71
37	Figure 5.4	Classification process of visual words model	72
38	Figure 5.5	Generating visual vocabulary	73
39	Figure 5.6	Visualization of Bag of visual words model after K-Means clustering	74
40	Figure 5.7	ORB based dictionary vocabulary creation process	75
41	Figure 5.8	The <i>HORBoVF</i> Pyramid	77
42	Figure 5.9	The <i>ACORBoVF</i> Structure	78
43	Figure 5.10	Number of correctly identified images using the <i>HORBoVF</i> and the ORB (K=10)	81
44	Figure 5.11	Recognition accuracy of the <i>HORBoVF</i> and the ORB (K=10)	81
45	Figure 5.12	Average time taken per image by the <i>HORBoVF</i> and the ORB (K=10)	82
46	Figure 5.13	The overall performance of the <i>HORBoVF</i> and the ORB (K=10)	82

47	Figure 5.14	Number of correctly identified images using the <i>HORBoVF</i> and the ORB (K=15)	83
48	Figure 5.15	Recognition accuracy of the <i>HORBoVF</i> and the ORB (K=15)	84
49	Figure 5.16	Average time taken per image by the <i>HORBoVF</i> and the ORB (K=15)	84
50	Figure 5.17	The overall performance of the <i>HORBoVF</i> and the ORB (K=15)	85
51	Figure 5.18	Number of correctly identified images using the <i>HORBoVF</i> and the ORB (K=20)	86
52	Figure 5.19	Recognition accuracy of the <i>HORBoVF</i> and the ORB (K=20)	86
53	Figure 5.20	Average time taken per image by the <i>HORBoVF</i> and the ORB (K=20)	87
54	Figure 5.21	The overall performance of the <i>HORBoVF</i> and the ORB (K=20)	87
55	Figure 5.22	Number of correctly identified images using the <i>HORBoVF</i> and the ORB (K=24)	88
56	Figure 5.23	Recognition accuracy of the <i>HORBoVF</i> and the ORB (K=24)	89
57	Figure 5.24	Average time taken per image by the <i>HORBoVF</i> and the ORB (K=24)	89
58	Figure 5.25	The overall performance of the <i>HORBoVF</i> and the ORB (K=24)	90
59	Figure 5.26	Average time consumption by the <i>HORBoVF</i> for different values of K	90
60	Figure 5.27	The overall accuracy of the <i>HORBoVF</i> for different values of K	91
61	Figure 6.1	A deep neural network	93
62	Figure 6.2	The architecture of a CNN	94
63	Figure 6.3	Traditional Machine Learning Vs. Transfer Learning	95
64	Figure 6.4	The bottlenecks creation	96

65	Figure 6.5	Training accuracy, validation accuracy, and cross entropy calculation	97
66	Figure 6.6	Number of correctly identified images using the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=100)	100
67	Figure 6.7	Recognition accuracy of the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=100)	100
68	Figure 6.8	Average time taken per image by the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=100)	101
69	Figure 6.9	The overall performance of the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=100)	101
70	Figure 6.10	Number of correctly identified images using the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=500)	102
71	Figure 6.11	Recognition accuracy of the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=500)	103
72	Figure 6.12	Average time taken per image by the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=500)	103
73	Figure 6.13	The overall performance of the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=500)	104
74	Figure 6.14	Number of correctly identified images using the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=1000)	105
75	Figure 6.15	Recognition accuracy of the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=1000)	105
76	Figure 6.16	Average time taken per image by the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=1000)	106
77	Figure 6.17	The overall performance of the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=1000)	106
78	Figure 6.18	Number of correctly identified images using the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=2000)	107
79	Figure 6.19	Recognition accuracy of the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=2000)	108
80	Figure 6.20	Average time taken per image by the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=2000)	108

81	Figure 6.21	The overall performance of the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=2000)	109
82	Figure 6.22	Number of correctly identified images using the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=4000)	110
83	Figure 6.23	Recognition accuracy of the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=4000)	110
84	Figure 6.24	Average time taken per image by the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=4000)	111
85	Figure 6.25	The overall performance of the <i>HORBoVF</i> and the <i>Teṛṛency</i> (Iterations=4000)	111
86	Figure 6.26	Average time consumption of the <i>Teṛṛency</i> for different iterations	112
87	Figure 6.27	The overall accuracy of the <i>Teṛṛency</i> for different iterations	112
88	Figure 6.28	The Accuracy performance of the <i>HORBoVF</i> , the <i>ACORBoVF</i> , and the <i>Teṛṛency</i>	113
89	Figure 6.29	The time performance of the <i>HORBoVF</i> , the <i>ACORBoVF</i> , and the <i>Teṛṛency</i>	113