

List of Figures

<u>Figure No.</u>	<u>Description</u>	<u>Page No.</u>
2.1	Subjective method of fabric evaluation	8
2.2	Actual Projection of <i>Drape</i> Shadow	22
2.3	Based on drape projections, various areas	22
2.4	Influence of relative values of disc and fabric diameter on probable minimum number of nodes	23
2.5	Schematic representation of variation of number of nodes with disc diameter and fabric stiffness	24
2.6	Handle meter designed and patented by United States	29
2.7	A schematic structure (a) and separated extraction steps (b) of the CHES-FY	30
2.8	The weighing principle and the theoretical model of a fabric in CHES-FY	31
3.1	Line Diagram of the Instrument	38
3.2	Base cabinet of the instrument	38
3.3	Load cell support base dimensions	39
3.4	Cabinet top and vertical stand base dimensions	39
3.5	Vertical threaded bar stand base dimensions	40
3.6	Vertical threaded bar stand base bolt dimensions	40
3.7	Threaded bar on which movable fabric holder mounted	40
3.8	Clamp holder mounting dimensions	41
3.9	Clamp holder support bolt dimensions and positions	41
3.10	Cantilever support for clamp	41
3.11	Side support of moving clamp	42
3.12	Computer display unit mounting	42
3.13	A photograph of the Instrument	43
3.14	Load cell attached to clamp	44
3.15	Nozzle with 20 mm top diameter	45
3.16	Nozzle with 25 mm top diameter	46
3.17	Nozzle with 30 mm top diameter	46
3.18	Photograph of nozzle	47
3.19	Radial load cells	47
3.20	Fabric holder	48
3.21	Servo motor	49
3.22	Complete electrical interface diagram	58
3.23	Electrical diagram for SMPS power distribution	58
3.24	Electrical diagram for SMPS power input/output	59
3.25	Electrical diagram for power system	59
3.26	Main board connections	60
3.27	LabJack U3-HV	60

3.28	Analog to digital card interface with LabJack	61
3.29	Dialog box with command prompt	63
3.30	Output Graph	64
3.31	IITD Fabric Feel Tester	66
3.32(a)	An overview of placement of parts for IITD Fabric Feel Tester	67
3.32(b)	A close view of placement of parts for IITD Fabric Feel Tester	68
4.1	SS2 - Number of test Vs Standard deviations	75
4.2	SS14 - Number of test Vs Standard deviations	77
4.3	SS2 8- Number of test Vs Standard deviations	79
4.4	SH27 - Number of test Vs Standard deviations	81
5.1	Shirting - Avg Extraction Force(kg) Vs Fabric Thickness(mm)	94
5.2	Shirting - Avg Extraction Force(kg) Vs Fabric GSM	94
5.3	Shirting - Avg Extraction Force(kg) Vs Bending Length(c)	94
5.4	Shirting - Avg Extraction Force(kg) Vs Bending Rigidity(G)	94
5.5	Shirting - Avg Extraction Force(kg) Vs Bending Modulus(q)	95
5.6	Suiting - Avg Extraction Force(kg) Vs Thickness(mm)	95
5.7	Suiting - Avg Extraction Force(kg) Vs Fabric GSM	95
5.8	Suiting - Avg Extraction Force(kg) Vs Bending Length(c)	95
5.9	Suiting - Avg Extraction Force(kg) Vs Bending Rigidity(G)	96
5.10	Suiting - Avg Extraction Force(kg) Vs Bending Modulus(q)	96
5.11	Shirting - Peak Extraction Force(kg) Vs Fabric Thickness(mm)	96
5.12	Shirting - Peak Extraction Force(kg) Vs Fabric GSM	96
5.13	Shirting - Peak Extraction Force(kg) Vs Bending Length(c)	97
5.14	Shirting - Peak Extraction Force(kg) Vs Bending Rigidity(G)	97
5.15	Shirting - Peak Extraction Force(kg) Vs Bending Modulus(q)	97
5.16	Suiting - Peak Extraction Force(kg) Vs Thickness(mm)	97
5.17	Suiting - Peak Extraction Force(kg) Vs Fabric GSM	98
5.18	Suiting - Peak Extraction Force(kg) Vs Bending Length(c)	98
5.19	Suiting - Peak Extraction Force(kg) Vs Bending Rigidity(G)	98
5.20	Suiting - Peak Extraction Force(kg) Vs Bending Modulus(q)	98
5.21	Shirting - Avg Radial Left Extraction Force(kg) Vs Fabric Thickness(mm)	99
5.22	Shirting - Avg Radial Left Extraction Force(kg) Vs Fabric GSM	99
5.23	Shirting - Avg Radial Left Extraction Force(kg) Vs Bending Length(c)	99
5.24	Shirting - Avg Radial Left Extraction Force(kg) Vs Bending Rigidity(G)	99
5.25	Shirting - Avg Radial Left Extraction Force(kg) Vs Bending Modulus(q)	100
5.26	Suiting - Avg Radial Left Extraction Force(kg) Vs Thickness(mm)	100
5.27	Suiting - Avg Radial Left Extraction Force(kg) Vs Fabric GSM	100
5.28	Suiting - Avg Radial Left Extraction Force(kg) Vs Bending Length(c)	100
5.29	Suiting - Avg Radial Left Extraction Force(kg) Vs Bending Rigidity(G)	101
5.30	Suiting - Avg Radial Left Extraction Force(kg) Vs Bending	101

	Modulus(q)	
5.31	Shirting - Peak Radial Left Extraction Force(kg) Vs Fabric Thickness(mm)	101
5.32	Shirting - Peak Radial Left Extraction Force(kg) Vs Fabric GSM	101
5.33	Shirting - Peak Radial Left Extraction Force(kg) Vs Bending Length(c)	102
5.34	Shirting - Peak Radial Left Extraction Force(kg) Vs Bending Rigidity(G)	102
5.35	Shirting - Peak Radial Left Extraction Force(kg) Vs Bending Modulus(q)	102
5.36	Suiting - Peak Radial Left Extraction Force(kg) Vs Thickness(mm)	102
5.37	Suiting - Peak Radial Left Extraction Force(kg) Vs Fabric GSM	103
5.38	Suiting - Peak Radial Left Extraction Force(kg) Vs Bending Length(c)	103
5.39	Suiting - Peak Radial Left Extraction Force(kg) Vs Bending Rigidity(G)	103
5.40	Suiting - Peak Radial Left Extraction Force(kg) Vs Bending Modulus(q)	103
5.41	Shirting - Avg Radial Right Extraction Force(kg) Vs Fabric Thickness(mm)	104
5.42	Shirting - Avg Radial Right Extraction Force(kg) Vs Fabric GSM	104
5.43	Shirting - Avg Radial Right Extraction Force(kg) Vs Bending Length(c)	104
5.44	Shirting - Avg Radial Right Extraction Force(kg) Vs Bending Rigidity(G)	104
5.45	Shirting - Avg Radial Right Extraction Force(kg) Vs Bending Modulus(q)	105
5.46	Suiting - Avg Radial Right Extraction Force(kg) Vs Thickness(mm)	105
5.47	Suiting - Avg Radial Right Extraction Force(kg) Vs Fabric GSM	105
5.48	Suiting - Avg Radial Right Extraction Force(kg) Vs Bending Length(c)	105
5.49	Suiting - Avg Radial Right Extraction Force(kg) Vs Bending Rigidity(G)	106
5.50	Suiting - Avg Radial Right Extraction Force(kg) Vs Bending Modulus(q)	106
5.51	Shirting - Peak Radial Right Extraction Force(kg) Vs Fabric Thickness(mm)	106
5.52	Shirting - Peak Radial Right Extraction Force(kg) Vs Fabric GSM	106
5.53	Shirting - Peak Radial Right Extraction Force(kg) Vs Bending Length(c)	107
5.54	Shirting - Peak Radial Right Extraction Force(kg) Vs Bending Rigidity(G)	107
5.55	Shirting - Peak Radial Right Extraction Force(kg) Vs Bending Modulus(q)	107
5.56	Suiting - Peak Radial Right Extraction Force(kg) Vs Thickness(mm)	107
5.57	Suiting - Peak Radial Right Extraction Force(kg) Vs Fabric GSM	108

5.58	Suiting - Peak Radial Right Extraction Force(kg) Vs Bending Length(c)	108
5.59	Suiting - Peak Radial Right Extraction Force(kg) Vs Bending Rigidity(G)	108
5.60	Suiting - Peak Radial Right Extraction Force(kg) Vs Bending Modulus(q)	108
6.1	Plots of x-variables residuals for average and radial extraction forces	116
6.2	Line fit plot of x-variables for average and radial extraction forces	117
6.3	Normal probability plot for average and radial extraction forces	119
6.4	Plots of x-variables residuals for only average extraction forces	122
6.5	Line fit plot of x-variables for only average extraction forces	122
6.6	Normal probability plot for only average extraction forces	123
6.7	Plots of x-variables residuals for average and peak axial forces	126
6.8	Line fit plot of x-variables for average and peak axial forces	126
6.9	Normal probability plot for average and peak axial forces	126
6.10	Extraction curve parameters	128
6.11	Plots of x-variables residuals for Extraction curve parameters	131
6.12	Line fit plot of x-variables for Extraction curve parameters	132
6.13	Normal probability plot for Extraction curve parameters	133
7.1	Effect of nozzle diameter	137
7.2	Effect of testing speed	138
7.3	Effect of nozzle material	139
7.4	Sample SS2 – Effect of repeat test	148
7.5	Sample SS14 – Effect of repeat test	148
7.6	Sample SS28 – Effect of repeat test	148
7.7	Sample SH27 – Effect of repeat test	148