



CHAPTER - 7

BIBLIOGRAPHY

1. History of [www. baby-clothes.com](http://www.baby-clothes.com).
2. J. Fan and L. Hunter , A Worsted Fabric Expert System . Part II: An Artificial Neural Network Model for Predicting the Properties of Worsted Fabrics. Textile Res. J, 1998,68,vol.10, p763-771.
3. Watson's Textile Design and Colour, Elementary weaves and figured fabrics, Z.Grosicki, Published by: Universal publishing corporation, Bombay 400002.
4. John Maltby Essam. The Physical properties of fabrics: The effect of yarn and Weaving structure Part I, J. Textile Inst. T-37, 1928.
5. John Maltby Essam. The Physical properties of fabrics: The effect of yarn and weaving structure Part II, J. Textile Inst. T275,1929.
6. W.E.Morton, and R. Williamson, The influence of varying warp and weft tension on some physical properties of plain cotton cloth. J. Textile Inst. T137,1939.
7. B.P Saville. Physical testing of textiles. The Textile Institute. Chapter : Objective evaluation of fabric handle. p.256-294.
8. Jurgita Domskienė & Eugenija Strazdienė. Investigation of Fabric Shear Behaviour, FIBRES & TEXTILES in Eastern Europe April / June 2005, Vol. 13, No. 2 (50), www.50_08_26
9. Apurba Das, V. K. Kothari and Nagaraju Vandana . A study on frictional characteristic of woven fabrics-AUTEX Research Journal, Vol. 5, No3,September 2005 © AUTEX <http://www.autexrj.org/No3-2005/0124.pdf> 133
10. S. Kawabata, Y. Yamashita, T. Umeda and K. Nakano..Large Size Contactor for KESF Friction Measurement for the Fabrics Having Rugged Surface. www.mat.usp.ac.jp/polymer-composite/28-1.pdf
11. Yehia E. El Mogahzy, Roy Broughton, Jr., W. Oxenham, Hong Guo and M.E. Yuksekkaya. Development of Characterization Methodologies of Fiber surface Characteristics: Surface/Process Analysis Investigators: f96-a03 friction.pdf
12. Harnett, P. R., and Mehta, P. N., A Survey and Comparison of Laboratory Test Methods for Measuring Wicking, Textile Res. J, 1984, 54, 471-478.
13. Kissa, E., Wetting and Wicking, Textile Res. J, 1996, 66, 660-668.
14. Miller, B., Critical Evaluation of Upward Wicking Tests, International Nonwovens Journal. 2000, 9, 35-40

15. Hollies, N. R. S., Kaessinger, M. M., Watson, B. S., and Bogaty, H., Water Transport Mechanisms in Textiles Materials Part II: Capillary-Type Penetration in Yarns and Fabrics, *Textile Res. J*, 1957, 8-13.
16. Hollies, N. R. S., Kaessinger, M. M., and Bogaty, H., Water Transport Mechanisms In Textile Materials Part I: The Role of Yarn Roughness in Capillary-Type Penetration, *Textile Res. J*, 1956, 26, 829-835.
17. Chen, X., Kornev, K. G., Kamath, Y. K., and Neimark, A. V., The Wicking Kinetics of Liquid Droplets into Yarns, *Textile Res. J*, 2001, 71, 862-869.
18. Kamath, Y. K., Hornby, S. B., Weigmann, H. D., and Wilde, M. F., Wicking of Spin Finishes and Related Liquids into Continuous Filament Yarns, *Textile Res. J*, 1994, 64, 33-40.
19. F.T.Peirce. The handle of the cloth as a measurable quantity. *J. Textile Inst.*1930, T.377
20. A. De Boos and David Tester, SiroFAST – A System for Fabric Objective Measurement and its Application in Fabric and Garment Manufacture. www.tft.csiro.au
21. Hearle, J. W. S., Textiles for Composites, *Textile Horiz.* 11, 11–15. (1994).
22. G.A.V. Leaf and K.H. Kandil, The initial load-extension behaviour of plain woven fabrics. *J. Textile Inst.* 71 1 (1980), pp. 1–7.
23. S Kawabat and Masako Niwa, Fabric performance in clothing and clothing Manufacture. *J. Textile Inst.* 1989,19.
24. Jinlian Hu, Wenxiang Chen and A. Newton. A Psychophysical Model for Objective fabric hand Evaluation. *J. Textile Inst.* 1993,354.
25. Ninh Pan and S.Haig Zeronian. An alternative approach to the objective Measurement of fabric. *Text.Res.J*, January 1993 P.33.
26. W.S.Howorth and P.H.Oliver. The application of multiple factor analysis to the assessment of the fabric handle. *J.Text.Inst.* 1958, T540.29.
28. N.Pan, K.C.Yen, S.J.Zhao and S.R.Yang. A new approach to the objective Evaluation of fabric handle from mechanical properties. Part I Objective measurement for total handle.*Text.Res.J*,1988. 438.

29. N.Pan, K.C.Yen, S.J.Zhao and S.R.Yang. A new approach to the objective Evaluation of fabric handle from mechanical properties. Part II Objective measures for Primary . Handle. *Text.Res.J* ,1988. 531.
30. Adams, K. L., and Rebenfeld, L., In-Plane Flow of Fluids in Fabrics: Structure/Flow Characterization, *Textile Res. J*, 1987, 57, 647-654.
32. The structural design of woven fabrics: Theory and Practice By A.M. Seyam *Textile progress* V.31. No.3, 2002.
33. Farnworth B. 'Mechanism of heat flow through clothing insulation' , *Text. Res. J*, 1983 ,53, 717-725.
34. J.E. Ruckman. Water vapour transfer in waterproof breathable fabrics, *International Journal of Clothing Science and Technology*, Volume 9 Number 1,1997, pp. 23-33.
35. Elizabeth A McCullough, Myoungsook Kwon and Huensup. A comparison of standard methods for measuring water vapour permeability of fabrics, A McCullough et al 2003 *Meas. Sci. Technol.* 14 1402- 1408, www.iop.org/EJ/abstract/0957-0233/14/8/328
36. F.T.Peirce. The geometry of cloth structure. *J. Textile Inst.* 1937,T45.
37. A.T.C.Robbinson and R.Marks. Woven cloth construction. The Textile Institute, Butterworths 1961.
38. Tryggve EEG-Olofsson. Some mechanical properties of viscose rayon fabrics. *J.Textile Inst.* 1959,T112.
39. A.Alamdar Yazdi. An improved method of fabric objective measurement. *J. Textile Inst.* 2004.19.
40. B.K.Behra, S.M.Ishtiaque and S. Chand. Comfort properties of fabrics woven from Ring,Rotor and Friction Spun yarns. *J. Textile Inst.* 1997,255.
41. R.H.Gong and S.K.Mukhopadhyay. Fabric objective measurement: A comparative study of fabric characteristic. *J. Textile Inst.* 1993,192.
42. K.Slater. The assessment of comfort. *J. Textile Inst.* 1986,157.
43. M.Matsudaira, S.Kawabata and Masako NIwa. The effect of fibre crimp on fabric quality. *J. Textile Inst.* 1984,273.
44. Jimmy K.C.Lam and Ron Postle. Multivariate Studies of mechanical properties for wool and Cotton fabrics. *Text. Res. J*, 2006, 414.

45. Mastura Raheel and Jiang Liu. An empirical model for fabric hand. PartI:Objective Assessment of light weight fabrics. Text. Res. J,1991,31.
46. T.J.Mahar, P.Wheel wright, R.C.Dhingra and R.Postle. Measuring and interpreting Fabric low stress mechanical and surface properties. Part V : Fabric handle attributes and quality descriptor. Text. Res. J,1990, 7.
47. R.Postle and R.C.Dhingra. Measuring and interpreting fabric low stress mechanical and surface properties. Part III. Optimisation of fabric properties for men suiting materials. Text. Res. J,1989. 448
48. N.Pan, K.C.Yen, S.J.Zhao and S.R. Yang. A new approach to the objective evaluation of fabric handle from mechanical properties. Part II Objective measurement for primary hand. Text. Res. J,1988. 531.
49. A.M Schneider and B.V.Holcombe. Properties influencing coolness to the touch of fabric. Text. Res. J, 1991,448.
51. GAV leaf and AMF Sheta . The Initial Shear Modulus of Plain-woven Fabrics. J. Textile Inst. 1984,75,157.
52. Gu Ping and K.Greenwood, The scope for fabric engineering by means of weave. J. Textile Inst. 1986,88-103.
53. Zubanda,Curiskis,Mahar and Postle. Computer in the world of textiles. The Textile institute.1984 P.498.
54. Joseph O Ajayi. Fabric smoothness, friction and handle. Text.Res.J, 1992, 52.
55. YOU-LO-HSIEH. Liquid transport in fabric structures. Text.Res.J,1995,299.
56. Y.S.Chen and J.Fan. and W.Zhang. Clothing thermal insulation during sweating. Text.Res.J,2003,152.
57. J.O.Ajayi and H.M.Elder. Fabric friction, handle and compression. J. Textile Inst. 1997,232.
58. J.B.Hamilton. A general system of woven fabric geometry. J. Textile Inst. 1964,T66.
59. H.M.Elder, S.Fisher, K,Armstrong and G.Hutchison. Fabric softness, handle and compression. J. Textile Inst. 1984,37.
60. H.M.Elder, S.Fisher, K,Armstrong and G.Hutchison. Fabric stiffness, handle and Flexion. J. Textile Inst. 1984, 99.
63. Pollitt. The geometry of cloth structure . J. Textile Inst. 1949, P11-23.

64. J.B.Hamilton. A direct method for measuring yarn diameters and bulk densities under condition of thread flattening. J. Textile Inst. 1959,T655-672.
65. S. Galuszynski, FABric Tightness: A Coefficient to Indicate Fabric Structure , J.Text.Instt., Volume 72, Issue 1 January 1981, pages 44 – 49.
66. B.K.Behera & D.B.Shakyawar. Structure-property relationship of fibre, yarn and fabric with special reference to low-stress mechanical properties and hand value of fabric. Indian Journal Of Fibre & Textile Research. September 2000, p.232-237.
67. H.W.Russell. Help for designers. Construction factor- An aid to fabric evaluationand design.Texi.Industr.,1965,129,no.6, 51-53.
68. Fumei Wnag and guangbiao Xu. Predicting the shearing rigidity of woven fabrics. Textile Res. J. 75(1).30-34 (2005)
69. Yehia El Mogahzy Developing a Design-Oriented Fabric Comfort Model, NTC Project:S01-AE32(formerlyI01-A32)
<http://www.eng.auburn.edu/~yehiae/welcome.html>
70. Farideh Talebpour, Repeatability of fabric friction measurement by Flat- Bed Method. www.ft.tul.cz/science/konference/indoczech.../Iran_03.pdf
71. Frictorq -fabric friction tester. Eduardo Pinto, Mário Lima, www.2c2t.uminho.pt/_images/2c2t/projectos/.../proj6.pdf
72. The heat balance equation for human body. Chapter I , page 16. Human Thermal environments. The effect of hot, moderate and cold environments on human health, comfort and performance. by Kenneth C. Parsons - 2003 - Technology & Engineering
73. www.sdlatlas.com/html/m259.html
74. I. Frydrych, G. Dziworska,J. Bilska. Comparative Analysis of the Thermal Insulation Properties of Fabrics Made of Natural and Man-Made Cellulose Fibres, www.fibtex.lodz.pl/39_08_40.pdf
75. The Kawabata system of instruments.
www.tx.ncsu.edu/tpacc/comfort/fabric_hand_lab.html.
76. Dhingra., The Design and Optimisation of Wool Fabrics and Clothing Using a Data Base Incorporating Fabric Mechanical and Dimensional Properties. Paper presented at the 7th International Wool Textile Research Conference, Tokyo, Japan, August 1985. Proceedings "Fabric Making and Properties, Carpet, Management". III, 90-99.

77. J.E.Ruckman. Water vapour transfer in waterproof breathable fabrics, International Journal of Clothing Science and Technology pp. 23-33, Volume 9 Number 1 1997.
78. C. Prahsarn, R. L. Barker, and B. S. Gupta , Moisture Vapor Transport Behavior of Polyester Knit Fabrics . Textile Research Journal 2005 75: 346.
79. Adams, K. L., and Rebenfeld, L., In-Plane Flow of Fluids in Fabrics: Structure/Flow Characterization, Textile Research Journal. 1987, 57, 647.
80. J.E.Booth. Textile Testing.
81. Ghali, K. Jones, B., and Tracy, J., Experimental Techniques for Measuring Parameters Describing Wetting and Wicking in Fabrics, Textile Res. J. 1994, 64, 106-111.
82. Jintu Fan, Winnie Wing-man Yu, L Hunter. Clothing appearance and fit: Science and Technology. Chapter 6.3 Fabric objective measurement (FOM) 92-111. Woodhead Publishing in Textiles. The textile institute.
83. P.W.gibson. Factors influencing steady state heat and water vapor transfer measurements fro clothing materials. Textile Res. J. 63(12), 749, 1993.
84. H.N.Yoon, and A. Buckley. Transport properties and thermal comfort of polyester cotton blend fabrics. Textile Res. J. 1984, 289.
85. <http://www.sdlatlas.com/html/m264.html>.
86. Technology of Textile Finishing. By Prof. V.A.Shenai & Dr. Naresh Saraf. SEVAK Publications, Bombay.
87. An Introduction to Textile Finishing. By J.T.Marsh. Chapman & Hall Ltd. London.
88. Chemical After Treatment Of Textiles by H.Marks , Norman S Wooding & Sheldon M. Atlas. John Wiley & sons, Inc.