

Bibliography

- [1] Jin-Woo Jung, *Space Vector PWM Inverter*, Ph.d Student, Ohio State University.
- [2] Bierwirth R. A., and Hoyler C. N., *Radio Frequency Heating Applied to Wood Gluing*, Processing of the I.R.E., pp. 529-537, Oct. 1943.
- [3] E.R. Laithwaite, *Linear induction motors*, The Institution of Electrical Engineers, pp. 461-470, Dec. 1957.
- [4] Simpson P. G., *Induction heating coil and system design*, McGraw Hill book company, London, 1960.
- [5] Bengtsson N. E., *Radio Frequency heating application in the European Food Industry*, Microwave Energy Application Newsletter , Vol. 2, No. 4, pp. 3, 1969.
- [6] Leatherman, A. F. and D. E. Stutz, *Induction Heating Advances*, National Aeronautics and Space Administration, 1969.
- [7] Nils E. Bengtsson, and Thomas Ohlsson, *Microwave Heating in the Food Industry*, Procceeding of the IEEE, Vol. 62, No.1, Jan. 1974
- [8] S.R.Bowes, *New sinusoidal pulse width modulation inverter*, Proceedings International Electronic Engineering, Vol. 122, pp.1279-1285, 1975.
- [9] G. Buja and G. Indri, *Improvement of pulse width modulation techniques*, Archiv jiir Electro technik, Vol.57, pp.281-289, 1975.
- [10] Depenbrock M., *Pulse width control of a 3-phase inverter with non sinusoidal phase voltages*, in Proc. IEEE-IAS Int. Semiconductor Power Conversion Conference, Orlando, FL, pp. 389-398, 1975 .
- [11] I. G. Harvey, *A method of improving the energy transfer in induction heating processes and its application in a 1 MW billet heater*, IEEE conference publication, 149: Electricity for Materials processing and conservation, pp. 16-20, 1977.
- [12] E. Davies, *Induction heaters*, British Patent No. 1 513242, June 1978.
- [13] J. Davies, P. Simpson, *Induction Heating Handbook*, McGraw-Hill Company, UK, ch.2, pp. 43-48, 1979.

- [14] Alesina A., Venturini M. G. B., *Solid state power conversion: a Fourier analysis approach to generalized transformer synthesis*, IEEE Transactions on Circuit and Systems, Vol. CAS-28, No. 4, pp.319-330, April 1981.
- [15] A.L. Bowden, E.J. Davies, *Travelling wave induction heaters: design consideration*, BNCE-UIE Electroheat for Metals Conference, Cambridge, England, N.5.2, 21-23 September 1982.
- [16] E. Bercovich, G. Ivensky, U. Matchak, and V. Morgun, *Medium frequency converters for electric industrial devices*, Energoatomizdat, Leningrad, pp.30, 1983.
- [17] P. Bhagwat and V. Stefanovi c., *Generalized Structure of a Multilevel PWM Inverter*, IEEE Transaction on Industry Applications, Vol.IA-19, Issue 6 pp. 1057-1069, Nov. 1983.
- [18] Bose B. K. and Sutherland H. A., *A high performance pulse width modulator for an inverter-fed drive system using a microcomputer*, IEEE Translation Industrial Application., Vol. 19, pp. 235-243, Mar./Apr. 1983.
- [19] Murai,Y., Sugimoto S., Iwasaki, H., Tsunehiro Y. *Analysis of PWM Inverter Fed Inductions Motors for Microprocessors*, Proceedings IEEE/IECON, pp.58-63, 1983.
- [20] Y.Murai, Y.Tsunehiro, *Improved PWM Method for Induction Motor Drive Inverters*, IPEC, Tokyo, pp.407-417, 1983.
- [21] Hale G.E. and Nutting J., *Overheating of Low Alloy Steels*, International Metals Reviews, Vol. 29, 1984.
- [22] Decareau R.V., *Microwaves in the Food Processing Industry*, Academic Press, Inc., New York, 1985.
- [23] S. R. Elowes and A. Midoum, *Suboptimal switching strategies for microprocessor-controlled PWM inverter drives*, Electric Power Applications, IEE Proceedings B, Vol.132, Issue 3, pp. 133-148, May 1985.
- [24] S. Hinchliffe and L. Hobson, *Review of Solid State Devices and Circuit for HF Electric Process Heating Application*, International Journal of Electronics, Vol.61, No.2, pp. 143-167, 1986.
- [25] H. Van der Broeck, H. Skudelny, and G. Stanke, *Analysis and realization of a pulse width modulator based on voltage space vectors*, in Proceedings IEEE Ind. Applications Conference, pp.244-251,1986.
- [26] *Direct and Encased Resistance Heating*, Published by the Center for Metals Fabrication, Vol. 3. No. 8. 1986.
- [27] P.L. Jones, *Radio frequency processing in Europe*, Journal of Microwave Power Electromagnetic Energy, Vol.22, No.3, pp.143-153, 1987.

- [28] P.P. Yannopoulos, J.A. Tegopoulos, *Three dimensional eddy current distribution in cylinders due to rotating magnetic fields*, IEEE Transactions on Magnetics, Vol.23, Issue 5, pp. 3056- 3058, Sept. 1987.
- [29] Zinn, S. and S. L. Semiatin, *Elements of Induction Heating: Design, Control and Applications*, ASM International, Dec. 1987.
- [30] H. W. Van Der Broeck, H. C. Skudenly, G. V. Stanke, *Analysis and Realization of a Pulse Width Modulator Based on Voltage Space Vectors*, IEEE Transaction on Industry Applications, Vol.24, No.1, pp.142-150, Feb. 1988.,
- [31] Leonard Harrison W. *Electric Power for Industrial processes using Dielectric Heating*, Power Engineering Journal, pp. 105-113, March 1988.
- [32] Alesina A., Venturini M. G. B., *Analysis and design of optimum amplitude nine switch direct AC-AC converters*, IEEE Transactions on Power Electronics, Vol. 4, No. 1, pp. 101-112, Jan. 1989.
- [33] Jin Yuan Chen, and Om P. Gandhi, *Electromagnetic Deposition in an Anatomically Based Model of Man for Leakage Fields of a Parallel Plate Dielectric Heater*, IEEE Transactions on Microwave theory and techniques, Vol.37, No.1, Jan. 1989.
- [34] Granado, J., Harley, R.G., Diana G., *Understanding and Designing a Space Vector Pulse-Width-Modulator to Control a Three Phase Inverter*, Transaction of the SAIEE, Vol.80, pp.29-37, Sept.-1989.
- [35] S. Ogasawara, H. Akagi, and A. Nabae, *A novel PWM scheme of voltage source inverters based on space vector theory*, in Proceedings of EPE'89, Aachen, Germany, pp.1197-1202, 1989.
- [36] Davies E. J., *Conduction and Induction Heating*, London: Peregrinus, 1990.
- [37] F.P.Dawson and P.Jain, *System for Induction heating and Melting applications a comparison of load commutated Inverter*, Power Electronics Specialists Conference, 1990. PESC '90 Record., 21st Annual IEEE ,pp.281 - 290, 11-14 June 1990.
- [38] Fukuda, S., Iwaji, Y., Hasegawa H., *PWM Technique for Inverter with Sinusoidal Output Current*, IEEE Transaction on Power Electronics, Vol. 5, Issue:5, pp.54-61,Jan 1990.
- [39] Dawson, F.P., and Jain, P.A *Comparison of Load Commutated Inverter Systems for Induction Heating and Melting Applications*, IEEE Transaction on Power Electronic,Vol. 6,Issue:3, pp. 430-441, July-1991.
- [40] R. Ducharme, F. Scarfe, P. Kapadaia and J. Dowden, , *The Induction Heating in Glass*, Journal of Physics-D, Vol. 24, No.5, pp. 658-663, 1991.
- [41] Lawrence R. E. and Edward P. F., *A Computer Simulation of an Induction Heating System*, IEEE Transaction on Magnetic , Vol. 27, No. 5, pp. 4343-4354,Sep. 1991.

- [42] T. Kunie, et al., *A novel PWM technique to decrease lower harmonics*, in Proceedings of EPE'91, Vol. 3, pp.223-227, 1991.
- [43] *Dielectric Heating* working group, Dielectric Heating for Industrial Processes, U.I.E. Paris, 1992.
- [44] J.Holtz, *Pulse width Modulation - A Survey*, IEEE Transaction on IE, Vol.39, No.5, pp.410-420, Dec.-1992.
- [45] J. Holtz, W. Lotzkat, A. Khambadkone, *On Continuous Control of PWM Inverters in the Over modulation Range Including the Six-Step Mode*, Proceedings of the 1992 International Conference on Industrial Electronics, Control, Instrumentation, and Automation, Power Electronics and Motion Control.,Vol. 1, pp.307-312, 9-13 Nov. 1992.
- [46] V. R. Stefanovic and S. N. Vukosavic, *Space-vector PWM voltage control with optimized switching strategy*,Industry Applications Society Annual Meeting, Conference Record of the 1992 IEEE ,Vol.1, pp.1025-1033, 4-9 Oct. 1992 .
- [47] D.Casadei,G.Grandi,G.Serra and A Tani, *Space vector control of matrix converters with unity input power factor and sinusoidal input/output waveforms*, European power electronics association, 1993.
- [48] F.Dughiero, S.Lupi, P.Siega, Analytical Calculation of Traveling Wave Induction Heating Systems, International Symposium on Electromagnetic Fields in Electrical Engineering 1993, Warsaw-Poland, pp. 207-210, 16-18 September 1993.
- [49] Fisher, G., Doht, H.C., and Hemmer, B. *Operation Modes of Series Inverter 400kHz for Induction Heating*. Conference ERE, Proceedings European power electronics, London, UK, pp. 322-327, 1993.
- [50] Grajales, L., Sabate, J.A., Wang, K.R., Tabisz, W.A., and Lee, F.C.*Design of a 10kW, 500 kHz phase-shift controlled series-resonant inverter for induction heating*. Proceedings Industry applications society annual meeting, Toronto, Oat., Canada, pp. 843-849, 1993.
- [51] T.G.Habelter,*A sapce vector based rectifier regulator for AC/DC/AC converter*, IEEE Transaction on Power Electronics,Vol.8, No.1, pp.30-36, 1993.
- [52] L.Serrano, Iribarnegaray, *The Modern Space Vector Theory, Part I: Its Coherent Formulation and Its Advantages for Transient Analysis o Converter-Fed AC Machines*, ETEP, Vol.3, No.2, March/April-1993.
- [53] Dughiero F., Lupi S., Nemkov V., Siega P., *Traveling wave Inductors for the continuous Induction heating of metal strips*, Electro Technical Conference, Proceedings., 7th Mediterranean, Vol.3, pp.1154-1157, April 1994.
- [54] J. Holtz, *Pulse width modulation for electronics power conversion* , Proceedings IEEE, Vol.82, pp.1194-1214, Aug-1994.

- [55] A. Quarteroni and A. Vialli, *Numerical Approximation of Partial Differential Equation*, Springer Series in Computational Mathematics 23. Bertine Springer Verlag, 1994.
- [56] *Indirect Resistance Heating*, Published by the EPRI Center for Materials Fabrication, Vol. 3, No. 7 Revised 1994.
- [57] Dughiero F. , Lupi S, and Siega P., *Calculation of forces in travelling wave induction heating systems*, IEEE Transactions on Magnetics, Vol. 31, No. 6, Nov. 1995.
- [58] Lucanu, M., Neacsu, D., *Optimal V/f Control for Space Vector PWM Three-Phase Inverters*, European Transactions on Electrical Power Engineering, Vol.5, No.2, pp.115-120, March/April-1995.
- [59] V. Bukanin, V. Nemkov, F. Dughiero, M. Forzan, S. Lupi, *Induction heating of flat metal bodies*, Proc. of BNCE-VIE International Congress on Electricity Applications, Birmingham, UK, Vol. 1, pp.3-17, 16-20 June 1996.
- [60] M.Kamli, S.Yamamoto, and M. Abe, *A 50-150 kHz Half-Bridge Inverter for induction heating application*, IEEE Transactions on Industrial Electronics, Vol. 43, pp. 163-172, Feb. 1996.
- [61] A. C. Metaxes, *Foundations of Electro heat*, Chichester, U.K., Wiley,ISBN 0-471-95644-9, 1996
- [62] Ying-yu Tzou, Hau-Jean Hsu, Tien-Sung Kuo. *FPGA based SVPWM control IC for 3-phase PWM inverters*, Industrial Electronics, Control and Instrumentation, Proceedings of the IEEE IECON 22nd International Conference, Vol.1, pp.138-143, 5-10 Aug. 1996.
- [63] Chaboudez C., Clain S., Glardon R. Mari D. Rappaz J., and Swierkosz *Numerical Modealing in Induction Heating for Axisymmetric Geometries*, IEEE Transaction on Magnetic, Vol. 33, No. 1, pp. 739-745, Jan. 1997.
- [64] Z. Yu, A. Mohammed, and I. Panahi, *A review of three pwm techniques*, in Proceedings Amer. Control Conference, pp. 257-261, 1997.
- [65] *Saving Energy with Electric Resistance Heating*, Energy Efficiency and Renewable Energy, U.S., DOE/GO-10097-381, FS 230, Oct.1997.
- [66] S.M. Bradshaw, E.J. van Wyk, and J.B. de Swardt, *Microwave heating principles and the application to the regeneration of granular activated carbon*, The Journal of The South African Institute of Mining and Metallurgy, pp. 201-212, July/Aug. 1998.
- [67] D. W. Chung, J. S. Kim, and S. K. Sul, *Unified voltage modulation technique for real time three phase power conversion*, IEEE transactions industrial application , Vol.34, pp.374-380, Mar./April-1998.
- [68] Davies P. G. , *State of art of the transverse flux induction heatings*, Proc. of UIE Induction Heating Seminar, Padua, pp.105-109, 13-15 May 1998.

- [69] Hava A. M., Kerkman R., and Lipo T. A., *Carrier-based PWM-VSI over modulation strategies: Analysis, comparison, and design*, IEEE Trans. Power Electron., vol. 13, pp. 674-689, July 1998.
- [70] J. M. Ho and F. C. Juang, *4 Practical PWM Inverter Control Circuitry for Induction Heating and Studying of the Performance under Load Variations*, Proceedings IEEE Conference, International Symposium on Industrial Electronics, Vol.1, pp. 294-299, July-1998.
- [71] I. Khan, J. Tapson and I. de Vries, *An Induction Furnace Employing a 100kHz MOSFET Full Bridge Current Source Load Resonant Inverter* , Proceedings IEEE Conference International Symposium on Industrial Electronics, Vol.2, pp. 530-534, July-1998.
- [72] Dieckerhoff,S,Ruan, M.J,De Doncker, R.W., *Design of an IGBT-based LCL-Resonant Inverter for High-Frequency Induction Heating* , IEEE Conference on Industry Applications, Vol. 3, pp. 2039-2045, 3-7 Oct.1999.
- [73] Lupi S., Dughiero F., and Forzan M., *Comparison of Edge-Effects of Transverse Flux and Travelling Wave Induction Heating Inductors*, IEEE Transactions on Magnetics, Vol. 35, No. 5. Sep. 1999.
- [74] Kwon, Y.-S., Yoo, S.-B., and Hyun, D.-S. *Half-bridge series resonant inverter for induction heating applications with load-adaptive PFM control strategy*. Proceedings Applied power electronics Conference, Dalias, TX, USA, pp. 575–581, 1999.
- [75] Do-Hyun Jang, and Duck-Yong Yoon, *Space-vector PWM techniques for two phase inverter fed two phase induction motor*, IEEE Conference, 1999.
- [76] Peter Vas, *Artificial Intelligence based electrical machines and drives*, Oxford university, 1999.
- [77] P. Dorland. and J. D. Van Diyck, *On the influence of coil design and electromagnetic configuration on the efficiency of an induction melting furnace*, IEEE transactions on Industry applications, Vol. 36, No.4, pp. 946-957, 2000.
- [78] Sewell, H.I., Stone, D.A., and Bingham, C.M.*Novel, Three-Phase, Unity Power Factor Modular Induction Heater*, IEEE Proceedings, Power Electronic Application, Vol.147, pp.371-378, Sep. 2000.
- [79] J. Klima, *Analytical model for the time and frequency domain analysis of space-vector PWM inverter fed induction motor based on the Laplace transform of space-vectors*, in Proceedings Power Conversion Conference, Osaka, Japan, pp. 1334-1339, 2002.
- [80] G. Narayanan and V.T. Ranganathan, *Extension of operation of space vector PWM strategies with low switching frequencies using different over modulation algorithms*, IEEE Transaction Power Electronic, Vol.17, pp.788 -789, Sep. 2002.

- [81] Chen R.Y. and Yeun W.Y.D., *Review of the High-Temperature Oxidation of Iron and Carbon Steels in Air or Oxygen*, Oxidation of Metals, Vol. 59, pp. 433-468, 2003.
- [82] Christopher J., Cottee and Stephen R. Duncan, *Design of Matching Circuit Controllers for Radio Frequency Heating*, IEEE Transactions on Control System Technology, Vol.11, No.1, Jan.2003.
- [83] Mondal, S.K., Bose, B.K., Oleschuk, V., Pinto, J.O.P, *Space vector pulse width modulation of three-level inverter extending operation into over modulation region*, IEEE Transactions on Power Electronics Vol.18, Issue 2, pp.604-611, March 2003.
- [84] Kelly, J.W. Strangas, E.G. Miller, J.M. *Multiphase Space Vector pulse width modulation*, IEEE Transaction on Energy Conservations, Vol.18, No.2, pp.254-264, June 2003.
- [85] Do-Hyun Jang, and Duck-Yong Yoon, *Space-vector PWM techniques for two phase inverter fed two phase induction motor*, IEEE Transaction On industry applications, Vol.39, No.2, pp.542-549, Mar./Apr. 2003.
- [86] Rudnev, V., D. Loveles, R. Cook, and M. Black, *Handbook of Induction Heating*, New York, NY, 2003.
- [87] Yang Xiaoguang, Wang Youhua, *The Effect of Coil Geometry on the Distributions of Eddy Current and Temperature in Transverse Flux Induction Heating Equipment*, Heat Treatment of Metals, Vol.28, No.7, pp.49-54, 2003.
- [88] I.Hirota, H.Yamashita, H.Omori, M.Nakaoka, *Historical review of Electric Household Appliances using Induction-Heating and Future challenging Trends*, IEEE Transactions on Fundamentals and Materials, Vol. 124-A, No.8, pp.713-719 (in Japanese), Aug. 2004.
- [89] M.A. Jabbar, Ashwin M. Khambad Kone, and Zhang Yanfeng, *Space-vector modulation in a two phase induction motor drive for constant power operation*, IEEE Transaction on Industrial Electronics, Vol.51, No.5, pp.1081-1088, Oct. 2004.
- [90] Tipsuwanporn, V., Intajag, S., Charean, A., Sawaengsinksikit, W., *Adjustable frequency control using BRM for induction heating*, Power Electronics and Motion Control Conference, IPEMC 2004. The 4th International Conference Proceedings, 2004.
- [91] Yang Xiaoguang, Wang Youhua, *New Method for Coupled Field Analysis in Transverse Flux Induction Heating of Continuously Moving Sheet*, Heat Treatment of Metals, Vol.29, No.4, pp.53-57, 2004.
- [92] S Behera, S P Das and S R Doradla, *A New SVM Technique for Soft-switched DC-AC Converter*, IE (I) Journal EL, Vol.85, March 2005.
- [93] A. Goullieux, J. Pain and S. Da-Wen, *Ohmic heating*, in Emerging Technologies for Food Processing Anonymous London: Academic Press, pp. 469-505, 2005.

- [94] M.Huasheng, Z. Bo, Z. Jianchao, L. Xuechao, *Dynamic Characteristics Analysis and Instantaneous Value Control Design for Buck-type Power Electronic Transformer (PET)*, IEEE Annual Conference of Industrial Electronic Society IECON, pp.1043-1047, Nov.2005.
- [95] Anderson Arhtur Rabello, Elson Jose Silva, Rodney Rezende Saldanha, Christian Vollaire, and Alain Nicoals, *Adaptive Time Stepping Analysis of Nonlinear Microwave Heating Problems*, IEEE Transactions on Magnetics, Vol. 41, No. 5, May 2005.
- [96] L. Franquelo, M. Prats, R. Portillo, J. Galvan, M. Perales, J. Carrasco, E. Diez, and J. Jimenez, *Three-dimensional space-vector modulation algorithm for four-leg multilevel converters using abc coordinates*, IEEE Transaction Industrial Electronic, Vol.53, No.2, pp. 459-466, Apr.2006
- [97] Nabil A. Ahmed, T. Iwani, H Omori,H .W. Lee and m. Nakaoka *A novel Auxiliary Edge Resonant Snubber -Assisted Soft Switching PWM High Frequency Inverter with Series capacitor Compensated Resonant Load for Consumer Induction Heating*, KIPE. Power Electronics, Vol.6, No.2, pp.95-103, April 2006.
- [98] H.Sadakata, T.Kitaizumi, K.Yasui, T.Okude, H.Omori, *Advanced Soft- Switching High Frequency Power Supply with Charge-up Function for IH Cooking Heater*, JIPE-32-9 (in Japanese), pp. 1146, June 2006.
- [99] Tomita H., Sekine T., Obata S., *Induction heating using traveling magnetic field and three-phase high frequency inverter*, Power Electronics and Applications , 2005 European Conference,6 pp-P.6, Aug.2006.
- [100] E. Dominguez-Tortajada, J. Monzo-Cabrera, and Al. Diaz-Morcillo, *Uniform electric field distribution in microwave heating applicators by means of genetic algorithms optimization of dielectric multilayer structures*, IEEE Trans. Microwave Theory, Vol. 55, pp. 8591, Jan. 2007.
- [101] Nam-Ju P., Dong-Yun L., and Dong-Seok H., *A Power Control Scheme with Constant Switching Frequency in Class-D Inverter for Induction Heating Jar Application*, IEEE Transactions Industrial Electronics, Vol. 41, No. 3, June 2007.
- [102] Jan Spannhake, Andreas Helwig, Alois Friedberger, Gerhard Mller, and Wolfgang Hellmich, *Resistance Heating*, Wiley Encyclopedia of Electrical and Electronics Engineering, 15 June 2007.
- [103] Yausi K., Mihara M. Omari H. and Nakaoka M., *Latest Developments of Soft Switching Pulse Modulated High Frequency Conversion Systems for Consumer Induction Heating Power Appliances*, Power Conversion Conference - Nagoya, PCC '07, pp. 1139 - 1146 , 2-5 April 2007.
- [104] Bosquets Monge. S, Bordonau. J., Rocabert. J, *A virtual vector pulse width modulation for a four level diode clamped DC-AC converter*, Power Electronics, IEEE Transaction, Vol.23, pp.1964 -1972, July 2008.

- [105] Camelia Petrescu, and Lavinia Ferariu, *Modeling of Dielectric Heating in Radio-Frequency Applicator Optimized for Uniform Temperature by Means of Genetic Algorithms*, World Academy of Science, Engineering and Technology, Vol.47, pp. 129-134, 2008.
- [106] Carrillo, E. . *Optimization of Electromagnetic Coupling in Induction Heating Systems Excited by Solenoidal and Axial Windings*, International Journal of Applied Electromagnetics and Mechanics, Vol. 28(3), pp. 395-412, 2008.
- [107] A.Iqbal, *Analysis of space vector pulse width modulation for a five phase voltage source inverter*, IE (I)journal-EL, Vol.89, Issue 3, pp.8-15, Sep. 2008.
- [108] Mazidi M. A., Mazidi J. G. and Mckinaly R. D., *The 8051 microcontroller & embedded systems*, Person education, India, 2008.
- [109] Nabil A. Ahmed, *Three phase high frequency AC conversion circuit with dual mode PWM/PDM control strategy for high power IH application*, Proceedings of world academy of science, Engineering & Technology, Vol.35, Nov. 2008.
- [110] Wang Youhua, Wang Junhna, Li Jiangui, Li Haohuna, *Analysis of Induction Heating Eddy Current Distribution Based On 3D FEM*, IEEE region 8 Sibircon, 2008.
- [111] Wenxi Yao, Haibung Hu, Zhengyu Lu, *Comparison of space vector modulation and carrier based modulation of multilevel inverter*, IEEE Transaction, Power Electronics, Vol.23, pp.4551, Jan. 2008.
- [112] Wikipedia contributors, *Joule's laws*, pp.1, 2008.
- [113] R.Arumaozhiyal and K.Baskaran, *Space vector pulse width modulation based speed control of induction motor using fuzzy PI controller*, International Journal of Computer and Electrical Engineering, Vol.1, No.1, pp. 1793-8198, April 2009.
- [114] Chudjuarjeen S., Sangswang A., and Koompai C., *LLC Resonant Inverter for Induction Heating with Asymmetrical Voltage Cancellation Control, Circuit and Systems*, ISCAS 2009, IEEE International Symposium, pp. 2874-2877, 2009.
- [115] Alya K. J. and Grade D. V., *The 8051 microcontroller & embedded systems using assembly and C*, Cengage learning, India, 2010.
- [116] Namadmalan A. R., Abdi B., and Moghani J. S., *Current Fed Parallel Resonant Push Pull Inverter with Coil Flux control for Induction Heating Application*, 1ST Power Electronic & Drive Systems & Technologies conference, pp. 186-190, 2010.
- [117] Ahmed N.A, *High-Frequency Soft-Switching AC Conversion Circuit With Dual-Mode PWM/PDM Control Strategy for High-Power IH Applications*, Industrial Electronics, IEEE Transactions, Vol.58, Issue:4, pp. 1440-1448, March 2011.
- [118] Youhua Wang, Junhua Wang, Lingling Pang, S. L. Ho, and W. N. Fun, *An advanced double-layer combined windings transverse flux system for thin strip induction heating*, Journal of Applied Physics, Vol. 109, Issue 7, April 2011.