



TABLE OF CONTENTS

Engineering the central carbon metabolism of <i>Escherichia coli</i> to enhance organic acid secretion.		
Chapters	Titles	Page no.
Chapter 1	Review of Literature and Introduction	
1.1	Metabolic Engineering	1
1.1.1	Concepts Of Metabolic Engineering	2
1.1.2	Strategies of Metabolic Engineering	3
1.1.3	Metabolic engineering in the -Omics era	6
1.1.4	Tools of Metabolic engineering.	6
1.1.4.1	Metabolic flux analysis	6
1.1.4.2	Genetic engineering tools	8
1.1.4.2.1	Vectors and Promoters for high level gene expression	8
1.1.4.2.2	Gene disruption and mutation strategy	11
1.1.4.2.3	Antisense RNA in metabolic engineering	12
1.1.4.2.4	Selection For Model Organisms	13
1.2	Central carbon metabolism with Glucose as a carbon source in <i>E. coli</i>.	14
1.2.1	Glucose transport mechanisms in <i>E. coli</i>	14
1.2.2	Characteristics of PTS that affect productivity	15
1.2.3	Glucose catabolism in <i>E. coli</i> .	16
1.2.4	<i>E. coli</i> metabolism on other carbon sources	17
1.2.4.1	Fructose catabolism.	19
1.2.4.2	Glycerol catabolism	19
1.2.4.3	Xylose metabolism	19
1.2.4.4	Acetate metabolism	21
1.2.4.5	Why <i>E. coli</i> excrete acetate ?	21
1.3	Transcriptional Regulation in <i>E. coli</i>	25
1.3.1	Genetic regulation sugar metabolism in <i>E. coli</i>	27
1.3.2	Regulation of central carbon metabolism	30

Chapters	Titles	Page no.
1.4	Metabolic Engineering of central carbon metabolism in <i>E. coli</i> for enhanced succinate production	33
1.4.1	Aerobic Succinate Production	33
1.4.2	Anaerobic Succinate Production	35
1.5	Importance of PEP-Pyruvate-OAA branch point in the cellular metabolism	41
1.5.1	PEP-Pyruvate-OAA node in <i>Bacillus subtilis</i> and <i>Corynebacterium glutamicum</i>	46
1.5.2	PEP-Pyruvate-OAA node in <i>E. coli</i>	48
1.5.3	Genetic manipulations at the anaplerotic node in <i>E. coli</i> , <i>B. subtilis</i> and <i>C. glutamicum</i>	50
1.5.4	Influence of PEP-pyruvate-OAA node on other branch points in the cellular metabolism.	52
1.6	Rationale	52
1.6.1	Objectives for the present study.	53
Chapter 2	Materials and Method	
2.1	Bacterial strains and plasmids	56
2.1.1	Construction of pVSppc and its functional validation.	64
2.2	Media and Culture conditions	65
2.2.1	Koser's Citrate medium	65
2.2.2	M9 minimal medium	66
2.2.3	Tris buffered medium	66
2.3	Molecular biology tools and techniques	67
2.3.1	Isolation of plasmid and genomic DNA	67
2.3.2	Transformation of plasmid DNA in <i>E. coli</i>	67
2.3.3	Agarose gel electrophoresis	67
2.3.4	Restriction enzyme digestion analysis	67
2.3.5	Gel elution and purification	68
2.3.6	Ligation	68

Chapters	Titles	Page no.
2.3.7	Polymerase Chain Reaction (PCR)	69
2.4	Mutant Complementation Phenotype	70
2.5	Physiological experiments	70
2.5.1	Inoculum preparation	70
2.5.2	Growth characteristics and pH profile	70
2.5.3	Analytical techniques	71
2.6	Enzyme assays	73
2.6.1	Preparation of cells and cell free extracts	73
2.6.2	Enzyme Assay Protocols	74
2.6.2.1	PPC assay	74
2.6.2.2	G-6-PDH assay	74
2.6.2.3	ICL assay	75
2.6.2.4	ICDH assay	75
2.6.2.5	CS assay	75
2.7	Enzymatic estimation of Intracellular and extracellular citric acid	76
Chapter 3	Effect of conditional expression of antisense isocitrate dehydrogenase (<i>P_{fruB}-as-icd</i>) gene on organic acid secretion in <i>E. coli</i> DH5α on Tris minimal media.	
3.1	Introduction	79
3.1.1	Conditional expression systems regulating Antisense RNA expression	79
3.1.2	Isocitrate dehydrogenase a target for citrate accumulation	81
3.1.3	<i>fruBKA</i> operon and CRA regulation	82
3.1.4	Transport mechanisms for citrate	83
3.1.5	Rationale for present work	85
3.2	Work Plan	86
3.2.1	Bacterial strains used for the study	86
3.2.2	PCR primer design for construction of <i>P_{fruB} as-icd</i> chimera	86

Chapters	Titles	Page no.
3.2.3	Construction of pVS2k3 carrying P_{fruB} as- <i>icd</i>	87
3.2.3	Construction of pVSD1 vector carrying citrate transporter	87
3.2.4	Developing <i>E. coli</i> DH5 α carrying P_{fruB} as- <i>icd</i> and citrate transporter	89
3.2.5	Monitoring the effect of pVS2k3 on the metabolism of <i>E. coli</i> DH5 α	89
3.3	Results	89
3.3.1	Developing <i>E. coli</i> DH5 α expressing both pVS2k3 and pVSD1	89
3.3.2	Effect of P_{fruB} as- <i>icd</i> expression in <i>E. coli</i> DH5 α in presence of citrate transporter on 100mM Tris minimal media with various carbon sources.	90
3.3.3	Effect on ICDH activity on various carbon sources.	92
3.3.4	Effect of P_{fruB} as- <i>icd</i> expression in <i>E. coli</i> DH5 α in presence of citrate transporter on the organic acid secretion.	92
3.4	Discussion	95
Chapter 4	Effect of conditional expression of antisense isocitrate dehydrogenase (P_{fruB}-as<i>icd</i>) gene on organic acid secretion in <i>E. coli</i> DH5α on high glucose.	
4.1	Rationale of the work	96
4.2	Work plan	96
4.2.1	Bacterial strains used for the present study	96
4.2.2	Growth parameters addressing <i>E. coli</i> DH5 α expressing P_{fruB} as- <i>icd</i> .	96
4.3	Results	97
4.3.1	Effect of pVS2k3 expression on the growth and ICDH activity of <i>E. coli</i> DH5 α both in the presence and absence of citrate transporter.	97
4.3.2	Effect of <i>E. coli</i> DH5 α pVS2k3 on organic acid secretion.	99
4.4	Discussion	99

Chapters	Titles	Page no.
Chapter 5	Effect of conditional expression of antisense isocitrate dehydrogenase (<i>P_{fruB}-asica</i>) gene on organic acid secretion in <i>E. coli</i> DH5α.	
5.1	Rationale of the work	101
5.2	Work Plan	101
5.2.1	Bacterial strains used for the present study	101
5.2.2	Growth and physiological parameters addressed for <i>E. coli</i> DH5 α transformants.	101
5.3	Results	102
5.3.1	Effect of <i>E. coli</i> DH5 α pVS2k3 in M9 minimal medium with 50mM glucose	102
5.3.2	Effect of <i>icd</i> gene downregulation on ICDH and other enzymes of the central metabolic pathway	103
5.3.3	Effect of <i>icd</i> gene down regulation on organic acid accumulation and secretion.	103
5.3.4	Effect of <i>E. coli</i> DH5 α pVS2k3 in M9 minimal medium with 100mM glycerol.	106
5.3.5	Effect of <i>E. coli</i> DH5 α pVS2k3 on the ICDH, citrate synthase and glucose-6-phosphate dehydrogenase activity on M9 minimal medium with 100mM glycerol.	107
5.3.6	Effect of <i>E. coli</i> DH5 α pVS2k3 on organic acid secretion in M9 minimal medium with 100mM glycerol.	108
5.4	Discussion	111
Chapter 6	Effect of conditional expression of antisense isocitrate dehydrogenase (<i>P_{fruB}-asica</i>) gene on organic acid secretion in <i>E. coli</i> BL21 (λDE3).	
6.1	Introduction	115
6.1.1	Acetate utilization in <i>E. coli</i>	115
6.1.2	Metabolic differences between <i>E. coli</i> K and <i>E. coli</i> B strains	116
6.1.3	Rationale for the present study	119

Chapters	Titles	Page no.
6.2	Work Plan	119
6.2.1	Bacterial strains and plasmids used	119
6.2.2	Incorporation of pVS2k3 in <i>E. coli</i> BL21(λ DE3).	
6.2.3	Monitoring growth parameters of <i>E. coli</i> BL21(λ DE3):pVS2k3	120
6.3	Results	120
6.3.1	Effect of pVS2k3 on physiological parameters in <i>E. coli</i> BL21 (λ DE3) on glucose and acetate as carbon source	120
6.3.2	Effect of pVS2k3 on ICDH, CS and G-6-PDH activities.	121
6.3.3	Effect of pVS2k3 on organic secretion	121
6.4	Discussion	124
Chapter 7	Effect of an inducible antisense down regulation of isocitrate dehydrogenase (<i>icd</i>) gene in <i>E. coli</i> BL21 on organic acid secretion.	
7.1	Rationale for the present study	126
7.2	Work Plan	126
7.2.1	Bacterial strains used for the present study	126
7.2.2	Construction of P _{tac} as- <i>icd</i>	127
7.2.3	Developing <i>E. coli</i> BL21 expression P _{tac} as- <i>icd</i> carrying citrate transporter	127
7.2.4	Physiological parameters addressed	127
7.3	Results	128
7.3.1	Construction of P _{tac} as- <i>icd</i>	128
7.3.2	<i>E. coli</i> BL21 expressing P _{tac} as- <i>icd</i> and citrate transporter	128
7.3.3	Effect of pJE6 on the physiological parameters of <i>E. coli</i> BL21	129
7.3.4	Effect of pJE6 on Isocitrate dehydrogenase activity of <i>E. coli</i> BL21	130
7.3.5	Effect of pJE6 on the CS G-6-PDH and ICL activity of <i>E. coli</i> BL21	132
7.3.6	Effect of <i>icd</i> gene down regulation on the organic acid	133

Chapters	Titles	Page no.
	in <i>E. coli</i> BL21	
7.4	Discussion	134
Chapter 8	Effect of overexpression of phosphoenol pyruvate carboxylase (<i>ppc</i>) and citrate transporter in the <i>E. coli</i> MA1935 (<i>icd</i>) mutant on the growth and organic acid secretion.	
8.1	Introduction	136
8.1.1	Effect of <i>ppc</i> overexpression in <i>E. coli</i> and other bacteria	136
8.1.2	Why heterologous <i>ppc</i> gene?	137
8.2	Work Plan	139
8.2.1	Bacterial strains used in the present study	139
8.2.2	Construction of control plasmid vector	139
8.2.3	Developing <i>E. coli</i> BL21(λ DE3) <i>icd</i> mutant overexpressing <i>ppc</i> and citrate transporter.	140
8.2.4	Monitoring growth and physiological parameters of <i>E. coli</i> BL21(λ DE3) <i>icd</i> mutant.	141
8.3	Results	141
8.3.1	Developing <i>E. coli</i> BL21(λ DE3) <i>icd</i> mutant overexpressing <i>ppc</i> and citrate transporter	141
8.3.2	Monitoring the effect of <i>icd</i> gene mutation and overexpression of citrate transporter on the physiological parameters in <i>E. coli</i> MA1935 on M9 minimal media with glucose and glycerol as carbon sources.	141
8.3.3	Monitoring the effect of <i>ppc</i> overexpression on the physiological parameters in <i>E. coli</i> MA1935 carrying citrate transporter.	144
8.3.4	Effect of <i>icd</i> mutation and <i>ppc</i> gene overexpression on the PPC, CS, G-6-PDH and ICL activities in <i>E. coli</i> MA1935.	147
8.3.5	Effect of <i>icd</i> mutation and <i>ppc</i> gene overexpression on the organic acid profile in <i>E. coli</i> MA1935.	149

Chapters	Titles	Page no.
8.4	Discussion	151
Chapter 9	Effect of overexpression of citrate synthase (<i>gltA</i>) and citrate transporter in the <i>E. coli</i> MA1935 (<i>icd</i>) mutant on the growth and organic acid secretion.	
9.1	Introduction	153
9.1.1	Biochemical basis of citric acid accumulation in fungi, yeast and bacteria	153
9.1.2	Genetic manipulations for citric acid overproduction	155
9.1.3	Biochemistry of Citrate Synthase	156
9.1.4	Effects of <i>gltA</i> gene overexpression in <i>E. coli</i> and other microorganisms	156
9.1.5	Rationale of the present study	157
9.2	Work plan	158
9.2.1	Bacterial strains used for the present study	158
9.2.2	Cloning of <i>gltA</i> gene under P_{tac} promoter	158
9.2.3	Functional confirmation of <i>gltA</i> expressed from pJE2 and Incorporating pJE1 and pJE2 into <i>E. coli</i> MA1935 <i>icd</i> mutant expressing citrate transporter.	160
9.2.4	Monitoring on growth and physiological parameters of <i>E. coli</i> MA1935 <i>icd</i> mutant overexpressing <i>gltA</i> gene	160
9.3	Results	160
9.3.1	Construction and functional characterization of <i>gltA</i> gene under P_{tac} promoter	160
9.3.2	Physiological parameters of <i>E. coli</i> MA1935 <i>gltA</i> gene carrying citrate transporter.	161
9.3.3	Effect of <i>gltA</i> gene overexpression on the CS, G-6-PDH and ICL activities in <i>E. coli</i> MA1935.	163
9.3.4	Effect of <i>gltA</i> gene overexpression on the organic acid profile in <i>E. coli</i> MA1935.	165
9.4	Discussion	166

Chapters	Titles	Page no.
Chapter 10	Effect of overexpression of citrate synthase (<i>gltA</i>), phosphoenol pyruvate carboxylase (<i>ppc</i>), citrate transporter in <i>E. coli</i> MA1935 (<i>icd</i>) mutant on the growth and organic acid secretion.	
10.1	Rationale of the present study	169
10.2	Work Plan	169
10.2.1	Bacterial strains used for the present study	169
10.2.2	Incorporation of <i>ppc</i> gene carrying plasmid into <i>E. coli</i> MA1935 containing citrate transporter and <i>gltA</i> carrying plasmids.	170
10.2.3	Monitoring the growth and physiological parameters of <i>E. coli</i> BL21(λ DE3) <i>icd</i> mutant expressing <i>gltA</i> and <i>ppc</i> genes.	170
10.3	Results	170
10.3.1	Monitoring the effect <i>ppc</i> and <i>gltA</i> overexpression on the growth and physiological parameters of <i>E. coli</i> BL21(λ DE3) <i>icd</i> mutant in presence of citrate on glucose and glycerol as carbon source.	170
10.3.2	Effect of <i>ppc</i> and <i>gltA</i> gene overexpression in <i>E. coli</i> BL21(λ DE3) <i>icd</i> mutant in presence of citrate transporter on various enzyme activities and organic acid secretion.	172
10.4	Discussion	175
Chapter 11	Effect of overexpression of citrate synthase (<i>gltA</i>) and citrate transporter genes in the <i>E. coli</i> BL21 <i>P_{tac}-asid</i> on the growth and organic acid secretion.	
11.1	Rationale of the present study	179
11.2	Work Plan	179
11.2.1	Bacterial strains used in the present study	179
11.2.2	Incorporation of gentamycin marker gene into pJE6	180
11.2.3	Incorporation of pJE1, pJE2 and pJE8 in <i>E. coli</i> BL21 carrying citrate transporter.	181
11.2.4	Growth and physiological parameters.	181

Chapters	Titles	Page no.
11.3	Results	181
11.3.1	Construction of pJE8 and developing the <i>E. coli</i> BL21pVSD1 strains expressing both <i>gltA</i> and <i>as-icd</i> .	181
11.3.2	Monitoring the effect of <i>gltA</i> overexpression on growth and other physiological parameters in <i>E. coli</i> BL21pVSD1 both in presence and absence of <i>as-icd</i> .	182
11.3.3	Monitoring the effect of <i>gltA</i> overexpression on ICDH, G-6-PDH and ICL in <i>E. coli</i> BL21pVSD1 both in presence and absence of <i>as-icd</i> .	184
11.3.4	Monitoring the effect of <i>gltA</i> overexpression on organic acid secretion in <i>E. coli</i> BL21pVSD1 both in presence and absence of <i>as-icd</i> .	186
11.4	Discussion	186
Chapter 12	Effect of overexpression of citrate synthase (<i>gltA</i>) and citrate transporter genes in the <i>E. coli</i> DH5α <i>pfruB-asicd</i> on the growth and organic acid secretion.	
12.1	Rationale for the present study	188
12.2	Work Plan	188
12.2.1	Bacterial strains used in the present study	188
12.2.2	Incorporation of gentamycin resistance (<i>aac</i>) gene in pVS2k3 and pTZ57R	189
12.2.3	Incorporation of pJE2 (<i>gltA</i> gene cloned under P _{tac}) and pVS2k3g (P _{fruB-asicd}) in <i>E. coli</i> DH5 α with citrate transporter.	190
12.2.4	Determination of physiological parameters	190
12.3	Results	190
12.3.1	Construction of pVS2k3g and developing <i>E. coli</i> DH5 α overexpressing both <i>gltA</i> and <i>as-icd</i> in presence of citrate transporter.	190
12.3.2	Effect of <i>gltA</i> gene overexpression coupled with down	191

Chapters	Titles	Page no.
	regulation of ICDH on the physiological parameters in <i>E. coli</i> DH5 α with citrate transporter.	
12.3.3	Effect of <i>gltA</i> gene overexpression coupled with down regulation of ICDH on enzyme activities and organic acid secretion in <i>E. coli</i> DH5 α with citrate transporter.	193
12.4	Discussion	195
Chapter 13	Summary and Conclusion	196
Chapter 14	References	206