



## LIST OF FIGURES

Chapters	Title	Page no.
<b>Chapter 1</b>	<b>Review of Literature</b>	
1.1	The cycle of metabolic engineering	3
1.2	The inverse metabolic engineering approach	4
1.3	General strategies of metabolome analysis	8
1.4	Mechanism of Antisense RNA	12
1.5	The PTS and other glucose transport systems in <i>E. coli</i>	15
1.6	Glucose catabolism in <i>E. coli</i>	18
1.7	Carbon metabolism of <i>E. coli</i> on other carbon sources	20
1.8	Xylose uptake mechanisms in <i>E. coli</i>	21
1.9	Acetate activation pathways	22
1.10	An overview of the central metabolic pathways in <i>E. coli</i> on acetate	24
1.11	Overview of the transcriptional network in <i>E. coli</i>	26
1.12	Carbon catabolite repression in <i>E. coli</i>	30
1.13	Biochemical reaction network of central carbon metabolism in <i>E. coli</i>	32
1.14	Improvement in aerobic succinate production with subsequently incorporated genetic mutations in <i>E. coli</i>	34
1.15	Enzymes and pathways implicated in regulation at the PEP-Pyruvate-OAA node of different aerobic bacteria	42
1.16	The PEP-Pyruvate-OAA node in <i>Bacillus subtilis</i> and <i>Corynebacterium glutamicum</i> .	48
1.17	The PEP-Pyruvate-OAA node in aerobic <i>E. coli</i> .	49
1.18	Metabolic basis for designing the genetic modifications in <i>E. coli</i> – Rationale .	55
<b>Chapter 2</b>	<b>Materials and Methods</b>	
2.1	Restriction maps of the plasmids used in this study	64

Chapters	Titles	Page no.
<b>Chapter 3</b>	<b>Effect of conditional expression of antisense isocitrate dehydrogenase (<i>P<sub>fruB</sub>-as-icd</i>) gene on organic acid secretion in <i>E. coli</i> DH5<math>\alpha</math> on Tris minimal media.</b>	
3.1	Mechanism of Tetracycline ( <i>tet</i> ) inducible antisense expression system	80
3.2	A model of transcriptional regulation of gene transcription by Cra	84
3.3	Schematic representation of <i>P<sub>fruB</sub></i> regulating <i>as-icd</i> expression.	85
3.4	Schematic representation - Construction of <i>P<sub>fruB</sub> as-icd</i>	88
3.5	Construction of pVS2k3	90
3.6	<i>E. coli</i> transformant with <i>P<sub>fruB</sub> as-icd</i> and citrate transporter on Koser's citrate agar plate.	90
3.7	Growth characteristics of <i>E. coli</i> DH5 $\alpha$ pVS2k3: pVSD1 on different carbon sources.	94
3.8	Effect <i>P<sub>fruB</sub> as-icd</i> on ICDH activity on various carbon sources	94
<b>Chapter 4</b>	<b>Effect of conditional expression of antisense isocitrate dehydrogenase (<i>P<sub>fruB</sub>-as-icd</i>) gene on organic acid secretion in <i>E. coli</i> DH5<math>\alpha</math> on high glucose.</b>	
4.1	Growth characteristics of <i>E. coli</i> pVS2k3 on M9 minimal medium with 100mM glucose in absence of citrate transporter.	97
4.2	Growth characteristics of <i>E. coli</i> pVS2k3 on M9 minimal medium with 100mM glucose in presence of citrate transporter.	98
4.3	Effect of <i>P<sub>fruB</sub> as-icd</i> on Isocitrate dehydrogenase activity on M9 minimal medium with 100mM glucose	98
<b>Chapter 5</b>	<b>Effect of conditional expression of antisense isocitrate dehydrogenase (<i>P<sub>fruB</sub>-as-icd</i>) gene on organic acid secretion in <i>E. coli</i> DH5<math>\alpha</math>.</b>	
5.1	Growth characteristics of <i>E. coli</i> pVS2k3 on M9 minimal	104

Chapters	Titles	Page no.
	medium with 50mM glucose in presence and absence of citrate transporter.	
5.2	Effect of <i>icd</i> gene downregulation on ICDH activity on M9 minimal media with 50mM glucose.	105
5.3	Effect of <i>icd</i> gene down regulation on citrate synthase and glucose 6-phosphate dehydrogenase activity on M9 minimal media with 50mM glucose.	105
5.4	Growth characteristics of <i>E. coli</i> pVS2k3 on M9 minimal medium with 100mM glycerol in presence and absence of citrate transporter.	109
5.5	Effect of <i>icd</i> gene down regulation on ICDH activity on M9 minimal media with 100mM glycerol.	110
5.6	Effect of <i>icd</i> gene down regulation on citrate synthase and glucose 6-phosphate dehydrogenase activity on M9 minimal media with 100mM glycerol.	110
<b>Chapter 6</b>	<b>Effect of conditional expression of antisense isocitrate dehydrogenase (<i>P<sub>frb</sub>-asid</i>) gene on organic acid secretion in <i>E. coli</i> BL21 (<math>\lambda</math>DE3).</b>	
6.1	Carbon metabolism in <i>E. coli</i> BL21.	118
6.2	Growth and pH profiles of <i>E. coli</i> BL21( $\lambda$ DE3) transformants on M9 minimal media with varying glucose concentrations and 50mM acetate.	122
6.3	Effect of pVS2k3 expression on various key enzymes of the central metabolic pathway.	123
6.4	Organic acid formation in <i>E. coli</i> BL21 ( $\lambda$ DE3) transformants expressing pVS2k3.	124
<b>Chapter 7</b>	<b>Effect of an inducible antisense down regulation of isocitrate dehydrogenase (<i>icd</i>) gene in <i>E. coli</i> BL21 on organic acid secretion.</b>	

Chapters	Titles	Page no.
7.1	PCR and Restriction digestion pattern for pJE4.	129
7.2	PCR and restriction digestion pattern for pJE6.	129
7.3	Growth characteristics of <i>E. coli</i> BL21 pJE6 and <i>E. coli</i> BL21 pJE6:pVSD1 on M9 minimal medium with 100mM glucose.	131
7.4	Effect of <i>as-icd</i> expression under an inducible promoter on the various enzymes of the central metabolic pathway	132
Chapter 8	Effect of overexpression of phosphoenol pyruvate carboxylase ( <i>ppc</i> ) and citrate transporter in the <i>E. coli</i> MA1935 ( <i>icd</i> ) mutant on the growth and organic acid secretion.	
8.1	Schematic representation of construction of vector carrying tetracycline resistance ( <i>Tc<sup>r</sup></i> ) gene (pJE3).	140
8.2	Restriction Digestion pattern for pJE3, pJE3:pVSD1 and pVSppc:pVSD1	142
8.3	<i>E. coli</i> BL21 ( $\lambda$ DE3) and <i>E. coli</i> MA1935 in presence and absence of citrate transporter.	142
8.4	<i>E. coli</i> MA1935 <i>icd</i> mutant showing glutamate auxotrophy.	143
8.5	Growth characteristics of <i>E. coli</i> MA1935 on M9 minimal medium with 50 mM glucose.	145
8.6	Growth characteristics of <i>E. coli</i> MA1935 on M9 minimal medium with 50 mM glucose and 100mM glycerol.	145
8.7	Growth characteristics of <i>E. coli</i> MA1935 overexpressing <i>ppc</i> on M9 minimal medium with 50 mM glucose.	146
8.8	Growth characteristics of <i>E. coli</i> MA1935 overexpressing <i>ppc</i> on M9 minimal medium with 100mM glycerol.	146
8.9	Effect of <i>icd</i> gene mutation in <i>E. coli</i> BL21( $\lambda$ DE3) on enzyme activities in presence and absence of citrate transporter on M9 minimal medium with 50 mM glucose.	147
8.10	Effect of <i>icd</i> gene mutation in <i>E. coli</i> BL21( $\lambda$ DE3) on enzyme	148

Chapters	Titles	Page no.
	activities in presence and absence of citrate transporter on M9 minimal medium with 100 mM glycerol.	
8.11	Effect of <i>ppc</i> overexpression in <i>E. coli</i> BL21( $\lambda$ DE3) <i>icd</i> mutant on enzyme activities in presence and absence of citrate transporter on M9 minimal medium with 50 mM glucose.	148
8.12	Effect of <i>ppc</i> overexpression in <i>E. coli</i> BL21( $\lambda$ DE3) <i>icd</i> mutant on enzyme activities in presence and absence of citrate transporter on M9 minimal medium with 100 mM glycerol.	149
<b>Chapter 9</b>	<b>Effect of overexpression of citrate synthase (<i>gltA</i>) and citrate transporter in the <i>E. coli</i> MA1935 (<i>icd</i>) mutant on the growth and organic acid secretion.</b>	
9.1	Schematic representation of construction of vector carrying <i>E. coli</i> <i>gltA</i> gene under <i>tac</i> promoter.	159
9.2	Restriction digestion pattern of pJE1 and pJE2.	161
9.3	Complementation of <i>E. coli</i> W620 mutant phenotype by pJE2 plasmids	161
9.4	Growth characteristics of <i>E. coli</i> MA1935 <i>gltA</i> gene on M9 minimal medium with 50 mM glucose and 100mM glycerol.	163
9.5	Effect <i>gltA</i> overexpression in <i>E. coli</i> BL21( $\lambda$ DE3) <i>icd</i> mutant on enzyme activities in presence and absence of citrate transporter on M9 minimal medium with 50 mM glucose and 100mM glycerol.	164
<b>Chapter 10</b>	<b>Effect of overexpression of citrate synthase (<i>gltA</i>), phosphoenol pyruvate carboxylase (<i>ppc</i>), citrate transporter in <i>E. coli</i> MA1935 (<i>icd</i>) mutant on the growth and organic acid secretion.</b>	
10.1	Growth characteristics of <i>E. coli</i> MA1935 overexpressing <i>ppc</i> and <i>gltA</i> genes on M9 minimal medium with 50 mM glucose and 100mM glycerol.	172



Chapters	Titles	Page no.
10.2	Effect of <i>ppc</i> and <i>gltA</i> overexpression in <i>E. coli</i> BL21( $\lambda$ DE3) <i>icd</i> mutant on enzyme activities in presence and absence of citrate.	173
	transporter on M9 minimal medium with 50 mM glucose and 100mM glycerol	
10.3	Summarized effects of <i>gltA</i> and <i>ppc</i> overexpresssion on glucose catabolism in <i>E. coli</i> MA1935 <i>icd</i> mutant.	178
<b>Chapter 11</b>	<b>Effect of overexpression of citrate synthase (<i>gltA</i>) and citrate transporter genes in the <i>E. coli</i> BL21 <i>P<sub>tac</sub>-asid</i> on the growth and organic acid secretion.</b>	
11.1	Schematic representation for construction of pJE7 and pJE6.	180
11.2	Restriction digestion pattern for pJE7 and pJE8.	182
11.3	Effect of <i>gltA</i> overexpression coupled with ICDH downregulation in <i>E. coli</i> BL21 on growth and acidification	184
11.4	Effect of <i>gltA</i> overexpression on enzyme activities in <i>E. coli</i> BL21 pVSD1 on M9 minimal medium with 50 mM glucose.	185
11.5	Effect of <i>gltA</i> overexpression and ICDH down regulation on enzyme activities in <i>E. coli</i> BL21 pVSD1 on M9 minimal medium with 50 mM glucose	185
<b>Chapter 12</b>	<b>Effect of overexpression of citrate synthase (<i>gltA</i>) and citrate transporter genes in the <i>E. coli</i> DH5<math>\alpha</math> <i>pfruB-asid</i> on the growth and organic acid secretion.</b>	
12.1	Schematic representation for construction of pTZ57Rg and pVS2k3g.	189
12.2	Restriction digestion map of pTZ57Rg and pVS2k3g.	191
12.3	Effect of <i>gltA</i> overexpression coupled with ICDH down regulation in <i>E. coli</i> DH5 $\alpha$ on growth and acidification.	192
12.4	Effect of <i>gltA</i> overexpression on enzyme activities in <i>E. coli</i> DH5 $\alpha$ pVSD1 on M9 minimal medium with 50 mM glucose.	194
12.5	Effect of <i>gltA</i> overexpression and ICDH down regulation on enzyme activities in <i>E. coli</i> DH5 $\alpha$ pVSD1 on M9 minimal medium with 50 mM glucose.	194

## LIST OF TABLES

Chapters	Title	Page no.
<b>Chapter 1</b>	<b>Review of Literature and Introduction</b>	
1.1	Strategies of metabolic engineering and typical aim of the work	5
1.2	Promoters used for high level Protein Expression	10
1.3	Aerobic succinate yield and productivity as a result of various subsequently introduced genetic modifications	35
1.4	Fermentation products of <i>E. coli</i> overexpressing <i>pyc</i> gene of <i>Rhizobium etli</i>	37
1.5	Alterations in organic acid production upon <i>pyc</i> overexpression in <i>E. coli pfl</i> , <i>ldh</i> and <i>ptsG</i> triple mutant	38
1.6	Examples of metabolic engineering of <i>E. coli</i> producing novel products or improving product yield through strain improvement.	40
1.7	Comparison of succinate production by microbial biocatalysts	45
1.8	Distribution of enzymes acting at PEP-pyruvate-OAA node in different bacteria	47
<b>Chapter 2</b>	<b>Materials and Methods</b>	
2.1	List of <i>E. coli</i> strains used in the present study	59
2.2	List of plasmids used in the present study.	60
2.3	Recommended doses of antibiotics used in this study	66
2.4	PCR conditions used in the present study.	69
<b>Chapter 3</b>	<b>Effect of conditional expression of antisense isocitrate dehydrogenase (<math>P_{fubA}</math>-<i>asica</i>) gene on organic acid secretion in <i>E. coli</i> DH5<math>\alpha</math> on Tris minimal media.</b>	
3.1	Cra protein transcriptional regulation of genes encoding enzymes of carbon and energy metabolism in enteric bacteria	83
3.1	List of bacterial strains used in the present study.	86
3.2	Effect of <i>E. coli</i> DH5 $\alpha$ pVS2k3: pVSD1 on growth and ICDH	91

Chapters	Title	Page no.
	activity on various carbon sources.	
<b>Chapter 4</b>	<b>Effect of conditional expression of antisense isocitrate dehydrogenase (<i>P<sub>fruB</sub>-as-icd</i>) gene on organic acid secretion in <i>E. coli</i> DH5α on high glucose.</b>	
4.1	List of the bacterial strains used for the present study.	96
4.2	Acetate secretion in <i>E. coli</i> DH5α expressing <i>P<sub>fruB</sub> as-icd</i> , on M9 minimal medium with 100mM glucose.	99
<b>Chapter 5</b>	<b>Effect of conditional expression of antisense isocitrate dehydrogenase (<i>P<sub>fruB</sub>-as-icd</i>) gene on organic acid secretion in <i>E. coli</i> DH5α.</b>	
5.1	List of the bacterial strains used for the present study.	101
5.2	Physiological parameters demonstrating the effect of <i>P<sub>fruB</sub>-as-icd</i> expression in <i>E. coli</i> DH5α.	102
5.3	Organic acid production of <i>E. coli</i> DH5α expressing <i>as-icd</i> under <i>P<sub>fruB</sub></i> promoter.	106
5.4	Physiological parameters of <i>E. coli</i> DH5α pVS2k3 on M9 minimal media with glycerol (100mM) as carbon source.	107
5.5	Organic acid production of <i>E. coli</i> DH5α expressing <i>as-icd</i> under <i>P<sub>fruB</sub></i> promoter.	108
5.6	Characteristic differences between an <i>E. coli icd</i> mutant and <i>E. coli</i> expressing <i>as-icd</i> gene under <i>fruB</i> promoter	112
<b>Chapter 6</b>	<b>Effect of conditional expression of antisense isocitrate dehydrogenase (<i>P<sub>fruB</sub>-as-icd</i>) gene on organic acid secretion in <i>E. coli</i> BL21 (λDE3).</b>	
6.1	Metabolic differences between <i>E. coli</i> K and <i>E. coli</i> B strain on high	117
6.2	List of bacterial strains used for the present study.	119
6.3	Effect of pVS2k3 expression on the growth rate of <i>E. coli</i> BL21(λDE3) on glucose and acetate.	120



Chapters	Title	Page no.
6.4	Organic acid formation in <i>E. coli</i> BL21 ( $\lambda$ DE3) transformants. expressing pVS2k3	121
<b>Chapter 7</b>	<b>Effect of an inducible antisense down regulation of isocitrate dehydrogenase (<i>icd</i>) gene in <i>E. coli</i> BL21 on organic acid secretion.</b>	
7.1	List of the <i>E. coli</i> strains used for the present study	126
7.2	Physiological parameters demonstrating the effect of $P_{tac}$ - <i>asid</i> expression in <i>E. coli</i> BL21.	130
7.3	Growth characteristics of <i>E. coli</i> BL21 pJE6 and <i>E. coli</i> BL21 pJE6:pVSD1 on M9 minimal medium with 100mM glucose.	133
<b>Chapter 8</b>	<b>Effect of overexpression of phosphoenol pyruvate carboxylase (<i>ppc</i>) and citrate transporter in the <i>E. coli</i> MA1935 (<i>icd</i>) mutant on the growth and organic acid secretion.</b>	
8.1	<i>E. coli</i> strains used for the present study	139
8.2	Physiological variables and metabolic data from <i>E. coli</i> MA1935 <i>ppc</i> transformant grown on M9 minimal medium.	143
8.3	Physiological variables and metabolic data from <i>E. coli</i> MA1935 <i>ppc</i> transformant grown on M9 minimal medium with glycerol as carbon source.	144
8.4	Intracellular citrate accumulation in <i>E. coli</i> MA1935 expressing <i>ppc</i> gene under $P_{tac}$ promoter.	150
8.5	Intracellular citrate accumulation in <i>E. coli</i> MA1935 expressing <i>ppc</i> gene under $P_{tac}$ promoter	150
<b>Chapter 9</b>	<b>Effect of overexpression of citrate synthase (<i>gltA</i>) and citrate transporter in the <i>E. coli</i> MA1935 (<i>icd</i>) mutant on the growth and organic acid secretion.</b>	
9.1	Environmental parameters influencing citric acid accumulation by <i>A. niger</i> .	154

Chapters	Title	Page no.
9.2	<i>E. coli</i> strains used for the present study	158
9.3	Physiological variables and metabolic data from <i>E. coli</i> MA1935 <i>gltA</i> transformant grown on M9 minimal medium with 50 mM glucose.	162
9.4	Physiological variables and metabolic data from <i>E. coli</i> MA1935 <i>gltA</i> transformants grown on M9 minimal medium with glycerol as carbon source.	162
9.5	Intracellular citrate accumulation in <i>E. coli</i> MA1935 expressing <i>gltA</i> gene under $P_{tac}$ promoter.	165
9.6	Acetate secretion in <i>E. coli</i> MA1935 overexpressing <i>gltA</i> gene under $P_{tac}$ promoter on glucose and glycerol.	166
Chapter 10	Effect of overexpression of citrate synthase ( <i>gltA</i> ), phosphoenol pyruvate carboxylase ( <i>ppc</i> ), citrate transporter in <i>E. coli</i> MA1935 ( <i>icd</i> ) mutant on the growth and organic acid secretion.	
10.1	<i>E. coli</i> strains used for the present study.	169
10.2	Physiological variables and metabolic data from <i>E. coli</i> MA1935:pVSD1 overexpressing <i>gltA</i> and <i>ppc</i> gene grown on M9 minimal medium.	171
10.3	Physiological variables and metabolic data from <i>E. coli</i> MA1935:pVSD1 overexpressing <i>gltA</i> and <i>ppc</i> gene grown on M9 minimal medium with glycerol as carbon source.	171
10.4	Citrate accumulation in <i>E. coli</i> MA1935 expressing <i>gltA</i> gene and <i>ppc</i> under $P_{tac}$ promoter on glucose and glycerol.	174
10.5	Acetate secretion in <i>E. coli</i> MA1935 expressing <i>gltA</i> gene and <i>ppc</i> under $P_{tac}$ promoter on glucose and glycerol.	174
10.6	Effect of <i>ppc</i> , <i>gltA</i> gene overexpression in <i>E. coli</i> MA1935 <i>icd</i> mutant on glucose	176

Chapters	Title	Page no.
<b>Chapter 11</b>	<b>Effect of overexpression of citrate synthase (<i>gltA</i>) and citrate transporter genes in the <i>E. coli</i> BL21 <i>P<sub>tac</sub>-ascd</i> on the growth and organic acid secretion.</b>	
11.1	List of bacteria strains used in the study.	179
11.2	Physiological parameters demonstrating the effect of <i>P<sub>tac</sub>-ascd</i> expression and <i>gltA</i> overexpression in <i>E. coli</i> BL21 on M9 minimal medium with 100mM glucose.	183
11.3	Organic acid production of <i>E. coli</i> BL21 expressing both <i>as-icd</i> and <i>gltA</i> gene under <i>P<sub>tac</sub></i> promoter.	186
<b>Chapter 12</b>	<b>Effect of overexpression of citrate synthase (<i>gltA</i>) and citrate transporter genes in the <i>E. coli</i> DH5<math>\alpha</math> <i>pfruB-ascd</i> on the growth and organic acid secretion.</b>	
12.1	List of bacteria strains used in the study.	188
12.2	Physiological parameters demonstrating the effect of <i>P<sub>fruB</sub>-ascd</i> expression and <i>gltA</i> overexpression in <i>E. coli</i> DH5 $\alpha$ on M9 minimal medium with 50mM glucose.	191
12.3	Organic acid production of <i>E. coli</i> DH5 $\alpha$ expressing both <i>as-icd</i> and <i>gltA</i> gene under <i>P<sub>fruB</sub></i> promoter.	193
<b>Chapter 13</b>	<b>Summary</b>	
13.1	Physiological and metabolic differences between <i>E. coli</i> DH5 $\alpha$ and <i>E. coli</i> BL21 on glucose.	196
13.2	Effect of decrease in ICDH activity using <i>P<sub>fruB</sub> as-icd</i> (pVS2k3) and <i>P<sub>tac</sub> as-icd</i> (pJE6) in <i>E. coli</i> DH5 $\alpha$ and <i>E. coli</i> BL21.	197
13.3	Effect of decrease in ICDH activity using <i>P<sub>fruB</sub> as-icd</i> (pVS2k3) and <i>P<sub>tac</sub> as-icd</i> (pJE6) in <i>E. coli</i> DH5 $\alpha$ and <i>E. coli</i> BL21 in presence of citrate transporter.	198
13.4	Effect to <i>icd</i> mutation and <i>P<sub>tac</sub> as-icd</i> (pJE6) in <i>E. coli</i> BL21 on glucose.	199
13.5	Effect of <i>ppc</i> and <i>gltA</i> gene overexpression in <i>E. coli</i> MA1935	200

Chapters	Titles	Page no.
	<i>icd</i> mutant on glucose.	
13.6	Effect of <i>gltA</i> overexpression in <i>E. coli</i> DH5 $\alpha$ and <i>E. coli</i> BL21 on glucose.	201
13.7	Effect of <i>gltA</i> overexpression and decreased ICDH activity in <i>E. coli</i> DH5 $\alpha$ pVS2k3 on glucose.	202
13.8	Effect of <i>gltA</i> overexpression and as- <i>icd</i> in <i>E. coli</i> BL21 on glucose.	203
13.9	Effect of <i>gltA</i> overexpression and as- <i>icd</i> in <i>E. coli</i> DH5 $\alpha$ and <i>E. coli</i> BL21 on glucose.	204
13.10	Physiological and metabolic differences between <i>E. coli</i> DH5 $\alpha$ and <i>E. coli</i> BL21 on glucose.	204
13.11	Effect to <i>ppc</i> and <i>gltA</i> gene overexpression in <i>E. coli</i> MA1935 <i>icd</i> mutant on glycerol.	205