

BIBLIOGRAPHY

1. A A C C (1962). Approved Methods Committee. Approved Methods of American Association of Cereal Chemists. 8th ed., American Association of Cereal Chemist, St.Paul Minnesota.
2. Abhyankar VS and Naravana N (1942). A preliminary note on the preparation of syrup from Mahuda flowers. Poona Agriculture College Magazine 33 : 168 - 172.
3. Achaya KT (1973). Paper presented in the Seminar on "Nutritious Foods", National Institute of Nutrition, Hyderabad. In : Menon KK6 (1977). Prospects of animal feeding in India. Every man's Science, XII(4) : 108- 120.
4. Action HW (1922). India Med. Gaz. 57 : 241. In : Swaminathan M (1974). Essentials of food and Nutrition Volume I - Fundamental aspects. Ganesh and Company, Madras - 17, India.
5. Anderson JG (1957). Effects of alfalfa saponin on the performance of chicks and laying hens. Poultry Science 36 : 873 - 875.
6. A O A C (1975). Association of Official Agricultural Chemists. Official methods of analysis. 12th ed.. Washington, USA.
7. Arora KL, Kohen BJ and Beaudoin AR (1979). Fetal and placental responses to artificially induced hyperthermia in rats. Teratology 19 : 251.
8. A S T A (1969). American Spice Trade Association. Method No.8 Inc. Englewood Cliffs, N.J. 07632, 30 - 33.
9. Bailey AE (1948). Cotton Seed and cotton products : their chemistry and chemical technology, Wiley (inter science), New,ork.
10. Bailey KV (1965). J. Trop. Pediat. 11 : 35. In : Hanafy NM, Morsey MRA, Seddiek Y, Habib YA and Lozy M E L (1972). Envir. Child Health, September, 187 - 191.
11. Basu N and Rastogi RP (1967). Triterpenoid saponins and saponinins. Phytochem. 6 : 1249 - 1270.
12. Beek F, Livod JB and Griffiths A (1967). Lysosomal enzyme inhibition by trypan blue : A theory of teratogenesis. Science 157 : 1180.

13. Balavady and Balasubramanian (1959). Indian J. Agric. Sci. 29 : 151. In : Wealth of India (1962). Raw materials, Volume VI, CSIR, New Delhi Page 207 - 215.
14. Benirschke K (1975). placental causes of Maldevelopment. Teratology - trends and applications. Berry CL and Posmillo DE, eds, Springer Verlag, Newyork, Page 148.
15. Bender AE (1979). Food processing and nutrition, Academic Press, London.
16. Bhagat D (1990). Glimpses of Central India. Illustrated Weekly of India 144 : 16.
17. Bhargava PN and Singh RP (1958). Studies on Mahuda sterol from Bassia latifolia. J. Ind. Chem. Soc. 35 : 753 - 754.
18. Bhatia BD, Banerjee D, Agarwal DK and Agarwal KN (1983). Fetal growth : Importance of maternal body size and dietary intakes during third trimester. Indian J. Pediat. 50 : 1 - 8.
19. Birk Y (1969). In Toxic Constituents of Plant Feed stuffs. Liener ed., Food Science and Technology, Monograph; Academic Press, Newyork.
20. Blackburn WR, Kaplan HS and McKay DG (1965). Morphological changes in the developing rat placenta following prednisolone administration. Am. J. Obstet. Gynecol. 95 : 234.
21. Bourdoux P, Mafuta M, Hanson A and Ermans AM (1980). Cassava toxicity : the role of Linamarin. In : Ermans AM, Mbulamoka NM, Delange F and Ahluwalia R (1980a). Role of Cassava in the etiology of endemic goiter and Cretinism. IDRC, Ottawa, Canada, IDRC - 1352, 15 - 27.
22. Brent RL, Johnson AJ, and Jenson H (1971). The production of congenital malformations using tissue antisera. VII Yolk Sac antiserum. Teratology 4 : 255.
23. Bressani R, Elias LG, Huezo MT and Braham JE (1977). Protein digestibility of common beans in adult human subjects. In : Bressani R (1983). Effects of chemical changes during storage and processing on the nutritional quality of common beans. Food and Nutrition Bulletin 5 (1) : 23 - 24.
24. Bressani R and Elias LG (1979). The nutritional role of polyphenols in beans. In : polyphenols in cereals and legumes, J. H. Hulise (ED), IDRC - 1452, IDRC, Ottawa, Canada.

25. Bressani R, Elias LG and Prshaw JE (1981). Reduction of digestibility of legume proteins by tannins. In : workshop on physiological effects of legums in the human diet, XII International Congress on Nutrition, Sandiego, California, USA.
26. Bressani R (1982). Effect of Chemical changes during storage and processing on the nutritional quality of common beans. Food and Nutrition Bulletin 5 (1) : 23 - 24.
27. Butte NF, Garza C, Stuff JE, Smith EDB and Nichols BL (1984). Effect of maternal diet and body composition on lactational performance. The Ame. J. of cli. Nutr. 39 : 296 - 306.
28. Cauch IR (1967). British Poultry Science, 8 : 243. In : Menon KK (1977). Prospects of animal feeding in India. Every man s Science, XII (4) : 108 - 120.
29. Census of India (1961). Scheduled tribes in Maharashtra, Delhi, 1972. Part V-B, 18, 33, 50, 65, 79 - 79, 82, 102, 111.
30. Chandra K and Joshi BN (1953). Studies on subsidiary feeds. Digestibility and nutritive value of Mahuda flowers (Bassia latifolia). Proc. 48th Indian Sc. Congr. Part III : 251.
31. Chatterji NS (1944). Industrial utilization of mahua. J. Sci. Industr. Res. 3 : 265 - 267.
32. Chawla MS (1974). Proceedings of the seminar on 'sal seed (Shorea robusta)' Oil Technological Association of India, Central zone, no. 1969 : 56 - 57.
33. Chi-Yuan-Chou (1983). Studies on the use of Soyabean food in infant feeding in China and the development of formula 5410. Food and Nutrition Bulletin 5 (1) : 43 - 52.
34. Chopra RN, Badhwar RL and Ghosh S (1949). Poisonous plants of India, Manager of publications, New Delhi.
35. Church AH (1936). Nutri.32 : 243. In : Flower GJ, Behram JD, Bhat ER and Hassan HK (1920). Studies in the biochemistry of Mahuda flowers. J. Indian Inst. Sci. 3 : 91 - 84.
36. Couch JR, Chang WY and Lyman CH (1955). The effect of free gossypol on chick growth. Poultry Science 34 : 179 - 193.

37. Cooney WT, Butts JB and Bacon LE (1948). Alfalfa meal in chick rations. *Poultry Sci.* 27 : 828 - 839.
38. Cowley JJ and Griesel RD (1965). The effect on growth and behaviour of rehabilitating first and second generation low protein rats. *Anim. Behav.* 14 : 506 - 517.
39. Coxworth ECM, Bell JM and Ashford R (1969). Preliminary evaluation of Russian thistle, kochia and garden atriplex as potential high protein content seed crops for semi - arid areas. *Can. J. Plant Sci.* 49 : 427 - 434.
40. Coxworth ECM and Salmon RE (1972). Kochia seed as a component of the diet of turkey poult: Effects of different methods of saponin removal or inactivation. *Can J. Anim. Sci.* 52 : 721 - 729.
41. Culling CFA (1963). A handbook of histopathological techniques. Butter worth, London.
42. Das (1950). *Tanner* 4 (9) : 12. In : *Wealth of India* (1966). Raw materials, council of Scientific and Industrial Research, New Delhi, Volume VII : N - Fe.
43. Davies J and Glasser SR (1969). *Acta Anat.* 39 : 542. In : Singh S and Padmanabhan R (1960). Placental changes in chlorpromazine induced teratogenesis in rats - A histochemical study. *Ind. J. of Expt. Bio.* 18 : 341 - 350.
44. Delange F, Iteke FB and Erman S (1982). A monograph report on : Nutritional factors involved in the goitrogenic action. Ottawa, Ont., IDRC, Chapter 5, Cassava products : HCN content and detoxification processes, 51 - 58, Canada.
45. Delgado H, Lechtig C, Yarbrough R, Mortorell R, Klein RE and Irwin H (1977). Maternal nutritional effects on infant growth and development and birth spacing. In : Moghessi KS, Evans TN (Editors). *Nutritional impacts on women throughout life with emphasis on reproduction*, Harper & Row Publishers, Hagerstown, Maryland, P. 133.
46. Decsthal YS (1984). The nutritive value of foods and the significance of some household processes. Interfaces between agriculture, nutrition and food science. *Food and Nutrition Bulletin Supplement* 9 : 171 -181.

47. Deydas RP, Vijayalakshmi P and Santha (1978). Impact of nutrition on pregnancy, Lactation and growth performance of extra-uterine fetus. The Ind. J. Nutr. Dietet. 15 : 31 - 37.
48. Devi S and Singh S (1978). Changes in placenta of rat fetuses induced by maternal administration of papain. Indian J. Exp. Biol. 16 : 1256.
49. Dollabate and Anthony (1957). J Amer. Vet. Med. Assoc. 120 : 525 - 530. In : Flournoy R, Fortson W and Camp B (1972). Effect of saponin on pregnant rats and their off spring. Exp. Rep. on Bio. Med. 39 : 4.
50. Draper CI (1948). Poultry Sci. 27 : 659. In : Mulky MJ and Gandhi VM (1977). Mowrah (Madhuca latifolia) seed saponin. Toxicological studies. J. Appl. Chem. Biotechnol. 27 : 708 - 713.
51. Eagle E and Bialek HF (1958). Effect of single and repeated doses of gossypol on the rats. Food Res. 15 : 232 - 236.
52. Earle FR and Jones Q (1962). Analyses of seed samples from 113 plant families. Econ. Bull. 16 : 221 - 250.
53. Elworthy HS (1887). J. Soc. Chem. Ind. 6 : 21. In : flower GJ, Behram JD, Bhat SR and Hassan HK (1978). Studies in the biochemistry of Madhura flowers. J. Indian Inst. Sci. 3 : 91 - 94.
54. Enders AC (1965). A comparative study of fine structure of the trophoblast in several hemochorial placenta. Am. J. Anat. 116 : 29.
55. Ermans AM, Nbulamoko NM, Delange F and Ahluwalia R (1980). Role of Cassava in the etiology of endemic goitre and cretinism. IDRC, Ottawa, Canada, IDRC - 136e , 182.
56. Ferrando R (1981). Traditional and non-traditional foods. Food and agriculture Organisation of the United Nations, Rome, Italy.
57. Fiske and Subbarow (1925). J. Biol. Chem. 66 : 375. In : Osier BL (1976). Hawk's physiological chemistry. 14th ed., Tata Mc Graw Hill Co. Ltd., New Delhi.

58. Flournoy R, Fortson W and Camp B (1972). Effect of saponin on pregnant rats and their off spring Exp. Rep. on Bio. Med. 30 : 4.
59. Folch J, Lees M and Stanley GHS (1957). A simple method for the isolation and purification of total lipids from animal tissue. J. Biol. Chem. 226 : 497 - 509.
60. Flower GJ, Behram JD, Bhat SR and Hassan HK (1928). Studies in the biochemistry of Mahuda flowers. J. Indian Inst. Sci. 3 : 81 - 84.
61. Gandhi VM, Cherian KM, Mulkij MJ and Menon KKG (1975). Utilisation of non-traditional indigenous oil seed meal - part II studies with detoxified sal seed meal. J. Oil Technol. Assoc. India 7 (2) : 44 - 50.
62. Gardfield SA and Cardell RR (1979). Hepatic glucose 6 phosphatase activities and correlated ultrastructure alterations in hepatocytes of diabetic rats. Diabetes 28 : 664 - 679.
63. George A (1965). J. Fd. Cosmet. Toxicol. 3 : 85. In : Mulkij MJ and Gandhi VM (1977). Mowrah (Madhua Latifolia) seed saponin toxicological studies. J. Appl. Chem. Biotechnol. 27 : 709 - 713.
64. Ghosh MM (1971). Fundamentals of experiaental pharmacology. Scientific Book Agency, Calcutta, India.
65. Giroud A (1973). Nutritional requirements of the embryo. World Review of Nutrition and Dietetics. Volume 18 : 195 - 262. S. Karger and Basel. Munchen, Paris, London, New,ork, Sydney.
66. Good hart RS and Shils ME (1980). Modern Nutrition in Health and Disease, Sixth edition, Lea & Febiger, Philadelphia, United states of America, Chapter 12 page 475.
67. Gopalan C, Rama Sastr: BV and Balasubramanian SC (1981). Nutritive value of Indian foods. National Institute of Nutrition. Indian Council of medical research, Hyderabad, India.
68. Gopaldas I, Gupta A and Saxena K (1983a). The impact of sanskritization in a forest - dwelling tribe of Gujarat, India. Ecology, Food consumption patterns, Nutrient intake, Anthropometric, clinical and Haematological status. Ecol. of Fd. Nutr. 12 : 217 - 227.

69. Gopaldas T, Gupta A and Saxena K (1983b). The phenomenon of Sanskritization in a forest - dwelling tribe of Gujarat, India. Nutrient intake and practices in the special groups. *Ecol. of Fd. Nutr.* 13 : 1 - 8.
70. Gopaldas T, Gujaral E and Rajgor M (1983c). The nutritive composition and utilization of Mahuda flowers (Bassia latifolia) as a major food source in the supplementary feeding programmes for the tribals. Final report, Department of Foods and Nutrition, M. S. University of Baroda, Baroda.
71. Government of India Publication (1971). A census of India's tribal population as per 1971.
72. Goodman DR, James and Harbison RD (1982). Placental toxicology. *Fd. Chem. Toxic.* 20 : 123 - 128.
73. Gupta PN and Biswas SK (1956). Studies on the diet and nutritional status of the Kannikar and Urali tribes of Travancore. *Bull. Dept. Anthropol* 5 : 43.
74. Harborne JE (1973). *Phytochemical methods - A guide to modern techniques of plant analysis*. Chapman and Hall Limited, London, 109 - 117.
75. Hariharan V, Rangaswami S and Sarangam S (1972). *Phytochem* 11 : 1971. In : Liener IE (1975). Endogenous toxic factors in oil seed residues. Proceedings of the congerance on animal feeds of tropical and subtropical origin. "Animal feeds - 1974," London.
76. Hart FL and Fisher HJ (1971). *Modern food analysis*. Springer Verlag Berlin, Heidelberg, Newyork.
77. Heywang BW (1950). High levels of alfalfa meal in diets for chickens. *Poultry Sci.* 29 : 804 - 811.
78. Heywang BW and Bird HR (1953). The effect of alfalfa saponin on the growth, diet consumption, and efficiency of diet utilization of chicks. *Poultry Sci.* 33 : 239 - 241.
79. Heywang BW, Thompson CR and Kemmerer AR (1959). Effect of alfalfa saponin on laying chickens poultry; *Sci.* 38 : 968 - 971.
80. Heywood EJ and Kon GAR (1940). *J. Chem. Soc.* 1 : 713. In : Nully NJ and Gandhi VH (1977). Howrah (Madraca latifolia) seed saponin . Toxicological studies. *J. Appl. Chem. Biotechnol.* 27 : 709 - 713.

81. Hornbrock KR (1978). Synthesis of liver glycogen in starved alloxan diabetic rats. Diabetes 19 : 916 - 923.
82. Hough JS, Briggs DE and Stavans R, Malting and brewing Science. Chapman and Hall Ltd., London.
83. Joshi GV (1979). Status research paper on uses of Mahuda flowers. Gujarat State Forest Development Corporation Limited, Baroda, Gujarat.
84. Joshi DC, Khan MV and Katiyar RC (1984). Use of Mahuda seed cake (Bassia Latifolia) in the ration of Cattle and buffaloes I Unprocessed Mahuda seed cake (UMSC). The Ind. J. Nutr. Diet. 21 : 125 - 129.
85. Kakkad N, Saxena R and Gujaral S (1985). Growth retarding effect of water extract of Mahuda flowers. Under print in The Journal of Food Science and Technology, Mysore, India.
86. Kawasaki T and Hiyahara K (1963). Chem. Phara. Bull. Tokyo 11 : 154t. In : Harborne JB (1973). Phyto Chemical Methods [A guide to modern techniques of plant analysis Chapman and Hall Ltd., London, page No. 109 - 117.
87. Kehar KD, Chandra K and Joshi NP (1959). Investigation on subsidiary feeds : Mahua (Bassia latifolia) flowers as cattle feed. Indian J. Vet. Sci. 29 : 39 - 41.
88. Khare AI, Sharma RK and Bhatnagar VM (1983). Mild anti-fertility effect of ethereal extract of seeds of Trigonella Foenum - graecum (Methi) in rats. Arogya - J. Health Sci. IX : 91 - 93.
89. Kochanowski BA and Sherman AR (1982). Serum and Secretory proteins in iron - deficient rat pups and dams. Nut. Res. 2 : 699 - 698.
90. Kumar GV, Verghese TE, Rao PH and Shurpalkar SR (1988). Effect of heat treatment on the nutritive value of wheat germ. J. Fd. Sc. Tech. 17 : 256 - 258.
91. Lane JH and Eynon L (1923). J. Soc. chem. Ind. 42 : 32. In : Rangana S (1977). Manual of analysis of fruit and vegetable products. Tata McGraw Hill Publishing Company Limited, New Delhi, India.
92. Lawhon JT (1962). J. Am. Oil. chem. Soc. 39 : 58. In : Menon KK (1977). Prospects of animal feeding in India. Every man a Science, XII (4) : 108 - 120.

93. Lechtig A (1980). Effects of maternal nutrition on infant health : Implication for action. Nutr. planning 3 : 1.
94. Lepkovsky S, Shaeleff W, Peterson D and Perry R (1950). Alfalfa inhibitor in chick rations. Poultry Sci. 29 : 228 - 213.
95. Liener IE (1975). Endogenous toxic factors in oil seed residues. Proceedings of the conference on animal feeds of tropical and sub tropical origin. Animal - feeds - 1974. Held at London in April 1974.
96. Lindahl IL, Cook AC, Davis RE and Kaelay WD (1954). Science 119 : 157. In : Walter ED, Biehoff EM, Thompson CR, Robinson CH and Djerassi C (1955). Saponins from Ladino clover (Trifolium repens). J.Am.chem. Soc. 77 : 4936 - 4937.
97. Liu DS, Tian CD and Chou CY (1980). Studies on milk substitute, VIII, Soyabean - induced Goiter and the method of prevention Food Industry, 1 : 1.
98. Mane AG (1984). Dietary pattern and nutritional status of tribals of Chandrapur district. (unpublished) Ph.D dissertation, Faculty of Home Science, Nagpur University, Nagpur, India.
99. Marker RE and Lopez J (1947). J. Am.chem. Soc.69 : 2373. In : Mulky MJ and Sandhi VM (1977). Mowrah (Madhuca Latifolia) seed saponin toxicological studies. J. Appl. chem. Biotechnol. 27 : 708 - 713.
100. Menon KG (1977). Prospects of animal feeding in India. Every man s Science XII (4) : 108 - 120.
101. Mital H and Gopaldas T (1985). Habit survey of a culturally acceptable mother food in Gujarat, India. Under print in Ecology of Food and Nutrition.
102. Mohan VS, Nagarajan V and Gopalan C (1966). India J.Med. Res. 54 : 410. In : Menon KG (1977). Prospects of animal feeding in India, Every Man s Science, XII (4) : 108 - 120.
103. Moore B, Sawton SCH, Pakeryoung FW and Webster TA (1911). On the chemical, biophysical and physiological properties of Bassia -longifolia (Mowrah seed). Biochem. J. 5 : 194.
104. Moorjani (1951). Porterfield, Econ. Bot. 5 : 10. In : Wealth of India (1956). Raw materials, council of Scientific and Industrial Research, New Delhi. Volume VII : N - Pa.

105. Moorthyani (1953). Bull. Cent. Ed. Tech. Res. Inst. Mysore. In : Wealth of India (1955). Raw materials, Council of Scientific and Industrial Research, New Delhi. Volume VII : M - Pe, pg 263.
106. Mulkv MJ (1976). Toxicology of oil seeds. J. of Oil Techno. Assoc. Ind. VIII (3) : 106 - 111.
107. Mulkv MJ and Gandhi VM (1977). Mowrah (Madhuca Latifolia) seed saponin toxicological studies. J. Appl. Chem. Biotechnol. 27 : 708 - 713.
108. Nagarajan V, Mohan VS and Gopalan C (1965). Indian J. Med. Res. 53 : 269. In : Swaminathan M (1974). Essentials of Food and Nutrition, Volume - I - Fundamental aspects. Ganesh and Company, Madras - 17, India.
109. Nambisan B and Sundereshan S (1982). Detoxication of cyanide in Cassava preparations. Proceedings of Ahara 1982. Food challenges of the Eighties, AFST (II), International Conference on Food Science and Technology, Bangalore, India. Association of Food Scientists and Technologists, CFTRI, Mysore - India. Pg No.158.
110. National Commission on Agriculture (1976). A report Part IX, Forestry, Government of India, Ministry of Agriculture and Irrigation, New Delhi. Government of India Press, Nasir, 43rd chapter on minor forest produce, 229 - 282.
111. National Academy of Science - National Research Council (1978). Nutrient requirements of the Laboratory animals, National Academy of Science Publication.
112. Nelson W (1944). J. Biol. Chem. 155 : 375. In : Varley H (1988). Practical clinical biochemistry; Volume I, William Heinemann Medical Books Ltd. 5th edi. The white friars press, London and Tonbridge, Great Britain.
113. Nestle B (1973). Current utilisation and future potential for Cassava. In : Chronic Cassava Toxicity. International Development Research Centre, Ottawa, IDRC - 8102, 11 - 26.
114. Osier EL (1976). Hawk s physiological chemistry, 14th edition. Tata McGraw Hill Publishing Company Ltd. New Delhi - India.

115. Oser BL (1979). Hawk's physiological Chemistry, 14th edition. Tata McEraw Hill publishing Co. Ltd.
New-Delhi, India.
116. Padmanabhan R and Singh S (1978). Jr. Anat. Soc. Ind. 27 : 59. In : Singh S and Padmanabhan R (1980). Placental changes in chlorpromazine induced teratogenesis in rats - A histochemical study. Ind. J. Expt. Bio. 18 : 344 - 350.
117. Padmanabhan R and Singh S (1980). Effect of maternal starvation during pregnancy on the postnatal growth in rats. Ind. J. Med. Res. 72 : 766 - 769.
118. Patel BR, Thakor VR, Patel CA and Shukla PC (1971). Molybdenum and Zinc contents of some common fodders and concentrates. Indian J. Agri. Sci. 41 (12) : 1024 - 1027.
119. Pathak (1920). Agri. J. India, 15 : 40. In : Wealth of India (1966). Raw materials, Council of Scientific and Industrial Research, New-Delhi. Volume VII : N - Pe.
120. Patnaik (1965). Indian Hort. 9 (1) : 13. In : Wealth of India (1966). Raw materials, Council of Scientific and Industrial Research. New-Delhi. Volume VII : N - Pe.
121. Pearson D (1976). The Chemical Analysis Of Foods 7th edition. Churchill Living Stone Publishers, New-York.
122. Pederson, Aimmer, McAllister, Anderson, Wilding and Taylor (1967) Crop. Sci. 7 : 349. In : Goodhart RS and Shils ME (1968). Modern Nutrition in Health and Disease, sixth edition, Lea & Febiger, Philidelphia United States of America, Chapter 12 page 475.
123. Peterson DW (1950a). Some properties of a factor in alfalfa meal causing depression of growth in chicks. J. Biol. Chem. 183 : 647 - 653.
124. Peterson DW (1950b). Effect of sterols on the growth of chicks fed high alfalfa diets or a diet containing Quillaja saponin. J. Nutrition 42 : 597 - 608.
125. Fingle U (1975). Some studies in two tribal groups of Central India. Plant food for men, ICMR, 1 : 195 - 208.

126. Plummer DT (1971). An introduction to practical biochemistry. Tata McGraw Hill Publishing Co. ^{Ind.}
Bombay. India.
127. Pradhan RM, Cherian KH and Rully MJ (1976). A scanning electron microscopic study of intestinal
mucosa damaged by cowrah saponin. Paper presented at the 9th Annual Conference of EASI at the CCR, I,
Lucknow India.
128. Preston, Haun, Garvin and Dauz (1964). Econ. Bot. 18 : 323. In : Goodhart RG and Shils ME (1960).
Modern Nutrition in Health and Disease, sixth edition, Lea & Febiger - Philadelphia - United States of
America, chapter 12 page 475.
129. Protein Advisory Group of United Nations Guide Line Number 6 (1983). Preclinical testing of Novel
Sources of food. Food and Nutrition Bulletin 6 (1) : 61.
130. Pruthi (1963). Advance Food Research 12 : 203 - 202. In : Health of India (1966). Raw materials,
Council of Scientific and Industrial Research, New Delhi. Volume VII - N - Pe.
131. Raghavish V (1954). Tribes of India. Gujarat Research Society, Bombay, Volume 1.
132. Rajgor M, Sujral S and Gopaladas T (1984). Exploring the possibility of using an edible forest product
as a food energy source in a rat model. Proceedings of the Nutrition Society of India, No. 30 : 96 -
97, Nutrition Society of India, NIN, Hyderabad - 7, India.
133. Rajgor M, Sujral S and Gopaladas T (1986). Preliminary trials to investigate the feasibility of using
Mahuda flowers (Madhuca indica or Bassia latifolia) as an energy source in experimental model. Under
print in the Journal of Nutrition and Dietetics, Coimbatore, India.
134. Ramamani S and Subramaniam M (1981). Growth depressing effects of isolated fractions from field beans
(Dolichos lablab) on albino rats. Indian J. Nutri. Diete. 18 : 243 - 254.
135. Ranganna S (1977). Manual of analysis of fruit and vegetable products. Tata McGraw Hill Publishing
Company Ltd., New-Delhi - India.
136. Rangnan SF (1980). Animal Nutrition and Feeding practices in India, Vikas Publishing House Pvt Ltd.,
New-Delhi.

137. Rao SLN, Adiga PR, and Sarma PS (1964). Biochemistry 3 : 432. In : Menon KKG (1977). Prospects of animal feeding in India. Everyman's Science XII (4) : 107 - 120.
138. Reddy VR, Kalhotra HK, Dadagopan VR and Panoa B (1978). Utilization of Sal (Shorea Robusta) seed and deciled sal seed meal in poultry, a review. Ind. Poultr. Gaz. 62 (3) : 75 - 98.
139. Roy JK and Rao RK (1959). Mahua spirit and chemical composition of the raw material (Mahua Flowers). Jr. and Proc. Inst. Chem. 31 : 64 - 65.
140. Rush D, Kristal A, Navarro C, Chauhan P, Blane W, Maeve R and Susser RM (1984). The effects of dietary supplementation during pregnancy on placental morphology, pathology and histomorphoaetry. The Am. J. of Clin. Nut. 39 : 863 - 871.
141. Rutkowski A (1971). J. Am Oil Chem. Soc. 48 : 863. In : Menon KKG (1977). Prospects of animal feeding in India. Everyman's Science, XII (4) : 109 - 120.
142. Saxena K (1981). An In-depth study of the Nutritional status, Dietary intake and practices of the deep - forest dwelling Rathwa -Koli tribe of Chhotaudepur - Gujarat. M. Sc. Thesis, Department of Food and Nutrition, M.S.University of Baroda.
143. Saxena R (1983). Use of Mahuda Syrup as a source of sweetening agent in snack preparation. M. Sc. Thesis. Department of Food and Nutrition, M.S.University of Baroda, Baroda, India.
144. Scharer K (1977). The effect of chronic under feeding on organ weight of rats. Toxicology 7 : 45 - 56.
145. Seifter S, Dayton S, Novie B and Muntwyler E (1950). The estimation of glycogen with Anthrone reagent. Arch. Bioch. 25 : 191 - 200.
146. Shah PG (1958). The dublas of Gujarat Shastri, L. Bhartiya Adiajati Sevak Sangh, Kingsway - Delhi.
147. Shah PG (1959). Naikas - Naikdas. A Gujarat Tribe Gujarat Research Society, Sansodhan Sadan, South Avenue - Bombay.
148. Shah PG (1964). Tribal life in Gujarat, An analytical study of the cultural changes with special reference to the Dhanka tribe, Gujarat Research Society, Bombay, 87 - 90.

149. Sharma OF, Makkar HPS, Dawar RK and Megi SS (1981). Hepatic and renal toxicity of Lantana camara in the Guinea Pig. Toxicol. Lett. 7 : 347 - 351.
150. Shukla PC and Jalpoda PM (1973). Feeding Sal Seeds meal to adult animals. Indian Vet.J. 50 : 689 - 695.
151. Shukla PC (1979). Western Regional Animal Nutrition, Anand. In : Joshi BV (1979). Status research paper on uses of Mahua flowers. G S F D C, Baroda, Gujarat.
152. Singh HB and Arora RK (1978). Wild edible plants of India. Indian Council of Agricultural Research, New Delhi.
153. Singh S and Padmanabhan R (1980). Placental changes in chlorproazine induced teratogenesis in rats - A histological study Indian J. Exp. Biol. 18 : 344.
154. Singh S, Sensharma GC and Chinara PK (1983). Placental changes in rat following experimental ischaemic hypoxia. Indian J. Med. Res. 77 : 144 - 149.
155. Sirtori AS, Rush MN and Sudev ST (1977). J. of Plant Food 1 : 128 - 124. In : Sirtori AS, Rush MN and Sudev ST (1979). The saponins of the seed of four lupin species. J. of Plant Food 3 : 181 - 190.
156. Sirtori AS, Rush MN and Sudev ST (1979). The saponins of the seed of four lupin species. J. of Plant Food 3 : 181 - 190.
157. Snedecor GW and Cochran WG (1967). Statistical methods. Iowa State University Press 6th ed., Ames., IOWA , USA.
158. Somogyi M (1945). J. Biol. Chem. 162 : 61 - 69. In : Varley n (1980). Practical Clinical Biochemistry. Volume 1, William Heinemann Medical Books Ltd., 5th ed. The White Friars Press, London and Ton Bridge, Great Britain.
159. Soskin S, Zimmerman LM and Heller RC (1936). Ibid. 114 : 648. In : West ES, Todd WR, Mason HS and Bruggen JTV (1966). Text Book of Biochemistry, Fourth Edition, Ameriad Publishing Co., Pvt.Ltd., New Delhi, India.

160. Scuto J and Milano VA (1966). Triterpene saponin in the ripe fruit of Echinia Scaparia (Marenita).
Rev. Inst. Agropecuar Ser.2, Biol. Prod. Veg. 3 : 367 - 383.
161. Staul E (1969). Thin layer chromatography A laboratory hand-book. Springer Verlag Berlin Heidelberg,
New-york, 241 - 245 and 325 - 347.
162. Suliman HE, Masfi IA and Adam SEI (1982). The toxicity of Cassia Occidentalis to goats. Vet. Hum.
Toxicol. 24 : 326 - 330.
163. Sultaria PB and Nagar NG (1955a). Chemical constituents of Mowran flowers (B.Latifolia). Part III
preparation of Syrup and Analysis of flowers from various districts. J. Indian Chem. Soc. Ind. and
News Ed. 18 : 75 - 85.
164. Sutaria PB and Nagar NG (1955b). Chemical constituents of Mowran flowers (B.Latifolia). Part I
proximate composition. J. Indian Chem. Soc. Ind. and News Ed. 18 : 43 - 49.
165. Swaminathan M (1974). Essentials of Food and Nutrition. Volume 1 - Fundamental aspects. Ganesh and
Company, Madras - 17.
166. Taylor SA, Shrader RE, Koshi KG and Zeman FJ (1983). Maternal and embryonic response to a "
Carbohydrate - free " diet fed to rat, J. of Nutr. 113 (2) : 255 - 267.
167. Tewe OO, Maner JH and Gomez G (1977). Influence of Cassava diets on placental thiocyanate transfer,
tissue rhodenase activity and performance of rats during gestation. J. of Sci. of Fd. and Agri. 28 :
750 - 756.
168. Trotter H (1946). Manual of Indian Forest Utilization Oxford University Press, London.
169. Udayasakhara RP and Belavady B (1979). Chemical composition and biological evaluation of Goa beans
and their tubers. J. of Plant Foods, 3 : 169 - 174.
170. Van etten CH, Miller RW, Wolff IA and Jones Q (1963). Amino acid composition of seeds from 200
angiospermous plant species. J. Agr. Food Chem. 11 : 399 - 410.

171. Van Alta GR (1962). Supplementary chromatographic method for determining saponins in Alfalfa Plant Analysis J. Agri. Fo. Chem. 18 (6) : 519 - 520.
172. Varley H (1969). Practical clinical biochemistry 4th ed., Arnold Heinemann Publishers Pvt Ltd. - India.
173. Varley H, Gowenlock AH and Beil M (1980). Practical clinical biochemistry, Volume 1, General topics and commoner tests. William Heinemann Medical Books Ltd. 5th edn. The White Friars Press, London and Ton Bridge - Great Britain.
174. Venkatachalam PS (1962). A study of the Diet, Nutrition and Health of the people of the Chimbu Area (New Guinea Highlands). Department of Public Health Monograph 4, Horestby, New Guinea.
175. Vijayalakshmi P and Lakshmi RM (1982). Food consumption and metabolic profile of selected expectant mothers. The Ind. J. Nutr. Dietect. 19 : 297 - 302.
176. Vix HEL, Eaves PH, Gardner HK and Lazbou HG (1971). J.Am. Oil Chem. Soc. 48 : 611. In : Menon KKS (1977). Prospects of animal feeding in India. Everyman's Science, XII (4) : 108 - 120.
177. Vyas BP (1967). Mahua residue for chicks, Indian Fmg. 16 : 48.
178. Walter ED, Bickoff EH, Thoapson CR, Robinson CH and Djerassi C (1955). Saponins from Ladino clover (Trifolium repens). J.Am. Chem. Soc. 77 : 4936 - 4937.
179. Wealth of India (1962). Raw materials, Council of Scientific and Industrial Research, New-Delhi. Volume IV : 207 - 216.
180. Wealth of India (1966). Raw materials, Council of Scientific and Industrial Research, New-Delhi. Volume VII : N - Pe, Pg 5.
181. West EE, Todd WR, Hason HS and Bruggen JTV (1966). Text book of Biochemistry, Fourth Edition, American Publishing Co. Pvt. Ltd., New-Delhi - India.
182. Wingston FW and Bates DH (1968). Saturated Solutions for the control of humidity in biological research. Ecology pg.232 - 237.

180. Yadav NR and Liener IE (1978). Nutritional evaluation of dry roasted Many Beans flour and mixtures with cereal proteins. In : Friedman H (ED). Nutritional improvement of food and feed proteins. Adv. Exptl. Med. Vol. 105. Plenum Publishing Corp. New-York - U.S.A.
184. Zamenhof S, Marthens VE and Gravel L (1971). DNA (cell number) in neonatal brain : second generation (F2) alteration by maternal (F0) dietary protein restriction. Science 172 : 850 - 851.
185. Zamenhof S, Marthens VE and Gravel L (1972). DNA (cell number) and protein in rat brain. Second generation (F2) alteration by maternal (F0) dietary protein restriction. Nutr. Metab. 14 : 262 - 270.
186. Zamenhof S and Marthens VE (1977). The effects of chronic undernutrition on rat brain development. Federation Proc. 36 : 1188.