

1. Andersson, K.E., Arnes, B., Furst, E. and Hedner, P.: Antidiuretic responses to hypertonic saline infusion, water deprivation and a synthetic analogue of vasopressin in patients with hereditary, hypothalamic diabetes insipidus. Acta Med. Scan. 195: 17-23, 1974.
2. Andrews, W.H.H. and Orbach, J.: Effect of osmotic pressure on spontaneous afferent discharge in the nerves of the perfused rabbit liver. Pfluegers Arch. 361: 89, 1975.
3. Archer, R. and Chauvet, J.: La structure de la vasopressine de boeuf. Biochim. Biophys. Acta. 12: 487, 1953.
4. Archer, R., Chauvet, J. and Olivry, G.: Sur l'existence d'une hormone unique neurohypophysaire. Biochim. Biophys. Acta. 22: 428-433, 1956.
5. Aubry, R.H., Nankin, H.R., Moses, A.M. and Streeten, D.H.P.: Measurement of the osmotic threshold for vasopressin release in human subjects and its modification by cortisol. J. Clin. Endocrinol. Metab. 25: 1481-1492
6. Auger, R.G., Zehr, J.R., Siekert, R.G. and Segar, W.E.: Position effect on antidiuretic hormone. Arch. Neurol. Chicago. 23: 513-517, 1970.
7. Avioli, L.V., Earley, L.E. and Lashima, H.K.: Chronic and sustained hypernatremia, absence of thirst, diabetes insipidus and adrenocorticotrophin insufficiency resulting from widespread destruction of the hypothalamus. Ann. Intern. Med. 56: 131-140, 1962.
8. Bandaranayake, R.C.: Morphology of the accessory neurosecretory nuclei and of the retrochiasmatic part of the synaptic nucleus of the rat. Acta Anat. 80: 263, 1971.
9. Bargmann, W. and Scharer, E.: The site of origin of the hormones of the posterior pituitary. Amer. Sci. 39: 255-259, 1951.
10. Barker, J.L.; Crayton, J.W. and Nicoll, R.A.: Noradrenaline and acetylcholine responses of supraoptic neurosecretory cells. J. Physiol. (Lond.) 218: 19-32, 1971.
11. Bartter, F.C. and Schwartz, W.B.: The syndrome of inappropriate vasopressin secretion. Amer. J. Med. 42: 790-806, 1967.

12. Bauman, G. and Dingman, J.F.: Distribution, blood transport and degradation of antidiuretic hormone in man. J. Clin. Invest. 57: 1109-1116, 1976.
13. Bell, N.H., Clark, C.M., Jr., Avery, S., Sinha, T., Trygstad, C.W. and Allen, D.O.: Demonstration of a defect in the formation of adenosine 3'5' monophosphate in vasopressin-resistant diabetes insipidus. Pediatr. Res. 8: 233-239, 1967.
14. Bengel, H.H., Moore, W.W., and Wunder, C.C.: Decreased antidiuretic activity measured in the blood of chronically centrifuged rats. Aerosp. Med. 40: 518-520, 1969.
15. Bhargava, K.P., Kulshrestha, V.K., and Srivastava, Y.P.: Central cholinergic and adrenergic mechanisms in the release of antidiuretic hormone. Brit. J. Pharmacol. 44: 617-627, 1972.
16. Bisset, G.W. and Walker, J.M.: The effects of nicotine, hexamethonium and ethanol on the secretion of antidiuretic and oxytocic hormone of the rat. Br. J. Pharmacol. 12: 461-467, 1957.
17. Bisset, G.W.: Oxytocin. Ed. R. Caldeyro-Barcia and H. Heller. Pergamon Press. London. pp. 380, 1961.
18. Bisset, G.W. and Lewis, G.P.: A spectrum of pharmacological activity in some biologically active peptides. Br. J. Pharmacol. Chemotherap. 19: 168-182, 1962.
19. Blotner, H.: Primary or idiopathic diabetes insipidus: A system disease. Metabolism 7: 191-200, 1958.
20. Bockaert, J., Roy, C., Ragerison, R. and Jard, S.: Specific binding of ³H-lysine vasopressin to pig kidney plasma membranes. J. Biol. Chem. 248: 5922-5931, 1973.
21. Bode, H.H. and Crawford, J.D.: Nephrogenic diabetes insipidus in North American. The Hopewell hypothesis. N. Eng. J. Med. 280: 750-754, 1969.
22. Boissonnas, R.A., Guttman, St., Berde, B. and Konzett, H.: Relationship between the chemical structure and the biological properties of the posterior pituitary hormones and their synthetic analogues. Experientia 17: 377, 1961.

23. Boissonnas, R.A., Guttmann, St., Huguenin, R.L., Jaquenoud, P.A. and Sandrin, E.: Synthese de nouveaux analogues de la lysine-vasopressin. Hekver. chim. acta. 46: 2347, 1963.
24. Boissonnas, R.A. and Guttmann, St.: Synthese d' analogue de l' oxytocin de la lysine-vasopressin contentant de la phenyl-alanine ou de la tryosine en position 2 et 3. Helver. chim. acta. 43: 190, 1960.
25. Boissonnas, R.A. and Guttmann, S.T.: In Handbook of Experimental Pharmacology. Vol. 23. Ed. by B. Berde. Springer-Verlag, Berlin, pp. 40, 1968.
26. Braverman, L.E., Mancini, J.B. and McGoldrick, D.M.: Hereditary diabetes insipidus: A case report with autopsy findings. Ann. Intern. Med. 63: 503-508, 1965.
27. Breslow, E. and Abrash, L.: The binding of oxytocin and oxytocin analogue by purified bovine neurophysins. Proc. Nat. Acad. Sci. U.S. 56: 640, 1966.
28. Brooks, F.P. and Pickford, M.: The effect of posterior pituitary hormones on the excretion of electrolytes in dogs. J. Physiol. (Lond.) 142: 468, 1958.
29. Burford, G.D., Clifford, P., Jones, C.W. and Pickering, B.T.: Tentative identification of a vasopressin-neurophysin and an oxytocin-neurophysin in the rat. Biochem. J. 124: 809-813, 1971.
30. Burford, G.D. and Pickering, B.T.: The number of neurophysin in the rat. Influence of the concentrations of bromophenol blue, used as a trackings dye on the resolution of protein by polyacrylamide gel electrophoresis. Biochem. J. 128: 941-944, 1972.
31. Cajal, S. and Raymon, Y.: Histologie du systeme nerveux de l'homme et des vertebres. Paris. Maloine. 1911.
32. Campbell, B.J., Woodward, G. and Borberg, V.: Calcium-mediated interactions between the antidiuretic hormone and renal plasma membranes. J. Biol. Chem. 247: 6167-6175, 1972.
33. Chan, W.Y. and Sawyer, W.H.: Saluretic action of neurohypophyseal peptides in conscious dogs. Am. J. Physiol. 201:799-803, 1961.

34. Chan, W.Y.: Effects of neurohypophyseal hormones and their de-amino analogues on renal excretion of Na, K and water in the rats. Endocrinol. 77: 1970-1104, 1965.
35. Chase, L.R. and Aurbach, G.D.: Renal adenyl cyclase. Anatomically separated sites for parathyroid hormone and vasopressin. Science 159: 545-547, 1968.
36. Cheng, K.W. and Friesen, M.G.: Studies of human neurophysin by radioimmunoassay. J. Clin. Endocrinol. Metab. 36: 553-556, 1973.
37. Chimiak, A. and Rudinger, J.: Synthesis and some biological properties of 3-O-methyl threonine-oxytocin. Collection Czech. Chem. Commun. 30: 2592, 1965.
38. Clark, B.J. and Rocha e Silva, M. Jr.: An afferent pathway for the selective release of vasopressin in response to carotid occlusion and hemorrhage in the cat. J. Physiol. 191: 529-542, 1967.
39. Clayton, G.W., Librik, L., Gardner, R.L. and Guillemin, R.: Studies on the circadian rhythm of the pituitary adrenocorticotrophic release in man. J. Clin. Endocrinol. Metab. 23: 975, 1963.
40. Gross, B.A. and Harris, G.W.: The role of the neurohypophysis in the milk ejection reflex. J. Endocrinol. 8: 148-161, 1952.
41. Cross, B.A., Dyball, R.E.J., Dyer, R.G., Jones, C.W., Lincoln, D.W., Morris, J.F. and Pickering B.T.: In recent progress in hormonal research. Ed. Roy O. Greep. Academic Press, N.Y., San Francisco, London. pp. 243-287, 1975.
42. Daniel, A.R. and Lederis, K.: Release of neurohypophyseal hormones in vitro. J. Physiol. (London) 190: 171-187, 1967.
43. Dashe, A.M., Kleeman, C.R., Czaczkes, J.W., Rubinoff, H. and Spears, I.: Synthetic vasopressin in nasal spray in the treatment of diabetes insipidus. J.A.M.A. 190: 1069-1071, 1964.
44. Dean, C.R. and Hope, D.B.: Protein constituents of neurosecretory granules isolated from the posterior lobes of bovine pituitary gland. Biochem. J. 101: 17-18, 1966.

45. Dean, C.R. and Hope, D.B.: The isolation of purified neurosecretory granules from bovine pituitary posterior lobes. Biochem. J. 104: 1082-1088, 1967.
46. Dean, C.R., Hope, D.B. and Kazic, T.: Evidence for storage of oxytocin with neurophysin-I and vasopressin with neurophysin-II in separate neurosecretory granules. Br. J. Pharmacol. 34: 192p-193p, 1968.
47. Dean, P.M.: Neurohypophyseal granules: Electrokinetic properties and calcium ion-binding. Brain Res. 79: 397, 1974.
48. Dekanski, J.: The quantitative assay for vasopressin. Br. J. Pharmacol. Chemotherp. 7: 567-572, 1952.
49. de May, T., Vandesande, F. and Dierickx, K.: Identification of the neurophysin I and the neurophysin II producing neurones in the bovine hypothalamus. Cell Tiss. Res. 153: 531, 1974.
50. de Robertis, F.R., Michelis, M.F., Beck, N., Field, J.B., and Davis, B.B.: Essential hyponatremia due to ineffective osmotic and intact volume regulation of vasopressin secretion. J. Clin. Invest. 50: 97-111, 1971.
51. de Wied, D. and Laszlo, F.A.: Effect of autonomic blocking agents on ADH release induced by hyperosmoticity. J. Endocr. 37: XVI, 1967.
52. Dicker, S.E.: A method for the assay very small amount of anti-diuretic activity with a note on the antidiuretic titre rat's blood. J. Physiol. (Lond.) 122: 149-157, 1953.
53. Douglas, W.W. and Piosner, A.M.: Stimulus-secretion coupling in a neurosecretory organ: The role of calcium in the release of vasopressin from neurohypophysis. J. Physiol. (Lond.) 172 1, 1964.
54. Douglas, W.W.: Mechanism of release of neuropophysial hormones: Stimulus-secretion coupling. In R.O. Greep and E.B. Astwood (Ed.) Handbook of Physiology, Section 7: Endocrinology, Vol. IV. The Pituitary Gland and its Neuroendocrine Control. Part I, pp 191-224, American Physiological Society.
55. Dousa, T., Hechter, O., Schwartz, I.L. and Walter, R.: Neurohypophyseal hormone-responsive adenylate cyclase from mammalian kidney. Proc. Natl. Acad. Sci. U.S.A. 68: 1693-1697, 1971.

56. Dousa, T.P., Walter, R., Schwartz, I.L., Sands, H. and Hechter, O.: Role of cyclic AMP in the action of neurohypophysial hormones on kidney. Advances in Cyclic Nucleotide Research 1: 121-135, 1972.
57. Dousa, T.P. and Barnes, L.D.: Effects of colchicine and vinblastin on the cellular action of vasopressin in mammalian kidney. J. Clin. Invest. 54: 252-262, 1974.
58. Dousa, T.P. and Valtin, H.: Cellular action of vasopressin in the mammalian kidney. Kidney Int. 10: 46-63, 1976.
59. Dreifuss, J.J., Kalnins, I., Kelly, J.S. and Ruff, K.B.: Action potentials and release of neurohypophyseal hormones in vitro. J. Physiol. (Lond.) 215:805, 1971.
60. Dreifuss, J.J., Akert, K., Sandri, C. and Moor, H.: The fine structure of freeze-fractured neurosecretory nerve endings in the neurohypophysis. Brain Res. 62: 367-375, 1973.
61. Dreifuss, J.J., Nordmann, J.J., Akert, K., Sandri, C. and Moor, H.: Exo-endocytosis in the neurohypophysis as revealed by freeze-fractioning. In F. Knowels and L. Vollrath. (Eds). Neurosecretion: The final neuroendocrine pathway. pp. 31-37, 1974. Springer-Verlag, New York.
62. Dreifuss, J.J.: A review of neurosecretory granules: Their contents and mechanism of release. Ann. N.Y. Acad. Sci. 248: 184-218, 1975.
63. Durham, R.M. and Novin, D.: Slow potential changes due to osmotic stimulation in supraoptic nucleus of the rabbit. Am. J. Physiol. 219: 293-298, 1970.
64. Dunn, F.L., Brennan, T.J., Nelson, A.E. and Robertson, G.L.: The role of blood osmolality and volume in regulating vasopressin secretion in the rat. J. Clin. Invest. 52: 3212-3219, 1970.
65. du Vigneaud, V., Ressler, C. and Trippett, S.: The sequence of amino acids in oxytocin, with a proposal for the structure of oxytocin. J. Biol. Chem. 205: 949-953, 1953.
66. du Vigneaud, V., Bartlett, M.F. and Johl, A.: The synthesis of lysine vasopressin. J. Am. Chem. Soc. 79: 5572, 1957.

67. du Vigneaud, V., Gish, D.T., Katsoyanni, P.G. and Hess, G.P.: Synthesis of the pressor antidiuretic hormone, arginine-vasopressin. J. Am. Chem. Soc. 80: 3355-3360, 1958.
68. du Vigneaud, V., Denning, G.S., Jr., Drabarek, S. and Chan, W.Y.: The effect of replacement of the carboxamide group by hydrogen in the glutamine or asparagine residue of oxytocin on its biological activity. J. Biol. Chem. 238: DC. 1560, 1963.
69. du Vigneaud, V.: The isolation and proof of structure of the vasopressin and the synthesis of octapeptide amides with pressor-antidiuretic activity. In Proceedings of the Third International Congress of Biochemistry, Brussels, 1955. pp. 49. Ed. Liebecqu, G., New York, 1956, Academic Press, Inc.
70. du Vigneaud, V.: Experience in the polypeptide field: insulin to oxytocin. Ann. N.Y. Acad. Sci. 88: 537-568, 1960.
71. Dyball, R.E.J.: Oxytocin and ADH secretion in relation to electrical activity in antidromically identified supraoptic and paraventricular units. J. Physiol. 214: 245-256, 1971.
72. Dyball, R.E.J. and Dyer, R.G.: Plasma oxytocin concentration and paraventricular neurons activity in rats with diencephalic islands and intact brain. J. Physiol. (Lond.) 216: 227-235 1971.
73. Dyer, R.G., Dyball, R.E.J. and Morris, J.F.: The effect of hypothalamic deafferentation upon the ultrastructure and hormone content of the paraventricular nucleus. J. Endocrinol. 57: 509-514, 1973.
74. Ellman, G.L. and Gan, G.L.: Response of the cells of the supraoptic nucleus: Kinetics. Exp. Brain Res. 14: 1, 1971.
75. Errington, M.L. and Rocha e Silva, J., Jr.: The effect of a bradykinin potentiating nonapeptide on prolonged hemorrhagic shock in dogs. J. Physiol. (Lond.) 1233: 46p-47p, 1973.
76. Fabian, M.I., Forsling, M.L., Jones, J.J. and Pryor, J.S.: The clearance and antidiuretic potency of neurohypophyseal hormones in man and their plasma binding stability. J. Physiol. (Lond.) 204: 653-668, 1969.
77. Fong, C.T.O., Silver, L., Christmand, D.R. and Schwartz, I.L.: On the mechanism of action of the antidiuretic hormone (vasopressin). Proc. Nat. Acad. Sci. U.S. 46: 1273-2186, 1960.

78. Farini, F.: Diabete insipido ed o poteraia. Gass Osped Clin. 34: 1135-1139, 1913.
79. Ferraro, J.J. and du Vigneaud, V.: 7-D-Proline-oxytocin and its deamino analogue, diastereoisomers of oxytocin and deamino-oxytocin. J. Am. Chem. Soc. 88: 3847-3852, 1966.
80. Fichman, M.P. and Broocker, G.: Deficient renal cyclic adenosine 3'5'-monophosphate production in nephrogenic diabetes insipidus. J. Clin. Endocrinol. Metab. 35: 35-47, 1972.
81. Gauer, O.H. and Henry, J.P.: Circulatory basis of fluid volume control. Physiol. Rev. 43: 423-481, 1963.
82. George, J.M., Capen, C.C. and Phillips, A.S.: Biosynthesis of vasopressin in vitro and ultrastructure of a bronchogenic carcinoma. Patient with syndrome of inappropriate secretion of antidiuretic hormone. J. Clin. Invest. 51: 141-148, 1972.
83. George, J.M. and Jacobowitz, D.M.: Localization of vasopressin in discrete areas of the rat hypothalamus. Brain Res. 93: 363-368, 1975.
84. Gilmore, N.J. and Vane, J.R.: A sensitive and specific assay for vasopressin in the circulating blood. Br. J. Pharmacol. Chemotherap. 38:633-652, 1970.
85. Ginsburg, M.: Handbook of Experimental Pharmacology, vol. 23. (Ed.) B. Berde. Springer-Verlag, Berline, pp 286, 1968.
86. Ginsburg, M. and Ireland, M.: Isolation, hormone-binding protein capacity and subcellular distribution of neurophysin. J. Physiol. (Lond.) 169: 114, 1963.
87. Ginsburg, M. and Ireland.: Binding of vasopressin and oxytocin to protein in extracts of bovine and rabbit neurophyses. J. Endocrinol. 30: 131-135, 1964.
88. Ginsburg, M. and Ireland, M.: The role of neurophysin in the transport and release of neurohypophysial hormones. J. Endocrinol. 35: 289-298, 1966.
89. Goetz, K.L., Bond, G.C., Hermreck, A.S. and Trank, J.W.: Plasma ADH levels following a decrease in mean atrial transmural pressure in dogs. Am. J. Physiol. 219: 1424-1431, 1970.

90. Grainger, F. and Sloper, J.C.: Correlation between microtubular number and transport activity of hypothalamoneurohypophyseal secretory neurons. Cell Tissue Res. 153: 101-107, 1974.
91. Grantham, J.J. and Burg, M.B.: Effect of vasopressin and cyclic-AMP on permeability of isolated collecting tubes. Am. J. Physiol. 211: 255-259, 1966.
92. Grantham, J.J. and Orloff, J.: Effect of prostaglandin'E on the permeability response of the isolated collecting tubules to vasopressin, adenosine 3'5'-monophosphate and theophylline. J. Clin. Invest. 47: 1154-1161, 1968.
93. Guttmann, St. and Boissonnas, R.A.: Synthese de dix analogues de l'oxytocine et de la lysine-vasopressine, contenant de la s'érine, de l'histidine ou du tryptophane en position 2 ou 3. Helvet. Chim. Acta 43: 200, 1960.
94. Guttmann, St. and Boissonnas, R.A.: Synthèse de la s'ér⁴ oxytocin, de l'ala⁴-oxytocine, de la ser²-oxytocine et de l'ala⁵-oxytocine. Helvet. Chim. Acta. 46:1626, 1963.
95. Haberich, F.J.: Osmoreception in the portal circulation. Fed. Proc. 27: 1137, 1968.
96. Halton, G.I. and Walters, J.K.: Induced multiple nucleoli, nuclear margination and cell size changes in supraoptic neurons during dehydration and rehydration in the rat. Brain Res. 59: 137-143, 1973.
97. Harris, G.W., Manabe, V. and Ruf, K.B.: A study of parameters of electrical stimulation of unmyelinated fibres in the pituitary stalk. J. Physiol. (Lond.) 203: 67-76, 1969.
98. Hantman, D., Rossier, B., Zohlman, R. and Schrier, R.: Rapid correction of hyponatremia in the syndrome of inappropriate secretion of antidiuretic hormone. An alternative treatment to hypertonic saline. Ann. Intern. Med. 78: 870-875, 1973.
99. Hayward, J.N. and Vincent, J.D.: Osmosensitive single neurones in the hypothalamus of unanaesthetized monkeys. J. Physiol. (Lond.) 210: 947-951, 1970.

100. Hayward, J.N. and Jennings, D.P.: Activity of magnocellular neuroendocrine cells in the hypothalamus of unanaesthetized monkeys. II.: Osmosensitivity of functional cell types in the supra-optic nucleus and the internuclear zone. J. Physiol. (Lond.) 232: 545-549, 1973.
101. Hayward, J.N.: Physiological and morphological identification of hypothalamic magnocellular neuroendocrine cells in gold fish pre-optic nucleus. J. Physiol. (Lond.) 239: 103-124, 1974.
102. Hayward, J.M.: Functional and morphological aspects of hypothalamic neurons. Physiol. Rev. 57: 574-658, 1977.
103. Hawker, R.W.: Inactivation in the portal circulation. Fed. Proc. 27: 1137-1141, 1956.
104. Heap, P.F., Jones, C.W., Morris, J.F. and Pickering, B.T.: Movement of neurosecretory product through the anatomical compartments of the neural lobe of the pituitary gland: An electron microscopic autoradiographic study. Cell Tiss. Res. 156: 483-489, 1975.
105. Heller, H.: The hormone content of vertebrate hypothalamoneurohypophyseal system. Brit. Med. Bull. 22:227-231, 1966.
106. Heller, H.: History of neurohypophyseal research, in Handbook of Physiology, ed. by Knobil, E., Sawyer, W.H., Washington, D.C. American Physiological Society. Vol. IV, pp 103, 1974.
107. Holland, R.C., Cross, B.A. and Sawyer, C.H.: Effects of intracarotid injections of hypertonic solutions on the neurohypophyseal milk-ejection mechanism. Am. J. Physiol. 196: 791-795, 1959.
108. Hollenberg, M.D. and Hope, D.B.: The isolation of the native hormone-binding protein from bovine pituitary posterior lobes. Biochem. J. 106: 557-564, 1968.
109. Huguenin, R.L.: Synthèse de la phe³-orn⁸-vasopressine et de la phe³-orn⁸-oxytocin, deux analogues de la vasopressine doués d'une activité pressorique sélective. Helvet Chim. Acta 47: 1934, 1964.
110. Hunter, W.M. and Greenwood, F.C.: Preparation of Iodine-131 labelled human growth hormone of high specific activity. Nature (Lond.) 194: 495-496, 1962.

111. Imai, M. and Kokko, J.P.: Sodium chloride, urea and water transport in the thin ascending limb of Henle. J. Clin. Invest. 53: 393-402, 1974.
112. Imbert, M., Chabardes, D., Montgut, M., Clique, A. and Morel, F.: Vasopressin dependent adenylate cyclase in single segments of rabbit kidney tubule. Pflugers Arch. 357: 173-186, 1975.
113. Jard, S., Roy, C., Barth, T., Rajerison, R. and Bockaert, J.: Antidiuretic hormone sensitive kidney adenyl cyclase. Adv. Cyclic. Nucl. Res. 5: 31-52, 1975.
114. Jeffers, W.H., Livesey, M.M. and Austin, J.H.: A method for demonstrating an antidiuretic action of minute amounts of pitressin; statistical analysis of results. Proc. Soc. Exp. Biol. Med. 50: 184-196, 1942.
115. Jewell, P.A. and Verney, E.B.: An experimental attempt to determine the site of action of the neurohypophyseal osmoreceptors of the dog. Phil. Trans. Roy. Soc. Lond. 240: 197-324, 1957.
116. Jewell, P.A.: The occurrence of vasculated neurons in the hypothalamus of the dog. J. Physiol. (Lond.) 121: 167-181, 1963.
117. Johnson, J.A., Zehr, J.E. and Moore, W.W.: Effect of separate and concurrent osmotic and volume stimuli on plasma ADH. Am. J. Physiol. 218: 1273-1280, 1970.
118. Jones, N.F., Barraclough, M.A., Barnes, N. and Cottom, D.G.: Nephrogenic diabetes insipidus. Effects of 3'-5'-cyclic-adenosine monophosphate. Arch. Dis. Child. 47: 794-797, 1972.
119. Kasafirek, E., Rabek, V., Rudinger, J. and Sorm, F.: Synthesis of ten extended chain analogues of lysine vasopressin. Collection Czech. Chem. Commun. 31: 4581, 1966.
120. Kastin, A.J., Lipsett, M.B., Ommaya, A.K. and Moser, J.M.: Asymptomatic hypernatremia: physiology and clinical study. Am. J. Med. 38: 306-315, 1965.
121. Katsoyannis, P.G. and du Vigneaud, V.: Arginine-vasotocin, a synthetic analogue of the posterior pituitary hormone, containing the ring of oxytocin and the side chain of vasopressin. J. Biol. Chem. 233: 1352-1358, 1958.

122. Kimbrough, R.D., Jr., Cash, W.D., Branda, L.A., Chan, W.Y. and du Vigneaud, V.: Synthesis and biological properties of 1-desamino-8-lysine-vasopressin. J. Biol. Chem. 238: 1411-1419, 1963.
123. Knigge, K.M. and Scott, D.E.: Structure and function of the median eminence. Am. J. Anat. 129: 233-238, 1970.
124. Knowles, F.: Ependyma of the third ventricle in relation to pituitary function. Prog. Brain Res. 38: 255-270, 1972.
125. Koizumi, K. and Yamashita, H.: Studies of antidromically identified neurosecretory cells of the hypothalamus by intracellular and extracellular recordings. J. Physiol. (Lond.) 221: 683-694, 1972.
126. Kozłowski, S. and Szczepanska-Sadowska, E.: Antagonistic effect of vasopressin and hypervolemia on osmotic reactivity of the thirst mechanism in dogs. Pfluegers Arch. 353: 59-65, 1975.
127. Krebs, E.G.: Protein kinases. Curr. Top, Cell Res. 5: 99-133, 1972.
128. Kuo, J.F. and Greengard, P.: Cyclic nucleotide-dependent protein kinases. IV. Widespread occurrence of adenosine 3'-5'-monophosphate dependent protein kinase in various tissue and phyla of the animal kingdom. Proc. Natl. Acad. Sci. U.S.A. 64: 1349-1355, 1969.
129. La Bella, F.S., Beaulieu, G. and Reiffenstein, R.J.: Evidence for the existence of separate vasopressin and oxytocin-containing granules. Nature (Lond.) 193: 173, 1962.
130. Laszlo, F.A. and de Wied, D.: Antidiuretic hormone control of the hypothalamo-neurohypophyseal system and urinary excretion of antidiuretic hormone in rats during the development of diabetes insipidus after lesion in the pituitary stalk. J. Endocrinol. 36: 125-137, 1966.
131. Lederis, K.: Physiology and Pathology of adaptation mechanism. Ed. E. Bajusz. Pergamon Press, Oxford. pp 237, 1961.
132. Lederis, K. and Livingstone, A.: Neuronal and subcellular localization of acetylcholine in the posterior pituitary of rabbit. J. Physiol. (Lond.) 210: 187-192, 1970.

133. Legros, J.J. and Franchimont, P.: Human neurophysin blood levels under normal, experimental and pathological conditions. Clin. Endocrinol. 1: 99-104, 1972.
134. Leontovich, T.A.: The neurons of the magnocellular neurosecretory nuclei of the dog hypothalamus. J. Hirnforsch. 11: 499, 1969.
135. Livett, B.G., Uttenthal, L.P. and Hope, D.G.: Localization of neurophysin II in the hypothalamo-neurohypophysial system of the pig by immunofluorescence histochemistry. Philos. Trans. R. Soc. Lond. (Ser. B) 261: 371-378, 1971.
136. Mahoney, J.H. and Goodman, A.D.: Hyponatremia due to hypodipsia and elevated threshold for vasopressin release. Effects of treatment with hydrochlorothiazide, chlorpropamide and tolbutamide. N. Eng. J. Med. 279: 1191-1196, 1968.
137. Malvin, R.L.: Possible role of the renin-angiotensin system in the regulation of antidiuretic hormone secretion. Fed. Proc. 30: 1383-1386, 1971.
138. McArthur, C.G.: A new posterior pituitary preparation. Science 73: 448, 1931.
139. McIlwain, H. and Rodnight, R.: Practical neurochemistry. London. Churchill, 1962.
140. McNeill, J.B., Stark, E.D. and Greenway, C.V.: Intestinal vasoconstriction after hemorrhage: roles of vasopressin and angiotensin. Am. J. Physiol. 219: 1342-1347, 1970.
141. Meyer, V. and Knobil, E.: Stimulation of growth hormone secretion by vasopressin in the Rhesus monkey. Endocrinology 79: 1016-1020, 1966.
142. Miller, M. and Moses, A.M.: Potentiation of the antidiuretic effect of vasopressin by chlorpropamide. Endocrinology 86: 1028-1032, 1970.
143. Miller, M. and Moses, A.M.: Radioimmunoassay of urinary antidiuretic hormone with application to study of the Brattleboro rats. Endocrinology 88: 1389-1393, 1971.
144. Miller, M. and Moses, A.M.: Urinary antidiuretic hormone in polyuric disorders and in inappropriate ADH syndrome. Ann. Intern. Med. 77: 715-721, 1972.

145. Milton, A.S. and Patterson, A.T.: Microinjection study of the role of adrenergic transmission in the control of the secretion of ADH. Br. J. Pharmacol. 43: 444, 1971.
146. Moore, W.W., Segar, W.E., Johnson, J.A. and Zehr, J.E.: Blood ADH levels in hydrated humans during infusion of hypertonic saline. Fed. Proc. 26: 256, 1967.
147. Morel, F., Chabardes, D. and Imbert, M.: Target sites of anti-diuretic hormones and parathyroid hormone along the segments of nephron; in Advances in Nephrology. Ed. by Hamburger, J., Crosnier, J. and Maxwell, M.H. Chicago, Yearbook Medical Publishers Inc., 1975, vol. 5.
148. Morris, J.R. and Cannata, M.A.: Ultrastructural preservation of the dense core of posterior pituitary neurosecretory granules and its implications for hormone release. J. Endocrinol. 57: 517-529, 1973.
149. Morris, J.F. and Dyball, R.E.J.: A quantitative study of the ultrastructural changes in the hypothalamo-neurohypophyseal system during and after experimentally induced hypersecretion. Cell Tiss. Res. 149: 525-531, 1974.
150. Moses, A.M. and Miller, M.: Osmotic threshold for vasopressin release as determined by saline infusion and by dehydration. Neuroendocrinology 7: 219-226, 1971.
151. Moses, A.M. and Miller, M.: Drug induced dilutional hyponatremia. N. Eng. J. Med. 291: 1234-1239, 1974.
152. Moses, A.M., Numan, P. and Miller, M.: Mechanism of chlorpropamide induced antidiuresis in man. Evidence for release of ADH and enhancement of peripheral action. Metabolism 22: 59-64, 1973.
153. Moses, A.M., Miller, M. and Streeten, H.P.: Pathophysiologic and pharmacologic alterations in the release and action of ADH. Metabolism 25: 697-721, 1976.
154. Munsick, R.A., Sawyer, W.H. and Van Dyke, H.B.: Avian neurohypophyseal hormones. Pharmacological properties and tentative identification. Endocrinology 66: 860-871, 1960.

155. Nardacci, N.J., Mukhopadhyay, S. and Campbell, B.J.: Partial purification and characterization of the antidiuretic hormone inactivating enzyme from renal plasma membranes. Biochim. Biophys. Acta 377: 146-159, 1975.
156. Nagasawa, J., Douglas, W.W. and Schulz, R.A.: Micropinocytotic origin of coated and smooth microvesicles ("Synaptic Vesicles") in neurosecretory terminals of posterior pituitary glands demonstrated by incorporation of horseradish peroxidase. Nature (Lond.) 232: 341-344, 1971.
157. Neer, E.J.: Vasopressin responses. Soluble adenylate cyclase from the rat renal medulla. J. Biol. Chem. 248: 3742-3744, 1973.
158. Nesvadba, H., Honzl, J. and Rudinger, J.: Some structural analogues of oxytocin modified in position 3 of the peptide chain. Synthesis and some chemical and biological properties. Collection Czech. Chem. Commun. 28: 1691, 1963.
159. Nordmann, J.J.: Hormone release and Ca uptake in the rat neurohypophysis. In Calcium transport in contraction and secretion. Ed. by E. Carafoli. pp 281-286, 1975.
160. Nordmann, J.J. and Dreifuss, J.J.: Hormone release evoked by electrical stimulation of rat neurohypophysis in the absence of action potentials. Brain Res. 45: 604-608, 1972.
161. Nordmann, J.J., Breifuss, J.J., Baker, P.F., Ravazzola, M., Malaisselagae, F. and Orci, L.: Secretion-dependent uptake of extracellular fluid by the rat neurohypophysis. Nature (Lond.) 250: 155-156, 1974.
162. Norstrom, A. and Sjostrand, J.: Effect of salt loading, thirst and water loading on transport and turnover of neurohypophysial protein of the rat. J. Endocrinol. 52: 827-837, 1972.
163. Norstrom, A.: Axonal transport and turnover of neurohypophysial proteins in the rat. Ann. N.Y. Acad. Sci. 248: 46-63, 1975.
164. O'Connor, W.J. and Verney, E.B.: The effect of increased activity of the sympathetic system in the inhibition of water diuresis by emotional stress. Quart. J. Exp. Phy. 33: 77-90, 1945.
165. Olsson, K. and McDonald, I.R.: Lack of antidiuretic response to osmotic stimuli in the early stages of a water diuresis in sheep. J. Endocrinol. 48: 301-302, 1970.

166. Parry, H.B. and Livett, B.G.: A new hypothalamic pathway to the median-eminence containing neurophysin and its hypertrophy in sheep with natural scrapie. Nature 242: 63-65, 1973.
167. Pearson, D., Shainberg, A., Malamed, S. and Sachs, H.: The hypothalamo-neurohypophyseal neurosecretion in the rat: Morphology and biochemical characteristics. Endocrinology 96: 982-991, 1975.
168. Pelletier, G., LeClerc, R., Labrie, F. and Puvion, R.: Electron microscope immunohistochemical localization of neurophysin in the rat hypothalamus and pituitary. Mol. Cell. Endocrinol. 1: 157-165, 1974.
169. Perkins, J.P.: Adenylcyclase. Adv. Cyclic Nucl. Res. 3: 1-64, 1973.
170. Pickford, M.: The inhibitory effect of acetylcholine on diuresis in the dog and its pituitary transmission. J. Physiol. (Lond.) 95: 226-238, 1939.
171. Pickford, M.: The action of acetylcholine on the supraoptic-nucleus of the chloralosed dog. J. Physiol. (Lond.) 106: 264-270, 1947.
172. Pickford, M. and Watt, J.A.: A comparison of the effects of intravenous and intracarotid injections of acetylcholine in the dog. J. Physiol. (Lond.) 114: 333-335, 1951.
173. Pickering, B.T., Jones, C.W. and Burford, G.D.: In neurosecretion. The final neuroendocrine pathway. Ed. F.G.W. Knowels and R. Vollrath. Springer-Verlag, Berlin and New York. pp 72, 1974.
174. Pickering, B.T., Jones, C.W., Burford, G.D., McPherson, M., Swann, R.W., Heap, P.F. and Morris, J.F.: The role of neurophysin proteins: suggestions from the study of their transport and turnover. Ann. N.Y. Acad. Sci. 248: 15-76, 1975.
175. Pickup, J.C., Johnston, C.I., Nakamura, S., Uttenthal, L.O. and Hope, D.B.: Subcellular organization of neurophysins, oxytocins (8-lysine)-vasopressin and adenosinetriphosphatase in porcine posterior pituitary lobes. Biochem. J. 132: 361, 1973.
176. Pliska, V., Rudinger, T., Dousa, T. and Cort, J.H.: Oxytocin activity and the integrity of the disulfide bridge. Am. J. Physiol. 215: 916-920, 1968.

177. Popenoe, E.A., Lawler, H.C. and du Vigneaud, V.: Partial purification and amino acid content of vasopressin from hog posterior pituitary glands. J. Am. Chem. Soc. 74: 3713, 1952.
178. Proesmans, W., Eggermont, E., Vander-Schueren-Lodeweyckx, M., Tiddens, H. and Eeckels, R.: The effect of exogenous 3'5'-adenosine monophosphate on urinary output in children with vasopressin resistant diabetes insipidus. Pediatr. Res. 9: 509-512, 1975.
179. Rasmussen, H., Schwartz, I.L., Schoessler, M.A. and Hochster, G.: Studies on the mechanism of action of vasopressin. Proc. Nat. Acad. Sci. U.S. 46: 1278-1285, 1960.
180. Rateliffe, J.G. and Edwards, C.R.W.: Radioimmunoassay methods. Ed. by K.E. Kirkham and W.M. Hunter. Livingstone, Edinburgh. pp 502, 1971.
181. Rarch, R., Hollenberg, M.D. and Hope, D.B.: Isolation of a third bovine neurophysin. Biochem. J. 115: 473-479, 1969.
182. Rechardt, L.: Electron microscopic and histochemical observation on supraoptic nucleus of normal and dehydrated rats. Acta Physiol. Scand. 329: 1-6, 1969.
183. Rocha e Silva, M., Jr. and Rosenberg, M.: The release of vasopressin in response to hemorrhage and its role in the mechanism of blood pressure regulation. J. Physiol. (Lond.) 202: 535-537, 1969.
184. Robertson, G.L., Klein, L.A., Roth, J. and Gordon, P.: Immunoassay of plasma vasopressin in man. Proc. Nat. Acad. Sci. U.S. 66: 1298-1305, 1970.
185. Robertson, G.L., Mahr, E.A., Athar, S. and Sinha, T.: Development and clinical application of a new method for the radioimmunoassay of arginine vasopressin in human plasma. J. Clin. Invest. 52: 2340-2352, 1973.
186. Robinson, A.G. and Zimmerman, E.A.: Cerebrospinal fluid and ependymal neurophysin. J. Clin. Invest. 52: 1260-1267, 1973.
187. Rosenfield, M.: The native hormones of the posterior pituitary gland: the pressor and oxytocin principle. Bull. Johns Hopk. Hosp. 66: 398-403, 1940.

188. Roy, C., Barth, T. and Jard, S.: Vasopressin-sensitive kidney adenylate cyclase: Structural requirements for attachment to the receptor and enzyme activation. Studies with oxytocin analogues. J. Biol. Chem. 250: 3157-3168, 1975.
189. Rudinger, J. and Krejci, I.: Dose-response relations for some synthetic analogues of oxytocin and the mode of action of oxytocin on the isolated uterus. Experientia 18: 585, 1962.
190. Sachs, H. and Takabatake, V.: Evidence for a precursor in vasopressin biosynthesis. Endocrinology 75: 943-948, 1964.
191. Sachs, H., Share, L., Osinchak, J. and Carpi, A.: Capacity of the neurohypophysis to release vasopressin. Endocrinology 81: 755-770, 1967.
192. Sachs, H., Fawcett, P., Takabatake, Y. and Portanova, R.: Biosynthesis and release of vasopressin and neurophysin. Recent Prog. Horm. Res. 25: 447-451, 1969.
193. Sachs, H. and Haller, E.W.: Further studies on the capacity of the neurophysin to release vasopressin. Endocrinology 83: 251-262, 1968.
194. Saito, T., Yoshida, S. and Nakao, K.: Release of antidiuretic hormone from neurohypophysis in response to hemorrhage and infusion of hypertonic saline in dogs. Endocrinology 85: 72-78, 1969.
195. Sawyer, W.H.: Comparative pharmacology and physiology of the neurohypophysis. Rec. Prog. Horm. Res. 17: 437-443, 1961.
196. Scharrer, E. and Scharrer, B.: Hormone produced by neurosecretory cells. Recent Prog. Horm. Res. 10: 183-240, 1954.
197. Schrier, R.W.: Effects of adrenergic nervous system and catecholamines on systemic and renal hemodynamics, Na^+ and H_2O excretion and renin secretion. Kidney Int. 6: 291-306, 1974.
198. Scott, D.E., Kozlowski, G.P. and Sheridan, M.N.: Scanning electron microscopy in the ultrastructural analysis of the mammalian cerebral ventricular system. Int. Rev. Cytol. 37: 349-388, 1974.

199. Shade, R.E. and Share, L.: Vasopressin release during nonhypotensive hemorrhage and angiotensin-II infusion. Am. J. Physiol. 228: 149-156, 1975.
200. Share, L.: Rate of disappearance of arginine vasopressin from the circulating blood in the dogs. Am. J. Physiol. 203: 1179-1181, 1962.
201. Share, L.: Effects of carotid occlusion and left atrial distention on plasma vasopressin titre. Am. J. Physiol. 208: 219, 1965.
202. Share, L.: Role of peripheral receptors in the increased release of vasopressin in response to hemorrhage. Endocrinology 81: 1140, 1967.
203. Share, L.: Extracellular fluid volume and vasopressin secretion. In Frontiers in Neuroendocrinology. Ed. by W.F. Ganong and L. Martini. Oxford University Press, New York. pp 183, 1969.
204. Share, L. and Levy, M.N.: Carotid sinus pressure, a determinant of plasma ADH concentration. Am. J. Physiol. 211: 721, 1966.
205. Shute, C.C.D. and Lewis, P.R.: Cholinergic and monoaminergic pathways in the hypothalamus. B.M.B. 22: 221-226, 1966.
206. Siedel, W., Sturm, K. and Geiger, R.: Synthese eines vasopressorisch wirkenden peptides. Chem. Ber. 96: 1436, 1963.
207. Silverman, A.J. and Zimmermann, E.A.: Ultrastructural immunocytochemical localization of neurophysin and vasopressin in the median eminence and posterior pituitary of the guinea pig. Cell Tiss. Res. 159: 291, 1975.
208. Skadhauge, E.: Effects of unilateral infusion of arginine vasotocin into the portal circulation of the avian kidney. Acta Endocr. (KBH) 47: 321-330, 1964.
209. Sloper, J.C. and Bateson, R.G.: Ultrastructure of neurosecretory cells in the supraoptic nucleus of the dog and the rat. J. Endocrinol. 31: 139, 1965.
210. Stouffer, J.E., Hope, D.B. and du Vigneaud, V.: Neurophysin oxytocin and deamino-oxytocin. In Perspectives in Biology. Ed. by C.F. Cori, V.G. Foglia, L.F. Leloir and S. Ochoa, Elsevier, Amsterdam. pp. 75, 1963.

211. Supek, Z. and Eisen, V.: The action of nervous depressants on the antidiuretic and chloruretic effect of nicotine. Arch. Int. Pharmacodyn. 93: 75-82, 1953.
212. Swaab, D.F., Nijveldt, F. and Pool, C.W.: Distribution of oxytocin and vasopressin in the rat supraoptic and paraventricular nucleus. J. Endocrinol. 67: 461-462, 1975.
213. Szczepanska-Sadowska, E., Kozolowski, S. and Sobocinska, J.: Blood antidiuretic hormone level and osmotic reactivity of thirst mechanism in dogs. Am. J. Physiol. 227: 766-770, 1974.
214. Takabatake, Y. and Sachs, H.: Vasopressin biosynthesis. II. In vitro studies. Endocrinology 75: 934-742, 1964.
215. Taylor, A., Mamelak, M., Reaven, E. and Maffly, R.: Evidence for involvement of microtubules in the action of vasopressin on osmotic water movement. (abstract) Fed. Proc. 31: 824, 1972.
216. Taylor, A., Mamelak, M., Reaven, E. and Maffly, R.: Vasopressin: Possible role of microtubules and microfilaments in its action. Science 181: 347-351, 1973.
217. Thorn, N.A.: Role of calcium in the release of vasopressin and oxytocin from posterior pituitary protein. Acta Endocrinol. (Copenh.) 50: 357-364, 1965.
218. Thorn, N.A.: In vitro studies on the release mechanism for vasopressin in rats. Acta Endocrinol. (Copenh.) 53: 644-654, 1966.
219. Turner, R.A., Pierce, J.G. and du Vigneaud, V.: The purification and the amino acid content of vasopressin preparations. J. Biol. Chem. 191: 21, 1951.
220. Uttenthal, L.P. and Hope, D.B.: The isolation of three neurophysin from porcine posterior pituitary lobes. Biochem. J. 116: 899-909, 1970.
221. Vandesande, F., Doerockx, K. and de May, J.: Identification of neurophysin producing cells. I. The origin of the neurophysin-like substance-containing nerve fibres in the external region of median eminence of the rat. Cell. Tissue Res. 151: 187-200, 1974.

222. Van Dyke, H.B., Chow, B.F., Greep, H.P. and Rothen, A.: The isolation of a protein from the pars neuralis of the ox pituitary with constant oxytocic pressor and diuresis-inhibiting activities. J.P.E.T. 74: 190-209, 1942.
223. Vane, J.R.: The use of isolated organs for detecting active substances in the circulating blood. Br. J. Pharmacol. Chemotherp. 23: 360-373, 1964.
224. Vane, J.R. and Williams.: A sensitive method for the assay of oxytocin in blood. Br. J. Pharmacol. Chemotherp. 38: 44-445, 1970.
225. Vatner, F.S. and Braunwald, E.: Cardiovascular control mechanisms in the conscious state. New Engl. J. Med. 293: 970-976, 1975.
226. Verney, E.B.: The antidiuretic hormone and the factors which determine its release. Proc. Roy. Soc. Med. 135: 25-106, 1947.
227. Vincent, J.D., Arnauld, E. and Nicolescuatargi, A.: Osmoreceptors and neurosecretory cells in the supraoptic complex of the unanaesthetized monkey. Brain Res. 45: 278-281, 1972.
228. Vogel, G. and Hergott, J.: Pharmacological properties of 0-methyl tyrosine-2-lysine-8-vasopressin, a new synthetic polypeptide. Arztl. Forsch. 13: 415, 1963.
229. von Den Veldin, R.: Die nierenwirkung von hypophysenextrakten beim menschem. Berl. Klin Wchnschr. 50: 2083, 1913.
230. Vorherr, H., Bradbury, W.B., Hoghoughi, M. and Kleeman, C.R.: Antidiuretic hormone in cerebrospinal fluid during endogenous and exogenous changes in its blood level. Endocrinology 72: 246-250, 1968.
231. Vorherr, H., Vorherr, U.F., McConnell, T.S., Goldberg, N.M., Kornfeld, M. and Jordan, S.W. Localization and origin of antidiuretic principle in para-endocrine active malignant tumors. Oncology 29: 201-218, 1974.
232. Wakerley, J.B. and Lincoln, D.W.: Phasic discharge of antidromically identified units in the paraventricular nucleus of hypothalamus. Brain Res. 25: 192, 1971.

233. Walker, J.M.: Release of vasopressin and oxytocin in response to drugs. In *The Neurohypophysis*. Ed. by H. Heller, London, Butterworths. pp 221-229, 1957.
234. Walsh, D.A., Perkins, J.P. and Krebs, E.G.: An adenosine 3'5' monophosphate dependent protein kinase from rabbit skeletal muscle. J. Biol. Chem. 243: 3763-3765, 1968.
235. Walter, R., Rudinger, J. and Schwartz, I.L.: Chemistry and structure activity relations of the antidiuretic hormone. Am. J. Med. 42: 653-677, 1967.
236. Walter, R. and Schlank, H.: Differences in the enzymatic inactivation of arginine vasopressin and oxytocin by rat kidney homogenate. Endocrinology 96: 811-814, 1975.
237. Ward, M.K. and Fraser, T.R.: DDAVP in treatment of vasopressin sensitive diabetes insipidus. Br. Med. J. 3: 86-89, 1974.
238. Weinstein, H.R.M. and Sach, H.: Vasopressin in blood. Effect of hemorrhage. Endocrinology 66: 712-715, 1960.
239. Weiner, R.I., Blake, C.A., Rubinstein, L. and Sawyer, C.H.: Electrical activity of the hypothalamus: effects of intraventricular catecholamines. Science 171: 411-412, 1971.
240. Yamashita, H., Koizumi, K. and Brooks, C.: Electrophysiological studies of neurosecretory cells in the rat hypothalamus. Brain Res. 20: 462-466, 1970.
241. Yates, F.E., Russel, S.M., Dallman, M.F., Hedge, B.A., McCann, S.M. and Chariwal, A.P.S.: Potentiation by vasopressin of corticotropin release induced by corticotropin-releasing factor. Endocrinology 88: 3-10, 1971.
242. Zaoral, M. and Sorm, F.: Synthesis of Gly-Cys-lysine-vasopressin and Gly-cys-Tyr-Me² lysine vasopressin. Collection Czech. Chem. Commun. 30: 2812, 1965.
243. Zaoral, M.: Synthesis of Asp(NH₂)⁴-lysine-vasopressin; a new synthesis of lysine-vasopressin. Collection Czech. Chem. Commun. 30: 1853, 1965.
244. Zehr, J.E., Johnson, J.A. and Moore, W.W.: Left atrial pressure, plasma osmolality, ADH levels in the unanaesthetized ewe. Am. J. Physiol. 217: 1672-1680, 1969.

245. Zimmerman, E.A., Carmel, P.W., Husain, M.K., Ferin, M., Tannenbaum, M., Frantz, A.G. and Robinson, A.G.: Vasopressin and neurophysin: high concentrations in monkey hypophyseal portal blood. Science 182: 925, 1973.
246. Zimmerman, E.A., Defendini, R., Sokol, H.W. and Robinson, A.G.: The distribution of neurophysin-secreting pathways in the mammalian brain: light microscopic studies using the immunoperoxidase technique. Ann. N.Y. Acad. Sci. 248: 92, 1975.