## LIST OF TABLES

Table	Title Title	Pg. No.
1.1	List of some controversial drugs in Indian medicine	5
1.2	Episodic and declarative memory: defining features	7
1.3	Classification of mental disorder	9 `
1.4	Neurotransmitter systems	12
1.5	Summary of the effects of some drugs frequently used as cognitive enhancers	13
1.6	List of Marketed Herbal formulations available for enhancing vitality and mental health	14
1.7	Plants of Traditional system of medicine used in mental illness	15
1.8	Classification (Taxonomic)	37
1.9	Different Pharmacognostical features of Controversial sources of Shankhpushpi	38
1.10	Different Phytochemicals features of controversial sources of Shankhpushpi	40
2.1	Series of solution for dehydration	64
2.2	TLC Profile of methanolic extracts of various Shankhpushpi botanicals	81
2.3	List of solvent system and detection agents used for the fingerprinting and cross identification with known marker for their presence in MeOH extracts of shankhpushpi botanicals.	83
2.4	Comparative microscopical character of various ethanobotanicals claims of Shankhpushpi.	91
2.5	Comparative proximate analytical parameters	93
2.6	Comparative quantitative elemental analysis	93
2.7	Comparative quantitative microscopical parameters	94
2.8	Comparative physiochemical parameters	95
2.9	Total Content of various metabolites by Successive extract	96
2.10	TLC Profile of methanolic extract of Shankhpushpi botanicals in Chloroform: Methanol: Toluene (7:2:1)	97
2.11	Identification of presence of Known Markers by Co-TLC in Shankhpushpi botanicals	99
3.1	List of samples used in the study (In vitro biological screening)	112
3.2	Composition of laboratory marine water (g/l)	116
3.3	Commonly available biomarkers of various food plants	120
3.4	Signs recorded during acute toxicity studies	129

3.5	Brine Shrimp Toxicity assay of various isolate and extracts of Shankhpushpi.	136
3.6	MTT toxicity assay on NIH-3T3 cell line by isolates, fraction and extracts of various <i>Shankhpushpi</i> botanicals	138
3.7	MTT toxicity assay on neuro 2 a cell line by isolates, fraction and extracts of various Shankhpushpi botanicals	140
3.8	Comparative antioxidant potential of some phytonutrients from commonly used food by DPPH method	142
3.9	Antioxidant potential of isolates, fraction and extracts of various shankhpushpi botanicals and their marketed formulation by DPPH method	143
3.10	Comparative antioxidant potential of some phytonutrients from commonly used food by FRAP method	146
3.11	Antioxidant potential of isolates, fraction and extracts of various shankhpushpi botanicals and their marketed formulation by DPPH method	147
3.12	Comparative antioxidant potential of some phytonutrients from commonly used food by Phosphomolybdenum Complex Method.	150
3.13	Antioxidant potential of isolates, fraction and extracts of various shankhpushpi botanicals and their marketed formulation by Phosphomolybdenum Complex Method.	151
3.14	Antioxidants for differentiating the four claimants of Shankhpushpi	155
3.15	AchE inhibition potential of isolates, fraction and extracts of various <i>Shankhpushpi</i> botanicals and their marketed formulation.	157
3.16	Neuroprotection assay of isolates, fraction and extracts of various shankhpushpi botanicals and their marketed formulation against $\beta$ - amyloid induced neurotoxicity.	160
3.17	Effects of methanolic extracts of <i>Shankhpushpi</i> botanicals on CS induced learning retention (memory) deficit in the step-down test in rats	163
3.18	Effect of methanolic extracts of Shankhpushpi botanicals on scopolamine-induced amnesia in rats	164
3.19	Effect of methanolic extracts of Shankhpushpi botanicals on scopolamine induced amnesia by Moris water maize	165
3.20	Effect of methanolic extracts of <i>Shankhpushpi</i> botanicals on nootropic activity in rats when administered for 7 days using Cook and Weidley's pole apparatus	166
3.21	LOX inhibition potential of isolates, fraction and extracts of various <i>Shankhpushpi</i> botanicals and their marketed formulation	167
3.22	Anti-malarial activity of various extracts of Shankhpushpi	169

4.4	Chemical Structure of (A) scopoletin; (B) mangiferin; and (C) rutin.	180
4.5	Simultaneous Chromatogram of various shankhpushpi botanicals for identification of scopoletin, mangiferin, and rutin	180
4.6	TLC plates (A) 254 nm (UV); (B) 366 nm (UV); (C) Visible mode (D) After FeCl <sub>3</sub> treatment	181
4.7	UV spectral overlain (A) Scopoletin versus all samples (B) Mangiferin versus CD and BT (C) Rutin versus CT.	182
4.8	Calibration plot for (A) Scopoletin (B) Mangiferin (C) Rutin	183
4.9	Simultaneous Chromatogram of ursolic acid, betullinic acid, stigmasterol and lupeol	186
4.10	Chemical Structure of (A) ursolic acid; (B) betullinic acid; (C) lupeol; and (D) stigmasterol	186
4.11	Simultaneous chromatogram of various shankhpushpi botanicals (Track Track-15) for identification of ursolic acid, betullinic acid, stigmasterol and lupeol	190
4.12	TLC photographs of (A) 254 nm (UV); (B) 366 nm (UV); (C) Visible mode; (D) After derivitasiation with acidified anisaldehyde reagent individual mode (254 nm UV); (E) After derivitasiation with acidified anisaldehyde reagent individual mode (Visible); (F) After derivitasiation with acidified anisaldehyde reagent in simultaneous mode (254 nm UV); (G) After derivitasiation with acidified anisaldehyde reagent simultaneous mode (Visible)	191
4.13	Calibration plot for (A) ursolic acid; (B) betullinic acid; (C) stigmasterol; and (D) lupeol.	192
5.1	Basis of antioxidant action	216
5.2	Outcome of the studies.	226