## **List of Tables**

Table 2. 1: Summary of the prepared samples of both series
Table 3.1: Crystallographic data of pure and doped CuFeO <sub>2</sub> samples60
Table 3. 2: Crystallite size and average strain using various methods61
Table 3.3: Elemental analysis report of CFO and CFMnV65
Table 3.4: Crystallographic data of the samples with single dopings69
Table 3. 5: Crystallographic data of the samples with double doping69
Table 3.6: Selected interatomic distances and bond angles of the samples with single doping70
Table 3.7: Selected interatomic distances and bond angles of the samples with double doping71
Table 3. 8: Estimated crystallite size and average strain of the studied samples with various methods74
Table 3. 9: Elemental analysis report of CCO and CCMnV
Table 4.1: Mossbauer parameters of the studied samples87
Table 4.2: Obseved band gaps in the studied samples89
Table 4.3: Observed bandgaps in the studied samples94
Table 5. 1: Resistivity and activation energy of the studied samples103
Table 5.2: Resistivity values measured at room temperature108
Table 5.3: Activation energy for $CuCrO_2$ , $CuCr_{0.96}M_{0.03}V_{0.01}O_2$ (M = Ti, Nb, Ga, and Mn), and
$\text{CuCr}_{0.96}\text{V}_{0.04}\text{O}_2$ samples
Table 5. 4: Calculated activation energies for the pure and doped CuCrO <sub>2</sub> samples114
Table 6. 1: Magentic properties of CFO and CFTiV samples
Table 6. 2: Coercivity and Remanencemagnetization for CuCrO <sub>2</sub> , CuCr <sub>0.96</sub> M <sub>0.03</sub> V <sub>0.01</sub> O <sub>2</sub> (M = Ti, Nb, Ga,
and Mn), and $CuCr_{0.96}V_{0.04}O_2$ samples at (a) 25 K and (b) 40 K132
Table 7.1: Crystallographic data for $CuCr_{0.96}Mn_{0.03}V_{0.01}O_2$ thin film