
List of Figures

1.1	A schematic representation of phase transitions in matter at macroscopic scales as compared to the low-dimensional regimes as a function of temperature. <i>Adopted from The Royal Swedish Academy of Sciences, illustration by Johan Jarnestad.</i>	3
1.2	A schematic representation of the Kosterlitz-Thouless topological phase transitions as a function of temperature in thin layer of matter under ultra-cold conditions. <i>Adopted from The Royal Swedish Academy of Sciences, illustration by Johan Jarnestad.</i>	4
1.3	A schematic representation of the analogy between the mathematical concept of topology and quantum Hall conductance where, the geometrical classification of object depends on the number of holes (which is necessarily an integer) and the electrical conductance which has integer dependence as evident from Eq. 1.4. <i>Adopted from The Royal Swedish Academy of Sciences, illustration by Johan Jarnestad.</i>	5
1.4	Spin filtered edge conducting energy bands in graphene (shown in inset). Adopted from Ref. <i>Phys Rev. Letts.</i> , 95 , 226801 (2005).	8
1.5	Spin-up and spin-down fermions with opposite chirality under opposite spin-orbit interaction force with the lattice displaced due to strain configuration. The net charge Hall conductance zero while the net spin Hall conductance is non-zero and quantized. Adopted from <i>Phys Rev. Letts.</i> , 96 , 106802 (2006).	9
1.6	(left) Energy of sub-bands E_1 (blue) and H_1 (red) at Γ point in the momentum space as a function of the HgTe quantum well thickness (d). (right) Schematic energy dispersion relations of the energy sub-bands E_1 and H_1 at different HgTe quantum well thickness; $d = 40, 63.5$, and 70 \AA (from left to right) indicating a Lifshitz phase transition. Illustrations adopted from <i>Science</i> , 314 , 1757-1761 (2006).	10
1.7	Longitudinal four-terminal resistance ($R_{14,23}$), when HgTe quantum well has thickness (d); 5.5 nm (I) before transition and 7.3 nm (II, III, IV) when the sub-band order is inverted, as a function of gate voltage in the absence of magnetic field and at 30 mK temperature. Adopted from <i>Science</i> , 318 , 766-770 (2007).	11
1.8	Schematic representation of band inversion as the concentration 'x' of Antimony is varied in Bismuth forming the alloy $\text{Bi}_{(1-x)}\text{Sb}_x$. Adopted from <i>Phys. Rev. B</i> , 76 , 045302 (2007).	12
1.9	Structure of a Heusler compound, in full-Heusler; X_2 atoms form $L2_1$ structure and in half-Heusler with a vacant sublattice the structure is $C1_b$. Adopted from wikipedia.	12

2.1	A schematic representation of pseudopotential. Adopted from <i>Phys. Rev. B.</i> , 50 , 17953-17979, (1994).	36
2.2	Computational codes used in this thesis.	52
3.1	Face centered cubic structure of LiMgBi where; Li, Mg and Bi occupy, $4b$, $4c$ and $4a$ Wyckoff positions respectively (left). Irreducible brillouin zone of the face centered cubic structure indicating the momentum path used for computing electronic band structures and phonon dispersion curves (right).	62
3.2	Phonon dispersion curves in absence of volume expansion pressure.	63
3.3	Electronic band structure of LiMgBi at in absence of volume expansion pressure.	64
3.4	(A) Increment in the unit cell volume (a.u. ³) due to volume expansion pressure. (B) Volume strain with respect to % volume expansion pressure. (C) Change in total energy (eV) of the system indicating a shift from the equilibrium state leading to a quantum phase transition.	65
3.5	The closing and reopening of the band gap with respect to % VEP indicating the Topological Phase Transition in FCC LiMgBi.	65
3.6	Electronic band structure of LiMgBi at, 0.0% (top), 4.5% (middle) and 6.5% (bottom) volume expansion pressure	66
3.7	Orbital projected density of states at, (A) 0%, (B) 4% and (C) 6.5% volume expansion pressure (inset panels represent states near Fermi level with energy range -0.5 eV to 0.5 eV).	67
3.8	Density of states under hybrid approach at 4% and 6.5% volume expansion pressure.	68
3.9	Electronic Band Structure at center of the brillouin zone, (A) without and (B) with spin-orbit interactions, at critical volume expansion pressure of 4%.	68
3.10	Surface states at 4.5% volume expansion pressure.	69
3.11	Evolution of the \mathbb{Z}_2 invariant (ν_0) as a function of pressure.	69
3.12	Phonon dispersion curves alongside phonon density of states of LiMgAs indicating dynamic stability of the system.	70
3.13	Electronic band structure at, 17% (top) and 20% (bottom) pressure indicating inversion of band dispersion.	71
3.14	Electronic band structure of LiMgAs.	72
3.15	Electronic band structure around Fermi level indicating the Dirac degeneracy at critical pressure and band reopening at 17% pressure with dispersion inversion (right).	72
3.16	Orbital projected density of states without spin-orbit interactions (top) and with spin-orbit interactions (bottom) before (left) and at critical volume expansion pressure (right) respectively, hosting exchanged orbital features around Fermi.	73
3.17	Angle resolved photoemission spectroscopy-like spectra of LiMgSb (top) and LiMgAs (bottom) beyond the critical pressure.	74
3.18	(a) Zincblende structure of AuI with, Au (golden) and I (purple) occupying two sublattice positions. (b) Phonon dispersion curves alongside the phonon density of states (inset brillouin zone).	77
3.19	Flow chart indicating different approaches to realise non-trivial topological character in zincblende AuI. (left) Retaining cubic symmetry, under isotropic compression AuI undergoes topological phase transition from semi-metal to a topological conductor. (right) On breaking the cubic symmetry, under uni-axial compressive pressure (along $[001]$ crystal direction) AuI undergoes topological phase transition from semi-metal to topological insulator.	79

3.20	Orbital projected density of states (overlaid with density of states) at (a) 0%, (b) 0.5% and (c) 2% compressive pressures. (d) Electronic band structure alongside density of states showing semi-metallic nature at the center of brillouin zone (inset, momentum path). (e) Electronic band structure hosting, Dresselhaus-like band spin splitting and topological conducting state under 2% compressive pressure.	80
3.21	Density of states (a) and the electronic band structure (b) (with $\pm k = \pm 2\pi/a$) at 1.1% uni-axial compressive pressure along [001] crystal direction (inset, indicates the non-trivial global band gap). (c) Orbital projected density of states indicating orbital exchange across the Fermi level. (d) Exact tight-binding model generated electronic band structure of AuI under 2% isotropic (left) and 1.1% uni-axial compression (right) respectively.	82
3.22	Angle resolved photoemission spectroscopy-like spectra of AuI indicating surface states in (a) topological conducting phase and (b) topological insulating phase.	84
4.1	(a) Bulk structure of half-heusler LiMgAs and its [111] crystal plane (b). (c) One dimensional quantum confinement by introducing 15 Å vacuum in z-direction. (d, e) Side and top view of the low-dimensional supercell. (f) Irreducible first brillouin zones of the bulk and low-dimensional of LiMgAs.	94
4.2	Phonon dispersion curves and density of states indicating dynamic stability of low dimensional LiMgAs.	95
4.3	Electronic band structure of low dimensional LiMgAs.	96
4.4	Electronic band structure of low dimensional LiMgAs at (left) 8% and (right) 10% pressure.	97
4.5	Orbital projected density of states without spin-orbit interactions (top) and with spin-orbit interactions (bottom) before (left) and at critical pressure (right) respectively, hosting exchanged orbital features around Fermi.	97
4.6	(left) Electronic band dispersions of low dimensional LiMgAs with and without spin-orbit interactions (under critical pressure). (right) Schematic representation of the orbital inversion mechanism due to pressure and spin-orbit interactions at 0% and 10% pressure.	98
4.7	Angle resolved photoemission spectroscopy-like spectra indicating conducting edge states.	99
4.8	Phonon dispersion curves alongside the phonon density of states of tellurene monolayer (top) and oxygen functionalised tellurene monolayer (bottom). . . .	101
4.9	Phonon dispersion curves (inset, crystal structures) of, selenene monolayer (top-left), sulphur functionalised selenene monolayer (top-right), oxygen functionalised selenene monolayer (bottom-left) and, sulphur functionalised tellurene monolayer (bottom-right).	102
4.10	Electronic band structure and density of states indicating semi-metallic nature of TeO (inset, density of states close to Fermi level and, bulk brillouin zone with highlighted edge brillouin zone).	103
4.11	Electronic band structures of SeO (top) and SeS (bottom) in the absence of spin-orbit interactions.	104
4.12	Electronic band structure of TeO (left) and SeS (right) with and without spin-orbit interactions.	104

4.13	(left) Orbital projected density of states TeO (top) without and (bottom) with spin-orbit interactions indicating exchange of p -orbitals across the Fermi level highlighted by downward arrows. (right) π and σ orbitals projected electronic band structures (top) without and (bottom) with spin-orbit interactions.	105
4.14	Electronic band structure of quantum well $h\text{BN}/\text{TeO}/h\text{BN}$	105
4.15	Schematic representation of van der Waals; $h\text{BN}/\text{TeO}/h\text{BN}$ quantum well device under isotropic tensile strain.	106
4.16	(left-top) <i>Berry</i> curvature mapping the entire brillouin zone; indicates opposite signs. (left-bottom) k -resolved spin <i>Berry</i> curvature mapped along the brillouin zone valley points K' (area under curve = 41.57 arb. units) and K (area under curve = 41.46 arb. units). (right-top) Spin projected electronic band structure along the brillouin zone valley points K' and K (inset temperature scale indicates, positive and negative spin). (right-bottom) Electronic band structure (with and without spin-orbit interactions) along the brillouin zone valley points K' and K	107
4.17	Conducting edge states in TeO.	108
4.18	Fermi energy scan of the spin Hall conductivity ($\sigma_{xy}^{\text{spin}}(\omega)$) in units of $(\hbar/e)\Omega^{-1}\text{cm}^{-1}$ (red line is the Fermi level and green lines indicate non-trivial global gap).	108
4.19	(top-left) Slab band structures indicating the conducting edge states (arrows indicate Dirac dispersions). (top-right) Angle resolved photoemission spectroscopy-like spectra indicating the conducting edge state spectra (arrows indicate Dirac dispersions). (bottom) Conducting edge spin density of states indicating spin polarizations in [100] and [010] crystal directions respectively.	109
4.20	(a) Primitive cell side view of zincblende AuI with highlighted [111] crystal plane; having layer thickness of 0.94 Å. (b) Top view of [111] crystal plane isolated from the primitive cell of the zincblende AuI.	111
4.21	Phonon dispersion curve alongside phonon density of states indicating dynamic stability of the, (a) P3m1 phase (before relaxing the structure) and (b) P6 ₃ mmc phase (after relaxing the structure) of AuI monolayer. (c) Structural stability at 300 K and 3 picoseconds time step of ab-initio molecular dynamics simulation. (d) Variation of temperature and total energy of AuI monolayer at different time steps of simulation.	112
4.22	(a) Total energy (in Ry units) variation with % strain. The cyan background indicate trivial insulator nature of AuI and white region indicates topological insulating nature. The black dashed line marks the structural phase transition from P3m1 to P6 ₃ mmc phase. (i) Critical DP at 2% strain, ii) narrow gap at 0% strain and, iii) enhanced gap at 3% strain. (b) Electronic band structure at 0% strain alongside density of states with inset of hexagonal brillouin zone.	113
4.23	Orbital projected density of states at: (a) 2% strain, (b) 0% strain, and (c) 3% strain. (d) Topological quantum phase transitions in terms of the inversion of the electron localization functions.	114
4.24	(a,b) Slab band structure and edge state spectra at 0% strain indicating the bulk states, edge states and, the Dirac point. (c,d) Slab band structure and edge state spectra at 3% strain indicating the bulk states, edge states and, the Dirac point.	115
5.1	A typical schematic indicating the thermoelectric material design strategy with respect to carrier concentrations.	125

5.2	(a) Face centred cubic zincblende structure of AuI. (b) Phonon dispersion curves alongside phonon density of states. (c) Phonon group velocities versus frequency (rad ps^{-1}) and, (d) Specific heat (C_v) of AuI versus temperature.	127
5.3	(a) Mode Grüneisen parameter as a function of phonon frequency. (b) Total Grüneisen parameters as a function of temperature. (c) Phonon scattering rates. (d) Lattice thermal conductivity and cumulative thermal conductivity as a function of, (e) Phonon frequency and (f) Phonon mean free path.	127
5.4	Electronic contribution to thermoelectric properties as a function of chemical potential (μ) for three different carrier concentrations.	128
5.5	Computed electronic contributions to thermoelectric parameters as a function of chemical potential (μ) at three different temperatures.	130
5.6	Variation of thermoelectric parameters and total Figure of Merit for three different carrier concentrations.	132
5.7	(a) Steps involved in the catalysis mechanism of AuI monolayer in hydrogen evolution reaction. Charge density plot of (b) Volmer and (c) Volmer-Heyrovsky reactions.	135
5.8	(a,b) Unit cell of LiMgAs at, 0% strain and 10% biaxial compressive strain (corresponding monolayer thickness (h) is 1.60 Å and 1.95 Å respectively). (c) The hexagonal and orthorhombic brillouin zone obtained using matrix (\mathcal{R}) (d). (e-h) ab-initio molecular dynamics simulations under 0% strain and 10% compressive strain for 3 picoseconds at 300 K.	139
5.9	(a) Electronic band structure with spin-orbit interactions at 0% and 10% biaxial compressive strain alongside the charge densities of bands I, II and III. (b) Edge slab band structure. (c,d) Zig-zag and planar terminations of nanoribbons with lattice parameters.	140
5.10	Hydrogen evolution reaction mechanism involving primary and secondary reactions at the edge sites of, (a) zig-zag and (b) planar nanoribbon configurations.	143
5.11	Volcano plot using, exchange current densities (for rate constant $k_0 = 1 \text{ s}^{-1} \text{ site}^{-1}$, according to Nørskov's assumptions) and Gibbs free energy data from literature for various materials. It is evident that, LiMgAs outperforms other topological materials placing it in Sabatiers optimum (highlighted in yellow).	145