

REFERENCES

- Acharya HK. 1979. Regional variations in the rupture-length magnitude relationships and their dynamical significance. *Bulletin of the Seismological Society of America* **69**: 2063 – 2084.
- Agarwal SK. 1957. Kutch Mesozoic: A study of the Jurassic of Kutch with special reference to the Jhura Dome. *Journal of Paleontological Society of India*. 119 – 130.
- Aki K. 1965. Maximum likelihood estimate of b in the formula $\log N=a-bM$ and its confidence limits. *Bulletin of the Earthquake Research Institute, Tokyo University* **43**: 237 – 239.
- Aksu HH, Kanbur MZ, Görmüş M. 2017. Investigation of the Kumdanlı and surrounding faults on the Eğirdir Lake by conducting ground penetrating radar (GPR) profiles. *Arabian Journal of Geosciences* **10**: 387. DOI: 10.1007/s12517-017-3162-2
- Anagnos T, Kiremidjian AS. 1988. A review of earthquake occurrence models for seismic hazard analysis. *Probabilistic Engineering Mechanics* **3**: 3 – 11.
- Anastasopoulos I, Gazetas G. 2007. Foundation–structure systems over a rupturing normal fault: Part I. Observations after the Kocaeli 1999 earthquake. *Bulletin of Earthquake Engineering* **5**:253-75.
- Anderson JG, Wesnousky SG, Stirling MW. 1996. Earthquake size as a function of fault slip rate. *Bulletin of the Seismological Society of America* **86**: 683–690.
- Anderson JG. 1997. Benefits of scenario ground motion maps. *Engineering Geology* **48**: 43–57. DOI: 10.1016/s0013-7952(97)81913-8
- Antón L, De Vicente G, Muñoz-Martín A, Stokes M. 2014. Using river long profiles and geomorphic indices to evaluate the geomorphological signature of continental scale drainage capture, Duero basin (NW Iberia). *Geomorphology* **206**: 250–261. DOI: 10.1016/j.geomorph.2013.09.028
- Aslan A, Hood WC, Karlstrom KE, Kirby E, Granger DE, Kelley S, Crow R, Donahue MS, Polyak V, Asmerom Y. 2014. Abandonment of Unaweep Canyon (1.4-0.8 Ma), western Colorado: Effects of stream capture and anomalously rapid Pleistocene river incision. *Geosphere* **10**: 428–446. DOI: 10.1130/GES00986.1
- Authemayou C, Brocard G, Delcaillau B, Molliex S, Pedroja K, Husson L, Aribowo S, Cahyarini SY. 2018. Unraveling the roles of asymmetric uplift, normal faulting and groundwater flow to drainage rearrangement in an emerging karstic landscape. *Earth Surface Processes and Landforms* **43**: 1885–1898. DOI: 10.1002/esp.4363
- Avar BB, Hudyma NW. 2019. Earthquake Surface Rupture: A Brief Survey on Interdisciplinary Research and Practice from Geology to Geotechnical Engineering. *Rock Mechanics and Rock Engineering* **52**: 5259–5281. DOI: 10.1007/s00603-019-02006-0

- Bandyopadhyay A. 2004. Sedimentation, Tectonics and Palaeoenvironment in Eastern Kachchh, Gujarat. *Journal of Geological Society of India* **63**: 171 – 182.
- Barcilon V, MacAyeal DR. 1993. Steady flow of a viscous ice stream across a no-slip/free-slip transition at the bed. *Journal of Glaciology* **39**: 167–185. DOI: 10.1017/S0022143000015811
- Barka A et al. 2002. The surface rupture and slip distribution of the 17 August 1999 İzmit earthquake (M 7.4), North Anatolian fault. *Bulletin of the Seismological Society of America* **92**: 43–60. DOI: 10.1785/0120000841
- Bashir A, Basu D. 2018. Revisiting probabilistic seismic hazard analysis of Gujarat: an assessment of Indian design spectra. *Natural Hazards* **91**: 1127–1164. DOI: 10.1007/s11069-018-3171-9
- Baskaran M, Rajagopalan G, Somayajulu B. 1989a. $^{230}\text{Th}/^{234}\text{U}$ and ^{14}C dating of the Quaternary carbonate deposits of Saurashtra, India. *Chemical Geology* **79**: 65–82.
- Baskaran M, Shrikant Deshpande, S. N. Rajaguru, B.L.K. Somayajulu. 1989b. Geochronology of Miliolite Rocks of Kutch, Western India. *Journal Geological Society of India* **33**: 588–593.
- Bathurst JC, Hey RD, Thorne CR. 1979. Secondary flow and shear stress at river bends. *Journal of the Hydraulics Division* **105**: 1277 – 1295.
- Bhatia SC, Kumar MR, Gupta HK. 1999. A probabilistic seismic hazard map of India and adjoining regions.
- Bhatt N, Patel MP. 1996. Petrographic criteria for freshwater diagenesis of Saurashtra miliolites. *Journal of Geological Society of India* **48**: 415 – 419.
- Bhattacharya F, Rastogi BK, Ngangom M, Thakkar MG, Patel RC. 2013. Late Quaternary climate and seismicity in the Katrol hill range, Kachchh, western India. *Journal of Asian Earth Sciences* **73**: 114–120. DOI: 10.1016/j.jseaes.2013.04.030
- Bhattacharya F, Rastogi BK, Thakkar MG, Patel RC, Juyal N. 2014. Fluvial landforms and their implication towards understanding the past climate and seismicity in the northern Katrol Hill Range, western India. *Quaternary International* **333**: 49–61. DOI: 10.1016/j.quaint.2014.03.002
- Bilham R, Bendick R, Wallace K. 2003. Flexure of the Indian plate and intraplate earthquakes. *Journal of Earth System Science* **112**: 315 – 329.
- BIS. 2002. Indian Standard Criteria for Earthquake Resistant Design of Structures, Part 1 General Provisions and Buildings (Fifth revision). Bureau Indian Standards (BIS), New Delhi, India.
- Bishop P. 1986. Horizontal stability of the Australian continental drainage divide in south central New South Wales during the Cainozoic. *Australian Journal of Earth Sciences* **33**: 295–307. DOI: 10.1080/08120098608729367

- Bishop P. 1988. The eastern highlands of Australia: The evolution of an intraplate highland belt. *Progress in Physical Geography* **12**: 159–182. DOI: 10.1177/030913338801200203
- Bishop P. 1995. Drainage rearrangement by river capture, beheading and diversion. *Progress in Physical Geography* **19**: 449–473. DOI: 10.1177/030913339501900402
- Bishop P. 1998. Griffith Taylor and the SE Australian highlands: Issues of data sources and testability in interpretations of long-term drainage history and landscape evolution. *Australian Geographer* **29**: 7–29. DOI: 10.1080/00049189808703201
- Biswas SK. 1971. The miliolite rocks of Kutch and Kathiawar (Western India). *Sedimentary Geology* **5**: 147–164. DOI: 10.1016/0037-0738(71)90029-7
- Biswas SK. 1974. Landscape of Kutch—a morphotectonic analysis. *Indian Journal of Earth Sciences* **1**: 177 – 190.
- Biswas SK. 1977. Mesozoic rock-stratigraphy of Kutch, Gujarat. *Quarterly Journal of the Geological Mineralogical and Metallurgical Society of India* **49**: 1–51.
- Biswas SK. 1982. Rift basins in western margin of India and their hydrocarbon prospects with special reference to Kutch Basin. *American Association of Petroleum Geologists, Bulletin* **66**: 1497–1513. DOI: 10.1306/03b5a976-16d1-11d7-8645000102c1865d
- Biswas SK. 1987. Regional tectonic framework, structure and evolution of the western marginal basins of India. *Tectonophysics* **135**: 307–327. DOI: 10.1016/0040-1951(87)90115-6
- Biswas SK. 1991. Stratigraphy and sedimentary evolution of the Mesozoic Basin of Kutch, Western India. In *Sedimentary Basins of India, Tectonic Context.*, Tandon SK, Pant C, Casshyap SM (Eds). Gyanodaya Prakashan: Nainital; 74 – 103.
- Biswas SK. 1992. Tertiary stratigraphy of Kutch. *Journal of the palaeontological society of India* **37**: 1–29.
- Biswas SK. 1993. *Geology of Kutch*. KD Malviya institute of petroleum exploration, Dehradun. 450.
- Biswas SK. 2005. A review of structure and tectonics of Kutch basin, western India, with special reference to earthquakes. *Current Science* **88**: 1592–1600.
- Biswas SK. 2016a. Mesozoic and Tertiary Stratigraphy of Kutch* (Kachchh) – A Review. *Geological Society of India*: 1–24. DOI: 10.17491/cgsi/2016/105405
- Biswas SK. 2016b. Tectonic Framework, Structure and Tectonic Evolution of Kutch Basin, Western India. *Geological Society of India*: 129–150. DOI: 10.17491/cgsi/2016/105417
- Biswas SK, Deshpande SV. 1968. Basement of the Mesozoic sediments of Kutch, Western India. *Bulletin Geological, Mining and Metallurgical Society of India*: 1 – 7.

- Biswas SK, Deshpande SV. 1970. Geological and tectonic maps of Kutch. *Quarterly Journal of the Geological Mineralogical and Metallurgical Society of India* **49**: 1–51.
- Biswas SK, Khattri KN. 2002. A geological study of earthquakes in Kutch, Gujarat, India. *Journal of the Geological Society of India* **60**: 131–142.
- Biswas SK, Raju DSN. 1971. Note on the rock-stratigraphic classification on tertiary sediments of Kutch. *The Quarterly Journal of the Geological, Mining, and Metallurgical Society of India*.
- Biswas SK, Raju DSN. 1973. The rock-stratigraphic classification on tertiary sediments of Kutch. *ONGC Bulletin* **10**: 37 – 46.
- Bodin P, Horton S. 2004. Source parameters and tectonic implications of aftershocks of the M w 7.6 Bhuj earthquake of 26 January 2001. *Bulletin of the Seismological Society of America* **94**: 818 – 827.
- Bommer JJ. 2002. Deterministic vs. Probabilistic seismic hazard assessment: An exaggerated and obstructive dichotomy. *Journal of Earthquake Engineering* **6**: 43 – 73.
- Bonilla MG, Buchanan JM. 1970. Interim report on worldwide historic surface faulting, U.S. Geological Survey Open-file Report.
- Bonilla MG. 1979. Comment on “Estimating maximum expectable magnitudes of earthquakes from fault dimensions”. *Geology* **8**: 162–163. DOI: 10.1130/0091-7613(1980)8<162:CAROEM>2.0.CO
- Bracciali L, Najman Y, Parrish RR, Akhter SH, Garzanti E. 2015. Early Miocene river capture in the Eastern Himalaya: a multi-technique provenance study of the paleo-Brahmaputra deposits (Bengal Basin, Bangladesh). *Earth and Planetary Science Letters* **415**: 25–37.
- Brocard G, Teyssier C, Dunlap WJ, Authemayou C, Simon-Labric T, Cacao-Chiquín EN, Gutiérrez-Orrego A, Morán-Ical S. 2011. Reorganization of a deeply incised drainage: role of deformation, sedimentation and groundwater flow. *Basin Research* **23**: 631-51.
- Brooke B. 2001. The distribution of carbonate eolianite. *Earth-Science Reviews* **55**: 135–164. DOI: 10.1016/S0012-8252(01)00054-X
- Brookfield ME. 1998. The evolution of the great river systems of southern Asia during the Cenozoic India-Asia collision: Rivers draining southwards. *Geomorphology* **22**: 285–312. DOI: 10.1016/j.geomorph.2008.01.003
- Bull PA. 1981. Environmental reconstruction by electron microscopy. *Progress in Physical Geography*. **5**: 368 – 397.
- Burbank DW, Anderson RS. 2011. *Tectonic geomorphology*. John Wiley & Sons.

- Busby JP, Merritt JW. 1999. Quaternary deformation mapping with ground penetrating radar. *Journal of Applied Geophysics* **41**: 75–91. DOI: 10.1016/S0926-9851(98)00050-0
- Camelbeeck T, Vanneste K, Van Camp M. 2008. The seismic activity in stable continental Europe. *Seismic Risk*: 25 – 32.
- Campbell DH. 1963. Percussion Marks on Quartz Grains. *SEPM Journal of Sedimentary Research* **33**: 855–859. DOI: 10.1306/74d70f60-2b21-11d7-8648000102c1865d
- Carter HJ. 1849. On foraminifera, their organization and their existence in a fossilized state in Arabia, Sindh, Kutch, and Khattiyawar. *Journal of the Bombay Branch of the Royal Asiatic Society* **3**: 168 – 169.
- Cashman SM, Baldwin JN, Cashman K V., Swanson K, Crawford R. 2007. Microstructures developed by coseismic and aseismic faulting in near-surface sediments, San Andres fault, California. *Geology* **35**: 611–614. DOI: 10.1130/G23545A.1
- Castelltort S, Goren L, Willett SD, Champagnac JD, Herman F, Braun J. 2012. River drainage patterns in the New Zealand Alps primarily controlled by plate tectonic strain. *Nature Geoscience* **5**: 744–748. DOI: 10.1038/ngeo1582
- Chakrabarti A, Somayajulu BLK, Baskaran M, Kumar B. 1993. Quaternary miliolites of Kutch and Saurashtra, Western India; depositional environments in the light of physical sedimentary structures, biogenic structures and geochronological setting of the rocks. *Senckenbergiana Maritima* **23**: 7–28.
- Chandra U. 1977. Earthquakes of Peninsular India—a Seismotectonic Study. *Bulletin of the Seismological Society of America* **67**: 1387–1413. DOI: 10.1785/BSSA0670051387
- Chopra S, Kumar D, Rastogi BK, Choudhury P, Yadav RBS. 2012. Deterministic seismic scenario for Gujarat region, India. *Natural Hazards* **60**: 517–540. DOI: 10.1007/s11069-011-0027-y
- Choudhury P, Chopra S, Kumar MR. 2018. A review of seismic hazard assessment of Gujarat: A highly active intra-plate region. *Earth-Science Reviews* **187**: 205–218. DOI: 10.1016/j.earscirev.2018.09.014
- Chowksey V, Maurya DM, Joshi P, Khonde N, Das A, Chamyal LS. 2011. Lithostratigraphic development and neotectonic significance of the quaternary sediments along the Kachchh Mainland fault (KMF) zone, Western India. *Journal of Earth System Science* **120**: 979–999. DOI: 10.1007/s12040-011-0123-0
- Chowksey V, Maurya DM, Khonde N, Chamyal LS. 2010. Tectonic geomorphology and evidence for active tilting of the Bela, Khadir and Bhanjada islands in the seismically active Kachchh palaeorift graben, Western India. *Zeitschrift für Geomorphologie* **1**: 467 – 490.
- Chung WY, Gao H. 1995. Source parameters of the Anjar earthquake of July 21, 1956, India, and its seismotectonic implications for the Kutch rift basin. *Tectonophysics* **242**: 281–292. DOI: 10.1016/0040-1951(94)00203-L

- Clark MK, Schoenbohm LM, Royden LH, Whipple KX, Burchfiel BC, Zhang X, Tang W, Wang E, Chen L. 2004. Surface uplift, tectonics, and erosion of eastern Tibet from large-scale drainage patterns. *Tectonics* **23**: 1–21. DOI: 10.1029/2002TC001402
- Conolly JR. 1965. The Occurrence of Polycrystallinity and Undulatory Extinction in Quartz in Sandstones. *Journal of Sedimentary Research* **35**: 116–135. DOI: 10.1306/74d71208-2b21-11d7-8648000102c1865d
- Costa G, Panza GF, Suhadolc P, Vaccari F. 1993. Zoning of the Italian territory in terms of expected peak ground acceleration derived from complete synthetic seismograms. *Journal of applied geophysics* **30**: 149 – 160.
- Costa PJ, Andrade C, Mahaney WC, Da Silva FM, Freire P, Freitas MC, Janardo C, Oliveira MA, Silva T, Lopes V. 2013. Aeolian microtextures in silica spheres induced in a wind tunnel experiment: Comparison with aeolian quartz. *Geomorphology* **180**: 120 – 129.
- Crone AJ, Machette MN, Bowman JR. 1997. Episodic nature of earthquake activity in stable continental regions revealed by palaeoseismicity studies of Australian and North American quaternary faults. *Australian Journal of Earth Sciences* **44**: 203–214. DOI: 10.1080/08120099708728304
- Dasgupta S, Pande P, Ganguli D, Iqbal Z, Sanyal K, Venkatraman NV, Dasgupta S, Sural B, Harendranath L, Mazumdar K, Sanyal S, Roy A, Das LK, Misra PS, Gupta H, et al., 2000. Kutch and Saurashtra area of Gujarat. In *Seismotectonic Atlas of India and its Environs*, Narula PL, Acharyya SK, Banerjee J. (eds). Geological Survey of India: Calcutta; 39.
- Davis JL, Annan AP. 1989. Ground-penetrating radar for high-resolution mapping of soil and rock stratigraphy. *Geophysical Prospecting* **37**: 531–551. DOI: 10.1111/j.1365-2478.1989.tb02221.x
- Davis WM. 1899. The Geographical Cycle. *The Geographical Journal* **14**: 481. DOI: 10.2307/1774538
- de Fátima Rossetti D, Mann de Toledo P, Góes AM. 2005. New geological framework for Western Amazonia (Brazil) and implications for biogeography and evolution. *Quaternary Research* **63**: 78–89. DOI: 10.1016/j.yqres.2004.10.001
- Dong JJ, Tang L, Gong W, Utili S, Crosta G. 2019. Mega engineering projects in challenging geological environments—A modern perspective. *Engineering Geology* **262**: 105308. DOI: 10.1016/j.enggeo.2019.105308
- Engelmann A, Neber A, Frechen M, Wolfgang Boenigk, Ronen A. 2001. Luminescence chronology of upper Pleistocene and Holocene aeolianites from Netanya South - Sharon Coastal Plain, Israel. *Quaternary Science Reviews* **20**: 799–804. DOI: 10.1016/S0277-3791(00)00035-4
- Esposito E, Porfido S, Simonelli AL, Mastrolorenzo G, Iaccarino G. 2000. Landslide and the other surface effects induced by the 1997 Umbria-Marche seismic sequence. *Engineering Geology* **58**: 353–376. DOI: 10.1016/S0013-7952(00)00035-1

- Faccioli E, Anastasopoulos I, Gazetas G, Callerio A, Paolucci R. 2008. Fault rupture-foundation interaction: Selected case histories. *Bulletin of Earthquake Engineering* **6**: 557–583. DOI: 10.1007/s10518-008-9089-y
- Fan N, Chu Z, Jiang L, Hassan MA, Lamb MP, Liu X. 2018. Abrupt drainage basin reorganization following a Pleistocene river capture. *Nature Communications* **9**: 1–6. DOI: 10.1038/s41467-018-06238-6
- Feddon F. 1884. The geology of the Kathiawar Peninsula in Guzerat. *Memoirs-Geological Survey of India* **21**: 1 – 64.
- Field EH, Arrowsmith RJ, Biasi GP, Bird P, Dawson TE, Felzer KR, Jackson DD, Johnson KM, Jordan TH, Madden C, Michael AJ, Milner KR, Page MT, Parsons T, Powers PM, Shaw BE, Thatcher WR, Weldon RJ II, Zeng Y. 2014. Uniform California Earthquake Rupture Forecast, Version 3 (UCERF3) – The time-independent model. *Bulletin of the Seismological Society of America* **104**: 1122–1180. DOI: 10.1785/0120130164
- Fisher SC, Stewart RR, Jol HM. 1992. Processing ground penetrating radar (GPR) data. *GPR Processing CREWES Research Report* **4**:11–1.
- Folk RL. 1959. Practical petrographic classification of limestones. *AAPG bulletin* **43**: 1 – 38.
- Gaudet JM, Roy AG. 1995. Effect of bed morphology on flow mixing length at river confluences. *Nature* **373**: 138–139. DOI: 10.1038/373138a0
- Giardini D, Grünthal G, Shedlock KM, Zhang P. 1999. The GSHAP global seismic hazard map.
- Giletycz S, Loget N, Chang CP, Mouthereau F. 2015. Transient fluvial landscape and preservation of low-relief terrains in an emerging orogen: Example from Hengchun Peninsula, Taiwan. *Geomorphology* **231**: 169–181. DOI: 10.1016/j.geomorph.2014.11.026
- Gross R, Green A, Holliger K, Horstmeyer H, Baldwin J. 2002. Shallow geometry and displacements on the San Andreas Fault near Point Arena based on trenching and 3-D georadar surveying. *Geophysical Research Letters* **29**: 34–1. DOI: 10.1029/2002GL015534
- Guha S, Patel PP. 2017. Evidence of topographic disequilibrium in the Subarnarekha River Basin, India: A digital elevation model based analysis. *Journal of Earth System Science* **126**: 1 – 20.
- Gupta S. 1997. Tectonic control on paleovalley incision at the distal margin of the early Tertiary Alpine foreland basin, southeastern France. *Journal of Sedimentary Research, Section B: Stratigraphy and Global Studies* **67**: 1030–1043. DOI: 10.1306/d42686bc-2b26-11d7-8648000102c1865d
- Gupta SK. 1975. Silting of the Rann of Kutch during Holocene. *Indian Journal of Earth Sciences* **2**: 163 – 175.

- Hack JT. 1957. Studies of longitudinal stream profiles in Virginia and Maryland. USGS Professional Paper **294**: 45-97.
- Hancock GS, Anderson RS. 2002. Numerical modeling of fluvial strath-terrace formation in response to oscillating climate. GSA Bulletin **114**: 1131–1142. DOI: [10.1130/0016-7606\(2002\)114<1131:NMOFST>2.0.CO;2](https://doi.org/10.1130/0016-7606(2002)114<1131:NMOFST>2.0.CO;2)
- Hanks TC, Johnston AC. 1992. Common features of the excitation and propagation of strong ground motion for North American earthquakes. Bulletin of the Seismological Society of America **82**:1 – 23.
- Hao KX, Si H, Fujiwara H, Ozawa T. 2009. Coseismic surface-ruptures and crustal deformations of the 2008 Wenchuan earthquake Mw 7.9, China. Geophysical Research Letters **36**. DOI: [10.1029/2009GL037971](https://doi.org/10.1029/2009GL037971)
- Harel E, Goren L, Shelef E, Ginat H. 2019. Drainage reversal toward cliffs induced by lateral lithologic differences. Geology **47**: 928–932. DOI: [10.1130/G46353.1](https://doi.org/10.1130/G46353.1)
- Hart EW, Bryant WA, Treiman JA. 1993. Surface faulting associated with the June 1992 Landers earthquake, California. Calif. Geol. **46**: 10-6.
- Herrmann RB, Ammon CJ. 1997. Faulting parameters of earthquakes in the New Madrid, Missouri, region. Engineering Geology **46**: 299–311. DOI: [10.1016/s0013-7952\(97\)00008-2](https://doi.org/10.1016/s0013-7952(97)00008-2)
- Hickin AS, Bobrowsky PT, Paulen RC, Best M. 2007. Imaging fluvial architecture within a paleovalley fill using ground penetrating radar, Maple Creek, Guyana. In Special papers – Geological Society of America **432**: 133.
- Higgins MD. 2006. Quantitative textural measurements in igneous and metamorphic petrology. Cambridge university press.
- Higgs R. 1979. Quartz-grain surface features of Mesozoic-Cenozoic sands from the Labrador and Western Greenland continental margins. Journal of Sedimentary Petrology **49**: 599–610. DOI: [10.1306/212F779D-2B24-11D7-8648000102C1865D](https://doi.org/10.1306/212F779D-2B24-11D7-8648000102C1865D)
- Hooke JM. 1984. Changes in river meanders: A review of techniques and results of analyses. Progress in Physical Geography **8**: 473–508. DOI: [10.1177/030913338400800401](https://doi.org/10.1177/030913338400800401)
- Hooke JM. 2013. River Meandering. In E. Wohl, & J. Schroder (Eds.), Treatise on Geomorphology **9**: 260–288.
- Hough SE, Martin S, Bilham R, Atkinson GM. 2002. The 26 January 2001 M 7.6 Bhuj, India, earthquake: Observed and predicted ground motions. Bulletin of the Seismological Society of America **92**: 2061–2079. DOI: [10.1785/0120010260](https://doi.org/10.1785/0120010260)
- Ikeya M, Miki T, Tanaka K. 1982. Dating of a fault by electron spin resonance on intrafault materials. Science **215**: 1392–1393. DOI: [10.1126/science.215.4538.1392](https://doi.org/10.1126/science.215.4538.1392)
- Irvine PJ, Hill RL. 1993. Surface rupture along a portion of the Emerson fault. Calif. Geol. **46**:23-6.

- IS:1893-Part-I. 2002. Criteria for Earthquake Resistant Design of Structures, Bureau of Indian Standard, New Delhi, India.
- Jackson J, Norris R, Youngson J. 1996. The structural evolution of active fault and fold systems in central Otago, New Zealand: Evidence revealed by drainage patterns. *Journal of Structural Geology* **18**: 217–234. DOI: 10.1016/S0191-8141(96)80046-0
- Jeong GY, Cheong CS. 2005. Recurrent events on a Quaternary fault recorded in the mineralogy and micromorphology of a weathering profile, Yangsan Fault System, Korea. *Quaternary Research* **64**: 221–233. DOI: 10.1016/j.yqres.2005.05.008
- Jerram DA, Cheadle MJ, Philpotts AR. 2003. Quantifying the building blocks of igneous rocks: are clustered crystal frameworks the foundation? *Journal of Petrology* **44**: 2033–2051.
- Johnston AC, Kanter LR. 1990. Earthquakes in stable continental crust. *Scientific American*. **262**: 68 – 75.
- Johnston AC. 1987. Characterization of intraplate seismic source zones. *Direction of Paleoseismology*: 87 – 673.
- Johnston AC. 1989. The seismicity of stable continental interiors. In: Gregersen S, Bhasham PW (Eds), *Earthquakes at North-Atlantic Passive Margins: Neotectonics and Postglacial Rebound*, Kluwer Academic Publishers: 299–327.
- Jol HM, Smith DG, Meyers RA. 1996. Digital ground penetrating radar (GPR): A new geophysical tool for coastal barrier research (examples from the Atlantic, Gulf and Pacific coasts, U.S.A.). *Journal of Coastal Research* **12**: 960–968.
- Kadirioğlu FT, Kartal RF. 2016. The new empirical magnitude conversion relations using an improved earthquake catalogue for Turkey and its near vicinity (1900–2012). *Turkish Journal of Earth Sciences* **25**: 300–310. DOI: 10.3906/yer-1511-7
- Kale VS, Shejwalkar N. 2007. Uplift along the western margin of the Deccan Basalt Province: Is there any geomorphometric evidence? *Journal of Earth System Science* **117**: 959–971. DOI: 10.1007/s12040-008-0081-3
- Kanaori Y, Kawakami SI. 1996. The 1995 7.2 magnitude Kobe earthquake and the Arima-Takatsuki tectonic line: implications of the seismic risk for central Japan. *Engineering geology* **43**: 135-50.
- Kanaori Y, Miyakoshi K, Kakuta T, Satake Y. 1980. Dating fault activity by surface textures of quartz grains from fault gouges. *Engineering Geology* **16**: 243–262. DOI: 10.1016/0013-7952(80)90018-6
- Kanaori Y, Tanaka K, Miyakoshi K. 1985. Further studies on the use of quartz grains from fault gouges to establish the age of faulting. *Engineering Geology* **21**: 175–194. DOI: 10.1016/0013-7952(85)90004-3
- Kanaori Y, Yairi K, Ishida T. 1991. Grain boundary microcracking of granitic rocks from the northeastern region of the Atotsugawa fault, central Japan: SEM backscattered

- electron images. *Engineering Geology* **30**: 221–235. DOI: 10.1016/0013-7952(91)90044-L
- Kanaori Y. 1983. Fracturing mode analysis and relative age dating of faults by surface textures of quartz grains from fault gouges. *Engineering Geology* **19**: 261–281. DOI: 10.1016/0013-7952(83)90011-X
- Kar A. 1995. Geomorphology of arid western India. *Memoirs-Geological Society of India*: 168 – 190.
- Kelson KI, Kang KH, Page WD, Lee CT, Cluff LS. 2001. Representative styles of deformation along the Chelungpu fault from the 1999 Chi-Chi (Taiwan) earthquake: geomorphic characteristics and responses of man-made structures. *Bulletin of the Seismological Society of America* **91**: 930-52.
- Keulen N, Heilbronner R, Stünitz H, Boullier AM, Ito H. 2007. Grain size distributions of fault rocks: A comparison between experimentally and naturally deformed granitoids. *Journal of Structural Geology* **29**:1282 – 1300.
- Khattari KN, Rogers AM, Perkins DM, Algermissen ST. 1984. A seismic hazard map of India and adjacent areas. *Tectonophysics* **108**: 93 – 134.
- Kim JH, Cho SJ, Yi MJ. 2007. Removal of ringing noise in GPR data by signal processing. *Geosciences Journal* **11**: 75–81. DOI: 10.1007/BF02910382
- Kingston DR, Dishroon CP, Williams PA. 1983. Global basin classification system. *AAPG Bulletin* **67**: 2175 – 2193.
- Kirby E, Whipple K. 2001. Quantifying differential rock-uplift rates via stream profile analysis. *Geology* **29**: 415–418. DOI: 10.1130/0091-7613(2001)029<0415:QDRURV>2.0.CO;2
- Kirby E, Whipple KX. 2012. Expression of active tectonics in erosional landscapes. *Journal of Structural Geology* **44**: 54–75. DOI: 10.1016/j.jsg.2012.07.009
- Klügel JU. 2008. Seismic Hazard Analysis - Quo vadis? *Earth-Science Reviews* **88**: 1–32. DOI: 10.1016/j.earscirev.2008.01.003
- Kossobokov VG, Nekrasova AK. 2012. Global seismic hazard assessment program maps are erroneous. *Seismic instruments* **48**: 162 – 170.
- Kralik M, Klima K, Riedmüller G. 1987. Dating fault gouges. *Nature* **327**: 315–317. DOI: 10.1038/327315a0
- Krinitzsky EL. 1993. Earthquake probability in engineering - part 2: earthquake recurrence and limitations of Gutenberg-Richter b-values for the engineering of critical structures. *Engineering Geology* **36**: 1–52. DOI: 10.1016/0013-7952(93)90017-7
- Krinitzsky EL. 1995. Deterministic versus probabilistic seismic hazard analysis for critical structures. *Engineering Geology* **40**: 1–7. DOI: 10.1016/0013-7952(95)00031-3

- Krinitzsky EL. 1998. The hazard in using probabilistic seismic hazard analysis for engineering. *Environmental and Engineering Geoscience* **4**: 425–444. DOI: 10.2113/gseegeosci.iv.4.425
- Krinitzsky EL. 2002. How to obtain earthquake ground motions for engineering design. *Engineering Geology* **65**: 1–16. DOI: 10.1016/S0013-7952(01)00098-9
- Krinsley DH, Donahue J. 1968. Environmental interpretation of sand grain surface textures by electron microscopy. *Bulletin of the Geological Society of America* **79**: 743–748. DOI: 10.1130/0016-7606(1968)79[743:EIOSGS]2.0.CO;2
- Krinsley DH, Doornkamp JC. 1973. *Atlas of quartz sand surface textures*. Cambridge, London.
- Krinsley DT, Smalley IJ. 1973. Shape and nature of small sedimentary quartz particles. *Science* **180**: 1277 – 1279.
- Krishna J, Pandey B, Pathak DB. 2009. Characterization of Dichotomoceras in the Oxfordian of Kachchh. *Journal of the Geological Society of India* **74**: 469 – 479.
- Kundu HK, Thakkar MG, Biswas RH, Singhvi AK. 2010. Optical dating of sediments in khari river basin and slip rate along katrol hill fault (KHF), Kachchh, India. *Geochronometria* **37**: 21–28. DOI: 10.2478/v10003-010-0018-0
- Lague D. 2014. The stream power river incision model: Evidence, theory and beyond. *Earth Surface Processes and Landforms* **39**: 38–61. DOI: 10.1002/esp.3462
- Lavé J, Avouac JP. 2000. Fluvial incision and tectonic uplift across the Himalayas of central Nepal. *Journal of Geophysical Research: Solid Earth* **106**: 26561–26591. DOI: 10.1029/2001jb000359
- Lavé J. 2015. Earth science: Landscape inversion by stream piracy. *Nature* **520**: 442–444. DOI: 10.1038/520442a
- Lazarte CA, Bray JD, Johnson AM, Lemmer RE. 1994. Surface breakage of the 1992 Landers earthquake and its effects on structures. *Bulletin of the Seismological Society of America* **84**: 547–61.
- Leonard M. 2014. Self-consistent earthquake fault-scaling relations: Update and extension to stable continental strike-slip faults. *Bulletin of the Seismological Society of America* **104**: 2953–2965. DOI: 10.1785/0120140087
- Leopold LB, Wolman MG. 1960. River meanders. *Bulletin of the Geological Society of America* **71**: 769–793. DOI: 10.1130/0016-7606(1960)71[769:RM]2.0.CO;2
- Lettis WR, Wells DL, Baldwin JN. 1997. Empirical observations regarding reverse earthquakes, blind thrust faults, and quaternary deformation: Are blind thrust faults truly blind? *Bulletin of the Seismological Society of America* **87**: 1171–1198. DOI: 10.1785/bssa0870051171

- Leyendecker E V., Hunt RJ, Frankel AD, Rukstales KS. 2000. Development of Maximum Considered Earthquake Ground Motion Maps. *Earthquake Spectra* **16**: 21–40. DOI: 10.1193/1.1586081
- Loveless S, Bense V, Turner J. 2011. Fault architecture and deformation processes within poorly lithified rift sediments, Central Greece. *Journal of Structural Geology* **33**: 1554–1568. DOI: 10.1016/j.jsg.2011.09.008
- Mahaney WC, Dirszowsky RW, Milner MW, Menzies J, Stewart A, Kalm V, Bezada M. 2004. Quartz microtextures and microstructures owing to deformation of glaciolacustrine sediments in the northern Venezuelan Andes. *Journal of Quaternary Science* **19**: 23–33. DOI: 10.1002/jqs.818
- Mahaney WC, Kalm V. 2000. Comparative scanning electron microscopy study of oriented till blocks, glacial grains and Devonian sands in Estonia and Latvia. *Boreas* **29**: 35 – 51.
- Mahaney WC, Milner MW, Kalm V, Dirszowsky RW, Hancock RG, Beukens RP. 2008. Evidence for a Younger Dryas glacial advance in the Andes of northwestern Venezuela. *Geomorphology* **96**:199 – 211.
- Mahaney WC, Sjoberg R. 1993. Scanning electron microscopy of quartz grains from two granite caves and a gorge system in Bohuslan, southwestern Sweden. *Zeitschrift fur Geomorphologie* **37**: 337–350. DOI: 10.1127/zfg/37/1993/337
- Mahaney WC, Stewart A, Kalm V. 2001. Quantification of SEM microtextures useful in sedimentary environmental discrimination. *Boreas* **30**: 165–171. DOI: 10.1111/j.1502-3885.2001.tb01220.x
- Mahaney WC. 1995. Pleistocene and Holocene glacier thicknesses, transport histories and dynamics inferred from SEM microtextures on quartz particles. *Boreas* **24**: 293–304. DOI: 10.1111/j.1502-3885.1995.tb00781.x
- Mahaney WC. 2002. Atlas of sand grain surface textures and applications. Oxford University Press, USA.
- Malik JN, Gadhavi MS, Kothiyari GC, Satuluri S. 2017. Paleo-earthquake signatures from the South Wagad Fault (SWF), Wagad Island, Kachchh, Gujarat, western India: A potential seismic hazard. *Journal of Structural Geology* **95**: 142–159. DOI: 10.1016/j.jsg.2016.12.011
- Malik N, Sohoni PS, Karanth R V, Merh SS. 1999. Modern and historic seismicity of Kachchh Peninsula, western India. *Journal of the Geological Society of India* **54**: 545–550.
- Mandal P, Chadha RK. 2008. Three-dimensional velocity imaging of the Kachchh seismic zone, Gujarat, India. *Tectonophysics* **452**: 1–16. DOI: 10.1016/j.tecto.2007.12.001
- Mandal P, Jainendra, Joshi S, Kumar S, Bhunia R, Rastogi BK. 2004. Low Coda Qc in the epicentral region of the 2001 Bhuj earthquake of Mw 7.7. *Pure and Applied Geophysics* **161**: 1635–1654. DOI: 10.1007/s00024-004-2525-2

- Mandal P, Pandey OP. 2010. Relocation of aftershocks of the 2001 Bhuj earthquake: A new insight into seismotectonics of the Kachchh seismic zone, Gujarat, India. *Journal of Geodynamics* **49**: 254–260. DOI: 10.1016/j.jog.2010.01.005
- Mandal P, Rastogi BK, Satyanaraya HVS, Kousalya M, Vijayraghavan R, Satyamurty C, Raju IP, Sarma ANS, Kumar N. 2004. Characterization of the causative fault system for the 2001 Bhuj earthquake of Mw 7.7. *Tectonophysics* **378**: 105–121. DOI: 10.1016/j.tecto.2003.08.026
- Mandal P. 2009. Estimation of static stress changes after the 2001 Bhuj earthquake: Implications towards the northward Spatial migration of the seismic activity in Kachchh, Gujarat. *Journal of the Geological Society of India* **74**: 487–497. DOI: 10.1007/s12594-009-0151-4
- Mandal P. 2016. Variations of seismic velocities in the Kachchh rift zone, Gujarat, India, during 2001-2013. *Tectonophysics* **672–673**: 68–86. DOI: 10.1016/j.tecto.2016.01.040
- Mandal P. 2019. A possible origin of intraplate earthquakes in the Kachchh rift zone, India, since the 2001 Mw7. 7 Bhuj earthquake. *Journal of Asian Earth Sciences* **170**: 56 – 72.
- Manker JP, Ponder RD. 1978. Quartz Grain Surface Features from Fluvial Environments of Northeastern Georgia. *Journal of Sedimentary Research* **48**: 1227–1232. DOI: 10.1306/212f763f-2b24-11d7-8648000102c1865d
- Mantelli LR, Rossetti D de F, Albuquerque PG, Valeriano M de M. 2009. Applying SRTM digital elevation model to unravel Quaternary drainage in forested areas of Northeastern Amazonia. *Computers and Geosciences* **35**: 2331–2337. DOI: 10.1016/j.cageo.2009.04.011
- Margolis S V., Krinsley DH. 1974. Processes of formation and environmental occurrence of microfeatures on detrital quartz grains. *American Journal of Science* **274**: 449–464. DOI: 10.2475/ajs.274.5.449
- Mark RK, Bonilla MG. 1977. Regression analysis of earthquake magnitude and surface fault length using the 1970 data of Bonilla and Buchanan (No. 77-614). US Geological Survey.
- Marker ME. 1976. Aeolianite: Australian and southern African deposits compared. *Proceedings of the South African Society of Quaternary Research*, 1975. *Annals of the South African Museum* **71**: 115–124.
- Mather AE. 2000. Impact of headwater river capture on alluvial system development: an example from the Plio-Pleistocene of the Sorbas Basin, SE Spain. *Journal of the Geological Society* **157**: 957 – 966.
- Mathew G, Singhvi AK, Karanth R V. 2006. Luminescence chronometry and geomorphic evidence of active fold growth along the Kachchh Mainland Fault (KMF), Kachchh, India: Seismotectonic implications. *Tectonophysics* **422**: 71–87. DOI: 10.1016/j.tecto.2006.05.009

- Maurya DM, Bhandari S, Thakkar MG, Chamyal LS. 2003a. Late Quaternary fluvial sequences of southern Mainland Kachchh, western India. *Current Science* **84**: 1056–1064.
- Maurya DM, Chowksey V, Joshi PN, Chamyal LS. 2013. Application of GPR for delineating the neotectonic setting and shallow subsurface nature of the seismically active Gedi fault, Kachchh, western India. *Journal of Geophysics and Engineering* **10**: 034006. DOI: 10.1088/1742-2132/10/3/034006
- Maurya DM, Chowksey V, Patidar AK, Chamyal LS. 2017a. A review and new data on neotectonic evolution of active faults in the Kachchh basin, Western India: Legacy of post-Deccan trap tectonic inversion. *Geological Society Special Publication* **445**: 237–268. DOI: 10.1144/SP445.7
- Maurya DM, Chowksey V, Tiwari P, Chamyal LS. 2017b. Tectonic geomorphology and neotectonic setting of the seismically active South Wagad Fault (SWF), Western India, using field and GPR data. *Acta Geophysica* **65**: 1167–1184. DOI: 10.1007/s11600-017-0099-5
- Maurya DM, Goyal B, Patidar AK, Mulchandani N, Thakkar MG, Chamyal LS. 2006. Ground Penetrating Radar imaging of two large sand blow craters related to the 2001 Bhuj earthquake, Kachchh, Western India. *Journal of Applied Geophysics* **60**: 142–152. DOI: 10.1016/j.jappgeo.2006.02.001
- Maurya DM, Patidar AK, Mulchandani N, Goyal B, Thakkar MG, Bhandari S, Vaid SI, Bhatt NP, Chamyal LS. 2005. Need for initiating ground penetrating radar studies along active faults in India: An example from Kachchh. *Current Science* **88**: 231–240.
- Maurya DM, Thakkar MG, Chamyal LS. 2003b. Implications of transverse fault system on tectonic evolution of Mainland Kachchh, western India. *Current Science* **10**: 661–667.
- Maurya DM, Tiwari P, Shaikh M, Patidar AK, Vanik N, Padmalal A, Chamyal LS. 2021. Late Quaternary drainage reorganization assisted by surface faulting: The example of the Katrol Hill Fault zone, Kachchh, western India. *Earth Surface Processes and Landforms* **46**: 1268–1293. DOI: 10.1002/esp.5097
- Maurya, DM, Thakkar MG, Chamyal LS. 2003c. Quaternary Geology of the arid zone of Kachchh: Terra Incognita. *Proceedings of Indian National Science Academy* **69**: 125–135.
- McCalpin J. 2009. *Paleoseismology*. Academic Press.
- McCalpin JP, Thakkar MG. 2003. 2001 Bhuj-Kachchh earthquake: surface faulting and its relation with neotectonics and regional structures, Gujarat, Western India. *Annals of Geophysics* **46**: 937–956.
- McGuire RK. 1993. Computations of seismic hazard. *Annals of Geophysics* **36**: 3 – 4.

- Mehrotra KK, Biswas SK. 1989. Age of the Deccan Trap flow in the Kutch offshore area. In *Micropaleontology of the shelf sequences of India*. Prabha K (Eds). Proceedings of XII Indian Colloquium on Micropaleontology and Stratigraphy; 139 – 145.
- Menzies J, Taylor J. 2003. Seismically induced soft-sediment microstructures (seismites) from Meikleour, western Strathmore, Scotland. *Boreas* **32**: 314–327. DOI: 10.1111/j.1502-3885.2003.tb01086.x
- Merh SS, Patel PP. 1988. Quaternary Geology and Geomorphology of the Rann of Kutch. In *Proceedings of National Seminar on Recent Quaternary studies in India*, Patel MP, Desai ND (eds); 371 – 391.
- Merh SS. 1995. *Geology of Gujarat*. Geological Society of India, Bangalore.
- Merritts DJ, Vincent KR, Wohl EE. 1994. Long river profiles, tectonism, and eustasy: a guide to interpreting fluvial terraces. *Journal of Geophysical Research* **99**: 14031–14050. DOI: 10.1029/94jb00857
- Mertes JR, Thompson SS, Booth AD, Gulley JD, Benn DI. 2017. A conceptual model of supra-glacial lake formation on debris-covered glaciers based on GPR facies analysis. *Earth Surface Processes and Landforms* **42**: 903–914. DOI: 10.1002/esp.4068
- Mizoguchi K, Ueta K. 2013. Microfractures within the fault damage zone record the history of fault activity. *Geophysical Research Letters* **40**: 2023–2027. DOI: 10.1002/grl.50469
- Mohan K. 2014. Seismic-hazard assessment in the kachchh region of gujarat (India) through deterministic modeling using a semi-empirical approach. *Seismological Research Letters* **85**: 117–125. DOI: 10.1785/0220120123
- Montgomery DR, Dietrich WE. 1988. Where do channels begin? *Nature* **336**: 232–234. DOI: 10.1038/336232a0
- Morell KD, Styron R, Stirling M, Griffin J, Archuleta R, Onur T. 2020. Seismic Hazard Analyses From Geologic and Geomorphic Data: Current and Future Challenges. *Tectonics* **39**: 1–47. DOI: 10.1029/2018TC005365
- Motazedian D, Atkinson GM. 2005. Stochastic finite-fault modeling based on a dynamic corner frequency. *Bulletin of the Seismological Society of America* **95**: 995 – 1010.
- Mualchin L. 1996. Development of the Caltrans deterministic fault and earthquake hazard map of California. *Engineering Geology* **42**: 217–222. DOI: 10.1016/0013-7952(95)00086-0
- Mudd SM, Attal M, Milodowski DT, Grieve SWD, Valters DA. 2014. A statistical framework to quantify spatial variation in channel gradients using the integral method of channel profile analysis. *Journal of Geophysical Research: Earth Surface* **119**: 138–152. DOI: 10.1002/2013JF002981
- Mudd SM, Clubb FJ, Gailleton B, Hurst MD. 2018. How concave are river channels? *Earth Surface Dynamics* **6**: 505–523. DOI: 10.5194/esurf-6-505-2018

- Mudd SM, Hurst M, Milodowski D, Grieve S, Clubb F, Valters DA. 2014. Land surface dynamics topography tool box.
- Naik SP, Mohanty A, Porfido S, Tuttle M, Gwon O, Kim YS. 2020. Intensity estimation for the 2001 Bhuj earthquake, India on ESI-07 scale and comparison with historical 16th June 1819 Allah Bund earthquake: A test of ESI-07 application for intraplate earthquakes. *Quaternary International* **536**: 127–143. DOI: 10.1016/j.quaint.2019.12.024
- Nanson RA. 2010. Flow fields in tightly curving meander bends of low width-depth ratio. *Earth Surface Processes and Landforms* **35**: 119–135. DOI: 10.1002/esp.1878
- Nath SK, Thingbaijam KKS. 2012. Probabilistic seismic hazard assessment of India. *Seismological Research Letters* **83**: 135–149. DOI: 10.1785/gssrl.83.1.135
- Nava FA, Márquez-Ramírez VH, Zúñiga FR, Ávila-Barrientos L, Quinteros CB. 2017. Gutenberg-Richter b-value maximum likelihood estimation and sample size. *Journal of Seismology* **21**: 127–135. DOI: 10.1007/s10950-016-9589-1
- Neal A. 2004. Ground-penetrating radar and its use in sedimentology: Principles, problems and progress. *Earth-Science Reviews* **66**: 261–330. DOI: 10.1016/j.earscirev.2004.01.004
- NEHRP, 1997. National Earthquake Hazard Reduction Program, Seismic design parameters, U.S. Geological Survey, Denver, Colorado.
- Nishenko SP, Bollinger GA. 1990. Forecasting damaging earthquakes in the central and eastern United States. *Science* **249**: 1412 – 1416.
- Niwa M, Shimada K, Aoki K, Ishimaru T. 2016. Microscopic features of quartz and clay particles from fault gouges and infilled fractures in granite: Discriminating between active and inactive faulting. *Engineering Geology* **210**: 180–196. DOI: 10.1016/j.enggeo.2016.06.013
- Nur A, Ron H, Beroza G. 1993. The nature of the Landers–Mojave earthquake line. *Science* **26**: 1201–203.
- Oberlander TM. 1985. Origin of drainage transverse to structures in orogens. In *Tectonic Geomorphology: The Binghamton Symposia in Geomorphology: International Series* **15**: 155–182.
- Oldham RD. 1926. The Cutch (Kachh) earthquake of 16th June, 1819 with a revision of the great earthquake of 12th June, 1897. *Memoirs-Geological Survey of India* **46**: 71–147.
- Pande K. 2002. Age and duration of the Deccan Traps, India: a review of radiometric and paleomagnetic constraints. *Journal of Earth System Sciences* **111**: 115.
- Parvez IA, Vaccari F, Panza GF. 2003. A deterministic seismic hazard map of India and adjacent areas. *Geophysical Journal International* **155**: 489–508. DOI: 10.1046/j.1365-246X.2003.02052.x

- Patel MP, Allahabadi BB. 1988. The Aeolinites of Kachchh with special reference to their diagenesis. In National Seminars on Recent Quaternary Studies in India. The M.S. University of Baroda. 37 – 63.
- Patidar AK, Maurya DM, Chamyal LS. 2006. Shallow subsurface characterization of active faults using Ground Penetrating Radar: Example from Katrol Hill Fault (KHF), Kachchh, western India.
- Patidar AK, Maurya DM, Thakkar MG, Chamyal LS. 2007. Fluvial geomorphology and neotectonic activity based on field and GPR data, Katrol hill range, Kachchh, Western India. *Quaternary International* **159**: 74–92. DOI: 10.1016/j.quaint.2006.08.013
- Patidar AK, Maurya DM, Thakkar MG, Chamyal LS. 2008. Evidence of neotectonic reactivation of the Katrol Hill Fault during late Quaternary and its GPR characterization. *Current Science* **94**: 338–346.
- Patidar AK, Shaikh MA, Tiwari P, Maurya DM, Chamyal LS. Surface deformation along Katrol Hill Fault, Kachchh evidenced by satellite and DEM data. In Misra AA, Mukherjee S (Eds) *Atlas of Structural Geological and Geomorphological Interpretation of Remote Sensing Images*. Wiley Blackwell. Accepted.
- Patidar AK. 2010. Neotectonic Studies in Southern Mainland Kachchh Using GPR with Special Reference to Katrol Hill Fault. Ph.D. Thesis. The Maharaja Sayajirao University of Baroda, Vadodara, Gujarat, Retrieved from Shodhganga. <http://hdl.handle.net/10603/59101>
- Pellicer XM, Gibson P. 2011. Electrical resistivity and Ground Penetrating Radar for the characterisation of the internal architecture of Quaternary sediments in the Midlands of Ireland. *Journal of Applied Geophysics* **75**: 638–647. DOI: 10.1016/j.jappgeo.2011.09.019
- Pereira-da-Silva MD, Ferri FA. 2017. Scanning electron microscopy. *Nanocharacterization techniques*: 1 – 35.
- Perron JT, Royden L. 2013. An integral approach to bedrock river profile analysis. *Earth Surface Processes and Landforms* **38**: 570–576. DOI: 10.1002/esp.
- Peters LP, Daniels JJ, Young JD. 1994. Ground penetrating radar as a subsurface environmental sensing tool. In *Proceedings of the IEEE* **82**: 1802 – 1822.
- Petersen MD, Moschetti MP, Powers PM, Mueller CS, Haller KM, Frankel AD, Zeng Y, Rezaeian S, Harmsen SC, Boyd OS, Field N. 2015. The 2014 United States National Seismic Hazard Model. *Earthquake Spectra* **31**: S1–S30. DOI: 10.1193/120814EQS210M
- Piochi M, Polacci M, De Astis G, Zanetti A, Mangiacapra A, Vannucci R, Giordano D. 2008. Texture and composition of pumices and scoriae from the Campi Flegrei caldera (Italy): Implications on the dynamics of explosive eruptions. *Geochemistry, Geophysics, Geosystems* **9**.

- Porter JJ. 1962. Electron Microscopy of Sand Surface Texture. *Journal of Sedimentary Research* **32**: 124–135. DOI: 10.1306/74d70c59-2b21-11d7-8648000102c1865d
- Price DM, Brooke BP, Woodroffe CD. 2001. Thermoluminescence dating of aeolianites from Lord Howe Island and South-West Western Australian. *Quaternary Science Reviews* **20**: 841–846. DOI: 10.1016/S0277-3791(00)00039-1
- Prince PS, Spotila JA, Henika WS. 2011. Stream capture as driver of transient landscape evolution in a tectonically quiescent setting. *Geology* **39**: 823–826. DOI: 10.1130/G32008.1
- Pritchard D, Roberts GG, White NJ, Richardson CN. 2009. Uplift histories from river profiles. *Geophysical Research Letters* **36**: 24301. DOI: 10.1029/2009GL040928
- Quigley M, Van Dissen R, Litchfield N, Villamor P, Duffy B, Barrell D, Furlong K, Stahl T, Bilderback E, Noble D. 2012. Surface rupture during the 2010 Mw 7.1 darfield (canterbury) earthquake: Implications for fault rupture dynamics and seismic-hazard analysis. *Geology* **40**: 55–58. DOI: 10.1130/G32528.1
- Quittmeyer RC, Jacob KH. 1979. Historical and modern seismicity of Pakistan, Afghanistan, northwestern India, and southeastern Iran. *Bulletin of the Seismological Society of America* **69**: 773 – 823.
- RADAN for windows (2000) User's Manual. Published by Geophysical Survey Systems, Inc., USA
- Raghu Kanth ST, Iyengar RN. 2007. Estimation of seismic spectral acceleration in peninsular India. *Journal of Earth System Science* **116**: 199 – 214.
- Rajendran CP, Rajendran K, Thakkar M, Goyal B. 2008. Assessing the previous activity at the source zone of the 2001 Bhuj earthquake based on the near-source and distant paleoseismological indicators. *Journal of Geophysical Research: Solid Earth* **113** DOI: 10.1029/2006JB004845
- Rajendran CP, Rajendran K. 2001. Characteristics of deformation and past seismicity associated with 1819 Kutch earthquake, northwestern India. *Bulletin of the Seismological Society of America* **91**: 407–426. DOI: 10.1785/0119990162
- Rao RS. 1970. Studies on the flora of Kutch, Gujarat State (India) and their utility in the economic development of the semi-arid region. *Annals of Arid Zone* **9**:125 – 142.
- Rashed M, Kawamura D, Nemoto H, Miyata T, Nakagawa K. 2003. Ground penetrating radar investigations across the Uemachi fault, Osaka, Japan. *Journal of Applied Geophysics* **53**: 63–75. DOI: 10.1016/S0926-9851(03)00028-4
- Rastogi BK, Choudhury P, Dumka R, Sreejith KM, Majumdar TJ. 2013. Stress Pulse Migration by Viscoelastic Process for Long-Distance Delayed Triggering of Shocks in Gujarat, India, After the 2001 Mw 7.7 Bhuj Earthquake. In *Extreme Events and Natural Hazards: The Complexity Perspective*. Geophysical Monograph Series: 63–74.
- Rastogi BK. 2001. Ground deformation study of Mw 7.7 Bhuj earthquake of 2001. *Episodes* **24**: 160 – 165.

- Rastogi BK. 2004. Damage due to the Mw 7.7 Kutch, India earthquake of 2001. *Tectonophysics* **390**: 85 – 103.
- Robl J, Hergarten S, Prasicek G. 2017. The topographic state of fluvially conditioned mountain ranges. *Earth-Science Reviews* **168**: 190–217. DOI: 10.1016/j.earscirev.2017.03.007
- Rossetti DF, Góes AM. 2008. Late Quaternary drainage dynamics in northern Brazil based on the study of a large paleochannel from southwestern Marajó Island. *Anais da Academia Brasileira de Ciencias* **80**: 579–593. DOI: 10.1590/s0001-37652008000300017
- Scharer KM, Weldon RJ, Fumal TE, Biasi GP. 2007. Paleoearthquakes on the southern San Andreas fault, Wrightwood, California, 3000 to 1500 BC: A new method for evaluating paleoseismic evidence and earthquake horizons. *Bulletin of the Seismological Society of America* **97**: 1054 – 1093.
- Schmidt JL, Zeitler PK, Pazzaglia FJ, Tremblay MM, Shuster DL, Fox M. 2015. Knickpoint evolution on the Yarlung river: Evidence for late Cenozoic uplift of the southeastern Tibetan plateau margin. *Earth and Planetary Science Letters* **430**: 448–457. DOI: 10.1016/j.epsl.2015.08.041
- Schulte SM, Mooney WD. 2005. An updated global earthquake catalogue for stable continental regions: Reassessing the correlation with ancient rifts. *Geophysical Journal International* **161**: 707–721. DOI: 10.1111/J.1365-246X.2005.02554.X/3/161-3-707-FIG005.JPEG
- Schwartz DP, Coppersmith KJ, Swan, III FH. 1984. Methods for Estimating Maximum Earthquake Magnitudes. In 8th World Conference in Earthquake Engineering, San Francisco, California; 279–285.
- Seeber L, Gornitz V. 1983. River profiles along the Himalayan arc as indicators of active tectonics. *Tectonophysics* **92**: 335–367. DOI: 10.1016/0040-1951(83)90201-9
- Shaikh MA, Maurya DM, Mukherjee S, Vanik NP, Padmalal A, Chamyal LS. 2020. Tectonic evolution of the intra-uplift Vigodi-Gugriana-Khirasra-Netra Fault System in the seismically active Kachchh rift basin, India: Implications for the western continental margin of the Indian plate. *Journal of Structural Geology* **140**: 104124. DOI: 10.1016/j.jsg.2020.104124
- Shugar DH, Clague JJ, Best JL, Schoof C, Willis MJ, Copland L, Roe GH. 2017. River piracy and drainage basin reorganization led by climate-driven glacier retreat. *Nature Geoscience* **10**: 370–375. DOI: 10.1038/ngeo2932
- Shukla AD, Bhandari N, Kusumgar S, Shukla PN, Ghevariya ZG, Gopalan K, Balaram V. 2001. Geochemistry and magnetostratigraphy of Deccan flows at Anjar, Kutch. *Proceedings of the Indian Academy of Sciences, Earth and Planetary Sciences* **110**: 111–132. DOI: 10.1007/BF02702212
- Shukla J, Choudhury D. 2012. Estimation of seismic ground motions using deterministic approach for major cities of Gujarat. *Natural Hazards and Earth System Science* **12**: 2019–2037. DOI: 10.5194/nhess-12-2019-2012

- Siame LL, Bellier O, Sébrier M, Bourlès DL, Leturmy P, Perez M, Araujo M. 2005. Seismic hazard reappraisal from combined structural geology, geomorphology and cosmic ray exposure dating analyses: The Eastern Precordillera thrust system (NW Argentina). *Geophysical Journal International* **161**: 416–418. DOI: 10.1111/j.1365-246X.2005.02542.x
- Sieh KE, Jahns RH. 1984. Holocene activity of the San Andreas fault at Wallace creek, California. *Geological Society of America Bulletin* **95**: 883 – 896.
- Singh AP, Zhao L, Kumar S, Mishra S. 2016. Inversions for earthquake focal mechanisms and regional stress in the Kachchh Rift Basin, western India: Tectonic implications. *Journal of Asian Earth Sciences* **117**: 269–283. DOI: 10.1016/j.jseaes.2015.12.001
- Slemmons DB. 1977. State-of-the-Art for Assessing Earthquake Hazards in the United States. Report 6. Faults and Earthquake Magnitude. Mackay School of Mines Reno, NV.
- Slemmons DB. 1982 Determination of design earthquake magnitudes for microzonation. *Proceedings of 2nd. International Earthquake Microzonation Conference* **1**: 119–130.
- Smith DG, Jol HM. 1995. Ground penetrating radar: antenna frequencies and maximum probable depths of penetration in Quaternary sediments. *Journal of Applied Geophysics* **33**: 93–100. DOI: 10.1016/0926-9851(95)90032-2
- Srivastava PK. 1971. Recent sediments of the Ranns of Kutch. *Journal of the Geological Society of India* **12**: 392–395.
- Stokes M, Mather AE, Harvey AM. 2002. Quantification of river-capture-induced base-level changes and landscape development, Sorbas Basin, SE Spain. *Geological Society Special Publication* **191**: 23–35. DOI: 10.1144/GSL.SP.2002.191.01.03
- Struth L, Giachetta E, Willett SD, Owen LA, Tesón E. 2020. Quaternary drainage network reorganization in the Colombian Eastern Cordillera plateau. *Earth Surface Processes and Landforms* **45**: 1789–1804. DOI: 10.1002/esp.4846
- Sun H, He H, Ikeda Y, Wei Z, Chen C, Xu Y, Shi F, Bi L, Shirahama Y, Okada S, Echigo T. 2019. Paleoearthquake History Along the Southern Segment of the Daliangshan Fault Zone in the Southeastern Tibetan Plateau. *Tectonics* **38**: 2208–2231. DOI: 10.1029/2018TC005009
- Talati R, Bhatt N. 2018a. Occurrence of fibrous calcite in miliolite limestone of the Katrol Hill Range, Kachchh, Western India: new evidence of tectonic activity along the KHF. *International Journal of Emerging Trends in Science and Technology* **5** DOI: 10.18535/ijetst/v5i9.02
- Talati R, Bhatt N. 2018b. Quaternary carbonate deposits from Katrol Hill Range (KHR), Kachchh, western India: Mode of occurrences and its significance in landscape evolution. *Journal of Indian Geophysical Union* **22**: 621–631.

- Talwani P, Gangopadhyay A. 2001. Tectonic framework of the Kachchh earthquake of 26 January 2001. *Seismological Research Letters* **72**: 336–345. DOI: 10.1785/gssrl.72.3.336
- Thakkar MG, Goyal B, Patidar AK, Maurya DM, Chamyal LS. 2006. Bedrock gorges in the central mainland Kachchh: *Journal of Earth System Science* **115**: 249–256.
- Thakkar MG, Maurya DM, Raj R, Chamyal LS. 1999. Quaternary tectonic history and terrain evolution of the area around Bhuj, Mainland Kachchh, Western India. *Journal of the Geological Society of India* **53**: 601–610.
- Thingbaijam KKS, Mai PM, Goda K. 2017. New empirical earthquake source-scaling laws. *Bulletin of the Seismological Society of America* **107**: 2225–2246. DOI: 10.1785/0120170017
- Tiwari P, Maurya DM, Shaikh M, Patidar AK, Vanik N, Padmalal A, Vasaikar S, Chamyal LS. 2021. Surface trace of the active Katrol Hill Fault and estimation of paleo-earthquake magnitude for seismic hazard, Western India. *Engineering Geology* **295**: 106416. DOI: 10.1016/j.enggeo.2021.106416
- Treiman JA, Kendrick KJ, Bryant WA, Rockwell TK, McGill SF. 2002. Primary surface rupture associated with the M w 7.1 16 October 1999 Hector mine earthquake, San Bernardino County, California. *Bulletin of the Seismological Society of America* **92**: 1171–1191.
- Treppmann CA, Hsu C, Hentschel F, Döhler K, Schneider C, Wichmann V. 2017. Recrystallization of quartz after low-temperature plasticity – The record of stress relaxation below the seismogenic zone. *Journal of Structural Geology* **95**: 77–92. DOI: 10.1016/j.jsg.2016.12.004
- Tripathi JN. 2006. Probabilistic assessment of earthquake recurrence in the January 26, 2001 earthquake region of Gujrat, India. *Journal of Seismology* **10**: 119–130. DOI: 10.1007/s10950-005-9004-9Anon.
- Trippetta F, Petricca P, Billi A, Collettini C, Cuffaro M, Maria Lombardi A, Scrocca D, Ventura G, Morgante A, Doglioni C. 2019. From mapped faults to fault-length earthquake magnitude (FLEM): A test on Italy with methodological implications. *Solid Earth* **10**: 1555–1579. DOI: 10.5194/se-10-1555-2019
- Trullenque G, Kunze K, Heilbronner R, Stünitz H, Schmid SM. 2006. Microfabrics of calcite ultramylonites as records of coaxial and non-coaxial deformation kinematics: Examples from the Rocher de l'Yret shear zone (Western Alps). *Tectonophysics* **424**: 69 – 97.
- Tucker GE, Slingerland R. 1997. Drainage basin responses to climate change. *Water Resources Research* **33**: 2031–2047. DOI: 10.1029/97WR00409
- Tuttle MP. 2001. The use of liquefaction features in paleoseismology: Lessons learned in the New Madrid seismic zone, central United States. *Journal of Seismology* **5**: 361 – 380.

- Twidale CR. 2004. River patterns and their meaning. *Earth-Science Reviews* **67**: 159–218. DOI: 10.1016/j.earscirev.2004.03.001
- Uniform building code. 1997. International Conference of Building Officials, Whittier, California.
- van der Meer JJM, Menzies J. 2011. The micromorphology of unconsolidated sediments. *Sedimentary Geology* **238**: 213–232. DOI: 10.1016/j.sedgeo.2011.04.013
- Van Overmeeren RA. 1998. Radar facies of unconsolidated sediments in The Netherlands: A radar stratigraphy interpretation method for hydrogeology. *Journal of Applied Geophysics* **40**: 1–18. DOI: 10.1016/S0926-9851(97)00033-5
- Vandenberghe J, Van Overmeeren RA. 1999. Ground penetrating radar images of selected fluvial deposits in the Netherlands. *Sedimentary Geology* **128**: 245–270. DOI: 10.1016/S0037-0738(99)00072-X
- Vorobieva I, Mandal P, Gorshkov A. 2014. Numerical modeling of seismicity and geodynamics of the Kachchh rift zone, Gujarat, India. *Tectonophysics* **634**: 31 – 43.
- Vos K, Vandenberghe N, Elsen J. 2014. Surface textural analysis of quartz grains by scanning electron microscopy (SEM): From sample preparation to environmental interpretation. *Earth-Science Reviews* **128**: 93–104. DOI: 10.1016/j.earscirev.2013.10.013
- Watanabe K. 1989. On the duration time of aftershock activity. *Bulletin of the Disaster Prevention Research Institute* **39**: 1 – 22.
- Wells DL, Coppersmith KJ. 1994. New Empirical Relationships among Magnitude, Rupture Length, Rupture Width, Rupture Area, and Surface Displacement. *Bulletin of the Seismological Society of America* **84**: 974–1002.
- Wesnousky SG, Leffler LM. 1992. The repeat time of the 1811 and 1812 New Madrid earthquakes: a geological perspective. *Bulletin - Seismological Society of America* **82**: 1756–1785. DOI: 10.1785/BSSA0820041756
- Wesnousky SG, Scholz CH, Shimazaki K, Matsuda T. 1983. Earthquake frequency distribution and the mechanics of faulting. *Journal of Geophysical Research: Solid Earth* **88**: 9331 – 9340.
- Wesnousky SG, Scholz CH, Shimazaki K, Matsuda T. 1984. Integration of geological and seismological data for the analysis of seismic hazard: A case study of Japan. *Bulletin of the Seismological Society of America* **74**: 687–708.
- Wesnousky SG, Scholz CH, Shimazaki K. 1982. Deformation of an island arc: rates of moment release and crustal shortening in intraplate Japan determined from seismicity and Quaternary fault data. *Journal of Geophysical Research: Solid Earth* **87**: 6829 – 6852.
- Wesnousky SG. 1986. Earthquakes, Quaternary faults, and seismic hazard in California. *Journal of Geophysical Research: Solid Earth* **91**: 12587 – 12631.

- Wesnousky SG. 2008. Displacement and geometrical characteristics of earthquake surface ruptures: Issues and implications for seismic-hazard analysis and the process of earthquake rupture. *Bulletin of the Seismological Society of America* **98**: 1609–1632. DOI: 10.1785/0120070111
- Whalley WB, Krinsley DH. 1974. A scanning electron microscope study of surface textures of quartz grains from glacial environments. *Sedimentology* **21**: 87 – 105.
- Whipple KX, Tucker GE. 1999. Dynamics of the stream-power river incision model: Implications for height limits of mountain ranges, landscape response timescales, and research needs. *Journal of Geophysical Research: Solid Earth* **104**: 17661–17674. DOI: 10.1029/1999jb900120
- Whipple KX. 2004. Bedrock rivers and the geomorphology of active orogens. *Annual Review of Earth and Planetary Sciences* **32**: 151–185. DOI: 10.1146/annurev.earth.32.101802.120356
- White KS. 1995. An imprint of Holocene transgression in Quaternary carbonate eolianites on San Salvador Island, Bahamas. *Special Paper of the Geological Society of America* **300**: 125–138. DOI: 10.1130/0-8137-2300-0.125
- Willett SD, McCoy SW, Taylor Perron J, Goren L, Chen CY. 2014. Dynamic reorganization of River Basins. *Science* **343** DOI: 10.1126/science.1248765
- Wilson JE, Chester JS, Chester FM. 2003. Microfracture analysis of fault growth and wear processes, Punchbowl Fault, San Andreas system, California. *Journal of Structural Geology* **25**: 1855–1873. DOI: 10.1016/S0191-8141(03)00036-1
- Wynne AB. 1872. Memoir on the Geology of Kutch, to accompany a map compiled by Wynne AB and Fedden F during the season 1867-68 and 1868-69. *Memoir of Geological Survey of India* **19**: 269.
- Wyss M, Rosset P. 2013. Mapping seismic risk: the current crisis. *Natural hazards* **68**: 49 – 52.
- Wyss M. 1979. Estimating maximum expectable magnitudes of earthquakes from fault dimensions. *Geology* **7**: 336–340.
- Yadav RBS, Tripathi JN, Rastogi BK, Chopra S. 2008. Probabilistic assessment of earthquake hazard in gujarat and adjoining region of India. *Pure and Applied Geophysics* **165**: 1813–1833. DOI: 10.1007/s00024-008-0397-6
- Yanites BJ, Ehlers TA, Becker JK, Schnellmann M, Heuberger S. 2013. High magnitude and rapid incision from river capture: Rhine River, Switzerland. *Journal of Geophysical Research: Earth Surface* **118**: 1060–1084. DOI: 10.1002/jgrf.20056
- Yanites BJ, Tucker GE. 2010. Controls and limits on bedrock channel geometry. *Journal of Geophysical Research: Earth Surface* **115** DOI: 10.1029/2009JF001601
- Yousefi S, Pourghasemi HR, Hooke J, Navratil O, Kidová A. 2016. Changes in morphometric meander parameters identified on the Karoon River, Iran, using

- remote sensing data. *Geomorphology* **271**: 55–64. DOI: 10.1016/j.geomorph.2016.07.034
- Zarroca M, Comas X, Gutiérrez F, Carbonel D, Linares R, Roqué C, Mozafari M, Guerrero J, Pellicer XM. 2017. The application of GPR and ERI in combination with exposure logging and retrodeformation analysis to characterize sinkholes and reconstruct their impact on fluvial sedimentation. *Earth Surface Processes and Landforms* **42**: 1049–1064. DOI: 10.1002/esp.4069
- Zhang H, Kirby E, Pitlick J, Anderson RS, Zhang P. 2017. Characterizing the transient geomorphic response to base-level fall in the northeastern Tibetan Plateau. *Journal of Geophysical Research: Earth Surface* **122**: 546–572. DOI: 10.1002/2015JF003715
- Zheng H, Clift PD, Wang P, Tada R, Jia J, He M, Jourdan F. 2013. Pre-miocene birth of the Yangtze River. *Proceedings of the National Academy of Sciences* **110**: 7556 – 7561.
- Zhou W, Apkarian R, Wang ZL, Joy D. 2006. Fundamentals of scanning electron microscopy (SEM). In: *Scanning microscopy for nanotechnology* (pp. 1-40). Springer, New York, NY.
- Zielke O, Arrowsmith JR, Ludwig LG, Akçiz SO. 2010. Slip in the 1857 and earlier large earthquakes along the Carrizo Plain, San Andreas fault. *science* **327**: 1119 – 1122.
- Zuccolo E, Vaccari F, Peresan A, Panza GF. 2011. Neo-deterministic and probabilistic seismic hazard assessments: a comparison over the Italian territory. *Pure and Applied Geophysics* **168**: 69 – 83.
- Zwingmann H, Mancktelow N. 2004. Timing of Alpine fault gouges. *Earth and Planetary Science Letters* **223**: 415–425. DOI: 10.1016/j.epsl.2004.04.041