

REFERENCES

- Aeschbach-Hertig W, Peeters F, Beyerle U and Kipfer R. (2000).** Palaeotemperature reconstruction from noble gases in ground water taking into account equilibration with entrapped air. *Nature*, 405, 1040–1044.
- Aeschbach-Hertig W, Stute M, Clark JF, Reuter RF and Schlosser P. (2002).** A palaeotemperature record derived from dissolved noble gases in groundwater of the Aquia aquifer (Maryland, USA). *Geochim. Cosmochim. Acta*, 66(5), 797–817.
- AFEAS. (1997).** Production, sales and atmospheric release of fluorocarbons through 1995. Alternative Fluorocarbons Environmental Acceptability Study (AFEAS). Program Office, The West Tower - Suite 400, 1333 H Street NW, Washington, DC 20005, U.S.A.
- Agarwal M, Gupta SK, Deshpande RD and Yadava MG. (2006).** Helium, radon and radiocarbon studies on a regional aquifer system of the North Gujarat–Cambay region, India. *Chem. Geol.*, 228, 209–232.
- Agrawal V, Vaish AK and Vaish P. (1997).** Groundwater quality: Focus on fluoride and fluorosis in Rajasthan. *Curr. Sci.*, 73(9), 743–746.
- Allison GB, Barnes CJ, Hughes MW and Leaney FWJ. (1984).** Effects of Climate and Vegetation on Oxygen-18 and Deuterium Profiles in Soils. In: *Isotope Hydrology 1983*, IAEA Symposium 270, September 1983, Vienna: 105–123.
- Anderews JN, Goldbrunner JE, Darling WG, Hooker PJ, Wilson GB, Youngman MJ, Eichinger L, Rauert W and Stichler W. (1985).** A radiochemical, hydrochemical and dissolved gas study of groundwater in the Molase basin of Upper Austria, *Earth Planet. Sci. Lett.*, 73, 317–332.
- Andrews JN and Fontes JCh. (1992).** Importance of the in situ production of ^{36}Cl , ^{36}Ar and ^{14}C in hydrology and hydrogeochemistry. In *Isotopes techniques in Water Resources Development*, IAEA, Vienna, pp 245–269.
- Andrews JN and Lee DJ. (1979).** Inert gases in groundwater from the Bunter Sandstone of England as indicators of age and paleoclimatic trends. *J. Hydrol.*, 41, 233–252.
- Andrews JN, Davis SN, Fabryka-Martin J, Fontes JCh, Lehmann BE, Loosli HH, Michelot JL, Moser H, Smith B and Wolf M. (1989).** The in situ production of radioisotopes in rock matrices with particular reference to the Stripa granite. *Geochim. Cosmochim. Acta* 53, 1803–1815.
- Araguas-Araguas L, Froehlich K and Rozanski K. (1998).** Stable isotope composition of precipitation over Southeast Asia. *J. Geophys. Res.*, 103(D22), 28,721–28,742.
- Arora BR and Reddy CD. (1991).** Magnetovariational study over a seismically active area in the Deccan trap province of western India. *Phys. Earth Planet. Inter.* 17, 21–28.
- Barsukov VL, Varshal GM and Zamokina NS. (1984).** Recent results of hydrogeochemical studies for earthquake prediction in the USSR. *PAGEOPH*, 122, 143–156.
- BEIR. (1999).** The Health Effects of Exposure to Indoor Radon. Biological Effects of Ionizing Radiation (BEIR) VI Report. National academy of sciences, USA, 1–500.
- Bellentine CJ and Burnard PG. (2002).** Production, release and transport of Noble gases in the continental crust. In Porcelli, D, Ballentine, CJ and Wieler R. (Eds.) *Noble gases in geochemistry and cosmochemistry*. *Rev. Mineral. Geochem.*, 47, 481–538.
- Bewers JM. (1971).** North Atlantic fluoride profiles. *Deep Sea Res.*, 18, 237.


- Bhandari LL and Kumar S. (1970).** Palaeocurrent analysis of Dhrangadhra Formation, Gujarat, India. *Bull. Oil Nat. Gas. Comm., India*, 7(2), 101–108.
- Bhattacharya SK, Froehlich K, Aggrawal PK and Kulkarni KM. (2003).** Isotope variation in Indian monsoon precipitation: records from Bombay and New Delhi. *J. Geophys. Res.*, 30, doi:10.1029/2003GLO18453.
- Bhattacharya SK, Gupta SK and Krishnamurthy RV. (1985).** Oxygen and hydrogen isotopic ratios in groundwaters and river waters from India. *Proc. Indian Acad. Sci.(Earth and Planet. Sci.)*, 94(3), 283 – 295.
- BIS. (1990).** Drinking water specifications, IS:10500, Bureau of Indian Standards, New Delhi.
- Biswas SK. (1982).** Rift Basins in Western margin of India and their hydrocarbon prospects with special reference to Kutch basin. *American Assoc. Pet. Geol. Bull.*, 66 (10), 1497–1513.
- Biswas SK. (1987).** Regional tectonic framework, structure and evolution of the western marginal basins of India. *Tectonophysics*, 135, 307–327.
- Borole DV, Gupta SK, Krishnaswami S, Datta PS and Desai BI. (1979).** Uranium Isotopic investigations and Radiocarbon Measurement of River-Groundwater Systems, Sabarmati Basin, Gujarat, India. *Isotopic Hydrology*, vol. 1, IAEA, Vienna, pp. 181–201.
- Bowen HJM. (1966).** Trace elements in biochemistry. Academic Press, London-New York.
- Brown JD. (1980).** Evolution of Fluorocarbon Compounds as Ground Water Tracers—Soil Column Studies. M.S. Thesis. Department of Hydrology Water Resources, University Arizona, Tuscon, 97p.
- Bu X and Warner MJ. (1995).** Solubility of chlorofluorocarbon 113 in water and seawater. *Deep Sea Res.*, 42(7), 1151–1161.
- Bullister JL and Weiss RF. (1988).** Determination of CCl₃F and CClF₂ in seawater and air. *Deep Sea Res.* 35(5), 839–854.
- Bullister JL. (1984).** Atmospheric chlorofluoromethanes as tracers of ocean circulation and mixing: Studies in the Greenland and Norwegian seas. Ph.D. Dissertation, University of California, San Diego, La Jolla, 172p.
- Burke K and Dewey JF. (1973).** Plume generated triple junctions: key indicators in applying plate tectonics to old rocks. *J. Geol.* 81, 406–433.
- Busenberg E and Plummer LN. (1992).** Use of chlorofluorocarbons (CCl₃F and CCl₂F₂) as hydrologic tracers and age-dating tools: The alluvium and terrace system of Central Oklahoma. *Water Resour. Res.*, 28(9), 2257–2283.
- Carpenter R. (1966).** Factor controlling the marine geochemistry of fluorine. *Geochem. Cosmochim. Acta*, 33, 1153.
- Castro MC, Stute M and Schlosser P. (2000).** Comparison of ⁴He ages and ¹⁴C ages in simple aquifer systems: implications for groundwater flow and chronologies. *Appl. Geochem.* 15, 1137–1167.
- Chandrasekharam D and Antu MC. (1995).** Geochemistry of Tattapani thermal springs, Madhyapradesh, India - Field and experimental investigations. *Geothermics* 24(4):553–559.
- Chandrasekharan H, Sunandra Sarma KS, Das DK, Datta D, Mookerjee P and Navada SV. (1992).** Stable isotope contents of perched water under different land use and salinization conditions in the canal command of Arid western Rajasthan. *J. Arid Environ.*, 23, 365–378.
- Clark I and Fritz P. (1997).** *Environmental Isotopes in Hydrogeology*, Lewis Publishers, Boca Raton and New York, 328 p.

- Clark JF, Davisson ML, Hudson GB and Macfarlane PA. (1998).** Noble gases, stable isotopes, and radiocarbon as traces of flow in the Dakota aquifer, Colorado and Kansas. *J. Hydrol.* 211, 151–167.
- Clark JF, Stute M, Schlosser P, Drenkard S and Bonani G. (1997).** A tracer study of the Floridan aquifer in southeastern Georgia: Implications for groundwater flow and paleoclimate. *Water Resour. Res.*, 33, 281–289.
- Cook PG and Solomon DK. (1995).** The transport of atmospheric trace gases to the water table: Implications for groundwater dating with chlorofluorocarbons and Krypton-85. *Water Resour. Res.*, 31(2), 263–270.
- Cook PG and Solomon DK. (1997).** Recent advances in dating young groundwater: chlorofluorocarbons, $3\text{H}/3\text{He}$, and 85Kr . *J. Hydrol.*, 191, 245–265.
- Cook PG, Solomon DK, Plummer LN, Busenberg E, and Schiff SL. (1995).** Chlorofluorocarbons as tracers of groundwater transport processes in a shallow, silty sand aquifer. *Water Resources Research*, 31(3), 425–434.
- Cook PG, Solomon DK, Sanford WE, Busenberg E, Plummer LN, and Poreda RJ. (1996).** Inferring shallow groundwater flow in saprolite and fractured rock using environmental tracers. *Water Resources Research*, 32(6), 1501–1509.
- Craig H and Lupton JE. (1976).** Primordial neon, helium and hydrogen in oceanic basalts. *Earth & Planet. Sci. Lett.* 31, 369–385.
- Craig H. (1961a).** Standard for Reporting Concentrations of Deuterium and Oxygen -18 in Natural Water. *Science*, 133, 1833–1834.
- Craig, H. (1961b).** Isotope Variations in Meteoric Waters. *Science*, 133, 1702–1703.
- CRC (1980).** CRC handbook of chemistry and physics. 60th Edition. CRC Press, Inc. Boca Raton, Florida.
- Cserepes L and Lenkey L. (1999).** Modelling of helium transport in groundwater along a section in the Pannonian basin. *J. Hydrol*, 225, 185–195.
- Dansgaard W. (1964).** Stable Isotopes in Precipitation. *Tellus*, 16, 436–438.
- Das BK, Kakar YP, Moser H and Stichler W. (1988).** Deuterium and oxygen-18 studies in groundwater of the Delhi area, India. *J. Hydrol.*, 1988, 98, 133–146.
- Datta PS, Bhattacharya SK and Tyagi SK. (1996).** ^{18}O Studies on recharge of phreatic aquifers and groundwater flow-paths of mixing. *J. Hydrol.*, 176, 25–36.
- Datta PS, Bhattacharya SK, Mookerjee P and Tyagi SK. (1994).** Study of groundwater occurrence and mixing in Pushkar (Ajmer) valley, Rajasthan, with $\delta^{18}\text{O}$ and hydrochemical data. *J. Geol. Soc. Ind.*, 43, 449–456.
- Datta PS, Deb DL and Tyagi SK. (1996).** Stable isotope (^{18}O) investigations on the processes controlling fluoride contamination of groundwater. *J. Cont. Hydrol.*, 24(1), 85–96.
- Datta PS, Deb DL and Tyagi SK. (1996).** Stable isotope (^{18}O) investigations on the processes controlling fluoride contamination of groundwater. *J. Contaminant Hydrol.*, 24, 85–96.
- Datta PS, Gupta SK, Jaisurya A, Nizampurkar VN, Sharma P and Plusnin MI. (1980).** A survey of helium in groundwater in parts of Sabarmati basin in Gujarat state and in Jaisalmer district, Rajasthan. *Hydrol. Sci. Bull.* 26, 183–193.
- Datta PS, Tyagi SK and Chandrasekharan H. (1991).** Factors controlling stable isotopic composition of rainfall in New Delhi, India. *J. Hydrol*, 128, 223–236.
- Deshmukh AN, Gajbiye RD and Ganveer JB. (1993).** Hydrochemical impact of natural recharge on groundwater quality of fluorosis endemic Dongargaon village, Tsiil Warora, District Chandrapur, Maharashtra. *Gondwana. Geol. Mag.*, 6, 16–26.

- Deshmukh AN, Shah KC and Sriram A. (1995b).** Coal ash: A source of fluoride pollution, A case study of Koradi Thermal Power Station.
- Deshmukh AN, Wadaskar PM and Malpe DB. (1995a).** Fluorine in Environment: A review. *Gondwana Geol. Mag.*, 9, 1–20.
- Deshpande RD, Bhattacharya SK, Jani RA and Gupta SK. (2003).** Distribution of Oxygen and Hydrogen Isotopes in Shallow Groundwaters from Southern India: Influence of a Dual Monsoon System. *J. Hydrol.*, 271, 226–239.
- Dev Burman GK, Singh B and Khatri P. (1995).** Hydrogeochemical studies of groundwater having high fluoride content in Chandrapur district of Vidarbha region, Maharashtra. *Gondwana Geol. Mag.*, 9, 71–80.
- Dikum AV, Korobeynik VM and Yanitskiy IN. (1975).** Some indications of existence of transcrustal gas flow. *Geochem. Int.*, 12(6), 73–78.
- Dincer T, Al-Mugrin A and Zimmermann U. (1974).** Study of the Infiltration and Recharge through the Sand Dunes in Arid Zones with Special Reference to the Stable Isotopes and Thermonuclear Tritium. *J. Hydrol.* 23, 79–109.
- Dincer T, Al-Mugrin A and Zimmermann U. (1974).** Study of the infiltration and recharge through the sand dunes in arid zones with special reference to stable isotopes and thermonuclear tritium. *J. Hydrol.*, 23, 79–109.
- Douglas M. (1997).** Mixing and Temporal Variation of Ground Water Inflow at the Con Mine, Yellowknife, Canada: An Analogue for a Radioactive Waste Repository. Unpublished M.Sc. Thesis, Department of Geology, Univ. of Ottawa, Canada.
- Drever JI. (1997).** The geochemistry of natural waters (surface and groundwater environments) 3rd Edition, Prentice Hall, Upper Saddle River, NJ 07458, pp. 436.
- Dunkle SA, Plummer LN, Busenberg E, Phillips PJ, Denver JM, Hamilton PA, Michel RL and Coplen TB. (1993).** Chlorofluorocarbons (CCl₃F and CCl₂F₂) as dating tools and hydrologic tracers in shallow ground water of the Delmarva Peninsula, Atlantic coastal plain, United States. *Water Resour. Res.*, 29(12), 3837–3860.
- Edmunds WM. (2001).** Integrated geochemical and isotopic evaluation of regional aquifer systems in arid regions. In *Proceedings: Regional Aquifer Systems In Arid Zones - Managing Non-Renewable Resources*. Ihp-Vi Technical Documents in Hydrology, 42, 107–118.
- Elkins JW, Thompson TM, Swanson TH, Butler JH, Hall BD, Cummings SO, Fisher DA and Raffo AG. (1993).** Decrease in the growth rates of atmospheric chlorofluorocarbons 11 and 12. *Nature*, 364, 780–783.
- Filippo MD, Lombardi S, Nappi G and Reimer GM. (1999).** Volcano-tectonic structures, gravity and helium in geothermal areas of Tuscany and Latium (Vulsini volcanic district), Italy. *Geothermics*, 28(3), 377–393.
- Fitts CR. (2002).** *Groundwater Science*. Academic Press. 450p.
- Fleischer M and Robinson WO. (1963).** Some problems of the geochemistry of fluorine. In *Studies in analytical geochemistry* Shaw DM. (Ed). Toronto, University of Toronto Press.
- Fontes JC and Garnier JM. (1979).** Determination of the initial ¹⁴C activity of the total dissolved carbon: A review of the existing models and new approach. *Water Resour. Res.*, 15(2), 399–413.
- Forstel H. (1982).** ¹⁸O/¹⁶O Ratio of Water in Plants and Their Environment. In *Stable Isotopes*, (eds Schmidt, H. L., Forstel, H. and Heinzinger, K.) Elsevier, pp. 503–516.
- Friedman I and Denton EH. (1975).** A portable helium sniffer. US Geological Survey, Open File Report 75–532.

- Fröhlich K and Gellermann R. (1987).** On the potential use of uranium isotopes for groundwater dating. *Chem. Geol.*, 65, 67–77.
- Fry VA, Istok JD, Semprini L, O'Reilly LT and Buscheak TE. (1995).** Retardation of dissolved oxygen due to a trapped gas phase in porous media. *Groundwater*, 333, 391–398.
- Gamlen PH, Lane BC, Midgley PM and Steed JM. (1986).** The production and release to the atmosphere of CCl_3F and CCl_2F_2 (chlorofluorocarbons CFC 11 and CFC 12). *Atmos. Environ.* 20, 1077–1085.
- Gat JR and Matsui E. (1991).** Atmospheric water balance in the Amazon basin: an isotopic evapotranspiration model. *J. Geophys. Res.*, 96 (D7), 13179–13188.
- Geyh MA. (1990).** Absolute age determination: Physical and Chemical dating methods and their applications. Springer Verlag, Germany, 503 pp.
- Gmelin L. (1959).** Handbuch der anorganischen Chemie. Fluor Ergänzungsband, 8, Auflage. Weinheim, Verlag Chemie, GmbH.
- Golubev VS, Yeremeyev AN and Yanitskiy IN. (1975).** Analysis of some models of helium migration in the lithosphere. *Geochem. Int.*, 11(4) 734–742.
- Gombos AM, Powel WG and Norton IO. (1995).** The tectonic evolution of western India and its impact on hydrocarbon occurrences: an overview. *Sedimentary Geology*, 96, 119–129.
- Gonfiantini R. (1978).** Standards for Stable Isotope Measurements in Natural Compounds. *Nature*, 271, 534–536.
- Gonfiantini R. (1986).** Environmental isotopes in lake studies. *In* Handbook of Environmental Isotope Geochemistry (eds. Fritz, P. and Fontes, J.-Ch.), vol. 2, The Terrestrial Environment. B. Elsevier, Amsterdam, The Netherlands, pp. 113–168.
- Graham DW. (2002).** Noble gas isotope geochemistry of mid-oceanic ridge island basalts: characterization of mantle source reservoir. *In* Porcelli, D, Ballentine, CJ and Wieler R. (Eds.) Noble gases in geochemistry and cosmochemistry. *Rev. Mineral. Geochem.*, 47, 247–318.
- GSI. (2000).** Seismotectonic Atlas of India and its environs. Geological Survey of India, Calcutta, India. 87pp.
- Gulec N, Hilton DR and Mutlu H. (2002).** Heliumisotope variations in Turkey: relationship to tectonics, volcanism and recent seismic activities. *Chemical Geology*, 187, 129–142.
- Gupta ML, Verma RK, Hamza VM, Rao GV and Rao RUM. (1970).** Terrestrial heat flow and tectonics of the Cambay basin, Gujarat State (India). *Tectonophysics*, 10, 147–163.
- Gupta ML. (1981).** Surface heat flow and igneous intrusion in the Cambay basin, India. *J. Volc. Geother. Res.* 10, 279–292.
- Gupta SK and Deshpande RD. (1998).** Depleting Groundwater Levels and Increasing Fluoride Concentration in Villages of Mehsana District, Gujarat, India: Cost to Economy and Health. Water Resources Research Foundation (WRRF), PRL, Ahmedabad 74pp
- Gupta SK and Deshpande RD. (2003a).** Origin of groundwater helium and temperature anomalies in the Cambay region of Gujarat, India. *Chem. Geol.*, 198, 33–46.
- Gupta SK and Deshpande RD. (2003b).** Dissolved helium and TDS in groundwater from Bhavnagar in Gujarat: Unrelated to seismic events between August 2000 and January 2001. *Proc. Indian Acad. Sci. (Earth Planet. Sci.)*, 112(1), 51–60.
- Gupta SK and Deshpande RD. (2003c).** Synoptic hydrology of India from the data of isotopes in precipitation. *Curr. Sci.*, 85(11), 1591–1595.

- Gupta SK and Deshpande RD. (2005a).** Groundwater Isotopic Investigations in India: What has been learned? *Curr. Sci.*, 89(5), 825–835.
- Gupta SK and Deshpande RD. (2005b).** Isotopes for Water Resource Management in India. *Himalayan Geology*, 26(1), 211–222.
- Gupta SK and Deshpande RD. (2005c).** The Need and Potential Applications of a Network for Monitoring of Isotopes in Waters of India. *Curr. Sci.*, 88(1), 107–118.
- Gupta SK and Polach HA. (1985).** Radiocarbon Dating Practices at ANU., Handbook, Radiocarbon Laboratory, Research School of Pacific Studies, ANU, Canberra, 173p.
- Gupta SK and Sharma P. (1984).** Soil Moisture Transport Through Unsaturated Zone: Tritium Tagging Studies in Sabarmati Basin, Western India., *Hydrol. Sci. J.*, 29(2), 177–189.
- Gupta SK, Bhandari N, Thakkar PS and Rengarajan R. (2002).** On the Origin of the Artesian Groundwater and Escaping Gas at Narveri After the Bhuj Earthquake in 2001. *Curr. Sci.*, 82(4), 463–468.
- Gupta SK, Deshpande RD, Agarwal M and Raval BR. (2005a).** Origin of high fluoride in groundwater in the North Gujarat-Cambay region, India. *Hydrogeol. J.*, 13, 596–605.
- Gupta SK, Deshpande RD, Bhattacharya SK and Jani RA. (2005b).** Groundwater $\delta^{18}\text{O}$ and δD from Central Indian Peninsula: Influence of Arabian Sea and the Bay of Bengal Branches of Summer Monsoon. *J. Hydrol.*, 303(1-4), 38–55.
- Gupta SK, Lal D and Sharma P. (1981).** An approach to determining pathways and residence time of groundwaters: Dual radiotracer dating. *J. Geophys. Res.*, 86 (C6), 5292–5300.
- Gupta SK, Lau LS, Moravcik PS and El-Kadi A. (1990).** Injected helium: a new hydrological tracer. Special Report 06.01:90, Water Resources Research Center, University of Hawaii at Manoa, Honolulu.
- Gupta SK. (2001).** Modelling advection–dispersion process for dual radiotracer dating of groundwater with an example of application to a ^{14}C and ^{36}Cl data set from Central Australia. In *Modelling in hydrogeology* (Eds. Elango L and Jayakumar R.) pp. 169–190.
- Guymon GL. (1972).** Notes on the finite element solution of diffusion advection equation. *Water Resources Res.*, 8, 1357–1360.
- Hamid S, Dray M, Fehri A, Dorioz JM, Normand M and Fontes J Ch. (1989).** Etude des transferts d'eau a l'interieur d'une formation morainique dans le Bassin du Leman-transfer d'eau dans la zone non-saturee, *J. Hydrol.*, 109, 369–385.
- Handa BK. (1975).** Geochemistry and genesis of fluoride containing groundwaters in India. *Ground water*, 13, 275–281.
- Handa BK. (1977).** Presentation and interpretation of fluorine ion concentrations in natural waters. *Proc. Sym. on fluorosis*, Hyderabad, 317–347.
- Hardas MG. (1980).** Textural parameters and depositional processes of the sub-surface Serau Formation, Cambay Basin. *J. Palaeontol. Soc. India*, 25, 106–109.
- Heaton THE and Vogel JC. (1981).** "Excess air" in groundwater. *J. Hydrol.*, 50, 201–216.
- Heaton THE. (1981).** Dissolved gases: Some applications to groundwater research. *Trans. Geol. Surv. Soc. S. Afr.*, 84, 91–97.
- Heaton THE. (1986).** Dissolved gas palaeotemperatures and ^{18}O variations derived from the groundwater near Uitenhage, South Africa. *Quat. Res.*, 25, 79–88.
- Hofer M and Imboden DM. (1998).** Simultaneous determination of CFC-11, CFC-12, N_2 and Ar in water. *Anal. Chem.* 70, 724–729.

- 
- Hoke L, Lamb S, Hilton DR and Poreda RJ. (2000).** Southern limit of mantle derived geothermal helium emissions in Tibet: implications for lithospheric structure. *Earth and Planet. Sci. Lett.*, 180, 297308.
- Holocher J, Peeters F, Aeschbach-Hertig W, Hofer M, Brennwald M, Kinzelbach W and Kipfer R. (2002).** Experimental investigations on the formation of excess air in quasi-saturated porous media. *Geochem. Cosmochim. Acta*, 66 (23), 4103–4117.
- Hubner M. (1969a).** Untersuchung der F/OH Austauschadsorption an Mineralen der Illitgruppe und an Kaolinit. *Freiberger Forschungsheft c* 244 Mineralogie-Lagerstättenlehre.
- Hubner M. (1969b).** Geochemische Interpretation von Fluorid/Hydroxid-Austauschversuchen an Tonmineralen *Ber. Deutsch. Ges. Geol. Wiss. B. Miner. Lagerstättenforsch*, 14, 5.
- Imbach T. (1997).** Deep groundwater circulation in the tectonically active area of Bursa, Northwest Anatolia, Turkey. *Geothermics*, 26(2), 251–278.
- Ivanovich M. (1992).** Uranium series disequilibrium: Applications to earth marine and environmental sciences. Claderon Press, Oxford, pp 910.
- Jacks G, Rajagopalan K, Alveteg T and Jonsson M. (1993).** Genesis of high F groundwaters, southern India. *Applied Geochemistry Suppl Issue* 2, 241–244.
- Jean-Baptiste P, Messias MJ, Alba C, Charlou JL and Bougault H. (1994).** A simple copper-tube sampler for collecting and storing seawater for post-cruise CFC measurements. *Deep Sea Res.*, 41(9), 1361–1372.
- Jones VT and Drozd RJ. (1983).** Predictions of oil and gas potential by near-surface geochemistry. *Amer. Asso. Petrol. Geol. Bull.*, 67(6), 932–952.
- Juyal N, Chamyal LS, Bhandari S, Bhushan R and Singhvi AK. (2006).** Continental records of the southwest monsoon during the last 130ka: evidence from the southern margin of the Thar Desert, India. *Quat. Sci. Rev.*, 2632–2650.
- Juyal N, Kar A, Rajaguru SN and Singhvi AK. (2003).** Luminescence chronology of aeolian deposition during the Late Quaternary on the southern margin of Thar Desert, India. *Quat. Inter.*, 104, 87–98.
- Kaila KL and Krishna VG. (1992).** Deep seismic sounding studies in India and major discoveries. *Curr. Sci.*, 62, 117–154.
- Kaila KL, Krishna VG and Mall DM. (1981).** Crustal structure along Mehmabad-Billimora profile in the Cambay Basin, India, from deep seismic soundings. *Tectonophysics*, 76, 99–133.
- Kaila KL, Rao IBP, Rao PK, Rao NM, Krishna VG and Sridhar AR. (1989).** D.S.S. studies over Deccan traps along the Thuadara-Sendhawa-Sindad profile, across Narmada-Son lineament, India. In: *Properties and Processes of Earth's Lower Crust*. Mereu R.F., Mueller, S., Fauntain, D.M. (Eds.), pp.127–141, AGU Geophy. Mono. 51, IUGG6.
- Kaila KL. (1988).** Mapping the thickness of Deccan Trap flows in India from DSS studies and inferences about hidden Mesozoic basin in the Narmda-Tapti region. *Mem. Geol. Soc. India.*, 10, 91–116.
- Kendall C and McDonnell JF. (1998).** Isotope tracers in catchment hydrology. Elsevier Sciences, BV., Amsterdam, The Netherlands, p. 839.
- Khalil MAK and Rasmussen RA. (1989).** The potential of soils as a sink of chlorofluorocarbons and other man-made chlorofluorocarbons. *Geophys. Res. Lett.*, 16, 679–682.
- Kipfer R, Werner Aeschbach-Hertig, Peeters F and Stute M. (2002).** Noble gases in lakes and ground waters. In Porcelli, D, Ballentine, CJ and Wieler R. (Eds.) *Noble gases in geochemistry and cosmochemistry*. *Rev. Mineral. Geochem.*, 47, 615–700.

- Koritnig S. (1951).** Ein Beitrag zur Geochemie des Fluor. (A contribution to the geochemistry of fluorine) *Geochem Cosmochim Acta*, 1, 89.
- Krishnamurthy RV and Bhattacharya SK. (1991).** Stable Oxygen and Hydrogen Isotope Ratios in Shallow Groundwaters from India and a Study of the Role of Evapotranspiration in the Indian Monsoon. *The Geochemical Society, Spl. Publ.* 3, 187–193.
- Krishnaswami S and Seidemann DE. (1988).** Comparative study of ^{222}Rn , ^{40}Ar , ^{39}Ar and ^{37}Ar leakage from rocks and minerals: Implications to the role of nanopores in gas transport through natural silicates. *Geochim. Cosmochim. Acta*, 52, 655–658.
- Krishnaswami S, Bhushan R and Baskaran M. (1991).** Radium isotopes and ^{222}Rn in shallow brines, Kharaghoda (India). *Chemical Geology*, 87, 125–136.
- Kulongoski JT, Hilton DR and Izbicki JA. (2003).** Helium isotope studies in the Mojave Desert, California: implications for groundwater chronology and regional seismicity. *Chem. Geol.*, 202, 95–113.
- Kulongoski JT, Hilton DR and Izbicki JA. (2005).** Source and movement of helium in the eastern Morongo groundwater basin: The influence of regional tectonics on crustal and mantle helium fluxes. *Geochimica et Cosmochimica Acta*, 69 (15), 3857–3872.
- Kumar B, Athavale RN and Sahay KSN. (1982).** Stable isotope geohydrology of the Lower Maner Basin, Andhra Pradesh, India. *J. Hydrol*, 59, 315–330.
- Lehmann BE, Loosli HH, Rauber D, Thonnard N and Willis RD. (1991).** ^{81}Kr and ^{85}Kr in groundwater, Milk River Aquifer, Alberta, Canada. *Appl. Geochem.*, 6, 419–424.
- List RJ. (1949).** *Smithsonian Meteorological Tables*. Sixth ed., Smithsonian Institution Press, Washington, D.C. 527p.
- Luke J. (1997).** The Effect of Fluoride on the Physiology of the Pineal Gland. Ph.D. Thesis. University of Surrey, Guildford.
- Lupton JE, Weiss RF and Craig H. (1977).** Mantle helium in the Red Sea. *Nature*. 266, 244–246.
- Mamyrin BA and Tolstikhin LN. (1984).** Developments in geochemistry (3), Helium isotopes in Nature. Elsevier, pp. 273.
- Maurya DM, Chamyal LS and Merh SS. (1995).** Tectonic evolution of the Central Gujarat plain, western India. *Curr. Sci.*, 69(7), 610–613.
- Maurya DM, Malik JN, Raj R and Chamyal LS. (1997).** Soft sediment deformation in the Quaternary sediments of the Lower Mahi river basin, Western India. *Curr. Sci.*, 72 (7), 519–522.
- Mazor E and Bosch A. (1992).** Helium as semi-quantitative tool for groundwater dating in the range of 104–108 years. In *Isotopes of noble gases as tracers in environmental studies*, IAEA, Vienna, pp 163–178.
- Mazor E. (1972).** Palaeotemperatures and the other hydrological parameters deduced from noble gases dissolved in groundwaters; Jordan Rift Valley, Israel, *Geochim Cosmochim Acta*, 36, 1321–1336.
- McFarland M and Kaye J. (1992).** Chlorofluorocarbons and ozone. *Photochemistry and Photobiology*, 55, 911–29.
- Merh SS and Chamyal LS. (1993).** The Quaternary sediments in Gujarat. *Curr. Sci.* 64, 823–827.
- Merh SS. (1993).** Neogene-Quaternary sequence in Gujarat: A review. *J. Geol. Soc. Ind.*, 41, 256–276.
- Merh SS. (1995).** *Geology of Gujarat*. Geological Society of India, Bangalore, 222 p.
- Midgley PM and Fisher DA. (1993).** Production and release to the atmosphere of chlorodifluoromethane (HCFC-22). *Atmos. Environ.*, 27A, 2215–2223.

- Minissale A, Vaselli O, Chandrasekharam D, Magro G, Tassi F and Casiglia A. (2000).** Origin and evolution of 'intracratonic' thermal fluids from central-western peninsular India. *Earth Planet. Sci. Lett.*, 181, 377–397.
- Misra KS. (1981).** The tectonic setting of Deccan volcanism in southern Saurashtra and northern Gujarat. Deccan volcanism and related basalts provinces in other parts of the world. *Geol. Surv. Ind. Memoir*, 3, 81–86.
- Misra KS. (2001).** Lineament fabric and its relation to the eruption of Deccan volcanics and seismicity of west-central India. *Geol. Surv. Ind., Spl. Publ.*, 64, 209–221.
- Mook WG. (1976).** The dissolution-exchange model for dating groundwater with ^{14}C . In *Interpretation of environmental isotopes and hydrochemical data in groundwater hydrology*. IAEA, Vienna, pp 213–225.
- Münnich KO. (1957).** Messung des ^{14}C – Gehaltes von hartem Grundwasser. *Naturwissenschaften*, 34, 32–33.
- Münnich KO. (1968).** Isotopen-Datierung von Grundwasser, *Naturwissenschaften*, 55, 158–163.
- Navada SV and Rao SM. (1991).** Study of Ganga River – groundwater interaction using environmental ^{18}O . *Isotopenpraxis*, 27(8), 380–384.
- Navada SV, Nair AR, Rao SM, Paliwal BL and Dashy CS. (1993).** Groundwater Recharge Studies in Arid Region of Jalore, Rajasthan Using Isotope Techniques. *J. Arid Environ.*, 24, 125–133.
- Nazaroff WW, Moed BA, Sextro RG. (1988).** Soil as a source of Indoor Radon: Generation, Migration and Entry. In: *Nazaroff, W.W. and Nero, A.V. Jr., (Eds.), Radon and its decay Products in Indoor Air*, John Wiley & Sons, NY.
- Negi JG, Agrawal PK, Singh AP and Pandey OP. (1992).** Bombay gravity high and eruption of Deccan flood basalts India from a shallow secondary plume. *Tectonophysics* 206, 341–350.
- Oelschläger W. (1965).** Die Verunreinigung der atmosphere durch fluor. *Z. Staub*, 12, 528.
- Panda PK. (1985).** Geothermal maps of India and their significance in resources assessments. *Petrol. Asia J.* VIII 2, 202–210.
- Pandarinath K, Prasad S and Gupta SK. (1999a).** A 75 ka record of Palaeoclimatic changes inferred from crystallinity of Illite from Nal Sarovar, Western India. *J. Geol. Soc. India*, 54, 515–522.
- Pandarinath K, Prasad S, Deshpande RD and Gupta SK. (1999b).** Late Quaternary sediments from Nal Sarovar, Gujarat, India: Distribution and Provenance. *Proc Indian Acad Sci (Earth Planet Sci)*, 108(2), 107–116.
- Pandey OP and Agrawal PK. (2000).** Thermal regime, hydrocarbon maturation and geodynamic events along the western margin of India since late Cretaceous. *J. Geodyn.* 30, 439–459.
- Patel PP. (1986).** A Note On Drinking Water Problem In The Patan-Chanasma Area Of Mehsana District. Dept. of Geology, M.S. Univ. of Baroda, Vadodara-390 002, India.
- Perel'man AI. (1977).** Geochemistry of elements in the supergene zone. Keter Publishing House, Jerusalem Ltd. pp 266.
- Perry JH. (1984).** Chemical Engineers' Handbook. McGraw-Hill Book Company, New York.
- Plummer LN and Busenberg E. (1999).** Chlorofluorocarbons. In *Environmental tracers in subsurface hydrology*. Cook PG and Herczeg AL. (Eds.), Kluwer Academic Publishers, Boston-Dordrecht-London, 441–478.
- Porcelli D and Ballentine CJ. (2002).** Models of the distribution of terrestrial noble gases and evolution of the atmosphere. In *Porcelli, D, Ballentine, CJ and Wieler R.*

- (Eds.) Noble gases in geochemistry and cosmochemistry. *Rev. Mineral. Geochem.*, 47, 411–480.
- Porcelli D, Ballentine CJ and Wieler R. (2002).** An overview of noble gas geochemistry and cosmochemistry. In Porcelli, D, Ballentine, CJ and Wieler R. (Eds.) Noble gases in geochemistry and cosmochemistry. *Rev. Mineral. Geochem.*, 47, 1–19.
- Prasad S and Gupta SK. (1999).** Role of eustasy, climate and tectonics in late Quaternary evolution of Nal-Cambay region, NW India. *Z. Geomorph. N F*, 43, 483–504.
- Prasad S, Kusumgar S and Gupta SK. (1997).** A mid-late Holocene record of palaeoclimatic changes from Nal Sarovar: A palaeo-desert margin lake in western India. *J. Quat. Sci.* 12:153–159.
- Prasad S, Pandarinath K and Gupta SK. (1998).** Geomorphology, tectonism and sedimentation in the Nal region, western India. *Geomorphology*, 25, 207–223.
- Raju ATR. (1968).** Tertiary basins of India. *Am. Assoc. Pet. Geol. Bull.*, 52, 2422–2437.
- Rama and Moore WS. (1984).** Mechanism of transport of U-Th series radioisotopes from solids into groundwater. *Geochim. Cosmochim. Acta*, 48, 395–399.
- Ramakrishnan S. (1998).** Groundwater. Published by S. Ramakrishnan, Chennai 761pp
- Randall JH and Schultz TR. (1976).** Chlorofluorocarbons as hydrologic tracers: A new technology. *Hydrology Water Resources Arizona Southwest* 6, 189–195.
- Rank D, Volkl G, Maloszewski P and Stichler W. (1992).** Flow Dynamics in an Alpine Karst Massif Studied by Means of Environmental Isotopes. In *Isotope techniques in Water Resources Development*, Proc. IAEA Symposium 319, Vienna, 1991, pp 327–343.
- Rao GV, Reddy GK, Rao RUM and Gopalan K. (1994).** Extraordinary helium anomaly over surface rupture of September 1993 Killari earthquake, India.
- Ravi Shankar. (1988).** Heat flow map of India and discussions on its geological and economic significance. *Ind. Min.* 42, 89–110.
- Raynolds GW, Hoff JT and Gillham RW. (1990).** Sampling bias caused by materials used to monitor halocarbons in groundwater. *Environ. Sci. Technol.*, 24, 135–142.
- Reddy DV, Sukhija BS, Nagabhushanam P, Reddy GK, Devender Kumar and Lachassagne P. (2006).** Soil gas radon emanometry: A tool for delineation of fractures for groundwater in granitic terrains. *J. Hydrology*, 329(1-2), 186–195.
- Reimer GM. (1976).** Design and Assembly of a portable helium leak detector for evaluation as a uranium exploration instrument. *US Geol. Sur. Open-File Rep.*, 18, 76–398.
- Reimer GM. (1984).** Prediction of central California earthquakes from soil-gas helium, *PAGEOPH* 122, 369–375.
- Riley JP. (1965).** The occurrence of anomalously high fluoride concentrations in the North Atlantic. *Deep Sea Res.*, 12, 219.
- Rozanski K, Araguas-Araguas L and Gonfiantini R. (1993).** Isotopic Patterns in Modern Global Precipitation. In: *Climate Change in Continental Isotopic Records*. American Geophysical Union Monograph, 78, 1–36.
- Salati E, Dall'olio A, Matusi E and Gat JR. (1979).** Recycling of water in Amazon Basin: an Isotopic Study. *Water Resour. Res.*, 15, 1250–1258.
- Sareen BK, Tandon SK and Bhola AM. (1993).** Slope deviatory alignment, stream network and lineament orientation of Sabarmati river system. Neotectonic activity in the Mid-Late Quaternary. *Curr. Sci.*, 64, 827–836.

- Scheidegger AE. (1961).** General theory of dispersion in porous media. *J. Geophys. Res.*, 66, 3273–3278.
- Schlosser P, Stute M, Sonntag C and Munnich KO. (1989).** Tritogenic ^3He in shallow groundwater. *Earth Planet. Sci. Lett.*, 94, 245–256.
- Schultz TR, Randall JH, Wilson LG and Davis SN. (1976).** Tracing sewage effluent recharge- Tucson, Arizona. *Ground Water*, 14, 463–470.
- Semprini L, Hopkins GD, Roberts PV and McCarty PL. (1990).** In-situ biotransformation of carbon tetrachloride, 1,1,1-trichloroethane, Freon-11, and Freon-12 under anoxic conditions. *Eos, Trans. Am. Geophys. Union*, 71, 1324.
- Shapiro MH. (1981).** Relationship of the 1979 southern California radon anomaly to a possible regional strain event. *J. Geophys. Res.*, 86, 1725–1730.
- Shivanna K, Kulkarni UP, Joseph TB and Navada SV. (2004).** Contribution of storm to groundwater in semi-arid regions of Karnataka, India, *Hydrological Processes*, 18(3), 473–485.
- Singh AP and Meissner R. (1995).** Crustal configuration of the Narmada-Tapti region India from gravity studies. *J. Geodyn.* 20, 111–127.
- Singh AP. (1998).** 3-D structure and geodynamics evolution of accreted igneous layer in the Narmada-Tapti region. *J. of Geodyn.* 252, 129–141.
- Solomon DK, Hunt A and Poreda RJ. (1996).** Source of radiogenic helium-4 in shallow aquifers: Implications for dating young groundwater. *Water Resour. Res.*, 32, 1805–1813.
- Solomon DK, Schiff SL, Poreda RJ and Clark WB. (1993).** A validation of the $3\text{H}/3\text{He}$ method for determining groundwater recharge. *Water Resources Research*, 29(9), 2951–2962.
- Sridhar V, Chamyal LS and Merh SS. (1994).** North Gujarat rivers: remnants of super fluvial system. *J. Geol. Soc. Ind.* 44, 427–434.
- Srivastava P, Juyal N, Singhvi, AK, Wasson RJ and Bateman MD. (2001).** Luminescence chronology of river adjustment and incision of Quaternary sediments in the alluvial plain of the Sabarmati River, North Gujarat, India. *Geomorphology*, 36, 217–229.
- Srivastava, BN, Deshmukh AN and Kodate JK. (1995).** The impact of groundwater composition of fluorite solubility product: A case study of selected Indian aquifers. *Gondwana Geol. Mag.*, 9, 31–44.
- Strunz H. (1970).** Mineralogische Tabellen, 5. Aufl. Leipzig, Geest und Portig.
- Stute M, Schlosser P and Clark JF. (1992a).** Palaeotemperatures in Southwestern United States derived from the noble gases in groundwater. *Science*, 256, 1000–1003.
- Stute M, Sonntag C, Deak J and Schlosser P. (1992b).** Helium in deep circulating groundwater in the Great Hungarian Plain: Flow dynamics and crustal and mantle helium fluxes. *Geochim. Cosmochim. Acta*, 56, 2051–2067.
- Sugawara K. (1967).** Migration of elements through phases of the hydrosphere and atmosphere. In AP Vinogradov (ed) *Chemistry of the Earth's Crust*, Vol 2, Jerusalem: Israel Program for Scientific Translations 501pp.
- Sukhija BS, Reddy DV and Nagabhushanam P. (1998).** Isotopic fingerprint of palaeoclimates during the last 30,000 years in deep confined groundwaters of Southern India. *Quat. Res.*, 50, 252–260.
- Tandon SK, Sareen, BK, Someshwararao M and Singhvi AK. (1997).** Aggradation history and luminescence chronology of Late Quaternary semi-arid sequences of the Sabarmati basin, Gujarat, western India. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 128, 339–357.

- Thompson GM, Hayes JM and Davis SN. (1974).** Fluorocarbon tracers in hydrology. *Geophys. Res. Lett.*, 1, 177–180.
- Torgersen T and Ivey GN. (1985).** Helium accumulation in groundwaters, II. A model for the accumulation of the crustal 4He degassing flux. *Geochim. Cosmochim. Acta*, 49, 2445–2452.
- Torgersen T and Clarke WB. (1985).** Helium accumulation in groundwater, I: An evaluation of sources and the continental flux of crustal 4He in the Great Artesian Basin, Australia. *Geochim. Cosmochim. Acta*, 49, 1211–1218.
- Torgersen T. (1980).** Controls on pore-fluid concentration of ^4He and ^{222}Rn and the calculation of $^4\text{He}/^{222}\text{Rn}$ ages. *J. Geochem. Explor.* 13, 57–75.
- Torgersen T. (1992).** Helium-4 model ages for pore fluids from fractured lithologies, Discussion and application. In *Isotopes of Noble Gases as Tracers in Environmental Studies*. IAEA, Vienna, pp 179–201.
- Vasavada BJ. (1998).** Excessive fluoride in Gujarat. A perspective plan of solution. *J. Indian Water Works Assoc.*, 1998, 191–198.
- Virk HS, Walia V and Kumar N. (2001).** Helium/radon precursory anomalies of Chamoli earthquake, Garhwal Himalaya, India. *Journal of Geodynamics*, 31, 201–210.
- Vogel JC. (1967).** Investigation of groundwater flow with radiocarbon. In *Isotopes in hydrology*, IAEA, Vienna, pp 355–368.
- Vogel JC. (1970).** Carbon-14 dating of groundwater. In *Isotope hydrology*. IAEA, Vienna, pp 225–237.
- Volk CM, Elkins JW, Fahey DW, Dutton GS, Gilligan JM, Loewenstein M, Podolske JR, Chan KR and Gunson MR. (1997).** Evaluation of source gas lifetimes from stratospheric observations. *J. Geophys. Res. – Atmos.*, 102(D21), 25543–25564.
- Warner MJ and Weiss RF. (1985).** Solubilities of chlorofluorocarbons 11 and 12 in water and seawater. *Deep Sea Res.* 32, 1485–1497.
- Wasson RJ, Rajguru SN, Misra VN, Agrawal DP, Dhir RP and Singhvi AK. (1983).** Geomorphology, Late Quaternary stratigraphy and palaeoclimatology of the Thar dune field. *Z Geomorph NF*, 45, 117–151.
- Wedepohl KH. (1974).** Hand-book of Geochemistry. Vol. II-4, Springer-Verlage, Berlin, Heidelberg, New York, pp 9K-1.
- Weeks EP, Earp DE and Thompson GM. (1982).** Use of atmospheric fluorocarbons F-11 and F-12 to determine the diffusion parameters of the unsaturated zone in the southern high plains of Texas. *Water Resources Research*, 15, 1365–1378.
- Weismann TJ. (1980).** Developments in geochemistry and their contribution to hydrocarbon exploration. In *Proceedings of the 10th World Petroleum Congress*, Bucharest, Romania, Vol. 2, 369–386.
- Weiss RF and Price BA. (1980).** Nitrous oxide solubility in water and seawater. *Mar. Chem.* 8, 347–359.
- Weiss RF. (1971).** Solubility of helium and neon in seawater. *J. Chem. Eng. Data*, 167, 235–241.
- WHO. (1970).** Fluorides and human health. World Health Organisation, Geneva
- WHO. (1984).** Fluorine and fluorides. Environmental health Criteria 36, World Health Organisation, Geneva
- Wilkowske CD and Solomon DK. (1997).** Evaluation of a simple copper tube sampler for dating ground water with chlorofluorocarbons (CFCs). *Geological Society of America, 1997 Annual Meeting, GSA Abstracts with Programs*, 29(6), A–77.
- Yadav DN. (1997).** Oxygen isotope study of evaporating brines in Sambar lake, Rajasthan (India). *Chem. Geol.*, 138, 109–118.

- Yong L and Hua ZW. (1991).** Environmental characteristics of regional groundwater in relation to fluoride poisoning in North China. *Environ. Geol. Water Sci.*, 18:3–10.
- Zero DT, Raubertas RF, Pedersen AM, Fu J, Hayes AL and Featherstone JD. (1992).** Studies of fluoride retention by oral soft tissues after the application of home-use topical fluorides. *J. Dental Res.* 71, 1546–1552.
- Zeuner FE. (1950).** Stone age Pleistocene chronology of Gujarat. Deccan College Monograph, 6, 46 pp.
- Zimmermann U, Munnich KO and Roether W. (1967).** Downward Movement of the Soil Moisture Traced By Means of Hydrogen Isotopes. In: *Isotope Techniques in the Hydrologic Cycle*. Geophysical Monograph Series 11, American Geophysical Union.