LIST OF FIGURES

| FIGURE NO. | TITLE | PAGE NO. |
|------------|---|-------------|
| 2.1 | Cricket on the Artillery Ground | 12 |
| 2.2 | Early village cricket | 13 |
| 2.3 | The first instances of cricket | 13 |
| 2.4 | Anerobic glycolysis | 15 |
| 2.5 | Krebs cycle | 16 |
| 2.6 | Electron transport chain | 17 |
| 2.7 | Overlap of all three energy systems during moderate intensity exercise from the | 19 |
| | onset to steady state | |
| 2.8 | Overlap of all three energy systems during maximal-intensity exercise from the | 19 |
| | onset to volitional fatigue | |
| 2.9 | Urine colour chart- Pee test | 41 |
| 2.10 | Mechanism of muscle damage | 60 |
| 2.11 | Theoretical model of muscle damage and repair cycle | 61 |
| 3.1 | Study design of phase 1 | 82 |
| 3.2 | Sensory Evaluation of the Experimental and Placebo drink by the semi-trained | 98 |
| | panel members | |
| 3.3 | Experimental design for phase 2(B) | 99 |
| 3.4 | Study design of phase 3 | 103 |
| 4.1 | Nutritional status based on BMI of participants from Ranji boys, U-23 boys, Senior | 112 |
| | women and U-19 women squads | |
| 4.2 | Prevalence of abdominal obesity based on Waist Circumference, Waist Hip Ratio, | 113 |
| | and Waist Height Ratio in participants from Ranji boys, U-23 boys, Senior women | |
| | and U-19 women squads | |
| 4.3 | Categorization of cricketers across all the squads based on fat levels | 117 |
| 4.4 | Categorization of cricketers across all the squads based on Percent Lean body mass | 118 |
| | levels | |
| 4.5 | Eating Preference of the cricketers | 119 |
| 4.6 | Categorization of the participants from Ranji boys, U-23 boys, Senior women and | 127 |
| | U-19 women into normal, mild anemia and moderate anemia based on the | |
| | haemoglobin levels (N=64) | 4.40 |
| 4.10 | Percent distribution of various forms of Protein supplements | 140 |
| 4.11 | Protein content per 100g of Protein Supplements | 141 |
| 4.12 | Source of Protein in the Supplements under Study | 142 |
| 4.13 | Mean cost per gram of protein supplements based on the protein source | 143 |
| 4.14 | Presence of Sugar/Sweetener in Protein Supplements | 144 |
| 4.15 | Percent distribution of various forms of Sports drinks | 146 |
| 4.16 | Carbohydrate content per 100 ml of Sports drinks | 146 |
| 4.17 | Most commonly added sources of Carbohydrates in the Sports drinks under Study | 147 |
| 4.18 | Sodium content per 100 ml of Supplements | 148 |
| 4.19 | Categorisation of participants from Ranji boys, U-23 boys, Senior women and U-19 women based on baseline nutrition knowledge scores | 163 |
| 4.20 | Post-intervention knowledge scores among cricketers across all the squads | 177 |