

## *LIST OF TABLES*

Table no.	Title	Page no.
2.1	Change in food consumption quantity, ratios 2005/ 1990	10
2.2	Strength of the evidence for improvement of body functions by probiotics and prebiotics	14
2.3	Strength of the evidence for disease risk reduction by probiotics and prebiotics	15
2.4	Microorganisms used as probiotics in humans and animals	16
2.5	Criteria for classification of a food ingredient as a prebiotic	19
2.6	Classification of prebiotics	20
2.7	Inulin content in certain foods	23
2.8	Overview of food applications with inulin and oligofructose	31
2.9	Nutritional effects and potential health benefits of inulin-type fructans	33
2.10	Experimental and human data that substantiate claims on inulin-type fructans: summary presentation	34
2.11	Data on inulin-type fructans that support hypotheses to be tested in human nutrition and clinical intervention studies: summary presentation	34
2.12	data on inulin-type fructans that require more experimental research to support hypotheses to be tested in human nutrition and clinical intervention studies: summary presentation	35
2.13	Summary presentation of major studies demonstrating the selective stimulation of bacterial growth by inulin-type fructans in healthy human feeding trials	37
2.14	Summary description of studies carried out to demonstrate the <i>in vitro</i> selectivity of inulin-type fructans in both pure culture, mixed batch culture, and mixed continuous culture fermentation	38

Table no.	Title	Page no.
2.15	Composition of human gastro-intestinal flora	41
2.16	Density and nature of bacteria in the human gastro-intestinal tract	41
2.17	Utilization of various NDOs by selected human gut bacteria	50
4.1	Moisture content in samples selected for analysis	85
4.2	Specification of the inulin used for substitution and addition	89
4.3	List of raw ingredients along with their sources used for product preparation	90
4.4	Revised BMI cut offs	107
4.5	Cut offs for waist hip ratio (WHR)	107
4.6	Classification of blood pressure for adults	108
4.7	Nutritional composition of probiotic fermented milk	118
5.1.1 (a)	Inulin content of selected cereals in Indian diets	123
5.1.1 (b)	Inulin content of selected raw pulses and legumes	123
5.1.1(c)	Inulin content of selected raw fruits, vegetables and spices in Indian diets	126
5.1.1(d)	Inulin content of selected processed foods	126
5.1.2	Processing changes in inulin content of wheat and wheat products	130
5.2.1.1	Mean values for physicochemical evaluation of standard and inulin incorporated breads	134
5.2.1.2	Effect of varying levels of inulin substitution on the organoleptic quality of bread	135
5.2.1.3	Difference in organoleptic attributes of individual test samples in comparison with the standard bread	138
5.2.2.1	Physical evaluation of standard and inulin incorporated cookies	140
5.2.2.2	Effect of varying levels of inulin substitution on the organoleptic quality of cookies.	142

Table no.	Title	Page no.
5.2.2.3	Difference in individual test samples in comparison with standard cookies	145
5.2.3.1	Physical evaluation of standard and inulin incorporated <i>chapatis</i>	147
5.2.3.2	Effect of varying levels of inulin addition on the organoleptic qualities of <i>chapati</i>	149
5.2.3.3	Difference in organoleptic attributes of individual test samples in comparison with the standard <i>chapati</i>	152
5.2.4.1	Physical evaluation of standard and inulin incorporated <i>dhokla</i>	154
5.2.4.2	Effect of varying levels of inulin addition on the organoleptic quality of <i>dhokla</i>	155
5.2.4.3	Difference in organoleptic attributes of individual test samples in comparison with the standard <i>dhokla</i>	158
5.2.5.1	Physical evaluation of standard and inulin incorporated <i>potato bonda</i>	160
5.2.5.2	Effect of varying levels of inulin addition on the organoleptic quality of <i>potato bonda</i>	162
5.2.5.3	Difference in organoleptic attributes of individual test samples in comparison with the standard <i>potato bonda</i>	164
5.2.6.1	Physical evaluation of standard and inulin incorporated porridge	165
5.2.6.2	Effect of varying levels of inulin addition on the organoleptic quality of porridge	167
5.2.6.3	Difference in organoleptic attributes of individual test samples in comparison with the standard porridge	169
5.2.7.1	Physical evaluation of standard orange Juice	171
5.2.7.2	Effect of varying levels of inulin addition on the organoleptic quality of juice	174
5.2.7.3	Difference in organoleptic attributes of individual test samples in comparison with the standard juice	176

<b>Table no.</b>	<b>Title</b>	<b>Page no.</b>
5.2.8.1	Effect of varying levels of inulin supplementation on the organoleptic quality of curd	179
5.2.8.2	Difference in organoleptic attributes of individual test samples in comparison with the standard curd	180
5.2.9 a	Percent proximate composition of standard recipes	182
5.2.9 b	Percent proximate composition of 20% inulin incorporation recipes	182
5.3.1.1	Background information of the participants	188
5.3.1.2	Activity pattern of the older adult participants	189
5.3.1.3	Anthropometric profile of the older adult participants	190
5.3.1.4	Biochemical profile of the older adult participants	192
5.3.1.5	Nutrient intake of male and female older adults	194
5.3.1.6	Frequent and non frequent consumption of different food groups by percent participants	194
5.3.1.7	Disease burden of older adult participants	195
5.3.1.8	Association between lipid profile and life style factors of the institutionalized elderly subjects	197
5.3.1.9	Association between fasting blood glucose, blood pressure levels and life style factors of the institutionalized elderly subjects	197
5.3.1.10	Association between atherogenic indices and life style factors of the institutionalized elderly subjects	198
5.3.2.1	Lipid profile of older adult participants after probiotic and synbiotic fermented milk supplementation	199
5.3.2.2	Lipid profile of the male and female older adult participants before and after probiotic and synbiotic fermented milk supplementation	201
5.3.2.3	Atherogenic indices of older adult Participants after probiotic and synbiotic fermented milk supplementation	203
5.3.2.4	Atherogenic indices of the male and female older adult participants before and after probiotic and synbiotic fermented milk supplementation	204

<b>Table no.</b>	<b>Title</b>	<b>Page no.</b>
5.3.2.5	Fasting blood glucose of older adult participants after probiotic and synbiotic fermented milk supplementation	205
5.3.2.6	Body composition of older adult participants after probiotic and synbiotic fermented milk supplementation	206
5.3.2.7	Impact of probiotic and synbiotic supplementation on lipid profile of elderly subjects based on the initial TC values	208
5.3.2.8	Impact of probiotic and synbiotic supplementation on atherogenic levels of elderly subjects based on the initial TC values	209
5.3.2.9	Impact of probiotic and synbiotic supplementation the lipid profile of elderly subjects based on the initial TG values	210
5.3.2.10	Impact of probiotic and synbiotic Supplementation on the atherogenic indices of Elderly subjects based on the initial TG values	211
5.3.2.11	Impact of probiotic and synbiotic supplementation on the lipid profile of elderly Subjects based on the initial BMI values	213
5.3.2.12	Impact of probiotic and synbiotic supplementation on the atherogenic indices of elderly subjects. Based on the initial BMI values	214
5.3.2.13	Impact of probiotic and synbiotic supplementation on the lipid profile of elderly subjects based on the initial BP values	215
5.3.2.14	Impact of probiotic and synbiotic supplementation on the atherogenic indices of elderly subjects based on the initial BP values	216
5.3.2.15	Elderly subjects with BMI >23 and hypertension. As a complication	218

Table no.	Title	Page no.
5.3.2.16	Impact of probiotic and synbiotic Supplementation on the atherogenic indices of elderly subjects with BMI >23 and Hypertension as a complication	219
5.3.2.17	Gut microflora of older adults before and after supplementation of probiotic and synbiotic fermented milk	220
5.3.2.18	Gut microflora of male and female older adults before and after supplementation of probiotic and synbiotic fermented milk	225
5.3.2.19	Association of biochemical parameters and gut microflora before and after probiotic and symbiotic fermented milk supplementation	229
5.3.2.20	Impact of probiotic and synbiotic supplementation on the lipid profile of elderly subjects	230
5.3.2.21	Impact of probiotic and synbiotic supplementation on the lipid profile of elderly subjects based on the initial TG values	231
5.3.2.22	Impact of probiotic and synbiotic supplementation on the atherogenic indices of elderly subjects based on the initial BMI values	232
5.3.2.23	Impact of probiotic and synbiotic supplementation on the lipid profile of elderly Subjects based on the initial BP values	233
5.3.2.24	Impact of probiotic and synbiotic supplementation on the gut microflora of older adult participants based with BMI >23 and hypertension as a complication	235
5.3.2.25	Nutrient intake of male and female older adults before and after supplementation of probiotic and synbiotic fermented milk	237
5.3.2.26	Impact of curd supplementation on hematology of older adult participants	238

Table no.	Title	Page no.
5.3.2.27	Correlation of haemoglobin and WBC levels to infectious morbidity before and after supplementation in elderly subjects	239
5.3.2.28	Correlations of hemoglobin and WBC levels to non infectious morbidity before and after supplementation in elderly subjects	239
5.3.2.29	Preference for curd by elderly subjects before and after supplementation of curd	240
5.3.2.30	Frequency of curd consumption by elderly subjects	240
5.3.2.31	Frequency o Percent elderly subjects avoiding curd in diseased conditions in all groups before and after supplementation	241
5.3.2.32	Major reasons for avoiding curd by elderly subjects	241
5.3.2.33	Percent Participants Reporting Depression Levels Before and After Supplementation Probiotic and Synbiotic Fermented Milk	242
5.3.2.34	Percent Participants Reporting Disease Burden Before and After Supplementation Probiotic and Synbiotic Fermented Milk	243