

References

References

- Acharyya, S. K. (2005). Arsenic levels in groundwater from Quaternary alluvium in the Ganga Plain and the Bengal Basin, Indian subcontinent: insights into influence of stratigraphy. *Gondwana Research*, 8(1), 55-66.
- Acharyya, S. K., & Shah, B. A. (2007). Arsenic-contaminated groundwater from parts of Damodar fan-delta and west of Bhagirathi River, West Bengal, India: influence of fluvial geomorphology and Quaternary morphostratigraphy. *Environmental Geology*, 52(3), 489-501.
- Acharyya, S. K., Lahiri, S., Raymahashay, B. C., & Bhowmik, A. (2000). Arsenic toxicity of groundwater in parts of the Bengal basin in India and Bangladesh: the role of Quaternary stratigraphy and Holocene sea-level fluctuation. *Environmental Geology*, 39(10), 1127-1137.
- Ahamed, S., Sengupta, M. K., Mukherjee, A., Hossain, M. A., Das, B., Nayak, B., Pa, A., Mukherjee, S. C., Pati, S., Dutta, R. N., Chatterjee, G., Mukherjee, A., Srivastava, R., & Chakraborti, D. (2006). Arsenic groundwater contamination and its health effects in the state of Uttar Pradesh (UP) in upper and middle Ganga plain, India: a severe danger. *Science of the Total Environment*, 370(2), 310-322.
- Ahmadi, S. H., & Sedghamiz, A. (2007). Geostatistical analysis of spatial and temporal variations of groundwater level. *Environmental Monitoring and Assessment*, 129(1-3), 277-294.
- Akai, J., Izumi, K., Fukuhara, H., Masuda, H., Nakano, S., Yoshimura, T., Ohfuji, H., Anawar, H. M., & Akai, K. (2004). Mineralogical and geomicrobiological investigations on groundwater arsenic enrichment in Bangladesh. *Applied Geochemistry*, 19(2), 215-230.
- Aller, L., Lehr, J. H., Petty, R., & Bennett, T. (1987). DRASTIC: A Standardized System to Evaluate Ground Water Pollution Potential Using Hydrogeologic Settings. EPA/600/2-87/035, 1987. 622.
- Alomary, A. (2013). Determination of trace metals in drinking water in Irbid City-Northern Jordan. *Environmental monitoring and assessment*, 185(2), 1969-1975.
- Aloupi, M., Angelidis, M. O., Gavril, A. M., Koulousaris, M., & Varnavas, S. P. (2009). Influence of geology on arsenic concentrations in ground and surface water in central Lesvos, Greece. *Environmental monitoring and assessment*, 151(1-4), 383-396.
- Ando, M., Tadano, M., Yamamoto, S., Tamura, K., Asanuma, S., Watanabe, T., Kondo, T., Sakurai, S., Ji, R., Liang, C., Chen, X., Hong, Z., & Cao, S. (2001). Health effects of fluoride pollution caused by coal burning. *Sci Total Environ*, 271(1-3), 107-16.

Andricevic, R., Srzic, V., & Gotovac, H. (2012). Risk characterization for toxic chemicals transported in aquifers. *Advances in Water Resources*, 36, 86-97.

Ansone, L., Klavins, M., & Eglite, L. (2013). Use of peat-based sorbents for removal of arsenic compounds. *Central European Journal of Chemistry*, 11(6), 988-1000.

Anwar, M., Prem, C. C., & Rao, V. B. (2003). Evaluation of groundwater potential of Musi River catchment using DRASTIC index model. In B. R. Venkateshwar, M. K. Ram, C. S. Sarala, & C. Raju (Eds.), *Hydrology and watershed management. Proceedings of the international conference* 18–20, 2002 (pp. 399–409). Hyderabad: B. S. Publishers.

Azcue, J. M., & Nriagu, J. O. (1994). Arsenic: historical perspectives. *Advances In Environmental Science and Technology-New York-*, 26, 1-1.

Babiker, I. S., Mohamed, M. A., Hiyama, T., & Kato, K. (2005). A GIS-based DRASTIC model for assessing aquifer vulnerability in Kakamigahara Heights, Gifu Prefecture, central Japan. *Science of the Total Environment*, 345(1), 127-140.

Badruzzaman, A.B.M., Ahmed, M.F., Hossain, M.D., Jalil, M.A., and Ali, M.A. (1998). Arsenic contamination in groundwater in North-Eastern Bangladesh. *Journal of Civil Engineering, The Institution of Engineers, Bangladesh*, 26(2), 129-139.

Banerjee, B. K., Sengupta, S. S., & Biswas, P. D. (2003). Murshidabad Zilla Gazetteer.

Banning, A., Coldewey, W. G., & Göbel, P. (2009). A procedure to identify natural arsenic sources, applied in an affected area in North Rhine-Westphalia, Germany. *Environmental geology*, 57(4), 775-787.

Basett, J., Denney, R. C., Jerrery, G. H., & Mendham, J. (1986). Vogel's text book of quantitative inorganic analysis. *Longman Group, England*, 1-6.

Basu, A., Saha, D., Saha, R., Ghosh, T., & Saha, B. (2013). A review on sources, toxicity and remediation technologies for removing arsenic from drinking water. *Research on Chemical Intermediates*, 1-39.

Begum, A., Ramaiah, M., Khan, I., & Veena, K. (2009). Heavy metal pollution and chemical profile of Cauvery River water. *Journal of Chemistry*, 6(1), 47-52.

Bergés-Tiznado, M. E., Pérez-Osuna, F., Notti, A., & Regoli, F. (2013). Arsenic and Arsenic Species in Cultured Oyster (*Crassostrea gigas* and *C. corteziensis*) from Coastal Lagoons of the SE Gulf of California, Mexico. *Biological trace element research*, 151(1), 43-49.

Bernard, A. (2008). Cadmium & its adverse effects on human health. *Indian Journal of Medical Research*, 128(4), 557.

BGS & DPHE (British Geological Survey and Department of Public Health Engineering) (2001). Arsenic contamination of groundwater in Bangladesh (eds. D. G. Kinniburgh and P. L. Smedley). BGS Technical Report WC/00/19. British Geological Survey, Keyworth, UK.

Bhattacharya, P., Chatterjee, D., & Jacks, G. (1997). Occurrence of Arsenic-contaminated Groundwater in Alluvial Aquifers from Delta Plains, Eastern India: Options for Safe

Drinking Water Supply. *International Journal of Water Resources Development*, 13(1), 79-92.

Bhattacharya, P., Claesson, M., Bundschuh, J., Sracek, O., Fagerberg, J., Jacks, G., Martin, R. A., Storniolo, A. R., & Thir, J. M. (2006). Distribution and mobility of arsenic in the Rio Dulce alluvial aquifers in Santiago del Estero Province, Argentina. *Science of the total Environment*, 358(1), 97-120.

Bhattacharya, P., Hasan, M. A., Sracek, O., Smith, E., Ahmed, K. M., Von Brömssen, M., Imamul, S.M., & Naidu, R. (2009). Groundwater chemistry and arsenic mobilization in the Holocene flood plains in south-central Bangladesh. *Environmental geochemistry and health*, 31(1), 23-43.

Bhattacharya, P., Samal, A. C., Majumdar, J., & Santra, S. C. (2010). Arsenic contamination in rice, wheat, pulses, and vegetables: a study in an arsenic affected area of West Bengal, India. *Water, Air, & Soil Pollution*, 213(1-4), 3-13.

Bian, J., Tang, J., Zhang, L., Ma, H., & Zhao, J. (2012). Arsenic distribution and geological factors in the western Jilin province, China. *Journal of Geochemical Exploration*, 112, 347-356.

Bissen M. & Frimmel, F. H. (2003). Arsenic – a review. Part I: occurrence, toxicity, speciation, mobility. *Acta hydrochimica et hydrobiologica*, 31(1), 9-18.

Bojórquez-Tapia, L. A., Cruz-Bello, G. M., Luna-González, L., Juárez, L. & Ortiz-Pérez, M. A. (2009). V-DRASTIC: using visualization to engage policymakers in groundwater vulnerability assessment, *Journal of Hydrology*, 373 (1–2) 242–255.

Boyacioglu, H., & Boyacioglu, H. (2008). Water pollution sources assessment by multivariate statistical methods in the Tahtali Basin, Turkey. *Environmental Geology*, 54(2), 275-282.

Canter, L. W. (1996). *Nitrates in groundwater*. CRC press.

Chakraborti, D., Biswas, B. K., Chowdhury, T. R., Basu, G. K., Mandal, B. K., Chowdhury, U. K., Mukherjee, S. C., Gupta, J. P., Chowdhury, S. R., & Rathore, K. C. (1999). Arsenic groundwater contamination and sufferings of people in Rajnandgaon district, Madhya Pradesh, India. *Current science*, 77(4), 502-504.

Chakraborti, D., Mukherjee, S. C., Pati, S., Sengupta, M. K., Rahman, M. M., Chowdhury, U. K., Lodh, D., Chanda, C. R., Chakraborti, A. K. & Basu, G. K. (2003). Arsenic groundwater contamination in Middle Ganga Plain, Bihar, India: a future danger. *Environmental Health Perspectives*, 111(9), 1194–1201.

Chakraborti, D., Mukherjee, S. C., Pati, S., Sengupta, M. K., Rahman, M. M., Chowdhury, U. K., Lodh, D., Chanda, C. R., Chakraborti, A. K., & Basu, G. K. (2002). Arsenic groundwater contamination and sufferings of people in Bihar. 1st Report on Bihar, School of Environmental Studies Jadavpur University, Kolkata, India. <http://www.soesju.org/arsenic/Bihar1stRepoJune02.pdf>

Chakraborti, D., Singh, E. J., Das, B., Shah, B. A., Hossain, M. A., Nayak, B., Ahamed, S. & Sing, N. R. (2008). Groundwater arsenic contamination in Manipur, one of the seven North-Eastern Hill states of India: a future danger. *Environmental Geology*, 56(2), 381–390.

Chandrashekhara, H., Adiga, S., Lakshminarayana, V., Jagdeesha, C. J., & Nataraju, C. (1999, June). A case study using the model 'DRASTIC' for assessment of groundwater pollution potential. In *Proceedings of the ISRS national symposium on remote sensing applications for natural resources* (pp. 19-21).

Chapagain, S. K., Pandey, V. P., Shrestha, S., Nakamura, T., & Kazama, F. (2010). Assessment of deep groundwater quality in Kathmandu Valley using multivariate statistical techniques. *Water, Air, & Soil Pollution*, 210(1-4), 277-288.

Chatterjee, A., Das, D., & Chakraborti, D. (1993). A study of ground water contamination by arsenic in the residential area of Behala, Calcutta due to industrial pollution. *Environmental Pollution*, 80(1), 57-65.

Chen, W., Parette, R., Zou, J., Cannon, F. S., & Dempsey, B. A. (2007). Arsenic removal by iron-modified activated carbon. *Water research*, 41(9), 1851-1858.

Cheng, Z., Chen, K. C., Li, K. B., Nie, X. P., Wu, S. C., Wong, C. K. C., & Wong, M. H. (2013). Arsenic contamination in the freshwater fish ponds of Pearl River Delta: bioaccumulation and health risk assessment. *Environmental Science and Pollution Research*, 20(7), 4484-4495.

Cheng, Q., Wu, H., Wu, Y., Li, H., Zhang, X., & Wang, W. (2013). Groundwater quality and the potentiality in health risk assessment in Zhengzhou, China. *Aquatic Ecosystem Health & Management*, 16(1), 94-103.

Cheng, Z., Van Geen, A., Seddique, A. A., & Ahmed, K. M. (2005). Limited temporal variability of arsenic concentrations in 20 wells monitored for 3 years in Arai-hazar, Bangladesh. *Environmental Science & Technology*, 39(13), 4759-4766.

Chowdhury, U. K., Biswas, B. K., Chowdhury, T. R., Samanta, G., Mandal, B. K., Basu, G. C., Chanda, C. R., Lodh, D., Saha, K. C., Mukherjee, S. K., Roy, S., Kabir, S., Quamruzzaman, Q., & Chakraborti, D. (2000). Groundwater arsenic contamination in Bangladesh and West Bengal, India. *Environmental health perspectives*, 108(5), 393.

Chowdhury, U. K., Rahman, M. M., Sengupta, M. K., Lodh, D., Chanda, C. R., Roy, S., Quamruzzaman, Q., Tokunaga, H., Ando, M. & Chakraborti, D. (2003). Pattern of excretion of arsenic compounds [arsenite, arsenate, MMA (V), DMA (V)] in urine of children compared to adults from an arsenic exposed area in Bangladesh. *Journal of Environmental Science and Health, Part A*, 38(1), 87-113.

Cloutier, V., Lefebvre, R., Therrien, R., & Savard, M. M. (2008). Multivariate statistical analysis of geochemical data as indicative of the hydrogeochemical evolution of groundwater in a sedimentary rock aquifer system. *Journal of Hydrology*, 353(3), 294-313.

Concha, G., Nermell, B., & Vahter, M. V. (1998). Metabolism of inorganic arsenic in children with chronic high arsenic exposure in northern Argentina. *Environmental health perspectives*, 106(6), 355.

Cook, P. G., Walker, G. R., & Jolly, I. D. (1989). Spatial variability of groundwater recharge in a semiarid region. *Journal of Hydrology*, 111(1), 195-212.

Dahal, B. M., Fuerhacker, M., Mentler, A., Karki, K. B., Shrestha, R. R., & Blum, W. E. H. (2008). Arsenic contamination of soils and agricultural plants through irrigation water in Nepal. *Environmental pollution*, 155(1), 157-163.

Dar, I. A., Sankar, K., & Dar, M. A. (2010). Remote sensing technology and geographic information system modeling: an integrated approach towards the mapping of groundwater potential zones in Hardrock terrain, Mamundiyar basin. *Journal of hydrology*, 394(3), 285-295.

Das, D., Chatterjee, A., Mandal, B. K., Samanta, G., Chakraborti, D., & Chanda, B. (1995). Arsenic in ground water in six districts of West Bengal, India: the biggest arsenic calamity in the world. Part 2. Arsenic concentration in drinking water, hair, nails, urine, skin-scale and liver tissue (biopsy) of the affected people. *Analyst*, 120(3), 917-924.

Daughney, C. J., Raiber, M., Moreau-Fournier, M., Morgenstern, U., & van der Raaij, R. (2012). Use of hierarchical cluster analysis to assess the representativeness of a baseline groundwater quality monitoring network: comparison of New Zealand's national and regional groundwater monitoring programs. *Hydrogeology journal*, 20(1), 185-200.

Demirel, Z., & Güler, C. (2006). Hydrogeochemical evolution of groundwater in a Mediterranean coastal aquifer, Mersin-Erdemli basin (Turkey). *Environmental geology*, 49(3), 477-487.

Deng, Y., Wang, Y., Ma, T., & Gan, Y. (2009). Speciation and enrichment of arsenic in strongly reducing shallow aquifers at western Hetao Plain, northern China. *Environmental geology*, 56(7), 1467-1477.

Dhar, R. K., Zheng, Y., Saltikov, C. W., Radloff, K. A., Mailloux, B. J., Ahmed, K. M., & van Geen, A. (2011). Microbes enhance mobility of arsenic in Pleistocene aquifer sand from Bangladesh. *Environmental science & technology*, 45(7), 2648-2654.

Díaz, O. P., Leyton, I., Muñoz, O., Núñez, N., Devesa, V., Súnier, M. A., Velez, D., & Montoro, R. (2004). Contribution of water, bread, and vegetables (raw and cooked) to dietary intake of inorganic arsenic in a rural village of Northern Chile. *Journal of Agricultural and Food Chemistry*, 52(6), 1773-1779.

District Census Hand Book : Murshidabad (2001). Directorate of Census operation, West Bengal, Part XII A & B Series 20.

District Resource Map (2008): Murshidabad, West Bengal.

Dixon, B. (2005). Groundwater vulnerability mapping: A GIS and fuzzy rule based integrated tool. *Applied Geography*, 25(4), 327-347.

Doerfliger, N., & Zwahlen, F. (1997). EPIK: a new method for outlining of protection areas in karstic environment. In *International symposium on Karst waters and environmental impacts, Antalya, Turkey. Balkema, Rotterdam* (pp. 117-123).

Egyedi, K., & Ptaky, E. (1978). Dermatological aspects of arsenic poisoning caused by drinking water, *Derm. Berufu, Umwelt*, 26, 54-56.

El Alfy, M. (2013). Hydrochemical modeling and assessment of groundwater contamination in northwest Sinai, Egypt. *Water Environment Research*, 85(3), 211-223.

El Khalil, H., El Hamiani, O., Bitton, G., Ouazzani, N., & Boularbah, A. (2008). Heavy metal contamination from mining sites in South Morocco: monitoring metal content and toxicity of soil runoff and groundwater. *Environmental monitoring and assessment*, 136(1-3), 147-160.

Farooq, S. H., Chandrasekharam, D., Norra, S., Berner, Z., Eiche, E., Thambidurai, P., & Stüben, D. (2011). Temporal variations in arsenic concentration in the groundwater of Murshidabad District, West Bengal, India. *Environmental Earth Sciences*, 62(2), 223-232.

Farooqi, A., Masuda, H., Siddiqui, R., & Naseem, M. (2009). Sources of arsenic and fluoride in highly contaminated soils causing groundwater contamination in Punjab, Pakistan. *Archives of environmental contamination and toxicology*, 56(4), 693-706.

Fatmi, Z., Abbasi, I. N., Ahmed, M., Kazi, A., & Kayama, F. (2013). Burden of skin lesions of arsenicosis at higher exposure through groundwater of taluka Gambat district Khairpur, Pakistan: a cross-sectional survey. *Environmental geochemistry and health*, 35(3), 341-346.

Fitts, C. R. (2002). Groundwater science. Academic Press.

Folk, R. L. (1974). Petrography of sedimentary rocks. *Univ. Texas, Hemphill, Austin, Tex*, 182.

Fordyce, F. M., Vrana, K., Zhovinsky, E., Povoroznuk, V., Toth, G., Hope, B. C., Iljinsky, U., & Baker, J. (2007). A health risk assessment for fluoride in Central Europe. *Environmental geochemistry and health*, 29(2), 83-102.

Foster, AL (2003) Spectroscopic investigation of arsenic species in solid phases, in *Arsenic in Ground Water* (eds AH Welch and KG Stollenwerk), Kluwer Academic Publishers, Boston, MA, pp 27-65.

Frisbie, S. H., Ortega, R., Maynard, D. M., & Sarkar, B. (2002). The concentrations of arsenic and other toxic elements in Bangladesh's drinking water. *Environmental Health Perspectives*, 110(11), 1147.

Fritch TG, McKnight CL, Yelderman Jr JC, & Arnold JG. (2000). An aquifer vulnerability assessment of the paluxy aquifer, central Texas, USA, using GIS and a modified DRASTIC approach. *Enviromental Management*, 25, 337-345.

García, M. H. (Ed.). (2008). *Sedimentation engineering: processes, measurements, modeling, and practice* (No. 110). ASCE Publications.

Gault, A. G., Rowland, H. A., Charnock, J. M., Wogelius, R. A., Gomez-Morilla, I., Vong, S., Leng, M., Samreth, S., Sampson, M. L. & Polya, D. A. (2008). Arsenic in hair and nails of individuals exposed to arsenic-rich groundwaters in Kandal province, Cambodia. *Science of the Total Environment*, 393(1), 168-176.

Ghosh¹, T., & Kanchan, R. (2014). Geoenvironmental appraisal of groundwater quality in Bengal alluvial tract, India: a geochemical and statistical approach. *Environmental Earth Sciences*, 1-14. DOI 10.1007/s12665-014-3155-3. Published online: 07 March 2014.

Ghosh², T., & Kanchan, R. (2011). Spatio-Temporal Pattern of Groundwater Arsenic Concentration in Thick Unconfined Aquifer of Murshidabad District, West Bengal, India. *Universal Journal of Environmental Research & Technology*, 1(3).

Giridharan, L., Venugopal, T., & Jayaprakash, M. (2008). Evaluation of the seasonal variation on the geochemical parameters and quality assessment of the groundwater in the proximity of River Cooum, Chennai, India. *Environmental monitoring and assessment*, 143(1-3), 161-178.

Gogu, R. C., & Dassargues, A. (2000). Current trends and future challenges in groundwater vulnerability assessment using overlay and index methods. *Environmental geology*, 39(6), 549-559.

Groundwater information booklet (2007). District Murshidabad (Arsenic affected area) West Bengal, Central Groundwater Board, Eastern Region, Kolkata.

Groundwater Information Booklet (2007). District:Murshidabad (Arsenic Affected Area) West Bengal. Central Groundwater Board, Eastern Region, Kolkata. Government of India, Ministry of Water Resource.

Guha, M., Chattopadhyay, A., & Nagdeve, D. A. (2006). Environmental Health catastrophe in Eastern India: A Case Study of Arsenic Morbidity in West Bengal. *Internet Journal of Third World Medicine*, 5, 870-881.

Güler, C., Thyne, G. D., McCray, J. E., & Turner, K. A. (2002). Evaluation of graphical and multivariate statistical methods for classification of water chemistry data. *Hydrogeology journal*, 10(4), 455-474.

Guo, H., Yang, S., Tang, X., Li, Y., & Shen, Z. (2008). Groundwater geochemistry and its implications for arsenic mobilization in shallow aquifers of the Hetao Basin, Inner Mongolia. *Science of the Total Environment*, 393(1), 131-144.

Guo, Q., Wang, Y., Gao, X., & Ma, T. (2007). A new model (DRARCH) for assessing groundwater vulnerability to arsenic contamination at basin scale: a case study in Taiyuan basin, northern China. *Environmental Geology*, 52(5), 923-932.

Halford, K. J., Stamos, C. L., Nishikawa, T., & Martin, P. (2010). Arsenic management : through well modification and simulation. *Groundwater*, 48(4), 526-537.

Haman, D. Z., & Bottcher, A. B. (1986). *Home water quality and safety*. Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida.

Harbor, J. M. (1994). A practical method for estimating the impact of land-use change on surface runoff, groundwater recharge and wetland hydrology. *Journal of the American Planning Association*, 60(1), 95-108.

Harvey, C. F., Ashfaq, K. N., Yu, W., Badruzzaman, A. B. M., Ali, M. A., Oates, P. M., Michael, H. A., Neumann, R. B., Beckie, R., Islam, S., & Ahmed, M. F. (2006). Groundwater dynamics and arsenic contamination in Bangladesh. *Chemical Geology*, 228(1), 112-136.

Harvey, C. F., Swartz, C. H., Badruzzaman, A. B. M., Keon-Blute, N., Yu, W., Ali, M. A., Jay, J., Beckie, R., Niedan, V., Barbender, D., Oates, P. M., Ashfaq, K. N., Islam, S., Hemond, H. F., & Ahmed, M. F. (2002). Arsenic mobility and groundwater extraction in Bangladesh. *Science*, 298(5598), 1602-1606.

Hasan, A. B., Kabir, S., Selim Reza, A. H. M., Zaman, M. N., Ahsan, M. A., Akbor, M. A., & Rashid, M. M. (2013). Trace metals pollution in seawater and groundwater in the ship breaking area of Sitakund Upazilla, Chittagong, Bangladesh. *Marine pollution bulletin*, 71(1), 317-324.

Hashmi, F., & Pearce, J. M. (2011). Viability of small-scale arsenic-contaminated-water purification technologies for sustainable development in Pakistan. *Sustainable Development*, 19(4), 223-234.

Healy, R. W., & Cook, P. G. (2002). Using groundwater levels to estimate recharge. *Hydrogeology journal*, 10(1), 91-109.

Helena, B., Pardo, R., Vega, M., Barrado, E., Fernández, J. M., & Fernández, L. (2000). Temporal evolution of groundwater composition in an alluvial aquifer (Pisuerga river, Spain) by principal component analysis. *Water Resource*, 34(3), 807-816.

Henke, K. (2009). *Arsenic: environmental chemistry, health threats and waste treatment*. John Wiley & Sons.

Hossain, M. K., Khan, M. M., Alam, M. A., Chowdhury, A. K., Hossain, M. D., Ahmed, M. F., Kobayashi, K., Sakauchi, F., Mori, M., (2005). Manifestation of arsenicosis patients and factors determining the duration of arsenic symptoms in Bangladesh. *Toxicology and Applied Pharmacology* 208(1), 78-86.

<http://murshidabad.net/history/> accessed on 2/2/2013

<http://www.census2011.co.in/census/district/7-murshidabad.html> accessed on 2/2/2013

Huang, R. Q., Gao, S. F., Wang, W. L., Staunton, S., & Wang, G. (2006). Soil arsenic availability and the transfer of soil arsenic to crops in suburban areas in Fujian Province, southeast China. *Science of the Total Environment*, 368(2), 531-541.

Hudak, P. F. (1999). Chloride and nitrate distributions in the Hickory aquifer, Central Texas, USA. *Environment International*, 25(4), 393-401.

Islam, F. S., Gault, A. G., Boothman, C., Polya, D. A., Charnock, J. M., Chatterjee, D., & Lloyd, J. R. (2004). Role of metal-reducing bacteria in arsenic release from Bengal delta sediments. *Nature*, 430(6995), 68-71.

Järup, L. (2003). Hazards of heavy metal contamination. *British medical bulletin*, 68(1), 167-182.

Jennings, A. A. (2013). Analysis of worldwide regulatory guidance values for the most commonly regulated elemental surface soil contamination. *Journal of environmental management*, 118, 72-95.

Jeong, C. H. (2001). Effect of land use and urbanization on hydrochemistry and contamination of groundwater from Taejon area, Korea. *Journal of Hydrology*, 253(1), 194-210.

Jimmy, D. H., Sundufu, A. J., Malanoski, A. P., Jacobsen, K. H., Ansumana, R., Leski, T. A., Bangura, U., Bockarie, A. S., Tejan, E., Lin, B., & Stenger, D. A. (2013). Water quality associated public health risk in Bo, Sierra Leone. *Environmental monitoring and assessment*, 185(1), 241-251.

Jury, W. A., Focht, D. D., & Farmer, W. J. (1987). Evaluation of pesticide groundwater pollution potential from standard indices of soil-chemical adsorption and biodegradation. *Journal of environmental quality*, 16(4), 422-428.

Kanchan, R. & Ghosh, T. (2012). Identification of groundwater arsenic contaminated vulnerability zones in alluvial tract of West Bengal, India. *Journal of energy, environment & carbon credits*, 2(1), 1-12.

Kanchan¹, R., & Roy, M. (2009). Arsenic Contamination Of Groundwater And Its Effect On Human Health In Murshidabad District, West Bengal. *Geography in 21st Century: Selected Readings*, the Institute of Geographers, India, Lucknow, 137-146.

Kanchan², R., & Ghosh, T. (2009). Arsenic Contaminated Groundwater : Greatest Human Health Catastrophe in Nadia District India. *Asia Pacific Journal of Social Sciences*, 1(2), 123-143.

Kanmani, S., & Gandhimathi, R. (2013). Assessment of heavy metal contamination in soil due to leachate migration from an open dumping site. *Applied Water Science*, 3(1), 193-205.

Kapaj, S., Peterson, H., Liber, K., & Bhattacharya, P. (2006). Human health effects from chronic arsenic poisoning—a review. *Journal of Environmental Science and Health Part A*, 41(10), 2399-2428.

Kar, S., Maity, J. P., Jean, J. S., Liu, C. C., Nath, B., Lee, Y. C., Bundschuh, J., Chen, C. Y. & Li, Z. (2011). Role of organic matter and humic substances in the binding and mobility of arsenic in a Gangetic aquifer. *Journal of Environmental Science and Health, Part A*, 46(11), 1231-1238.

Karim, M. D. (2000). Arsenic in groundwater and health problems in Bangladesh. *Water Research*, 34(1), 304-310.

- Kartinen Jr, E. O., & Martin, C. J. (1995). An overview of arsenic removal processes. *Desalination*, 103(1), 79-88.
- Kim, J. H., Choi, C. M., Kim, S. B., & Kwun, S. K. (2009). Water quality monitoring and multivariate statistical analysis for rural streams in South Korea. *Paddy and Water Environment*, 7(3), 197-208.
- Kouras, A., Katsoyiannis, I., & Voutsas, D. (2007). Distribution of arsenic in groundwater in the area of Chalkidiki, Northern Greece. *Journal of hazardous materials*, 147(3), 890-899.
- Kruger, M. C., Bertin, P. N., Heipieper, H. J., & Arsène-Ploetze, F. (2013). Bacterial metabolism of environmental arsenic—mechanisms and biotechnological applications. *Applied microbiology and biotechnology*, 1-15.
- Kwok, R. K., Mendola, P., Liu, Z. Y., Savitz, D. A., Heiss, G., Ling, H. L., Xia, Y., Lobdell, D., Zeng, D., Thorp, J. J. M., Creason, J. P., & Mumford, J. L. (2007). Drinking water arsenic exposure and blood pressure in healthy women of reproductive age in Inner Mongolia, China. *Toxicology and applied pharmacology*, 222(3), 337-343.
- Liao, X. Y., Chen, T. B., Xie, H., & Liu, Y. R. (2005). Soil As contamination and its risk assessment in areas near the industrial districts of Chenzhou City, Southern China. *Environment International*, 31(6), 791-798.
- Lin, Z., & Puls, R. W. (2000). Adsorption, desorption and oxidation of arsenic affected by clay minerals and aging process. *Environmental Geology*, 39(7), 753-759.
- Lin, T. F., & Wu, J. K. (2001). Adsorption of arsenite and arsenate within activated alumina grains: equilibrium and kinetics. *Water Research*, 35(8), 2049-2057.
- Liu, C. W., Lin, K. H., & Kuo, Y. M. (2003). Application of factor analysis in the assessment of groundwater quality in a blackfoot disease area in Taiwan. *Science of the Total Environment*, 313(1), 77-89.
- Machdar, E., van der Steen, N. P., Raschid-Sally, L., & Lens, P. N. L. (2013). Application of quantitative microbial risk assessment to analyze the public health risk from poor drinking water quality in a low income area in Accra, Ghana. *Science of the Total Environment*, 449, 134-142.
- Mahapatra, S. S., Sahu, M., Patel, R. K., & Panda, B. N. (2012). Prediction of water quality using principal component analysis. *Water Quality, Exposure and Health*, 4(2), 93-104.
- Mallick, S., & Rajagopal, N. R. (1996). Groundwater Development in The Arsenic-Affected Alluvial Belt of West Bengal: Some Questions. *Current science*, 70(11), 956-958.
- Mandal, B. K., & Suzuki, K. T. (2002). Arsenic round the world: a review. *Talanta*, 58(1), 201-235.

- Mandal, B. K., Chowdhury, T. R., Samanta, G., Mukherjee, D. P., Chanda, C. R., Saha, K. C., & Chakraborti, D. (1998). Impact of safe water for drinking and cooking on five arsenic-affected families for 2 years in West Bengal, India. *Science of the Total Environment*, 218(2), 185-201.
- Margat, J. (1968). Vulnérabilité des nappes d'eau souterraine à la pollution. [Vulnerability of groundwater to pollution]. *BRGM Publication*, 68 SGL 198 HYD, Orleans.
- Mathes, S. E., & Rasmussen, T. C. (2006). Combining multivariate statistical analysis with geographic information systems mapping: a tool for delineating groundwater contamination. *Hydrogeology Journal*, 14(8), 1493-1507.
- Matschullat, J. (2000). Arsenic in the geosphere—a review. *Science of the Total Environment*, 249(1), 297-312.
- Matthews-Amune, O. C., & Kakulu, S. (2012). Comparison of Digestion Methods for the Determination of Metal Levels in Soils in Itakpe, Kogi State, Nigeria. *Int. J. Pure Appl. Sci. Technol*, 13(2), 42-48.
- Mazumder, D. G., Chakraborty, A. K., Ghose, A., Gupta, J. D., Chakraborty, D. P., Dey, S. B., & Chattopadhyay, N. (1988). Chronic arsenic toxicity from drinking tubewell water in rural West Bengal. *Bulletin of the World Health Organization*, 66(4), 499.
- Mazumder, D. N. G., Haque, R., Ghosh, N., De Binay, K., Santra, A., Chakraborty, D., & Smith, A. H. (1998). Arsenic levels in drinking water and the prevalence of skin lesions in West Bengal, India. *International Journal of Epidemiology*, 27(5), 871-877.
- McArthur, J. M., Banerjee, D. M., Hudson-Edwards, K. A., Mishra, R., Purohit, R., Ravenscroft, P., Cronin, A., Howarth, R. J., Chatterjee, A., Talukder, T., Lowry, D., Houghton, S., & Chadha, D. K., (2004). Natural organic matter in sedimentary basins and its relation to arsenic in anoxic groundwater: the example of West Bengal and its worldwide implications. *Applied Geochemistry* 19(8), 1255-1293.
- McArthur, J. M., Ravenscroft, P., Safiulla, S., & Thirlwall, M. F. (2001). Arsenic in groundwater: testing pollution mechanisms for sedimentary aquifers in Bangladesh. *Water Resources Research*, 37(1), 109-117.
- Meier, J. R., Snyder, S., Sigler, V., Altfater, D., Gray, M., Batin, B., Baumann, P., Gordon, D., Wernsing, P., & Lazorchak, J. (2013). An integrated assessment of sediment remediation in a midwestern US stream using sediment chemistry, water quality, bioassessment, and fish biomarkers. *Environmental Toxicology and Chemistry*, 32(3), 653-661.
- Melo, A., Pinto, E., Aguiar, A., Mansilha, C., Pinho, O., & Ferreira, I. M. (2012). Impact of intensive horticulture practices on groundwater content of nitrates, sodium, potassium, and pesticides. *Environmental monitoring and assessment*, 184(7), 4539-4551.
- Migeot, V., Albouy-Llaty, M., Carles, C., Limousi, F., Strezlec, S., Dupuis, A., & Rabouan, S. (2013). Drinking-water exposure to a mixture of nitrate and low-dose atrazine metabolites and small-for-gestational age (SGA) babies: a historic cohort study. *Environmental research*, 122, 58-64.

- Mishima, Y., Takada, M., & Kitagawa, R. (2011). Evaluation of intrinsic vulnerability to nitrate contamination of groundwater: appropriate fertilizer application management. *Environmental Earth Sciences*, 63(3), 571-580.
- Mondal, P. (2012). Precipitation Events Controlling Flood and Drought – a measure on probability of rainfall occurrences in West Bengal. *Indian Journal of Spatial Science*, 3(2), 19-25.
- Mondal, P., Bhowmick, S., Chatterjee, D., Figoli, A., & Van der Bruggen, B. (2013). Remediation of inorganic arsenic in groundwater for safe water supply: a critical assessment of technological solutions. *Chemosphere*, 92(2), 157-170.
- Mondal, P., Mohanty, B., Balomajumder, C., & Saraswati, S. (2012). Modeling of the removal of arsenic species from simulated groundwater containing As, Fe, and Mn: a neural network based approach. *CLEAN-Soil, Air, Water*, 40(3), 285-289.
- Mookherjee, S. (1990). Rural development through sericulture: a case of Murshidabad, West Bengal. *National Geographical Journal of India*, 36(4), 247-256.
- Mosaferi, M., Yunesian, M., Dastgiri, S., Mesdaghinia, A., & Esmailnasab, N. (2008). Prevalence of skin lesions and exposure to arsenic in drinking water in Iran. *Science of the total environment*, 390(1), 69-76.
- Mukherjee, A., & Fryar, A. E. (2008). Deeper groundwater chemistry and geochemical modeling of the arsenic affected western Bengal basin, West Bengal, India. *Applied Geochemistry*, 23(4), 863-894.
- Mukherjee, A., Sengupta, M. K., Hossain, M. A., Ahamed, S., Das, B., Nayak, B., Lodh, D., Rahman, M. M., & Chakraborti, D. (2006). Arsenic contamination in groundwater: a global perspective with emphasis on the Asian scenario. *Journal of Health, Population and Nutrition*, 24(2), 142-163.
- Munk, L., Hagedorn, B., & Sjostrom, D. (2011). Seasonal fluctuations and mobility of arsenic in groundwater resources, Anchorage, Alaska. *Applied Geochemistry*, 26(11), 1811-1817.
- Muszkat, L., Raucher, D., Magaritz, M., Ronen, D., & Amiel, A. J. (1993). Unsaturated Zone and Ground-Water Contamination by Organic Pollutants in a Sewage-Effluent-Irrigated Site. *Groundwater*, 31(4), 556-565.
- Nath, B., Chakraborty, S., Burnol, A., Stüben, D., Chatterjee, D., & Charlet, L. (2009). Mobility of arsenic in the sub-surface environment: An integrated hydrogeochemical study and sorption model of the sandy aquifer materials. *Journal of Hydrology*, 364(3), 236-248.
- National Council of Applied Economic Research. (2001). *South India, human development report*. Oxford University Press, USA.
- Naujokas, M. F., Anderson, B., Ahsan, H., Aposhian, H., Graziano, J. H., Thompson, C., & Suk, W. A. (2013). The broad scope of health effects from chronic arsenic exposure: update on a worldwide public health problem. *Environmental health perspectives*, 121(3), 295-302.

- Ng, J. C., Wang, J., & Shraim, A. (2003). A global health problem caused by arsenic from natural sources. *Chemosphere*, 52(9), 1353-1359.
- Nickson, R. T., McArthur, J. M., Ravenscroft, P., Burgess, W. G., & Ahmed, K. M. (2000). Mechanism of arsenic release to groundwater, Bangladesh and West Bengal. *Applied Geochemistry*, 15(4), 403-413.
- Nickson, R. T., McArthur, J. M., Shrestha, B., Kyaw-Myint, T. O., & Lowry, D. (2005). Arsenic and other drinking water quality issues, Muzaffargarh District, Pakistan. *Applied Geochemistry*, 20(1), 55-68.
- Nickson, R., McArthur, J., Burgess, W., Ahmed, K. M., Ravenscroft, P., & Rahman, M. (1998). Arsenic poisoning of Bangladesh groundwater. *Nature*, 395(6700), 338-338.
- O'Day, P. A., Vlassopoulos, D., Root, R., & Rivera, N. (2004). The influence of sulfur and iron on dissolved arsenic concentrations in the shallow subsurface under changing redox conditions. *Proceedings of the National Academy of Sciences of the United States of America*, 101(38), 13703-13708.
- Oh, H. J., Kim, Y. S., Choi, J. K., Park, E., & Lee, S. (2011). GIS mapping of regional probabilistic groundwater potential in the area of Pohang City, Korea. *Journal of hydrology*, 399(3), 158-172.
- Oinam, J. D., Ramanathan, A. L., Linda, A., & Singh, G. (2011). A study of arsenic, iron and other dissolved ion variations in the groundwater of Bishnupur District, Manipur, India. *Environmental Earth Sciences*, 62(6), 1183-1195.
- Onodera, S. I., Saito, M., Sawano, M., Hosono, T., Taniguchi, M., Shimada, J., Umezawa, Y., Lubis, R. F., Buapeng, S., & Delinom, R. (2009). Erratum to "Effects of intensive urbanization on the intrusion of shallow groundwater into deep groundwater: Examples from Bangkok and Jakarta". *Science of the total environment*, 407(9), 3209-3217.
- Ozdemir, A. (2011). GIS-based groundwater spring potential mapping in the Sultan Mountains (Konya, Turkey) using frequency ratio, weights of evidence and logistic regression methods and their comparison. *Journal of hydrology*, 411(3), 290-308.
- Pal, A., Nayak, B., Das, B., Hossain, M. A., Ahamed, S., & Chakraborti, D. (2007). Additional danger of arsenic exposure through inhalation from burning of cow dung cakes laced with arsenic as a fuel in arsenic affected villages in Ganga-Meghna-Brahmaputra plain. *Journal of Environmental monitoring*, 9(10), 1067-1070.
- Panda, U. C., Sundaray, S. K., Rath, P., Nayak, B. B., & Bhatta, D. (2006). Application of factor and cluster analysis for characterization of river and estuarine water systems—A case study: Mahanadi River (India). *Journal of Hydrology*, 331(3), 434-445.
- Pandey, P. K., Khare, R. N., Sharma, R., Sar, S. K., Pandey, M., & Binayake, P. (1999). Arsenicosis and deteriorating groundwater quality: Unfolding crisis in central-east Indian region. *Current science*, 77(5), 686-693.

- Pathak, D. R., & Hiratsuka, A. (2011). An integrated GIS based fuzzy pattern recognition model to compute groundwater vulnerability index for decision making. *Journal of Hydro-Environment Research*, 5(1), 63-77.
- Peluso, F., Castelain, J. G., Rodríguez, L., & Othax, N. (2012). Assessment of the chemical quality of recreational bathing water in Argentina by health risk analysis. *Human and Ecological Risk Assessment: An International Journal*, 18(6), 1186-1215.
- Penrose, W. R., & Woolson, E. A. (1974). Arsenic in the marine and aquatic environments: analysis, occurrence, and significance. *Critical Reviews in Environmental Science and Technology*, 4(1-4), 465-482.
- Pereira, S. F., Oliveira, J. S., & Rajendram, R. (2012). Arsenic in the hair. In *Handbook of hair in health and disease* (pp. 238-254). Wageningen Academic Publishers.
- Pichler, T., Veizer, J., & Hall, G. E. (1999). Natural input of arsenic into a coral-reef ecosystem by hydrothermal fluids and its removal by Fe (III) oxyhydroxides. *Environmental science & technology*, 33(9), 1373-1378.
- Pignattelli, S., Colzi, I., Bucciante, A., Cecchi, L., Arnetoli, M., Monnanni, R., Gabbrielli, R., & Gonnelli, C. (2012). Exploring element accumulation patterns of a metal excluder plant naturally colonizing a highly contaminated soil. *Journal of hazardous materials*, 227, 362-369.
- Pionke, H. B., & Glotfelty, D. E. (1989). Nature and extent of groundwater contamination by pesticides in an agricultural watershed. *Water research*, 23(8), 1031-1037.
- Rahman, A. (2008). A GIS based DRASTIC model for assessing groundwater vulnerability in shallow aquifer in Aligarh, India. *Applied Geography*, 28(1), 32-53.
- Rahman, M. M., Chowdhury, T. R., Chowdhury, U. K., Basu, G. K., Saha, K. C., Mandal, B. K., Sengupta, M. K., Lodh, D., Chanda, C. R., Mukherjee, S. C. & Chakraborti, D. (2003). Arsenic groundwater contamination and sufferings of people in North 24-Parganas, one of the nine arsenic affected districts of West Bengal, India. *Journal of Environmental Science and Health, Part A*, 38(1), 25-59.
- Rahman, M. M., Chowdhury, U. K., Mukherjee, S. C., Mondal, B. K., Paul, K., Lodh, D., Biswas, B. K., Chanda, C. R., Basu, G. K., Saha, K. C., Roy, S., Das, R., Palit, S. K., Quamruzzaman, Q., & Chakraborti, D. (2001). Chronic arsenic toxicity in Bangladesh and West Bengal, India—a review and commentary. *Clinical Toxicology*, 39(7), 683-700.
- Rahman, M. M., Owens, G., & Naidu, R. (2009). Arsenic levels in rice grain and assessment of daily dietary intake of arsenic from rice in arsenic-contaminated regions of Bangladesh—implications to groundwater irrigation. *Environmental geochemistry and health*, 31(1), 179-187.

- Rao, N. S., Rao, V. G., & Gupta, C. P. (1998). Groundwater pollution due to discharge of industrial effluents in Venkatapuram area, Visakhapatnam, Andhra Pradesh, India. *Environmental Geology*, 33(4), 289-294.
- Ravenscroft, P., Brammer, H., & Richards, K. (2009). Arsenic Pollution: A Global Synthesis, RGS-IBG Book Series, A John Wiley and Sons Ltd. *Publication, London*.
- Ravenscroft, P., Brammer, H., & Richards, K. (2009). *Arsenic pollution: a global synthesis* (Vol. 28). John Wiley & Sons.
- Ravenscroft, P., Burgess, W. G., Ahmed, K. M., Burren, M., & Perrin, J. (2005). Arsenic in groundwater of the Bengal Basin, Bangladesh: Distribution, field relations, and hydrogeological setting. *Hydrogeology Journal*, 13(5-6), 727-751.
- Ray, A.K. (1999). Chemistry of arsenic and arsenic minerals relevant to contamination of groundwater and soil from subterranean source. *Everyman's Science*, 35(1).
- Reghunath, R., Murthy, T. R., & Raghavan, B. R. (2002). The utility of multivariate statistical techniques in hydrogeochemical studies: an example from Karnataka, India. *Water research*, 36(10), 2437-2442.
- Ritter, W. F. (1990). Pesticide contamination of ground water in the United States-A review. *Journal of Environmental Science & Health Part B*, 25(1), 1-29.
- Rodriguez, R., Ramos, J. A., & Armienta, A. (2004). Groundwater arsenic variations: the role of local geology and rainfall. *Applied Geochemistry*, 19(2), 245-250.
- Roychowdhury, T. (2010). Groundwater arsenic contamination in one of the 107 arsenic-affected blocks in West Bengal, India: Status, distribution, health effects and factors responsible for arsenic poisoning. *International journal of hygiene and environmental health*, 213(6), 414-427.
- Saha, A.K. (1991). Genesis of arsenic in groundwater in parts of West Bengal. *Center for Studies on Man and Environment, Calcutta, Annual Volume*.
- Saha, J. C., Dikshit, A. K., Bandyopadhyay, M., & Saha, K. C. (1999). A review of arsenic poisoning and its effects on human health. *Critical reviews in environmental science and technology*, 29(3), 281-313.
- Saha, K. (1995). Chronic arsenical dermatoses from tube-well water in West Bengal during 1983-87. *Indian Journal of Dermatology*, 40(1), 1.
- Samake, M., Tang, Z., Hlaing, W., M'Bue, I., & Kasereka, K. (2010). Assessment of Groundwater Pollution Potential of the Datong Basin, Northern China. *Journal of Sustainable Development*, 3(2), 140.
- Samanta, G., Sharma, R., Roychowdhury, T., & Chakraborti, D. (2004). Arsenic and other elements in hair, nails, and skin-scales of arsenic victims in West Bengal, India. *Science of the Total Environment*, 326(1), 33-47.

- Shannon, R. L., & Strayer, D. S. (1989). Arsenic-induced skin toxicity. *Human & Experimental Toxicology*, 8(2), 99-104.
- Sanz, E., Munoz-Olivas, R., Camara, C., Sengupta, M. K., & Ahamed, S. (2007). Arsenic speciation in rice, straw, soil, hair and nails samples from the arsenic-affected areas of Middle and Lower Ganga plain. *Journal of Environmental Science and Health Part A*, 42(12), 1695-1705.
- Sargent-Michaud, J., Boyle, K. J., & Smith, A. E. (2006). Cost Effective Arsenic Reductions in Private Well Water in Maine. *JAWRA Journal of the American Water Resources Association*, 42(5), 1237-1245.
- Schilling, K. E., & Wolter, C. F. (2007). A GIS-based groundwater travel time model to evaluate stream nitrate concentration reductions from land use change. *Environmental Geology*, 53(2), 433-443.
- Schnug, E., & Lottermoser, B. G. (2013). Fertilizer-Derived Uranium and its Threat to Human Health. *Environmental science & technology*, 47(6), 2433-2434.
- Sengupta, M. K., Mukherjee, A., Hossain, M. A., Ahamed, S., Rahman, M. M., Lodh, D., Chowdhury, U. K., Biswas, B. K., Nayak, B., Das, B., Saha, K. C., Chakraborti, D., Mukherjee, S. C., Chatterjee, G., Pati, S., Dutta, R. R., & Quamruzzaman, Q. (2003). Groundwater arsenic contamination in the Ganga-Padma-Meghna-Brahmaputra plain of India and Bangladesh. *Archives of Environmental Health: An International Journal*, 58(11), 701-702.
- Shahsavari, A. A., Khodaei, K., Asadian, F., Ahmadi, F., & Zamanzadeh, S. M. (2012). Groundwater pesticides residue in the southwest of Iran-Shushtar plain. *Environmental Earth Sciences*, 65(1), 231-239.
- Shrestha, S., & Kazama, F. (2007). Assessment of surface water quality using multivariate statistical techniques: A case study of the Fuji river basin, Japan. *Environmental Modelling & Software*, 22(4), 464-475.
- Siirila, E. R., Navarre-Sitchler, A. K., Maxwell, R. M., & McCray, J. E. (2012). A quantitative methodology to assess the risks to human health from CO₂ leakage into groundwater. *Advances in Water Resources*, 36, 146-164.
- Silva, E., Mendes, M. P., Ribeiro, L., & Cerejeira, M. J. (2012). Exposure assessment of pesticides in a shallow groundwater of the Tagus vulnerable zone (Portugal): a multivariate statistical approach (JCA). *Environmental Science and Pollution Research*, 19(7), 2667-2680.
- Simsek, C. (2013). Assessment of naturally occurring arsenic contamination in the groundwater of Sarkisla Plain (Sivas/Turkey). *Environmental Earth Sciences*, 68(3), 691-702.
- Singh, A. K. (2004, November). Arsenic contamination in groundwater of North Eastern India. In *Proceedings on national seminar on hydrology, Roorkee*.
- Sinha, B., Bhattacharyya, K., Giri, P. K., & Sarkar, S. (2011). Arsenic contamination in sesame and possible mitigation through organic interventions in the lower Gangetic Plain of West Bengal, India. *Journal of the Science of Food and Agriculture*, 91(15), 2762-2767.

- Smedley, P. L., & Kinniburgh, D. G. (2002). A review of the source, behaviour and distribution of arsenic in natural waters. *Applied geochemistry*, 17(5), 517-568.
- Smedley, P. L., Kinniburgh, D. G., Macdonald, D. M. J., Nicolli, H. B., Barros, A. J., Tullio, J. O., Pearce, J. M., & Alonso, M. S. (2005). Arsenic associations in sediments from the loess aquifer of La Pampa, Argentina. *Applied Geochemistry*, 20(5), 989-1016.
- Smith, A. H., Lingas, E. O., & Rahman, M. (2000). Contamination of drinking-water by arsenic in Bangladesh: a public health emergency. *Bulletin of the World Health Organization*, 78(9), 1093-1103.
- Smith, E., Juhasz, A. L., Weber, J., & Naidu, R. (2008). Arsenic uptake and speciation in rice plants grown under greenhouse conditions with arsenic contaminated irrigation water. *Science of the Total Environment*, 392(2), 277-283.
- Squibbs, K. S., & Fowler, B. A. (1983). Biological and Environmental Effects of Arsenic.
- Steinmaus, C. M., Yuan, Y., & Smith, A. H. (2005). The temporal stability of arsenic concentrations in well water in western Nevada. *Environmental research*, 99(2), 164-168.
- Stüben, D., Berner, Z., Chandrasekharam, D., & Karmakar, J. (2003). Arsenic enrichment in groundwater of West Bengal, India: geochemical evidence for mobilization of As under reducing conditions. *Applied Geochemistry*, 18(9), 1417-1434.
- Su, X., Wang, H., & Zhang, Y. (2013). Health risk assessment of nitrate contamination in groundwater: A case study of an agricultural area in Northeast China. *Water resources management*, 27(8), 3025-3034.
- Sultan, K., & Dowling, K. (2006). Seasonal changes in arsenic concentrations and hydrogeochemistry of Canadian Creek, Ballarat (Victoria, Australia). *Water, Air, and Soil Pollution*, 169(1-4), 355-374.
- Sun, G. (2004). Arsenic contamination and arsenicosis in China. *Toxicology and applied pharmacology*, 198(3), 268-271.
- Sundaray, S. K. (2010). Application of multivariate statistical techniques in hydrogeochemical studies—a case study: Brahmani-Koel River (India). *Environmental monitoring and assessment*, 164(1-4), 297-310.
- Swartz, C. H., Blute, N. K., Badruzzman, B., Ali, A., Brabander, D., Jay, J., & Harvey, C. F. (2004). Mobility of arsenic in a Bangladesh aquifer: Inferences from geochemical profiles, leaching data, and mineralogical characterization. *Geochimica et Cosmochimica Acta*, 68(22), 4539-4557.
- Tariq, S. R., Shah, M. H., Shaheen, N., Jaffar, M., & Khalique, A. (2008). Statistical source identification of metals in groundwater exposed to industrial contamination. *Environmental monitoring and assessment*, 138(1-3), 159-165.

Thundiyil, J. G., Yuan, Y., Smith, A. H., & Steinmaus, C. (2007). Seasonal variation of arsenic concentration in wells in Nevada. *Environmental research*, 104(3), 367-373.

Todd, D. K., & Mays, L. W. (2005). *Groundwater hydrology edition*. Wiley, New Jersey.

Tripathi, P., Dwivedi, S., Mishra, A., Kumar, A., Dave, R., Srivastava, S., Sukla, M. K., Srivastava, P. K., Chakrabarty, D., Trivedi, P. K., & Tripathi, R. D. (2012). Arsenic accumulation in native plants of West Bengal, India: prospects for phytoremediation but concerns with the use of medicinal plants. *Environmental monitoring and assessment*, 184(5), 2617-2631.

Ujević Bošnjak, M., Capak, K., Jazbec, A., Casiot, C., Sipos, L., Poljak, V., & Dadić, Ž. (2012). Hydrochemical characterization of arsenic contaminated alluvial aquifers in Eastern Croatia using multivariate statistical techniques and arsenic risk assessment. *Science of the Total Environment*, 420, 100-110.

Umar, M., Waseem, A., Sabir, M. A., Kassi, A. M., & Khan, A. S. (2013). The impact of geology of recharge areas on groundwater quality: a case study of Zhob River Basin, Pakistan. *CLEAN-Soil, Air, Water*, 41(2), 119-127.

Vahter, M. (2008). Health effects of early life exposure to arsenic. *Basic & Clinical Pharmacology & Toxicology*, 102(2), 204-211.

Van Geen, A., Zheng, Y., Versteeg, R., Stute, M., Horneman, A., Dhar, R., Steckler, M., Gelman, A., Small, C., Ahsan, H., Graziano, J. H., Hussain, I., & Ahmed, K. M. (2003). Spatial variability of arsenic in 6000 tube wells in a 25 km² area of Bangladesh. *Water Resources Research*, 39(5).

Venkatesan, G., Swaminathan, G., & Nagarajan, R. (2013). Study on groundwater quality in and around solid waste landfill site at Tiruchirappalli, Tamil Nadu, India. *International Journal of Environmental Engineering*, 5(2), 179-196.

Vernieuwe, H., Verhoest, N. E. C., De Baets, B., Hoeben, R., & De Troch, F. P. (2007). Cluster-based fuzzy models for groundwater flow in the unsaturated zone. *Advances in water resources*, 30(4), 701-714.

Vizintin, G., Souvent, P., Veselić, M., & Cencur Curk, B. (2009). Determination of urban groundwater pollution in alluvial aquifer using linked process models considering urban water cycle. *Journal of hydrology*, 377(3), 261-273.

Welch, A. H., Lico, M. S., & Hughes, J. L., (1988). Arsenic in ground water of the western United States. *Ground Water* 26(3), 33-347.

WHO, World Health Organization (1993) Guidelines for drinking water quality: recommendations, vol 1, 2nd ed. World Health Organization, Geneva.

Wilhelm, M., Pesch, B., Wittsiepe, J., Jakubis, P., Miskovic, P., Keegan, T., Nieuwenhuijsen, M. J., & Ranft, U. (2004). Comparison of arsenic levels in fingernails with urinary As species as biomarkers of arsenic exposure in residents living close to a coal-burning power plant in

Prievidza District, Slovakia. *Journal of Exposure Science and Environmental Epidemiology*, 15(1), 89-98.

Williams, P. N., Islam, M. R., Adomako, E. E., Raab, A., Hossain, S. A., Zhu, Y. G., Feldmann, J., & Meharg, A. A. (2006). Increase in rice grain arsenic for regions of Bangladesh irrigating paddies with elevated arsenic in groundwaters. *Environmental science & technology*, 40(16), 4903-4908.

Williams, P. N., Price, A. H., Raab, A., Hossain, S. A., Feldmann, J., & Meharg, A. A. (2005). Variation in arsenic speciation and concentration in paddy rice related to dietary exposure. *Environmental Science & Technology*, 39(15), 5531-5540.

Xia, Y., & Liu, J. (2004). An overview on chronic arsenism via drinking water in PR China. *Toxicology*, 198(1), 25-29.

Yadav, R. K., Goyal, B., Sharma, R. K., Dubey, S. K., & Minhas, P. S. (2002). Post-irrigation impact of domestic sewage effluent on composition of soils, crops and ground water—a case study. *Environment International*, 28(6), 481-486.

Yang, Y. H., Zhou, F., Guo, H. C., Sheng, H., Liu, H., Dao, X., & He, C. J. (2010). Analysis of spatial and temporal water pollution patterns in Lake Dianchi using multivariate statistical methods. *Environmental monitoring and assessment*, 170(1-4), 407-416.

Yidana, S. M., & Yidana, A. (2010). Assessing water quality using water quality index and multivariate analysis. *Environmental Earth Sciences*, 59(7), 1461-1473.

Yu, W. H., Harvey, C. M. & Harvey, C. F. (2003). Arsenic ground water in Bangladesh: a geo-statistical and epidemiological framework for evaluating health effects and potential remedies. *Water Resource Research* 39(6), 1146.

