

	List of figures	
Sr.No.	Title	Pg No.
1.1	Oceanic zonation	3
1.2	Beach systems	5
1.3	Importance of semaphore crabs and its biotic/abiotic inter-linkage	14
1.4	Field area, Kamboi, GOKh, Gujarat	16
2.1	Foraging area of crab <i>Ilyoplax sayajiraoi</i>	25
2.2	Conceptual diagram of function attributed to the burrow of semaphore crab.	27
2.3	Schematic diagram of <i>Ilyoplax sayajiraoi</i>	31
2.4	Methodology for population ecology	38
2.5	<i>Ilyoplax sayajiraoi</i> , yearly size frequency distribution of all individuals sampled at Kamboi, GOKh, from August 2016 to July 2017. Error bars in graph represent standard deviation (n=3). Letters a, b, c...k represent significant difference at $p<0.05$ between the same sample with respect to months.	41
2.6	Radar diagram for population of male, female, juvenile and ovigerous female in accordance to month	41
2.7	<i>Ilyoplax sayajiraoi</i> , yearly size frequency distribution of male sampled at Kamboi, GOKh, from August 2016 to July 2017. Error bars in graph represent standard deviation (n=3). Letters a, b, c...h represent significant difference at $p<0.05$ between the same sample with respect to months.	42
2.8	Radar diagram for population of male in accordance to month	42
2.9	<i>Ilyoplax sayajiraoi</i> , yearly size frequency distribution of females sampled at Kamboi, GOKh, from August 2016 to July 2017. Error bars in graph represent standard deviation (n=3). Letters a, b, c...f represent significant difference at $p<0.05$ between the same sample with respect to months.	45
2.10	Radar diagram for female population distribution in accordance to the month	45
2.11	<i>Ilyoplax sayajiraoi</i> , yearly size frequency distribution of ovigerous females sampled at Kamboi, GOKh, from August 2016 to July 2017. Error bars in graph represent standard deviation (n=3). Letters a, b, c...f represent significant difference at $p<0.05$ between the same sample with respect to months.	48
2.12	Radar diagram for ovigerous population distribution	48
2.13	<i>Ilyoplax sayajiraoi</i> , yearly size frequency distribution of juveniles sampled at Kamboi, GOKh, from August 2016 to July 2017. Error bars in graph represent standard deviation (n=3). Letters a, b, c...f represent significant difference at $p<0.05$ between the same sample with respect to months.	51
2.14	Radar diagram for juveniles population distribution	51
2.15	Month wise population ratios of male & female. Error bars represent standard deviation (n=3). Letters a, b, c...f represent significant difference at $p<0.05$ between the sample with respect to months.	52
2.16	<i>Ilyoplax sayajiraoi</i> , number of males and females falling in different range of carapace width. Error bars in graph denote standard	53

	deviation (n=3). Letters a, b, c...h represent significant difference at $p < 0.05$ between the sample with respect to carapace width. Letters on bar with black color indicate male whereas red indicate female.	
2.17	Radar diagram of species vs. temperature (LTZ)	54
2.18	Radar diagram of species vs. temperature (MTZ)	54
2.19	Radar diagram of species vs. temperature (UTZ)	55
2.20	Radar diagram of species vs. pH (LTZ)	56
2.21	Radar diagram of species vs. pH (MTZ)	56
2.22	Radar diagram of species vs. pH (UTZ)	56
2.23	Radar diagram of species vs. moisture content (%) (LTZ)	57
2.24	Radar diagram of species vs. moisture content (%) (MTZ)	57
2.25	Radar diagram of species vs. moisture content (%) (UTZ)	57
2.26	Radar diagram for % silt composition in sediment and species distribution (LTZ)	58
2.27	Radar diagram for % sand composition in sediment and species distribution (MTZ)	58
2.28	% gravel composition and species distribution (UTZ)	58
3.1	Figure 3.1 Burrow architecture of <i>Ilyoplax sayajiraoi</i> with different labels of burrow cast. O. D. - Opening diameter, H. L. - Horizontal length, V. D. - Vertical depth, C. L. - Chamber length, C. W. - Chamber width, T. L. - Total length	67
3.2	Burrow architecture of <i>Ilyoplax sayajiraoi</i> with different labels of burrow cast. O. D. - Opening diameter, H. L. - Horizontal length, V. D. - Vertical depth, C. L. - Chamber length, C. W. - Chamber width, T. L. - Total length	69
3.3	Winter burrows	70
3.4	Summer burrows	70
3.5	Monsoon burrows	71
3.6	Indicates number of burrow count with respect to shape of the burrow	71
3.7	Indicates number of burrows in specific coastal zonation	72
3.8	Relationship between burrow diameter and carapace width	72
3.9	Length and Volume	77
3.10	Carapace width and Weight of burrow	77
3.11	Volume and Burrow diameter	78
3.12	Length and weight of burrow	78
3.13	Diameter and Carapace width	78
3.14	Scree plot indicating major 3 plots for winter season	81
3.15	Score plots of PCA for winter season. L1-L11: Burrows at LTZ, M1-M13: Burrows at MTZ, U1-U11: Burrows at UTZ	81
3.16	3 Dimensional Score plots of PCA for winter season. L1-L11: Burrows at LTZ, M1-M13: Burrows at MTZ, U1-U11: Burrows at UTZ	82
3.17	Multi-dimensional scaling (MDS) analysis between burrow parameters and crab parameters in the winter season. Labels in the above diagram represent W-D: Weight and diameter of the burrow, D-C: Opening diameter of burrow and carapace width of crab, D-V: Opening diameter and volume of the burrow, W-L: Weight and length of the burrow, V-L: Volume and length of the burrow, W-V:	83

	Weight and volume of the burrow, W-C: Weight and carapace width of crab	
3.18	Volume and Burrow diameter	87
3.19	Length and Volume of burrow	87
3.20	Length and Weight of burrow	87
3.21	Carapace width and Diameter	87
3.22	Carapace width and weight	88
3.23	Scree plot indicating major 3 components for summer season	90
3.24	Score plots of PCA for summer season. L1-L9: Burrows at LTZ, M1-M6: Burrows at MTZ, U1-U11: Burrows at UTZ	91
3.25	3 Dimensional Score plots of PCA for summer season. L1-L9: Burrows at LTZ, M1-M6: Burrows at MTZ, U1-U11: Burrows at UTZ	91
3.26	Multi-dimensional scaling (MDS) analysis between burrow parameters and crab parameters in the summer season. Labels in the above diagram represent W-D: Weight and diameter of the burrow, D-C: Opening diameter of burrow and carapace width of crab, V-L: Volume and length of the burrow, W-V: Weight and volume of the burrow	93
3.27	Volume and Burrow diameter	98
3.28	Length and Volume (cm ³)	98
3.29	Length and Weight of burrow	98
3.30	Carapace width and Diameter	98
3.31	Carapace width and weight of burrow	99
3.32	Scree plot indicating major 2 plots for monsoon season	101
3.33	Score plots of PCA for monsoon season. L1-L17: Burrows at LTZ, M1-M10: Burrows at MTZ, U1-U8: Burrows at UTZ	102
3.34	3Dimensional Score plots of PCA for monsoon season. L1-L17: Burrows at LTZ, M1-M10: Burrows at MTZ, U1-U8: Burrows	102
3.35	Multi-dimensional scaling (MDS) analysis between burrow parameters and crab parameters in the monsoon season. Labels in the above diagram represent W-D: Weight and diameter of the burrow, D-C: Opening diameter of burrow and carapace width of crab, V-C: Volume of burrow and carapace width of crab, D-V: Opening diameter and volume of the burrow, W-L: Weight and length of the burrow, D-L: Opening diameter and length of the burrow	104
4.1	Methodology for eco behavioural assessment	109
4.2	Shows crab outside the burrow performing different activities in its initial phase of untreated burrows of summer season	110
4.3	Shows closed crab burrow in its middle phase in untreated burrows of summer season	111
4.4	Shows final phase with zero activity in untreated burrows of summer season	111
4.5	Shows crabs performing different activities in initial phase of untreated burrows of winter season	112
4.6	Shows crabs performing different activities with one burrow plugin for untreated burrows of winter season	112

4.7	Shows plugged burrows in final phase of untreated burrows of winter burrows	112
4.8	Crabs performing various activities in initial phase of untreated burrows of monsoon season	113
4.9	Crabs performing mudballing in middle phase of untreated burrows of monsoon season	113
4.10	Crab covering a larger area performing mudballing in final phase of untreated burrows of monsoon season	113
4.11	Radar diagram of untreated burrow (Initial phase)	114
4.12	Radar diagram of untreated burrow (Middle phase)	114
4.13	Radar diagram of untreated burrow (Final phase)	114
4.14	Scree plot indicating major two plots for untreated burrows winter season	118
4.15	PCA analysis indicating two major clusters for winter season TSO: Time Spent Outside the burrow; TSI: Time Spent Inside the burrow	118
4.16	Scree plot indicating major two plots for untreated burrows summer season	122
4.17	PCA analysis indicating one major cluster for summer season TSO: Time Spent Outside the burrow; TSI: Time Spent Inside the burrow	122
4.18	Scree plot indicating major 2 plots for untreated burrows monsoon season	126
4.19	PCA analysis indicating two major cluster for monsoon season TSO: Time Spent Outside the burrow; TSI: Time Spent Inside the burrow	126
4.20	Crabs performing various activities in initial phase of chemically treated burrows summer season	128
4.21	Crabs performing prolonged routine activities in middle phase of chemically treated burrows summer season	128
4.22	Plugged burrows in final phase of chemically treated burrows summer season	128
4.23	Zero activity of crabs in initial phase of chemically treated burrows winter season	129
4.24	Crabs performing various routine activities with negligible mudballing in middle phase of chemically treated burrows winter season	129
4.25	Zero crab activity in final phase of chemically treated burrows winter season	129
4.26	Shows crab initiating mudballing activities in initial phase of chemically treated burrows monsoon season	130
4.27	Shows excessive mudballing activity in middle phase of chemically treated burrows monsoon season	130
4.28	Shows crabs performing mudballing in final phase of chemically treated burrows monsoon season	130
4.29	Radar diagram of chemically treated burrow (Initial phase)	131
4.30	Radar diagram of chemically treated burrow (Middle phase)	131
4.31	Radar diagram of chemically treated burrow (Final phase)	131

4.32	Scree plot indicating major two plots for chemically treated burrows winter season	135
4.33	PCA analysis indicating three major clusters for winter season TSO: Time Spent Outside the burrow; TSI: Time Spent Inside the burrow	135
4.34	Scree plot indicating major two plots for chemically treated burrows summer season	139
4.35	PCA analysis indicating two major cluster for summer season TSO: Time Spent Outside the burrow; TSI: Time Spent Inside the burrow	139
4.36	Scree plot indicating major two plots for chemically treated burrows monsoon season	143
4.37	PCA analysis indicating two major cluster for monsoon season TSO: Time Spent Outside the burrow; TSI: Time Spent Inside the burrow	143
4.38	Shows active crab burrow in initial phase of fertilizer treated summer season	145
4.39	Shows crab performing various activities in middle phase of fertilizer treated burrows summer season	145
4.40	Shows plugged in behaviour in final phase of fertilizer treated burrows summer season	145
4.41	Shows crab performing various activities in initial phase of fertilizer treated burrows winter season	146
4.42	Early plugged in behaviour seen in middle phase of fertilizer treated burrows winter season	146
4.43	Shows zero activity in final phase of fertilizer treated burrows winter season	146
4.44	Mudballing in initial phase of fertilizer treated burrows monsoon season	147
4.45	Mudballing in middle phase of fertilizer treated burrows monsoon season	147
4.46	High amount of mudballing activity in final phase of fertilizer treated burrows monsoon season	147
4.47	Radar diagram of fertilizer treated burrow (Initial phase)	148
4.48	Radar diagram of fertilizer treated burrow (Middle phase)	148
4.49	Radar diagram of fertilizer treated burrow (Final phase)	148
4.50	Scree plot indicating major two plots for fertilizer treated burrows winter season	152
4.51	PCA analysis indicating three major clusters for winter season TSO: Time Spent Outside the burrow; TSI: Time Spent Inside the burrow	152
4.52	Scree plot indicating major two plots for fertilizer treated burrows summer season	156
4.53	PCA analysis indicating two major clusters for summer season TSO: Time Spent Outside the burrow; TSI: Time Spent Inside the burrow	156

4.54	Scree plot indicating major two plots for fertilizer treated burrows monsoon season	160
4.55	PCA analysis indicating two major clusters for monsoon season TSO: Time Spent Outside the burrow; TSI: Time Spent Inside the burrow	160