"Development of Nano-composite Textiles for Bio-medical Application"

THE

EXECUTIVE SUMMARY OF THE Ph. D. THESIS

SUBMITTED TO



THE MAHARAJA SAYAJIRAO UNIVERSITY OF BARODA

FOR THE AWARD OF DEGREE OF

DOCTOR OF PHILOSOPHY

IN TEXTILE ENGINEERING

BY

RADADIYA RAINISH VITTHALBHAI

UNDER THE GUIDANCE OF

DR. TASNIM N. SHAIKH

ASSOCIATE PROFESSOR DEPARTMENT OF TEXTILE ENGINEERING FACULTY OF TECHNOLOGY AND ENGINEERING

THE MAHARAJA SAYAJIRAO UNIVERSITY OF BARODA VADODARA

JANUARY 2023

TABLE OF CONTENTS

1.0 TABLE OF CONTENTS OF THE THESIS	3
2.0 BRIEF RESEARCH METHODOLOGY	12
3.0 CONCLUSIONS AND RECOMMENDATIONS	16
4.0 REFERENCES	23

1.0 TABLE OF CONTENTS OF THE THESIS

			Page No.
ACK	NOWL	EDGEMENTS	XI
LIST	OF FIG	GURES	XXVII
LIST	OF TA	BLES	XXXV
LIST	OF AB	BREVIATIONS	XXXIX
PRE	FACE		XLIII
СНА	PTER 1	: INTRODUCTION	. 1
1.1	INTRO	DDUCTION	3
1.2	RESE	ARCH GAP	5
1.3	OBJE	CTIVES OF RESEARCH	5
1.4	RESE	ARCH IN BRIEF	6
СНА	PTER 2	2: LITERATURE REVIEW	. 9
2.1	INTRO	DDUCTION	11
2.2	BIO-M	IEDICAL TEXTILE	11
	2.2.1	BACTERIA/MICROORGANISMS IN BIO-MEDICAL TEXTILES	15
		2.2.1.1 Type of bacteria	15
		2.2.1.2 Spreading of bacteria	16
	2.2.2	PREREQUISITE FOR ANTIBACTERIAL BIO-MEDICAL TEXTILES COMPOSITES	L 16
	2.2.3	METHODS FOR ANTIBACTERIAL FINISHING/TREATMENTS	17
2.3	NANC	DTECHNOLOGY AND NANOPARTICLES	20
	2.3.1	FORTITUDE OF NANOTECHNOLOGY	21
	2.3.2	CLASSIFICATION OF NANOMATERIALS	27

		2.3.2.1	Classification based on composition	27
		2.3.2.2	Classification based on dimension	31
	2.3.3	SILVER	NANOMATERIALS AND ITS APPLICATIONS	32
2.4	SYNT	HESIS OI	FNANOPARTICLES	33
	2.4.1	DIFFER NANOP	ENT METHODS USED IN THE SYNTHESIS OF ARTICLES	34
		2.4.1.1	Chemical and Physical synthesis methods	34
			I) Chemical and Physical synthesis of Silver Nanoparticles (AgNPs)	35
			II) Prevalent Chemical and Physical Synthesis Techniques for AgNPs	36
			III) Brief Summary for Work done on Physical and Chemical synthesis of AgNPs	39
			IV) Major Disadvantages of physical and chemical methods	41
		2.4.1.2	Green synthesis of Nanoparticles	42
			I) Green synthesis of Silver nanoparticles (AgNPs)	50
			II) Brief summary on AgNPs synthesis by using plants	58
			III) Calotropis (Milkweed) as a Medicinal Herbs	59
			a) Phytochemistry of Calotropis procera	60
			b) Medicinal uses of Calotropis procera	61
			c) Synthesis of Nanoparticles using Calotropis (Milkweed)	63
			d) Synthesis of Silver Nanoparticles (AgNPs) using Calotropis (Milkweed)	64
2.5	TESTI	ING AND	ANALYSIS	65
	2.5.1	РНҮТО	CHEMICAL ANALYSIS OF PLANTS EXTRACTS	65
		2.5.1.1	Gas chromatography-Mass spectrometry (GC-MS)	66
	2.5.2	CHARA FORMA	CTERISATION TECHNIQUES FOR NANOPARTICLES	72

2.5.2.1	Visual analysis of Nanoparticles	72
2.5.2.2	Spectroscopic analysis of Nanoparticles	73
	I) X-Ray Diffraction (XRD) methods	73
	II) UV- Visible Spectroscopy	75
	III) Fourier Transform Infrared Spectroscopy (FTIR)	77
	IV) Particle size Analysis by Dynamic Light Scattering (DLS)	79
2.5.2.3	Microscopic analysis of Nanoparticles	79
	I) Scanning Electron Microscopy (SEM)	80
	II) Transmission Electron Microscopy (TEM)	82
	III) Energy Dispersive X-ray Spectroscopy (EDS or EDX)	83
2.5.2.4	Size distribution of nanoparticles by the Digital Image Processing Program/Software	84
	I) ImageJ Software	84
	II) Otsu' Thresholding	85
TESTIN	G OF NANO-COMPOSITES MATERIALS	86
2.5.3.1	Physical assessments	86
	I) Mass per Unit Area (GSM – Gram per square meter)	86
	II) Thickness	87
2.5.3.2	Low-stress properties	88
	I) Fabric stiffness	88
	II) Crease recovery angle	90
2.5.3.3	Comfort-associated properties	90
	I) Air permeability	92
	II) Moisture Management Properties	92
2.5.3.4	UV Transmission properties	95
2.5.3.5	Antibacterial assessments	97
	2.5.2.2 2.5.2.3 2.5.2.4 TESTIN 2.5.3.1 2.5.3.2 2.5.3.2 2.5.3.3	 2.5.2.2 Spectroscopic analysis of Nanoparticles I) X-Ray Diffraction (XRD) methods II) UV- Visible Spectroscopy III) Fourier Transform Infrared Spectroscopy (FTIR) IV) Particle size Analysis by Dynamic Light Scattering (DLS) 2.5.2.3 Microscopic analysis of Nanoparticles I) Scanning Electron Microscopy (SEM) II) Transmission Electron Microscopy (TEM) III) Energy Dispersive X-ray Spectroscopy (EDS or EDX) 2.5.2.4 Size distribution of nanoparticles by the Digital Image Processing Program/Software I) Otsu' Thresholding TESTING OF NANO-COMPOSITES MATERIALS 2.5.3.1 Physical assessments I) Mass per Unit Area (GSM – Gram per square meter) II) Thickness 2.5.3.2 Low-stress properties I) Fabric stiffness II) Crease recovery angle 2.5.3.3 Comfort-associated properties I) Moisture Management Properties 2.5.3.4 UV Transmission properties

			I) Parallel Streak Method – AATTC 147-2004 Standard	98
			II) Disc Diffusion Test (Agar Diffusion Test) – Swiss standard - SN195 920	99
			III) Various others standards for antibacterial/microbial assessments	103
		2.5.3.6	Toxicity analysis of Plant extract, green synthesized nanoparticles, and Nano-composites	105
СНА	PTER 3	8: MATEI	RIALS AND EXPERIMENTAL METHODS	107
3.0	INTRO	DUCTIC	DN	109
3.1			INEERING ELEMENTARY SET-UP AND CONFIRMING OF NOVEL BIO-SYNTHESIZED NANOPARTICLES	110
	3.1.1	MATER	IAL	110
	3.1.2	METHC	DS	111
		3.1.2.1	AgNPs Synthesis methods	111
			3.1.2.1.1 Chemical synthesis (CS) technique	111
			3.1.2.1.2 Green synthesis (GS) technique	115
	3.1.3	TEST M	ETHODS	119
		3.1.3.1	Visual colour change observation technique (VCCO)	119
		3.1.3.2	Surface morphology analysis by Scanning Electron Microscopy (SEM)	119
3.2		D-COMPO	EPARATION OF PROTOTYPE NONWOVEN @AgNPs/CP SITE AND VALIDATING ITS ANTIBACTERIAL	121
	3.2.1	MATER	IALS	121
	3.2.2	METHC	DS	122
	3.2.3	TEST M	ETHODS	123
		3.2.3.1	AATCC-147 test methods for Antibacterial assessment	123
		3.2.3.2	Structural assessment	129

			3.2.3.2.1	Morphological assessment by Environmental Scanning Electron Microscopy (ESEM)	129
			3.2.3.2.2	Elemental assessment by Energy Dispersive X- Ray Spectroscopy (EDAX)	129
			3.2.3.2.3	Size distribution of nanoparticles	129
			3.2.3.2.4	FTIR analysis	132
		3.2.3.3	Physical a	and comfort-related properties	132
			3.2.3.3.1	Physical assessment	132
			3.2.3.3.2	Low-stress properties	136
			3.2.3.3.3	Comfort-associated properties	137
		3.2.3.4	UV Trans	mission properties	141
3.3		TITUENT		ATION OF AgNPs/CP COLLOIDAL ON FOR ANTIBACTERIAL ACTIVITIES IN s/CP NANO-COMPOSITES	142
	3.3.1	MATERIALS			142
	3.3.2	METHC	DDS		143
		3.3.2.1	Major sca	le trails	143
			3.3.2.1.1	Testing and Analysis	145
		3.3.2.2	Minor sca	le trails	145
			3.3.2.2.1	Testing and Analysis	146
				A) Visual colour change observation (VCCO) of the AgNPs colloidal	147
				B) Antibacterial assessment by disc diffusion method (SN 195 920 standard)	147
				C) UV-VIS Spectroscopy of AgNPs/CP colloidal solutions	152
				D) Particle size analysis of AgNPs/CP colloidal solutions	153
				E) GC-MS analysis of CP leaves extract	155
				F) MTT assay cytotoxicity test	158

3.4	PHASE–IV: DEVELOPMENT OF NANO-COMPOSITES BY TREATING 1 COMMONLY USED BIO-MEDICAL NONWOVEN TEXTILE WITH OPTIMAL AgNPs/CP COLLOIDAL & EVALUATING THEIR PHYSICAL AND FUNCTIONAL CHARACTERISTICS AS PER ASTM STANDARDS			
	3.4.1	MATER	IALS	160
	3.4.2	METHO	DS	163
		3.4.2.1	AgNPs/CP treated samples preparation	163
		3.4.2.2	CP leave extract treated samples preparation	163
	3.4.3	TEST M	ETHODS	163
	DTED			1.65
			TS AND DISCUSSIONS	165
4.0	INTRO	ODUCTIO	N	167
4.1	PHASE–I: ENGINEERING ELEMENTARY SET-UP AND CONFIRMING COMPETENCY OF NOVEL BIO-SYNTHESIZED NANOPARTICLES			167
	4.1.1	RESULT	ΓS ANALYSIS	167
		4.1.1.1	Elementary Confirmation of AgNPs formation and Stability by VCCO	167
			4.1.1.1.1 Chemical Synthesis (CS)	170
			4.1.1.1.2 Green Synthesis (GS)	170
		4.1.1.2	Surface morphological analysis (by SEM) of the Green synthesised AgNPs	171
	4.1.2	PHASE-	-I: CONCLUSIONS	173
4.2		D-COMPO	EPARATION OF PROTOTYPE NONWOVEN @AgNPs/CP SITE AND VALIDATING ITS ANTIBACTERIAL	174
	4.2.1	RESULT	ΓS ANALYSIS	174
		4.2.1.1	Antibacterial assessment of the Nano-composite @PV-AgNPs/CP	174
		4.2.1.2	Structural assessment of the Nano-Composite @PV-AgNPs/CP	178

			4.2.1.2.1	Morphological assessment by Environmental Scanning Electron Microscopy (ESEM)	178
			4.2.1.2.2	Elemental assessment by Energy Dispersive X- Ray Spectroscopy (EDAX)	178
			4.2.1.2.3	Nanoparticles Size distribution	182
			4.2.1.2.4	FTIR analysis of the Nano-composite @PV-AgNPs/CP	183
		4.2.1.3	Physical a	nd comfort-related properties	187
			4.2.1.3.1	Physical properties	187
			4.2.1.3.2	Low-stress properties	188
			4.2.1.3.3	Comfort-associated properties	189
		4.2.1.4	UV Trans	smission properties	196
	4.2.2	PHASE	E–II: CONC	LUSIONS	198
4.3		TITUEN		ATION OF AgNPs/CP COLLOIDAL ON FOR ANTIBACTERIAL ACTIVITIES IN s/CP NANO-COMPOSITES	200
	4.3.1	MAJOR	SCALE PI	LOT TRIALS	200
		4.3.1.1	Results A	nalysis	201
			4.3.1.1.1	Visual colour change observation (VCCO)	201
			4.3.1.1.2	MTT assay cytotoxicity test of CP leave extract and pure CP latex	204
			4.3.1.1.3	Antibacterial assessment of the samples treated with AgNPs colloidal solutions	209
		4.3.1.2	Conclusio	n: Major scale Pilot trials	214
	4.3.2	MINOF	R SCALE PI	LOT TRIALS	215
			MIN	OR SCALE TRAIL: SET-I	215
		4.3.2.1	Results A	nalysis	215
			4.3.2.1.1	Visual colour change observation	215

		4.3.2.1.3	Particle size analysis of AgNPs/CP colloidal solutions	220
		4.3.2.1.4	Antibacterial assessment of the PV-AgNPs/CP composites	222
		4.3.2.1.5	Conclusion: Minor scale Pilot trails: Set-I	227
		MIN	OR SCALE TRAIL: SET-II	228
	4.3.2.2	Results A	nalysis	228
		4.3.2.2.1	Visual colour change observation of the AgNPs colloidal solutions	228
		4.3.2.2.2	UV-VIS Spectroscopy	229
		4.3.2.2.3	Particle size analysis of AgNPs/CP colloidal solutions	232
		4.3.2.2.4	Antibacterial assessment of the PV-AgNPs/CP composites	236
		4.3.2.2.5	MTT assay cytotoxicity test of AgNPs/CP colloidal solution and pure AgNO ₃	240
		4.3.2.2.6	GC-MS analysis of CP leaves extract	242
		4.3.2.2.7	Conclusion: Minor scale Pilot trails: Set-II	252
COMN OPTIN	MONLY MAL AgN	USED BIO Ps/CP COL	ENT OF NANO-COMPOSITES BY TREATING D-MEDICAL NONWOVEN TEXTILE WITH LOIDAL & EVALUATING THEIR PHYSICAL RACTERISTICS AS PER ASTM STANDARDS	254
4.4.1	RESULT	IS ANALY	SIS	254
	4.4.1.1	Antibacte	erial assessment of the Nano-composites	254
	4.4.1.2	Structura	l assessment of the Nano-Composite	259
		4.4.1.2.1	Morphological assessment by Environmental Scanning Electron Microscopy (ESEM)	259
		4.4.1.2.2	FTIR analysis of the Nano-composites	261
	4.4.1.3	Physical a	nd comfort-related properties	271
		4.4.1.3.1	Physical properties	271

4.4

	4.4.1.3.2	Low-stress properties	276
	4.4.1.3.3	Comfort-associated properties	281
4.4	4.1.4 UV Trans	mission properties	301
4.4.2 P	HASE–IV: CONC	CLUSIONS	309
CHAPTER 5: C	ONCLUSIONS A	AND FUTURE SCOPE	311
5.1 CONCLU	SIONS		313
5.2 RECOMM	IENDATIONS/SO	COPE FOR THE FUTURE WORK	319
REFERENCES.	•••••		321
APPENDICES	•••••		355
Appendix – I:	Results of Elen Spectroscopy (nental assessment by Energy Dispersive X-Ray EDAX)	357
Appendix – II:	Results of the A	Antibacterial Test	359
Appendix – III:	Results of the I	Physical properties	359
Appendix – IV:	Results of the I	Low-stress properties	360
Appendix – V:	Results of the G	Comfort-associated properties	361
Appendix – VI:	Results of the U	JV Transmission properties	362
Appendix – VII:	Results of GC-	MS analysis of CP leaves extract	363
Appendix – VIII:	Results of Anti	bacterial assessment of the Nano-composites	365
Appendix – IX:	Results of the I	Physical properties	367
Appendix – X:	Results of the I	Low-stress properties	368
Appendix – XI:	Results of the G	Crease Recovery angle (o)	371
Appendix – XII:	Results of the G	Comfort-associated properties	374
Appendix –XIII:	Results of the U	JV Transmission properties	377

2.0 BRIEF RESEARCH METHODOLOGY

2.1 OBJECTIVES OF RESEARCH:

The present study has been designed to develop and optimize green synthesis technique for AgNPs using CP leave and gauge the performance of the prepared prototype antibacterial nonwoven @AgNPs/CP nanocomposites for various bio-medical applications. The goals set up for the research are:

a) Lab-scale production of the silver nanoparticles and their validation via chemical and green synthesis techniques.

- i) Elementary investigation of the AgNPs produced by a chemical synthesis technique.
- ii) Elementary investigation of the AgNPs produced by a CP extract based green synthesis technique.

b) Application of bio-synthesized AgNPs on nonwoven fabric and Confirmation of Nano-composite's antibacterial activity.

- i) Loading bio-synthesized AgNPs on a PV (Polyester-Viscose) non-woven to produce nano-composite textile materials.
- ii) Confirming antibacterial activity of PV-AgNPs/CP nanocomposite.
- iii)Evaluating characteristics of the nanocomposite by ESEM, EDAX, Nanoparticles size distribution, FTIR, Physical parameters e.g. GSM and Thickness; Low-stress properties e.g. Bending modulus and Crease recovery angle; Comfort-related properties e.g. Air permeability and Overall moisture management capability (OMMC); and UV Transmission properties.

c) Investigating optimum feed levels for the constituents in the AgNPs/CP colloidal synthesis based on antibacterial activities potential in nonwoven @PV-AgNPs/CP Nano-composites.

i) Major scale add-on trials

ii) Minor scale add-on trials

d) Development of nanocomposites using optimum AgNPs/CP colloidal and the best 10% CP extract with popular nonwoven base materials and evaluating their basic physical, low stress, comfort associated as well as functional properties as per ASTM standards.

2.2 **RESEARCH IN BRIEF:**

The entire experimental work was divided into four phases for the step-by-step evaluation of the newly designed product (Figure 2.1).




Figure 2.1: Plan of experimental work

The first phase of study was designed for elementary investigation of the silver nanoparticles. They were synthesized via commercial chemical technique and pioneering green channel; using Calotropis Procera (CP) leave extract using forward, reverse and reduction approaches. The reverse method (Bottom-up approach) has produced excellent nanoparticle during green synthesis in line with the chemical technique. The preliminary but subjective colour change observation and SEM analysis both have confirmed successful formation of desirable nanoparticles on green-way synthesis.

The second phase was designed to develop the prototype eco-friendly nanocomposites for medical health care applications. The simple and effective cold dipping technique was used for AgNPs/CP under in-situ deposition on PV-Nonwoven; the most popular bio-medical textile material. The EDAX and FTIR test results have confirmed presence of AgNPs in PV-nonwoven structure on treatment. Whereas, the ESEM images have endorsed a virtuous deposition of AgNPs on the PV-nonwoven by even covering of constituent fibres. Antibacterial activity potential was realized from the significant

"Development of Nano-composite Textiles for Bio-medical Application"

antibacterial activity noted against both the bacterial cultures Staphylococcus aureus (23.75mm) and Escherichia coli (24.5mm) for the newly engineered PV-AgNPs/CP material. The favourable shift in moisture management, low-stress, and comfort-related characteristics were detected on loading of AgNPs/CP.

After realizing efficacy of novel green channel, the third phase of experimentation was conducted to optimize qualitatively and quantitatively silver nitrate (AgNO₃) salt add-on and CP leave extract concentration during synthesis process. Major scale and minor scale add-on pilot trials were conducted for the purpose being and synthesized colloidal were analysed for nanoparticle formation and stability, particle size analysis and antibacterial activities. They were also checked for the susceptible toxicity of the participating elements by MTT assay cytotoxicity test. The sorted optimized combination was further evaluated for its antibacterial efficacy into prototype PV based bio-medical nonwoven nano-composite. The colloidal solution E10S0010 produced with 10% CP leave extract and 10mM AgNO₃ was found optimum with formation of a very good nanoparticle size distribution of 25.8nm. This was also endorsed by its UV-visible spectra showing a narrower and more (sharp) strong peak with maximum absorption in the wavelength range 400–450nm. The nanoparticles have retained their stability well up to six month and possessed substantial 84% cytotoxicity. The optimum PV-AgNPs/CP nano-composite has exhibited the highest average ZOI value, with 18.0mm against SA and 21.7mm against EC bacterial culture. Contribution of optimal green medium in the success of AgNPs/CP performance was also analysed. The GC-MS analysis of the optimum 10% concentrated CP leave extract has revealed the presence of N-Decanoic acid $(C_{10}H_{20}O_2)$ responsible for antibacterial activity as well as other components contributing effectively for reduction and capping of the nanoparticles. The extract has shown 92% cell viability during the MTT assay as well as significant antibacterial activity against SA (16mm) and EC (19.3mm) bacterial cultures.

The novel and ecologically strengthened AgNPs/CP nonwoven composites for vivid bio-medical applications were worked out in the fourth phase of the study. Two most popular bio-medical textile materials; PP-Nonwoven and PV-Nonwoven of their commonly used GSM; PP30, PP45, PP50 and PV40, were used as base materials for the purpose being. The innovative composites were meticulously evaluated for their basic physical, comfort-related, morphological, and elemental as well as the targeted antibacterial potential. Efficacy of CP leave extract in the absence of AgNPs in the nonwoven composites was also worked out in

parallel. It was noted that GSM as well as thickness has shown significant increase at the nano-level AgNPs/CP loading mainly due to participating heavier silver particles. This was substantiated by the non-significant changes noticed on loading only CP leave extract in each case. The similar behaviour was noticed for comfort-associated and low-stress properties. However, the resultant values in either of the cases were well within the acceptance range for the targeted end uses. The favourable significant rise in UPF value has been noticed on AgNPs/CP loading invariably for all the samples under consideration. ESEM and FTIR have endorsed presence and desirable uniform distribution of AgNPs in the constituent fibers for all the base textile materials. All together has resulted into good antibacterial efficacy for the selected samples. Apart from these, only CP treated nonwoven textile materials also have shown remarkable antibacterial activity due to its inherent chemical constituents as mentioned in phase-III for GC-MS test results.

The innovative CP based green synthesis of AgNPs and its incorporated both PP based as well as PV based nonwovens have shown targeted sustainable antibacterial efficacy along with other physical, mechanical, low-stress and comfort-associated characteristics. Thus, it has opened new horizon for ecological bio-medical textile materials preparation technique.

3.0 CONCLUSIONS AND RECOMMENDATIONS

3.1 CONCLUSIONS

Development of hygiene nano-composites, using the green-way synthesized silver nanoparticles (AgNPs) with CP leave extract was aimed in the present study. The outcomes for the series of experiments are summarized here.

- 1. The chemical synthesis (CS) of the AgNO₃ has produced a noteworthy amount of nanoparticle by bottom-up (reverse) method (CS-2) compared to forward and reduction approaches. The colloidal colour was changed from colourless to yellowish and confirmed occurrence of nanoparticles. Going in accordance, the reverse green synthesis (GS) method has generated admirable nanoparticles (GS-2). The subjective colour change validation was supported by the SEM micrographs. A uniform dispersion of AgNPs with rarely occurring aggregation was noticed even though ten times more CP extract was consumed than AgNO₃ during reverse mode of synthesis. This pro-rata of participants also persuaded economy to the newly synthesized colloidal.
- 2. A prototype PV-nonwoven nano-composite @PV-AgNPs/CP was successfully prepared using a cold dipping technique. The ESEM micrograph obtained for AgNPs/CP loaded fabric using the 'ImageJ 1.53a' program has revealed the average particles size of 160nm without an accumulation. It has also witnessed a good level of AgNPs deposition on the PV-nonwoven fabric.
- 3. An elemental analysis (EDAX) of PV-AgNPs/CP has illustrated a prominent peak of metallic silver nanoparticles for AgNPs/CP treated sample 01 and endorsed penetration of AgNPs in the nonwoven structure.
- 4. The FTIR spectrum characterization peaks for the PV-AgNPs/CP nano-composite has exhibited a similar chemical composition in case of untreated (sample 00) and treated (sample (01) due to major share of common base material. However, additional chemical compositions, such as aromatic amine (C-N) stretching vibration and phenolic (O-H) bending vibration endorsing presence of AgNPs/CP, were also visualized.

- 5. The PV-AgNPs/CP nano-composite (Sample 01) has executed considerable antibacterial activity against both bacterial cultures Staphylococcus aureus (23.75mm) and Escherichia coli (24.5mm), compared to values realized for usual chemical based AgNPs loaded composites. This has proven qualitative strength of new green channel of AgNPs synthesis.
- 6. The physical parameters revealed no remarkable change in fabric thickness after treatment, but GSM has shown a small rise even at the nanoscale addition, which is contradictory to the normal trend.
- The selected PV-nonwoven with the added prototype green functional elements has shown arbitrary but not much higher fluctuations in machine-direction (MD) and cross-direction (CD) bending modulus. Thus, rendered the material suitable for biomedical applications.
- 8. Air permeability of the base fabric was reduced in quite a low amount; by 1.99% only on AgNPs/CP deposition. It was more expectedly to be the outcome of inbuilt structural variations of the material itself rather than treatment. This will not affect adversely its use as a bio-medical textile material.
- The PV-AgNPs/CP nano-composite has executed preferred 'excellent' moisture management capabilities for bio-medical textile and is classified as a 'moisture management fabric' than the reference untreated fabric.
- 10. Application of the AgNPs/CP nanoparticles has not positively contributed in the UPF rating of the PV-nano-composite. However, percent UVA and UVB transmittance was reduced to 20.75% and 9.18% and made the material more protective against UVA and UVB type radiations.
- 11. Colour of all the colloidal solutions synthesized with major scale silver nitrate (AgNO₃) salt add-on was turned from brown to black, indicating formation of the undesirable macro molecules due to agglomeration of unstable nanoparticles after 24

to 48 hours of synthesis. Thus, pointed towards inappropriateness of higher level AgNO₃ and CP extract add-ons in newer synthesis.

- 12. All of the major scale AgNO₃ add-on colloidal samples except sample A1 (E05S00) have shown good bacterial inhibition against both SA and EC bacterial cultures up to 72 hours. The highest average ZOI value has gone in the account of colloidal solution 'E10S01 (B2)' made with 10% CP extract (green medium) concentration and 100mM AgNO₃. This was attained due to presence of higher quantum of AgNO₃ and CP extract inherently antibacterial in nature.
- 13. Sample A1 (E05S00) prepared without AgNO₃ was failed to achieve bacterial inhibition against SA bacteria but demonstrated average ZOI of 12mm against EC bacteria in the initial 24 hours. However, antibacterial activities were diminished to zero after the next 24 hours holding time.
- 14. The MTT assay cytotoxicity test displayed the favourable much higher viability of the cell line at the chosen 5 to 20 percent concentrations of the CP leave extract than the CP pure latex. The viability of the cell line was decreased with the increase in the concentration of CP leave extract. So, cell survival point of view the lowest 5 percent concentration of CP leave extract was considered as best amongst all. But its ineffectiveness against bacteria has made next higher-level CP concentration; E10 with highest antibacterial potential as an optimum choice.
- 15. All of the colloidal solutions formed in the first set of the minor scale trails have shown a fuzzy milky brownish colour change to validate the formation of AgNPs at the moment of synthesis during visual judgment test. However, stability of the colloidal solutions E10S0020 and E10S0040 was only persisted for a week and sustained up to a month only. Thus, substantiated poor efficacy in meeting the targeted performance.
- 16. The UV-VIS Spectroscopy conducted for the first minor set samples has shown broad but weak peak between 400 and 600nm (or <600nm) with increased molarity of the AgNO₃. This witnessed presence of undesirable poor-quality AgNPs on agglomeration of basically small or medium-sized nanoparticles.

- 17. The DLS spectra for all of the first minor scale colloidal solutions under observation have shown a broad polydisperse type of distribution with the preferable AgNPs size less-than 100nm (range from 28.8nm to 58.7nm). This has indicated a large diversity of particle sizes existence.
- 18. Colloidal solutions E10S0020 (E1) and E10S0040 (E2) have demonstrated good antibacterial activity against SA and EC bacterial cultures amongst the first minor set samples. This behaviour has supported better antibacterial activities with the use of low add-on of AgNO₃ for constant 10% concentration of CP leave extract.
- 19. Formation of AgNPs in second minor scale colloidal was demonstrated by a milkyfuzzy brownish colour at the time of synthesis. Colloidal solutions E10S0010 and E10S0015 have demonstrated good AgNPs stability even after six months with a little but still acceptable colour change. Except these two, rest of the sample's stability lasted maximum for a week.
- 20. The UV spectra peak observed for the sample E10S0010 was stronger, sharper, and narrower, with a maximum absorption in the 400–450nm wavelength range, advocated good quality smaller nanoparticles formation without agglomeration in the group. A wider and stronger peak between 190 and 400nm usual for CP leave extract was noted in the sample E10S0000. The DLS spectra for E10S0010 (F4) colloidal solution have shown the most ideal silver nanoparticle size distribution of 25.8nm. This has endorsed optima for AgNO₃ as 10mM in the group.
- 21. The highest average ZOI value; 18.0mm against SA and 21.7mm against an EC bacterial culture, was recorded with the colloidal solution E10S0010 (F4). The sample E10S0000 (F1) synthesized using CP leave extract (10%) only has shown average ZOI value of 16.0mm against SA and 19.3mm against EC bacterial cultures and proven its individual antibacterial strength.
- 22. The colloidal solution E10S0010 has an 84% cell survival rate, which is regarded to be non-toxic (>80% is significant). The cell viability of the colloidal solutions prepared with very low AgNO₃ add-on E10S0001 and E10S0005 was quite high (90%

and 88%, respectively). The optimum CP leave extract (E10) has demonstrated 92% cell viability witnessed its non-toxic characteristic. Thus, both the participating constituents in prototype green synthesis were found not harmful to the user if employed in a bio-medical product.

- 23. The GC-MS analysis endorsed presence of N-Decanoic Acid (C₁₀H₂₀O₂) responsible for antibacterial activity in the 10% concentration CP leave extract. Presence of amino acids, citric acid, flavonoids, phenolic compounds, terpenoids, heterocyclic compounds, enzymes, peptides, polysaccharides, saponins, tannins, etc. were also detected in the extract found responsible for reduction and capping of nanoparticles. Altogether proven potential of the innovative medium in AgNPs synthesis.
- 24. A virtue-based technique, similar to the one used in phase-II, was used successfully to deposit AgNPs on the hydrophobic PP and hydrophilic PV non-woven fabrics most popularly used in different bio-medical applications. So, this method was regarded as an appropriate for the prototype bio-medical nano-composites development.
- 25. The Physical parameters, low-stress qualities, comfort-associated attributes, ESEM micrographs, and FTIR spectrum characterization peaks all have shown more or less comparable behaviour with reference parent samples. The additional component (AgNPs) density caused significant but end use point of view tolerable changes in GSM and thickness. The observation was supported by the lesser changes seen with the lighter CP extract loaded composite values.
- 26. The statistical analysis has shown that there were no statistically significant differences occurred between the AgNPs/CP and CP extract treatments for low-stress characteristics measured in the Machine-wise Direction and Cross-wise Direction.
- 27. The air permeability of treating nonwoven textile materials with CP leave extract and AgNPs/CP was lowered due to coverage of higher specific surface by nanoparticles and found statistically significant also. But not to the extent which can hamper their performance as a bio-medical textile material.

- 28. Most of the composite samples including the control have shown 'very poor' rating for OMMC. The base materials were also classified as 'water proof fabrics', with poor moisture management, and thereby graded as 'very poor'. Only the 'moisture management fabric' @PV40-AgNPs/CP nano-composite has shown better capacity to handle water in the group mainly due to presence of hydrophilic viscose fibers in the structure.
- 29. The efficiency and durability of the antibacterial activity mapped against SA and EC bacteria were zero invariably for all the selected base fabrics as per expectation. However, they were visualized in good quantum for all the CP treated composites which has endorsed potential of the selected novel green channel in developing hygiene bio-medical materials. The extent of antibacterial activities got further enhanced in the presence of silver; AgNPs/CP treated samples as anticipated. The ZOI values noted in each category of sample are much higher than the chemically synthesized AgNPs treated bio-medical materials (~10 − 15mm) in commercial use.
- 30. The applications of CP leave extract and AgNPs/CP have shown preferable statistically significant improvements in the UV transmittance profile of the studied nonwoven textile materials.
- 31. The ESEM micrographs have substantiated the AgNPs deposition method adopted in the present study as a satisfactory for a virtuous deposition of AgNPs on the difficult to treat kind PP as well as more user-friendly PV non-woven fabric.
- 32. The FTIR spectrum peaks associated with phenolic and aromatic amine groups seen clearly have advocated success about the incorporation of AgNPs/CP into PV based composites as well as difficult to induced type all the PP based nano-composites.

3.2 RECOMMENDATIONS/SCOPE FOR THE FUTURE WORK

I. The present work was focused to develop disposable class of bio-medical textile materials only. So, the extension works with the non-disposable woven and knitted structures can be targeted. The performance sustainability of the AgNPs/CP into these

structures on immediate loading and after prescribed number of washing cycles need to be worked out.

- II. The base material selection was biased by the type of fabric; nonwoven used during the study. Thereby, extent of hygiene attains and retains with other popular materials like cotton, polyester, woollen etc. used in different formats in hospital environment need to be explored with this novel green channel.
- III. The CP leave extract has proven its antibacterial efficacy in the absence of silver also. So, it should be further analyzed to avoid undue utilization of costlier and toxic silver or other metallic mediums.
- IV. The healing capabilities of CP extract in wound care and diabetes is well-known and also mentioned by various investigators in literature. The limitations of medical permissions restricted to explore this region during the present study but the collaborative work with medical field can give new heights to this valuable medicinal but wild plant.
- V. It is possible to produce the antibacterial bio-medical products with lower material and production costs due to the abundant and free availability of CP leave. In light of the mass production of CP treated and AgNPs/CP treated fabrics used in various bio-medical applications, studies for cost efficiency can be conducted.

4.0 **REFERENCES**

- [1] R. V. Radadiya, T. N. Shaikh, and B. H. Patel, "'Reinforcing Biomedical Gadgets with Nano-Composite Textiles Present Scenario at a glance'," Man Made Textiles in India, vol. 48, no. 4, pp. 115-120, 2020.
- [2] T. N. Shaikh, P Poonia & B. H. Patel, "Characterization of Green Synthesized Silver Nanoparticles Using Azadirachta Indica (Neem) Leave Extract'," International Journal of Advance Research in Science & Engineering, vol. 6, no. 9, pp. 1127- 113, Sept 2017.
- [3] B H Patel, M Z Chhaniwala, S B Chaudhari, and A A Mandot, "Green synthesis of silver nano-sols by leave extract of ocimum sanctum and their efficacy against human pathogenic bacterium'," Journal of green science and technology, vol. 2, no. 1, 2015.
- [4] Zahedi P, Rezaeian I, Ranaei Siadat S O, "'A review on wound dressings with an emphasis on electrospun nanofibrous polymeric bandages'," Polymers for Advanced Technologies, pp. 77-95, 2010.
- [5] S Iravani, H Korbekandi, S V Mirmohammadi, and B Zolfaghari, "Synthesis of silver nanoparticles: chemical, physical and biological methods," Research in Pharmaceutical Sciences, vol. 9, no. 6, p. 385–406, Nov-Dec 2014.
- [6] Karthik R., Hou Y S., Chen S M., Elangovan A., Gan, "Eco-friendly synthesis of Ag-NPs using Cerasus serrulata plant extract—Its catalytic, electrochemical reduction of 4-NPh and antibacterial activity'," Journal of Industrial and Engineering Chemistry, vol. 37, p. 330–339, 2016.
- [7] Perelshtein I., Applerot, G., Perkas, N., Guibert, "Sonochemical coating of silver nanoparticles on textile fabrics (nylon, polyester and cotton) and their antibacterial activit'," Nanotechnology, vol. 19, no. 24, 2008.
- [8] Ikram Ullah et al., "Green-Synthesized Silver Nanoparticles Induced Apoptotic Cell Death in MCF-7 Breast Cancer Cells by Generating Reactive Oxygen Species and Activating Caspase 3 and 9 Enzyme Activities," Oxidative Medicine and Cellular Longevity, vol. 5, Oct 2020.

- [9] M. Vaneechoutte, S. Jennes, and T. Pitt, "The Effect of Microbes on Textile Material: A Review on the Way-out so Far," The International Journal of Engineering and Science, vol. 24, no. 1, pp. 09-13, 2013.
- [10] S. Rajendran and S.C. Anand, "Contribution of Textiles to Medical and Healthcare Products and Developing Innovative Medical Devices," Indian Journal of Fibre & Textile Research, vol. 31, pp. 215-229, 2006.
- [11] S.K. Chinta and K.V. Veena, "Impact of Textiles in Medical Field," International Journal of Latest Trends in Engineering and Technology, vol. 2, no. 1, pp. 142-145, January 2013.
- [12] D. McCall, D. Stock, and P. Achey, Introduction to Microbiology.: Malden, MA : Blackwell Science, 2001.
- [13] G.F. Brooks, J.S. Butel, and S.A. Morse, 'Normal Microbial Flora of the human body' In Jawetz, Melnick and Adelberg's Medical Microbiology, 2nd ed.: The McGraw-Hill Companies, 2001.
- [14] W. Huang and K.K. Leonas, "Evaluating a one-bath process for imparting antimicrobial activity and repellency to nonwoven surgica lgown fabrics," Textile Research Journal, vol. 70, no. 9, pp. 774-782, 2000.
- [15] L.M. Prescott, J.P. Harley, and D.A. Klein, Microbiology, 5th ed.: McGraw-Hill, 2002.
- [16] P.R. Murray, A.C. Niles, and R.L. Heeren, "Microbial inhibition on hospital garments treated with Dow Corning 5700 antimicrobial agent," Journal of Clinical Microbiology, vol. 26, no. 9, pp. 1884-1886, 1988.
- [17] W. Whyte, D. Vesley, and R. Hodgson, "Bacterial dispersion in relation to operating room clothing," The Journal of Hygiene, vol. 76, no. 3, pp. 367-378, 1976.
- [18] J.R. Appidi, D.S. Grierson, and A.J. Afolayan, "Ethnobotanical Study of Plants Used for the Treatment of Diarrhoea in the Eastern Cape, South Africa," Pakistan Journal of Biological Sciences, vol. 11, p. 1961–1963.
- [19] K.A. Erdem and S. N.O. Yurudu, "The Evaluation of Antimicrobial Activity of Fabrics Impregnated with Dimethyltetradecyl (3-(Trimethoxysilyl) Propyl)

Ammonium Chloride," Journal of Biology Research Article, vol. 67, no. 2, pp. 115-122.

- [20] R. Tijana et al., "Antimicrobial Efficiency of Functionalized Cellulose Fibres as Potential Medical Textiles.Science Against Microbial Pathogens," Communicating Current Research and Technological Advances, vol. 1, pp. 36-51, 2011.
- [21] E. Yi and E.S. Yoo, "A Novel Bioactive Fabric Dyed With Unripe Citrus Grandis Osbeck Extract Part I: Dyeing Properties and Antimicrobial Activity on, Cotton Knit Fabrics," Textile Research Journal, vol. 80, pp. 2117-2123, 2010.
- [22] S. Sumathi, A. Thomas, and E. Wesely, "Study on Antimicrobial Activity of Organic Cotton Fabric Treated with Microencapsulated Herbal Extract," International Journal of Biological & Pharmaceutical Research, vol. 6, no. 4, pp. 259-263.
- [23] M. Sumithra and V. N. Raaja, "Antimicrobial Finishing of Denim Fabrics with Herbal Extracts," American Journal of Medical and Biological Research, vol. 2, no. 1, pp. 26-30.
- [24] S. Mahesh, M.A.H. Reddy, and V.G. Kumar, "Studies on Antimicrobial Textile Finish Using Certain Plant Natural Products," International Conference on Advances in Biotechnology and International Conference on Advances in Biotechnology and Pharmaceutical Sciences, vol. 6, no. 3, pp. 253-258, 2011.
- [25] M.N. Singh, K.S. Hemant, M. Ram, and H. G. Shivakumar, "Microencapsulation: A Promising Technique for Controlled Drug Delivery," Research in Pharmaceutical Sciences, vol. 5, no. 2, p. 65–77.
- [26] W.B Achwal, "Factors Influencing the Biofinishing Process," Colourage, vol. 4, no. 50, pp. 58-59, 2003.
- [27] Z.G Jin and Z.Z. Yang, "Synthesis and Properties of Paraffin Capsules as Phase Change Materials," Polymer, vol. 49, no. 12, pp. 2903-2910.
- [28] B.S. Butola and S. Mishra, "Nano Technology in Textiles," Asian Dyer, vol. 4, no. 1, pp. 70-76, 2007.

- [29] J. Cho, M.S. Joshi, and C.T Sun, "Effect of Inclusion Size on Mechanical Properties of Polymeric Composites with Micro and Nano Particles," Composites Science and Technology, vol. 66, no. 13, pp. 1941-1952, 2006.
- [30] A. Yadav et al., "Functional Finishing in Cotton Fabrics Using Zinc oxide Nanoparticles," Bulletin of Materials Science, vol. 29, no. 6, pp. 641-645.
- [31] P. Radhakishnaiah, H. Jingwu, C.L. Fred, and G.B. Diller, "INFLUENCE OF ENZYMATIC TREATMENT ON MECHANICAL PROPERTIES OF WOVEN COTTON KHADI FABRICS," Textile Research Journal, vol. 75, no. 3, pp. 265-293, 2005.
- [32] B. Mahltig and T. Textor, "Combination of Silica Sol and Dye on Textiles," Journal of Sol-Gel Science and Technology, vol. 39, no. 2, pp. 111-118, 2006.
- [33] Roger W Whatmore, "Nanotechnology—what is it? Should we be worried?," Occupational Medicine, vol. 56, p. 295–299, 2006.
- [34] Jr. Charles P Poole and Frank J Owens, INTRODUCTION TO NANOTECHNOLOGY. New Jersey, United States of America: A JOHN WILEY 81 SONS, INC., PUBLICATION, 2003.
- [35] "Nanoscience and nanotechnologies: opportunities and uncertainties," The Royal Society & The Royal Academy of Engineering, UK, ISBN 0 85403 604 0, 2004.
- [36] Ibrahim Khan, Khalid Saeed, and Idrees Khan, "Nanoparticles: Properties, applications and toxicities," Arabian Journal of Chemistry, vol. 12, p. 908–931, 2019.
- [37] "Nanoparticles Vocabulary," BSI Standards Publication, ISBN 978 0 580 70137 5, 2011.
- [38] A. Alagarasi, "INTRODUCTION TO NANOMATERIALS," in INTRODUCTION TO NANOMATERIALS., 2011, ch. 1, pp. 1-24.
- [39] S. S. Shankar, A. Ahmad, and M. Sastry, "Geranium leave assisted biosynthesis of silver nanoparticles.," Biotechnology progress, vol. 19, no. 6, pp. 1627-1631, 2003.

- [40] Antonios N Papadopoulos and Hamid R Taghiyar, "Innovative Wood Surface Treatments Based on Nanotechnology," Coatings, vol. 9, no. 866, pp. 1-14, December 2019.
- [41] Mangala Joshi and Bapan Adak, "Advances in Nanotechnology Based Functional, Smart and Intelligent Textiles: A Review," Comprehensive Nanoscience and Nanotechnology (Second Edition), vol. 5, pp. 253-290, 2019.
- [42] David Alcantara and Lee Josephson, "Magnetic Nanoparticles for Application in Biomedical Sensing," Frontiers of Nanoscience, vol. 4, pp. 269-289, 2012.
- [43] Pavankumar Naik, Rajeshwari Gamanagatti, Jagadeesh Meti, and Nagaraj Telkar, "Importance of Nano-Technology in Different discipline," International Journal of Technology, vol. 7, no. 1, pp. 56-68, 2017.
- [44] Haleema Saleem and Syed Javaid Zaidi, "Sustainable Use of Nanomaterials in Textiles and Their Environmental Impact," materials, vol. 13, no. 5134, pp. 1-28, November 2020.
- [45] Phuong Nguyen-Tri, Tuan Anh Nguyen, Pascal Carriere, and Cuong Ngo Xuan, "Nanocomposite Coatings: Preparation, Characterization, Properties, and Applications," International Journal of Corrosion, vol. 2018, pp. 1-19, February 2018.
- [46] Li Xu et al., "Silver nanoparticles: Synthesis, medical applications and biosafety," Theranostics, vol. 10, no. 20, pp. 8996-9031, July 2020.
- [47] Jyothi U Menon et al., "Nanomaterials for Photo-Based Diagnostic and Therapeutic Applications," Theranostics, vol. 3, no. 3, pp. 152-166, 2013.
- [48] Artur Y Prilepskii, Nikita S Serov, Daniil V Kladko, and Vladimir V Vinogradov,
 "Nanoparticle-Based Approaches towards the Treatment of Atherosclerosis,"
 Pharmaceutics, vol. 12, no. 1056, pp. 1-31, November 2020.
- [49] Yanxiao Feng, Yuechuan Zhang, Cuifeng Ying, Deqiang Wang, and Chunlei Du, "Nanopore-based Fourth-generation DNA Sequencing Technology," Genomics Proteomics Bioinformatics, vol. 13, pp. 4-16, March 2015.
- [50] Jayanta Kumar Patra et al., "Nano based drug delivery systems: recent developments and future prospects," Journal of Nanobiotechnology, vol. 16, pp. 1-33, 2018.

- [51] Abiodun Solanke, D M Ajayi, and A O Arigbede, "Nanotechnology and its Application in Dentistry," Annals of Medical and Health Sciences Research, vol. 4, no. 3, pp. 171-177, 2014.
- [52] Carmine D'Amico, Flavia Fontana, Ruoyu Cheng, and Helder A Santos, "Development of vaccine formulations: past, present, and future," Drug Delivery and Translational Research, vol. 11, p. 353–372, February 2021.
- [53] A. Aqel, K.M.M.A. El-Nour, R.A.A. Ammar, and A. Al-Warthan, "Carbon nanotubes, science and technology part (I) structure, synthesis and characterisation.," Arabian Journal of Chemistry, vol. 5, pp. 1-23, 2012.
- [54] A. Astefanei, O. Nunez, and M. T. Galceran, "Characterisation and determination of fullerenes: a critical review," Analytica Chimica Acta, vol. 882, pp. 1-28, 2015.
- [55] E. C. Dreaden, A. M. Alkilany, X. Huang, C. J. Murphy, and M. A. El-Sayed, "The golden age: gold nanoparticles for biomedicine.," Chemical Society Reviews, vol. 41, p. 2740–2779, 2012.
- [56] A. GOLDSTEIN, Y. SOROKA, M. FRUSIC-ZLOTKIN, I. POPOV, and R. KOHEN, "High resolution SEM imaging of gold nanoparticles in cells and tissues," Journal of Microscopy, vol. 256, no. 3, p. 237–247, 2014.
- [57] S. Thomas, B.S.P. Harshita, P. Mishra, and S. Talegaonkar, "Ceramic nanoparticles: fabrication methods and applications in drug delivery.," Current Pharmaceutical Design, vol. 21, p. 6165–6188, 2015.
- [58] T. Hisatomi, J. Kubota, and K. Domen, "Recent advances in semiconductors for photocatalytic and photoelectrochemical water splitting.," Chemical Society Reviews, vol. 43, p. 7520–7535, 2014.
- [59] M. Mansha, I. Khan, N. Ullah, and A. Qurashi, "Synthesis, characterization and visible-light-driven photoelectrochemical hydrogen evolution reaction of carbazolecontaining conjugated polymers.," International Journal of Hydrogen Energy, vol. 42, no. 16, pp. 10952-10961, 2017.

- [60] M. Gujrati et al., "Multifunctional cationic lipid-based nanoparticles facilitate endosomal escape and reduction-triggered cytosolic siRNA release.," Molecular Pharmaceutics, vol. 11, p. 2734–2744, 2014.
- [61] V. Singh, P. Yadav, and V. Mishra, "Recent Advances on Classification, Properties, Synthesis, and Characterization of Nanomaterials," Green Synthesis of Nanomaterials for Bioenergy Applications, vol. 1, pp. 83-97, 2020.
- [62] J. Jeevanandam, A. Barhoum, Y. S. Chan, A. Dufresne, and M. K. Danquah, "Review on nanoparticles and nanostructured materials: history, sources, toxicity and regulations," Beilstein Journal of Nanotechnology, vol. 9, p. 1050–1074, 2018.
- [63] Vikas Sarsar, Krishan Selwal, and Manjit K Selwal, "African Journal of Biotechnology Nanosilver: Potent antimicrobial agent and its biosynthesis," AFRICAN JOURNAL OF BIOTECHNOLOGY, vol. 13, no. 4, pp. 546-554, January 2014.
- [64] J. Sarkar, S. Saha, D. Chattopadhyay, S. Patra, and K. Acharya, "Mycosynthesis of silver nanoparticles and investigation of their antimicrobial activity.," Journal of Nanoscience, Nanoengineering & Applications, vol. 1, p. 17–26, 2011.
- [65] V. K. Sharma, R. A. Yngard, and Y. Lin, "Silver nanoparticles: Green synthesis and their antimicrobial activities.," Advances in Colloid and Interface Science, vol. 145, p. 83–96, 2009.
- [66] P. V. Kamat, "Photophysical, photochemical and photocatalytic aspects of metal nanoparticles," The Journal of Physical Chemistry B, vol. 106, pp. 7729-7744, 2002.
- [67] Thomas G Slama, "Gram-negative antibiotic resistance: there is a price to pay," Critical Care, vol. 12, no. 4, pp. 1-4, 2008.
- [68] P. Sanpui, A. Murugadoss, P. V. Prasad, S. S. Ghosh, and A. Chattopadhyay, "The Antibacterial Properties of a Novel Chitosan-Ag-Nanoparticle Composite," International Journal of Food Microbiology, vol. 124, no. 2, p. 142–146, 2008.
- [69] Rik M. Brydson and Chris Hammond, "Generic methodologies for nanotechnology: classification and fabrication," in Nanoscale Science and Technology, Robert W.

Kelsall, Ian W. Hamley, and Mark Geoghegan, Eds. West Sussex, England: John Wiley & Sons Ltd, 2005, ch. 1, pp. 32-51.

- [70] P. Pattekari et al., "Top-down and bottom-up approaches in production of aqueous nanocolloids of low solubility drug paclitaxel," Physical Chemistry Chemical Physics, vol. 13, p. 9014–9019, 2011.
- [71] Jack R. Brent, Nicky Savjani, and Paul O'Brien, "Synthetic approaches to twodimensional transition metal dichalcogenide nanosheets," Progress in Materials Science, vol. 89, p. 411–478, 2017.
- [72] Hazrat Al, Ezzat Khan, and Ikram Ilahi, "Environmental Chemistry and Ecotoxicology of Hazardous Heavy Metals: Environmental Persistence, Toxicity, and Bioaccumulation," Journal of Chemistry, vol. 2019, pp. 1-14, 2019.
- [73] Mazeyar Parvinzadeh Gashti, Farbod Alimohammadi, Guowen Song, and Amir Kiumarsi, "Characterization of nanocomposite coatings on textiles: a brief review on Microscopic technology," Current Microscopy Contributions to Advances in Science and Technology, pp. 1424-1437, December 2012.
- [74] Rudeerat Suntako, "Effect of synthesized ZnO nanograins using a precipitation method for the enhanced cushion rubber properties," Materials Letters, vol. 158, pp. 399-402, 2015.
- [75] V. V. Ursaki et al., "Multiphonon resonant Raman scattering in ZnO crystals and nanostructured layers," PHYSICAL REVIEW B, vol. 70, pp. 155204-155212, 2004.
- [76] Syed Md Humayun Akhter, Faiz Mohammad, and Shamim Ahmad, "Green Synthesis of Metal Oxide Nanoparticles and Studies of Their Antibacterial Efficacy against Common Pathogens," Advances in Nanoscience and Nanotechnology, vol. 3, no. 1, pp. 1-7, 2019.
- [77] M M Kholoud, El Nour Abou , Eftaiha Ala'a, Abdulrhman Al Warthan, and Reda A Ammar, "Synthesis and applications of silver nanoparticles," Arabian Journal of Chemistry, vol. 3, pp. 135-140, 2010.
- [78] Zhi Zhang et al., "Recent advances in synthetic methods and applications of silver nanostructures," Nanoscale Research Letters, vol. 13, no. 54, pp. 1-18, 2018.

- [79] off Evan and G. Chumanov, "Size-controlled synthesis of nanoparticles. 2. measurement of extinction, scattering, and absorption cross sections.," The Journal of Physical Chemistry B, vol. 108, p. 13957–13962, 2004.
- [80] M. Oliveira, D. Ugarte, D. Zanchet, and A. Zarbin, "Influence of synthetic parameters on the size, structure, and stability of dodecanethiol stabilized silver nanoparticles.," Journal of Colloid and Interface Science, vol. 292, p. 429–435, 2005.
- [81] J.P. Sylvestre, A.V. Kabashin, E. Sacher, M. Meunier, and J.H.T. Luong, "Stabilization and size control of gold nanoparticles during laser ablation in aqueous cyclodextrins," Journal of the American Chemical Society, vol. 2004, no. 126, p. 7176–7177, 2004.
- [82] M. Kawasaki and N. Nishimura, "1064-nm laser fragmentation of thin Au and Ag flakes in acetone for highly productive pathway to stable metal nanoparticles," Applied Surface Science, vol. 2006, no. 253, p. 2208–2216, 2006.
- [83] S. Link, C. Burda, B. Nikoobakht, and M. El-Sayed, "Laser-Induced shape changes of colloidal gold nanorods using femtosecond and nanosecond laser pulses," The Journal of Physical Chemistry B, vol. 104, p. 6152–6163, 2000.
- [84] H. Huang and Y. Yang, "Preparation of silver nanoparticles in inorganic clay suspensions," Composites Science and Technology, vol. 68, p. 2948–2953, 2008.
- [85] Y. Zhou et al., "A Novel ultraviolet irradiation photoreduction technique for the preparation of single- crystal Ag nanorods and Ag dendrites," Advanced Materials, vol. 11, p. 850–852, 1999.
- [86] Y. Krutyakov, A. Olenin, A. Kudrinskii, P. Dzhurik, and G. Lisichkin, "Aggregative stability and polydispersity of silver nanoparticles prepared using two-phase aqueous organic systems," Nanotechnologies in Russia, vol. 3, p. 303–310, 2008.
- [87] Y. Socol et al., "Suspensive electrode for-mation in pulsed sonoelectrochemical synthesis of silver nanoparticles," Langmuir, vol. 18, p. 4736–4740, 2002.
- [88] D.G. Shchukin, I.L. Radtchenko, and G. Sukhorukov, "Photoinduced reduction of silver inside microscale polyelectrolyte capsules," Chem Phys Chem, vol. 4, p. 1101– 1103, 2003.

- [89] R. Jin et al., "Controlling anisotropic nanoparticle growth through plasmon excitation," Nature, vol. 425, p. 487–490, 2003.
- [90] R. Sato-Berru, R. Redon, A. Vazquez-Olmos, and J. Saniger, "Silver nanoparticles synthesized by direct photoreduction of metal salts- Application in surface-enhanced Raman spectroscopy," Journal of Raman Spectroscop, vol. 40, p. 376–380, 2009.
- [91] M.N. Nadagouda, T.F. Speth, and R. Varma, "Microwave-assisted green synthesis of silver nanostructures," Accounts of Chemical Research, vol. 44, p. 469–478, 2011.
- [92] V. Polshettiwar, M.N. Nadagouda, and R. Varma, "Microwave assisted chemistry: A rapid and sustainable route to synthesis of organics and nanomaterials," Australian Journal of Chemistry, vol. 62, p. 16–26, 2009.
- [93] J.P. Abid, A.W. Wark, P.F. Brevet, and H.H. Girault, "Preparation of silver nanoparticles in solution from a silver salt by laser irradiation," Chemical Communications, no. 7, p. 792–793, 2002.
- [94] S. Eutis et al., "Growth and fragmentation of silver nanoparticles in their synthesis with a fs laser and CW light by photo-sensitization with benzophenone," Photochemical & Photobiological Sciences, vol. 4, p. 154–159, 2005.
- [95] C. Johans, J. Clohessy, S. Fantini, K. Kontturi, and V.J. Cunnane, "Electrosynthesis of polyphenylpyrrole coated silver particles at a liquid-liquid interface," Electrochemistry Communications, vol. 4, p. 227–230, 2002.
- [96] Y. Zhang et al., "Synthesis of silver nanoparticles via electrochemical reduction on compact zeolite film modified electrodes," Chemical Communications, vol. 24, p. 2814–2815, 2002.
- [97] H. Ma et al., "Synthesis of silver and gold nanoparticles by a novel electrochemical method," Chem Phys Chem, vol. 24, p. 68–75, 2004.
- [98] Jin Chang and Eric R. Waclawik, "Colloidal semiconductor nanocrystals: controlled synthesis and surface chemistry in organic media," RSC Advances, vol. 4, p. 23505– 23527, 2014.

- [99] Luca Guerrini, Ramon A. Alvarez-Puebla, and Nicolas Pazos-Perez, "Surface Modifications of Nanoparticles for Stability in Biological Fluids," materials, vol. 11, no. 1154, pp. 1-28, 2018.
- [100] Ana Luísa Daniel-da-Silva and Tito Trindade, Nanoscience & Nanotechnology-Surface Chemistry of Colloidal Nanocrystals. United Kingdom: Royal Society of Chemistry, 2021.
- [101] Nurul Akmal Che Lah and Sonia Trigueros, "Synthesis and modelling of the mechanical properties of Ag, Au and Cu nanowires," Engineering and Structural Materials, vol. 20, no. 1, pp. 225-261, 2019.
- [102] M. Oliveira, D. Ugarte, D. Zanchet, and A. Zarbin, "Influence of synthetic parameters on the size, structure, and stability of dodecanethiol stabilized silver nanoparticles," Journal of Colloid and Interface Science, vol. 292, p. 429–435, 2005.
- [103] M. Brust and C. Kiely, "Some recent advances in nanostructure preparation from gold and silver particles: a short topical review," Colloids and Surfaces A: Physicochemical and Engineering Aspects, vol. 202, p. 175–186, 2002.
- [104] M. Chen et al., "Silver nanoparticles capped by oleylamine: formation, growth, and self organization," Langmuir, vol. 23, p. 5296–5304, 2007.
- [105] D. Kim, S. Jeong, and J. Moon, "Synthesis of silver nanoparticles using the polyol process and the influence of precursor injection," Nanotechnology, vol. 17, no. 16, pp. 4019-4024, 2006.
- [106] Y. Zhang, H. Peng, W. Huang, Y. Zhou, and D. Yan, "Facile preparation and characterization of highly antimicrobial colloid Ag or Au nanoparticles," Journal of Colloid and Interface Science, vol. 325, p. 371–376, 2008.
- [107] A. Troupis, A. Hiskia, and E. Papaconstantinou, "Synthesis of metal nanoparticles by using polyoxometalates as photocatalysts and stabilizers," Angewandte Chemie International Edition, vol. 41, p. 1911–1914, 2002.
- [108] Jayanta Kumar Patra and Kwang-Hyun Baek, "Green Nanobiotechnology: Factors Affecting Synthesis and Characterization Techniques," Journal of Nanomaterials, vol. 2014, pp. 1-12, 2014.

- [109] Kholoud M.M., Abou El-Nour, Alaa Eftaiha, Abdulrhman Al-Warthan, and Reda A.A. Ammar, "Synthesis and applications of silver nanoparticles," Arabian Journal of Chemistry, vol. 3, p. 135–140, 2010.
- [110] Duan H, Wang D, and Li Y, "'Green chemistry for nanoparticle synthesis'," Chemical Society Reviews, vol. 44, no. 16, p. 5778–5792, 2015.
- [111] K Paulkumar et al., "Eco-friendly Synthesis of Silver Chloride Nanoparticles using Klebsiella planticola (MTCC 2277)," International Journal of Green Chemistry and Bioprocess, vol. 3, no. 1, pp. 12-16, 2013.
- [112] Jose L. Adrio and Arnold L. Demain, "Microbial Enzymes: Tools for Biotechnological Processes," Biomolecules, vol. 4, pp. 117-139, 2014.
- [113] Asmaa Mohamed El Shafey, "Green synthesis of metal and metal oxide nanoparticles from plant leaf extracts and their applications: A review," Green Processing and Synthesis, vol. 9, p. 304–339, 2020.
- [114] Pietro Tundo et al., "Synthetic pathways and processes in green chemistry. Introductory overview," Pure and Applied Chemistry, vol. 72, no. 7, pp. 1207-1228, 2000.
- [115] Oxana V. Kharissova, Boris I. Kharisov, Cesar Maximo Oliva Gonzalez, Yolanda Pena Mendez, and Israel Lopez, "Greener synthesis of chemical compounds and materials," Royal Society Open Science, vol. 6, no. 11, pp. 1-41, 2019.
- [116] Deepti Mittal, Gurjeet Kaur, Parul Singh, Karmveer Yadav, and Syed Azmal Ali, "Nanoparticle-Based Sustainable Agriculture and Food Science: Recent Advances and Future Outlook," Frontiers in Nanotechnology, vol. 2, pp. 1-38, 2020.
- [117] Siddhant Jain and Mohan Singh Mehata, "Medicinal Plant Leaf Extract and Pure Flavonoid Mediated Green Synthesis of Silver Nanoparticles and their Enhanced Antibacterial Property," Scientific Reports, vol. 7, pp. 1-13, 2017.
- [118] Prathap S. Chandran, Minakshi Chaudhary, Renu Pasricha, Absar Ahmad, and Murali Sastry, "Synthesis of Gold Nanotriangles and Silver Nanoparticles Using Aloevera Plant Extract," Biotechnology progress, vol. 22, no. 2, pp. 577-583, 2006.

- [119] S. Maensiri et al., "Indium oxide (In2O3) nanoparticles using Aloe vera plant extract: Synthesis and optical properties," Optoelectronics and Advanced Materials, vol. 2, no. 3, pp. 161-165, 2008.
- [120] J. Kasthuri, S. Veerapandian, and N. Rajendiran, "Biological synthesis of silver and gold nanoparticles using apiin as reducing agent," Colloids and Surfaces B: Biointerfaces, vol. 68, no. 1, p. 55–60, 2009.
- [121] S. S. Shankar, A. Rai, A. Ahmad, and M. Sastry, "Rapid synthesis of Au, Ag, and bimetallic Au core Ag shell nanoparticles using Neem (Azadirachta indica) leaf broth," Journal of Colloid and Interface Science, vol. 275, no. 2, pp. 496-502, 2004.
- [122] Sadhan Kumar Chaudhuri and Lalit Malodia, "Biosynthesis of zinc oxide nanoparticles using leaf extract of Calotropis gigantea: characterization and its evaluation on tree seedling growth in nursery stage," Applied Nanoscience, vol. 7, p. 501–512, 2017.
- [123] K. B. Narayanan and N. Sakthivel, "Coriander leaf mediated biosynthesis of gold nanoparticles.," Materials Letters, vol. 62, p. 4588–4590, 2008.
- [124] S. S. Shankar, A. Rai, A. Ahmad, and M. Sastry, "Controlling the optical properties of lemongrass extract synthesized gold nanotriangles and potenial application in infrared-absorbing optical coatings.," Chemistry of Materials, vol. 17, p. 566–572, 2005.
- [125] D. Phili and C. Unni, "Extracellular biosynthesis of gold and silver nanoparticles using Krishna tulsi (Ocimum sanctum) leaf," Physica E: Low-dimensional Systems and Nanostructures, vol. 43, p. 1318–1322, 2011.
- [126] S. P. Dubey, M. Lahtinen, and M. Sillanpaa, "Tansy fruit mediated greener synthesis of silver and gold nanoparticles," Process Biochemistry, vol. 45, p. 1065–1071, 2010.
- [127] B. Ankamwar, "Biosynthesis of gold nanoparticles (green-gold) using leaf extract of Terminalia catappa," Journal of Chemistry, vol. 7, p. 1334–1339, 2010.
- [128] Protima Rauwel, Siim Kuunal, Stanislav Ferdov, and Erwan Rauwel, "A Review on the Green Synthesis of Silver Nanoparticles and Their Morphologies Studied via TEM," Advances in Materials Science and Engineering, vol. 2015, pp. 1-9, 2015.

- [129] Pritam Kumar Dikshit et al., "Green Synthesis of Metallic Nanoparticles: Applications and Limitations," catalysts, vol. 11, no. 902, pp. 1-35, 2021.
- [130] I.M. Banat, P. Nigam, D. Singh, and R. Marchant, "Biomimetic Synthesis of Silver Nanoparticles for Breast Cancer Therapeutics and Its Mechanism," International Journal of Nanotechnology and Nanomedicine, vol. 3, no. 1, pp. 1-9, 2018.
- [131] K. Kalimuthu, R.S. Babu, D. Venkatataraman, M. Bilal, and S. Gurunathan, "Biosynthesis of silver nanocrystals by Bacillus licheniformis," Colloids and Surfaces B, vol. 65, pp. 150-153, 2008.
- [132] Fu J.K. et al., "Characterization of adsorption and reduction of noble metal ions by bacteria," Chem. J. Chinese Universities, vol. 20, pp. 1452-1454, 1999.
- [133] K.C. Bhainsa and S.F. D'Souza, "Extracellular synthesis using the fungus Aspergillus fumigates," Colloids and Surfaces B, vol. 47, pp. 152-157, 2006.
- [134] N. Vigenshwaran, A. Kathe, P.V. Nacahe, and R.H. Balasubrmamnya, "Biomemtics of silver nanoparticles by white rot fungus, Phaenerochaete chrysospouirm," Colloids and Surfaces B, vol. 53, pp. 55-59, 2006.
- [135] S. Basavaraja, S.D. Balaji, A. Lagashetty, A.H. Rajasab, and A. Venkataraman, "Extracellular biosynthesis of silver nanoparticles using the fungus Fusarium semitectum," Materials Research Bulletin, vol. 43, pp. 1164-1170, 2008.
- [136] K. Kathiresan, S. Manivannan, M.A. Nabeal, and B. Dhivya, "Studies on silver nanoparticles synthesized by a marine fungus, Pencillium fellutanum isolated from coastal mangrove sediment," Colloids and Surfaces B, vol. 71, pp. 133-137, 2009.
- [137] K.K. Selwal, V. Sarsar, and M.K. Selwal, "Green synthesis of silver nanoparticles using leaf extract of Mangifera indica and evaluation of their antimicrobial activity," Journal of Microbiology and Biotechnology Research, vol. 3, no. 5, pp. 27-32, 2013.
- [138] A. Singh, D. Jain, M. Upadhyay, and N. Khandelwal, "Green synthesis of silver nanoparticles using Argemone mexicana leaf extract and evaluation of their antimicrobial activities," Journal of Nanomaterials, vol. 5, pp. 483-489, 2010.

- [139] M. Dubey, S. Bhadauria, and B.S. Kushwah, "Green synthesis of nanosilver particles from extract of Eucalyptus hybrid (Safeda) leaf," Digest Journal of Nanomaterials and Biostructures, vol. 4, pp. 537-543, 2009.
- [140] A Banso, "Phytochemical and antibacterial investigation of bark extracts of Acacia nilotica," Journal of Medicinal Plant Research, vol. 3, no. 5, pp. 82-85, 2009.
- [141] Erdman M D, Erdman B A, "Calotropis procera as a source of plant hydrocarbons'," Economic Botany, vol. 35, no. 4, pp. 467-472, 1981.
- [142] R. G. Haverkamp and A. T. Marshall, "The mechanism of metal nanoparticle formation in plants: limits on accumulation.," Journal of Nanoparticle Research, vol. 11, p. 1453–1463, 2009.
- [143] A.R. Shahverdi, S. Minaeian, H.R. Shahverdi, H. Jamalifar, and A. Nohi, "Rapid synthesis of silver nanoparticles using culture supernatants of Enterobacteria: A novel biological approach," Process Biochemistry, vol. 42, p. 919–923, 2007.
- [144] K. Govindaraju, S.K. Basha, V.G. Kumar, and G. Singaravelu, "Silver gold and bimetallic nanoparticles production using single-cell protein (Spirulina platensis) Geitler," Journal of Materials Science, vol. 43, p. 5115–5122, 2008.
- [145] T. Klaus, R. Joerger, E. Olsson, and C.G. Granqvist, "Silver-based crystalline nanoparticles, microbially fabricated," Proceedings of the National Academy of Sciences of the USA, vol. 96, p. 13611–13614, 1999.
- [146] T. Klaus, R. Joerger, E. Olsson, and C.G. Granqvist, "Silver-based crystalline nanoparticles, microbially fabricated," in Proceedings of the National Academy of Sciences, USA, 1999, p. 13611–13614.
- [147] R.M. Slawson, D.M. Van, H. Lee, and J. Trevor, "Germanium and silver resistance, accumulation and toxicity in microorganisms," Plasmid, vol. 27, p. 73–79, 1992.
- [148] T. Klaus-Joerger, R. Joerger, E. Olsson, and C.G. Granqvist, "Bacteria as workers in the living factory: metal-accumulating bacteria and their potential for materials science," Trends in Biotechnology, vol. 19, p. 15–20, 2001.

- [149] K. Kalishwaralal, V. Deepak, S. Ramkumarpandian, H. Nellaiah, and G. Sangiliyandi, "Extracellular biosynthesis of silver nanoparticles by the culture supernatant of Bacillus licheniformis," Materials Letters, vol. 62, p. 4411–4413, 2008.
- [150] K. Kalishwaralal, V. Deepak, S. Ramkumarpandian, M. Bilal, and S. Gurunathan, "Biosynthesis of silver nanocrystals by Bacillus licheniformis," Colloids and Surfaces B, vol. 65, p. 150–153, 2008.
- [151] A. Ahmad et al., "Extracellular biosynthesis of silver nanoparticles using the fungus Fusarium oxysporum," Colloids and surfaces B: Biointerfaces, vol. 28, no. 4, p. 313– 318, 2003.
- [152] I.D.G. Macdonald and W. Smith, "Orientation of Cytochrome c adsorbed on a citratereduced silver colloid surface," Langmuir, vol. 12, p. 706–713, 1996.
- [153] C.D. Keating, K.K. Kovaleski, and M. Natan, "Heightened electromagnetic fields between metal nanoparticles: surface enhanced Raman scattering from metal-Cytochrome c-metal sandwiches.," The Journal of Physical Chemistry B, vol. 102, p. 9414–9425, 1998.
- [154] A. Jebali, F. Ramezani, and B. Kazemi, "Biosynthesis of silver nanoparticles by Geotricum sp.," Journal of Cluster Science, vol. 22, p. 225–232, 2011.
- [155] S.A. Kumar et al., "Nitrate reductase-mediated synthesis of silver nanoparticles from AgNO3," Biotechnology Letters, vol. 29, p. 439–445, 2007.
- [156] K. Kathiresan, S. Manivannan, M.A. Nabeel, and B. Dhivya, "Studies on silver nanoparticles synthesized by a marine fungus, Penicillium fellutanum isolated from coastal mangrove sediment," Colloids and Surfaces B: Biointerfaces, vol. 71, p. 133– 137, 2009.
- [157] I. Maliszewska, K. Szewczyk, and Waszak. K, "Biological synthesis of silver nanoparticles," Journal of Physics: Conference Series, vol. 146, p. 1–6, 2009.
- [158] Z. Sadowski, I.H. Maliszewska, B. Grochowalska, I. Polowczyk, and T. Kozlecki, "Synthesis of silver nanoparticles using microorganisms," Materials Science-Poland, vol. 26, p. 419–424, 2008.

- [159] E. Żymańczyk-Duda, M. Brzezińska-Rodak, M. Klimek-Ochab, M. Duda, and A. Zerka, "Yeast as a versatile tool in biotechnology," Yeast Industrial Applications, vol. 1, p. 3–40, 2017.
- [160] S. Siddiquee et al., "Heavy metal contaminants removal from wastewater using the potential filamentous fungi biomass: a review," Journal of Microbial & Biochemical Technology, vol. 7, no. 6, p. 384–393, 2015.
- [161] A. Rana, K. Yadav, and S. Jagadevan, "A comprehensive review on green synthesis of nature-inspired metal nanoparticles: mechanism, application and toxicity," Journal of Cleaner Production, vol. 272, no. 5, pp. 1-22, 2020.
- [162] S.S. Salem and A. Fouda, "Green synthesis of metallic nanoparticles and their prospective biotechnological applications: an overview," Biological Trace Element Research, vol. 199, p. 344–370, 2020.
- [163] F. Elahian, R. Heidari, V.R. Charghan, E. Asadbeik, and S.A. Mirzaei, "Genetically modified Pichia pastoris, a powerful resistant factory for gold and palladium bioleaching and nanostructure heavy metal biosynthesis," Artificial Cells, Nanomedicine, and Biotechnology, vol. 48, no. 1, p. 259–265, 2020.
- [164] A. Mourato, M. Gadanho, A.R. Lino, and R. Tenreiro, "Biosynthesis of crystalline silver and gold nanoparticles by extremophilic yeasts," Bioinorganic Chemistry and Applications, vol. 2011, pp. 1-8, 2011.
- [165] J.G. Fernández et al., "Production of silver nanoparticles using yeasts and evaluation of their antifungal activity against phytopathogenic fungi," Process Biochemistry, vol. 51, no. 9, p. 1306–1313, 2016.
- [166] A. Sukhwal, D. Jain, A. Joshi, P. Rawal, and H.S. Kushwaha, "Biosynthesised silver nanoparticles using aqueous leaf extract of Tagetespatula L. and evaluation of their antifungal activity against phytopathogenic fungi," IET Nanobiotechnology, vol. 11, no. 5, p. 531–537, 2016.
- [167] S. Iravani, "Green synthesis of metal nanoparticles using plants," Green Chemistry, vol. 13, p. 2638–2650, 2011.

- [168] R. Sharma et al., "Therapeutic Potential of Calotropis procera: A giant milkweed," IOSR Journal of Pharmacy and Biological Sciences, vol. 4, no. 2, pp. 42-57, 2012.
- [169] H. Firdous and S. Marwah. (2021, August) A lybrate web site. [Online]. HYPERLINK "https://www.lybrate.com/topic/chirata-swertia-chirata-benefits-andside-effects" https://www.lybrate.com/topic/chirata-swertia-chirata-benefits-and-sideeffects
- [170] (2021, august) A Sydler Group of Companies web site. [Online]. HYPERLINK "http://www.sydlerindia.com/herbal-extract-phytochemials/triphala/" http://www.sydlerindia.com/herbal-extract-phytochemials/triphala/
- [171] C.P. Khare, Indian Medicinal Plants: An Illustrated Dictionary, Springer reference ed., C.P. Khare, Ed. Springer, Verlag Berlin/Heidelberg: Springer Science+BusinessMedia, LLC., 2007.
- [172] G. Sagratini et al., "Phytochemical and antioxidant analysis of eight Hypericum taxa from Central Italy," vol. 79, no. 3, pp. 210-213, 2008.
- [173] M. Saxena, J. Saxena, and S. Khare, "A brief review on: Therapeutical values of Lantana camara plant," International Journal of Pharmacy & Life Sciences, vol. 3, no. 3, pp. 1551-1554, 2012.
- [174] K.B. Narayanan and N. Sakthivel, "Green synthesis of biogenic metal nanoparticles by terrestrial and aquatic phototrophic and heterotrophic eukaryotes and biocompatible agents," Advances in Colloid and Interface Science, vol. 169, no. 2, pp. 59-79, 2011.
- [175] C. Krishnaraj et al., "Synthesis of silver nanoparticles using Acalypha indica leaf extracts and its antibacterial activity against water borne pathogens," Colloids and Surfaces B: Biointerfaces, vol. 76, no. 1, pp. 50-56, 2010.
- [176] J. Sivakumar, C. Premkumar, P. Santhanam, and N. Saraswathi, "Biosynthesis of Silver Nanoparticles Using Calotropis gigantean Leaf," African Journal of Basic & Applied Sciences, vol. 3, no. 6, pp. 265-270, 2011.
- [177] Suresh Sagadevan et al., "Exploring the therapeutic potentials of phyto-mediated silver nanoparticles formed via Calotropis procera (Ait.) R. Br. root extract,"

JOURNAL OF EXPERIMENTAL NANOSCIENCE, vol. 15, no. 1, p. 217–232, 2020.

- [178] N. Mude, A. Ingle, A. Gade, and M. Rai, "Synthesis of silver nanoparticles using callus extract of Carica papaya—a first report," Journal of Plant Biochemistry and Biotechnology, vol. 18, p. 83–86, 2009.
- [179] T. C. Prathna, N. Chandrasekaran, A. M. Raichur, and A. Mukherjee, "Biomimetic synthesis of silver nanoparticles by Citrus limon (lemon) aqueous extract and theoretical prediction of particle size," Colloids and Surfaces B: Biointerfaces, vol. 82, p. 152–159, 2011.
- [180] S Ravindra, Murali Y. Mohan, Narayana N. Reddy, and Mohana K. Raju, "Fabrication of antibacterial cotton fibres loaded with silver nanoparticles via "green approach"," Colloids and Surfaces A: Physicochemical and Engineering Aspects, vol. 367, pp. 31-40, 2010.
- [181] M. Dubey, S. Bhadauria, and B. S. Kushwah, "Green synthesis of nanosilver particles from extract of Eucalyptus hybrida (Safeda) leaf," Digest Journal of Nanomaterials and Biostructures, vol. 4, p. 537–543, 2009.
- [182] Ravichandran Veerasamya et al., "Biosynthesis of silver nanoparticles using mangosteen leaf extract and evaluation of their antimicrobial activities," Journal of Saudi Chemical Society, vol. 15, no. 2, pp. 113-120, 2010.
- [183] Harekrishna Bar et al., "Green synthesis of silver nanoparticles using latex of Jatropha curcas," Colloids and Surfaces A: Physicochemical and Engineering Aspects, vol. 339, no. 1-3, pp. 134-139, 2009.
- [184] T. Mochochoko, O. S. Oluwafemi, D. N. Jumbam, and S. P. Songca, "Green synthesis of silver nanoparticles using cellulose extracted from an aquatic weed; water hyacinth," Carbohydrate Polymers, vol. 98, p. 290–294, 2013.
- [185] U. K. Parashar and P. S. Saxena, "Bioinspired synthesis of silver nanoparticles," Journal of Nanomaterials, vol. 4, p. 159–166, 2009.
- [186] Jagpreet Singh, Navalpreet Singh, Aditi Rathi, Deepak Kukkar, and Mohit Rawat, "Facile approach to synthesize and characterization of silver nanoparticles by using

mulberry leaves extract in aqueous medium and its application in antimicrobial activity," Journal of Nanostructures, vol. 7, no. 2, p. 134–140, 2017.

- [187] Santhoshkumar Thirunavukkarasu et al., "Synthesis of silver nanoparticles using Nelumbo nucifera leaf extract and its larvicidal activity against malaria and filariasis vectors," Parasitology Research, vol. 108, p. 693–702, 2011.
- [188] J. Singh, A. Mehta, M. Rawat, and S. Basu, "Green synthesis of silver nanoparticles using sun dried tulsi leaves and its catalytic application for 4-nitrophenol reduction," Journal of Environmental Chemical Engineering, vol. 6, p. 1468–1474, 2018.
- [189] A.R. Vilchis-Nestor et al., "Solventless synthesis and optical properties of Au and Ag nanoparticles using Camellia sinensis extract," Materials Letters, vol. 62, p. 3103– 3105, 2008.
- [190] N.A. Begum, S. Mondal, S. Basu, R.A. Laskar, and D. Mandal, "Biogenic synthesis of Au and Ag nanoparticles using aqueous solutions of Black Tea leaf extracts," Colloids and Surfaces B: Biointerfaces, vol. 71, p. 113–118, 2009.
- [191] J. Kesharwani, K.Y. Yoon, J. Hwang, and M. Rai, "Phytofabrication of silver nanoparticles by leaf extract of datura metel: hypothetical mechanism involvedin synthesis," Journal of Bionanoscience, vol. 3, p. 1–6, 2009.
- [192] S. Li et al., "Green synthesis of silver nanoparticles using Capsicum annuum L. extract," Green Chemistry, vol. 9, p. 852–858, 2007.
- [193] E.K. Elumalai et al., "Extracellular synthesis of silver nanoparticles using leaves of Euphorbia hirta and their antibacterial activities," Journal of Pharmaceutical Sciences and Research, vol. 2, p. 549–554, 2010.
- [194] C. Krishnaraj et al., "Synthesis of silver nanoparticles using Acalypha indica leaf extracts and its antibacterial activity against water borne pathogens," Colloids and Surfaces B: Biointerfaces, vol. 76, p. 50–56, 2010.
- [195] T.N.V.K.V. Prasad and E. Elumalai, "Biofabrication of Ag nanoparticles using Moringa oleifera leaf extract and their antimicrobial activity," in Asian Pacific Journal of Tropical Biomedicine, 2011, p. 439–442.

- [196] J. Huang et al., "Biogenic Silver nanoparticles by cacumen platycladi extract: synthesis, formation mechanism, and antibacterial activity," Industrial & Engineering Chemistry Research, vol. 50, p. 9095–9106, 2011.
- [197] M. Sathishkumar et al., "Cinnamon zeylanicum bark extract and powder mediated green synthesis of nano-crystalline silver particles and its bactericidal activity," Colloids and Surfaces B: Biointerfaces, vol. 73, p. 332–338, 2009.
- [198] J. Kasthuri, S. Veerapandian, and N. Rajendiran, "Biological synthesis of silver and gold nanoparticles using apiin as reducing agent," Colloids and Surfaces B: Biointerfaces, vol. 68, p. 55–60, 2009.
- [199] M. Safaepour, A.R. Shahverdi, H.R. Shahverdi, M.R. Khorramizadeh, and A.R. Gohari, "Green synthesis of small silver nanoparticles using geraniol and its cytotoxicity against fibrosarcoma-Wehi 164," Avicenna Journal of Medical Biotechnology, vol. 1, p. 111–115, 2009.
- [200] A.J. Kora, R.B. Sashidhar, and J. Arunachalam, "Gum kondagogu (Cochlospermum gossypium): A template for the green synthesis and stabilization of silver nanoparticles with antibacterial application," Carbohydrate Polymers, vol. 82, p. 670– 679, 2010.
- [201] Mazen A. M. Al Sulaibi, C. Thiemann, and T. Thiemann, "Chemical Constituents and Uses of Calotropis Procera and Calotropis Gigantea – A Review (Part I – The Plants as Material and Energy Resources)," Open Chemistry Journal, vol. 7, pp. 1-15, 2020.
- [202] S.K. Arya and V.D Agarwal, "Antiquity of arka kalpna in Ayurvedic classics," Sacitra Ayurveda, vol. 38, pp. 477-480, 1985.
- [203] V. N. Verma, "The Chemical Study of Calotropis," International Letters of Chemistry, Physics and Astronomy, vol. 20, pp. 74-90, 2014.
- [204] B. Ebbell, "A contribution to the earliest history of leprosy," International Journal of Leprosy, vol. 3, pp. 257-263, 1935.
- [205] A.M.E Greiss, "Anatomical identification of plant remains materials from (1) El-Omari excavation at Helwan from the firstand other dynasty," Bulletin Institute of Egypt, vol. 36, pp. 227-235, 1955.

- [206] A.M. Dieye, M.A. Tidjani, A. Diouf, E. Bassene, and B. Faye, "Senegalese pharmacopeia: study of acute toxicity and antitussive activity of C. procera (Ait.)," Dakar Medical, vol. 38, pp. 69-72, 1993.
- [207] A.A. Qureshi, O. Shaista, D.B. Sanghai, S.R. Setty, and N.S. Bhajipale, "Phytochemical constituents and pharmacological activities of Calotropis procera," Plant Archives, vol. 8, pp. 23-27, 2008.
- [208] T. Juncker, M. Schumacher, M. Dicato, and M. Diederich, "UNBS1450 from Calotropis procera as a regulator of signaling pathways involved in proliferation and cell death," Biochemical Pharmacology, vol. 78, no. 1, pp. 1-10, 2009.
- [209] J. Himanshu, M.P. Gururaja, and S Divya, "Calotropis gigantea R. Br. (Asclepiadaceae)," International Journal of Pharmaceutical Research, vol. 3, pp. 10-14, 2011.
- [210] S. Quazi, K. Mathur, and S. Arora, "Calotropis procera: an overview of its phytochemistry and pharmacology," Indian Journal of Drugs, vol. 1, pp. 63-69, 2013.
- [211] M. Kadiyala, S. Ponnusankar, and K. Elango, "Calotropis gigantiea (L.) R. Br (Apocynaceae): a phytochemical and pharmacological review," Journal of Ethnopharmacology, vol. 150, no. 1, pp. 32-50, 2013.
- [212] A. Krings, F. Areces Berazain, and J.C. Lazcano Lara, "New and rediscovered milkweeds from Cuba: Calotropis gigantea and Gonolobus stephanotrichus," Willdenowia, vol. 35, pp. 315-318, 2005.
- [213] A Cavalcante and I. Major, "Invasion of alien plants in the Caatinga biome," Ambio, vol. 35, no. 3, pp. 141-143, 2006.
- [214] C. A. Gracia, N. Rangel-Buitrago, and J. D. Castro-Barros, "Non-native plant species in the Atlantico Department Coastal Dune Systems, Caribbean of Colombia: A new management challenge," Marine Pollution Bulletin, vol. 141, pp. 603-610, 2019.
- [215] S. Quazi, K. Mathur, and S. Arora, "CALOTROPIS PROCERA: AN OVERVIEW OF ITS PHYTOCHEMISTRY AND PHARMACOLOGY," Indian Journal of Drugs, vol. 1, no. 2, pp. 63-69, 2013.

- [216] M. Rajani and S. K. Gupta, "Anti-tumor studies with extracts of Calotropis procera (Ait.) R.Br. root employing Hep2 cells and their possible mechanism of action," Indian Journal of Experimental Biology, vol. 47, no. 5, pp. 343-348, 2009.
- [217] A. Perwez and A. Mohammad, "Phytochemicalin vestigation of Calotropis procer roots," Indian Journal of Chemistry, vol. 48, no. 3, pp. 443-446, 2009.
- [218] U.A.M. Ahmed et al., "Evaluation of insecticidal potentialities of aqueous extracts from Calotropis procera ait. Against Henosepilachna elaterii rossi.," Journal of Applied Sciences, vol. 6, no. 1, pp. 2466-2470, 2006.
- [219] S.N. Yoganarasimhan, "Medicinal plants of India. Regional research institute (Ay.) Bangalore, Tamil Ayurvedic uses and Pharmacological activities of Calotropis procera Linn.," Asian Journal of Traditional Medicines, vol. 2, no. 1, p. 97, 2011.
- [220] V. V. Gawade, N. L. Gavade, H. M. Shinde, S. B. Babar, and A. N. Kadam, "Green synthesis of ZnO nanoparticles by using Calotropis procera leaves for the photodegradation of methyl orange," Journal of Materials Science, vol. 28, p. 14033– 14039, 2017.
- [221] D. Ayodhya and G. Veerabhadram, "One-pot green synthesis, characterization, photocatalytic, sensing and antimicrobial studies of Calotropis gigantea leaf extract capped CdS NPs," Materials Science and Engineering B, vol. 225, p. 33–44, 2017.
- [222] E. M. Ali and B. M. Abdallah, "Effective Inhibition of Candidiasis Using an Eco-Friendly Leaf Extract of Calotropis-gigantean-Mediated Silver Nanoparticles," Nanomaterials, vol. 10, no. 422, pp. 1-16, February 2020.
- [223] N. H. Mohamed, M. A. Ismail, W. M. Abdel-Mageed, and A. A. Mohamed Shoreit, "Antimicrobial activity of green silver nanoparticles from endophytic fungi isolated from Calotropis procera (Ait) latex," Microbiology, vol. 2019, no. 165, p. 967–975, 2019.
- [224] S. Mourdikoudis, R. M. Pallares, and N. T. K. Thanh, "Characterization techniques for nanoparticles: comparison and complementarity upon studying nanoparticle properties," Nanoscale, vol. 2018, no. 10, p. 12871–12934, 2018.

- [225] S. B. Chaudhari, "INVESTIGATION OF STRUCTURAL AND MECHANICAL PROPERTIES OF POLYMER-SILICA NANOCOMPOSITE," The Maharaja Sayajirao University of Baroda, PhD Thesis 2014.
- [226] D. Krishnaiah, T. Devi, A. Bono, and R. Sarbatly, "Studies on Phytochemical Constituents of Six Malaysian Medicinal Plants," Journal of Medicinal Plants Research, vol. 3, no. 2, pp. 67-72, 2009.
- [227] R.N. Okigbo, U.E. Eme, and S. Ogbogu, "Biodiversity and Conservation of Medicinal and Aromatic Plants in Africa," Biotechnology Microbiology and Molecular Biology Reviews, vol. 3, no. 6, pp. 127-134, 2008.
- [228] M.M. Cowan, "Plant Products as Antimicrobial Agents," Clinical Microbiology Reviews, vol. 12, no. 4, p. 564–582, 1999.
- [229] N. Grover, R. Meena, and V. Patni, "Physiochemical Evaluation, Phytochemical Screening and Chromato-graphic Fingerprint Profile of Woodfordia fruticosa (l.) Kurz Extracts," International Journal of Pharmaceutical Sciences and Research, vol. 5, no. 7, pp. 2772-2782, 2014.
- [230] S.A. Preetha, "DEVELOPING HERBAL ANTIMICROBIAL FINISHED COTTON FABRIC FOR WOUND DRESSING," Avinashilingam Institute for Home Science and Higher Education for Women, Coimbatore, PhD Thesis 2019.
- [231] O.D. Sparkman, Z. Penton, and F.G. Kitson, Gas Chromatography and Mass Spectrometry: A Practical Guide, 2nd ed. California, United States of America: Academic Press, 2011.
- [232] A.V. Giri, J. Byun, and S. Pennathur, "Quantitative Analysis of Amino Acid Oxidation Markers by Tandem Mass Spectrometry," Methods in Enzymology, vol. 491, pp. 73-89, 2011.
- [233] Mahendran Vanaja, Dr. Gnanadhas Gnanajobitha, Rajeshkumar Shanmugam, and Malarkodi Chelladurai, "Phytosynthesis of silver nanoparticles by 'Cissus quadrangularis', influence of physiochemical factors," Journal Of Nanostructure in Chemistry, vol. 17, no. 3, 2013.

- [234] P Mulvaney, "Surface plasmon spectroscopy of nanosized metal particles," Langmuir, vol. 12, p. 788–800, 1996.
- [235] R. Augustine, N. Kalarikkal, and S. Thomas, "A facile and rapid method for the black pepper leaf mediat green synthesis of silver nanoparticles and the antimicrobial study," Applied Nanoscience, vol. 4, p. 809–818, 2014.
- [236] C. Mühlfeld et al., "Visualization and quantitative analysis of nanoparticles in the respiratory tract by transmission electron microscopy," Particle and Fibre Toxicology, vol. 4, no. 11, pp. 1-17, 2007.
- [237] E. Rodríguez-León et al., "Synthesis of silver nanoparticles using reducing agents obtained from natural sources (Rumex hymenosepalus extracts)," Nanoscale Research Letters, vol. 8, no. 318, pp. 1-9, 2013.
- [238] K.L. Goh, M.K. Aswathi, R.T. De Silva, and S. Thomas, Interfaces in Particle and Fibre Reinforced Composites. United Kingdom: Woodhead Publishing, 2020.
- [239] Thomas J. Hughes, "Plug Formation and Dissociation of Mixed Gas Hydrates and Methane Semi-Clathrate Hydrate Stability," UNIVERSITY OF CANTERBURY, Australia, PhD Thesis 2008.
- [240] F.S. Rocha, A.J. Gomes, C.N. Lunardi, S. Kaliaguine, and G.S. Patience, "Experimental methods in chemical engineering: Ultraviolet visible spectroscopy— UV-Vis," The Canadian Journal of Chemical Engineering, vol. 96, no. 12, pp. 2512-2517, 2018.
- [241] M.R. Sharpe, "Stray light in UV-VIS spectrophotometers," Analytical Chemistry, vol. 56, no. 2, pp. 339A-356A, 1984.
- [242] M. Picollo, M. Aceto, and T. Vitorino, "UV-Vis spectroscopy," Physical Sciences Reviews, vol. 4, no. 4, pp. 1-8, 2019.
- [243] M. Deepty et al., "XRD, EDX, FTIR and ESR spectroscopic studies of co-precipitated Mn–substituted Zn–ferrite nanoparticles," Ceramics International, vol. 45, no. 6, pp. 8037-8044, 2019.

- [244] Xiangqian Li, Huizhong Xu, Zhe-Sheng Chen, and Guofang Chen, "Biosynthesis of Nanoparticles by Microorganisms and Their Applications," Journal of Nanomaterials, vol. 2011, pp. 1-16, 2011.
- [245] S.S. Leong, W.M. Ng, J.K. Lim, and S.P. Yeap, Handbook of Materials Characterization.: Springer, Cham, 2018.
- [246] R. Sandhu, N. Singh, J. Dhankhar, K. Gandhi, and R. Sharma, "Dynamic light scattering (DLS) technique, principle, theoretical considerations and applications," in Nanotechnological and Biochemical Techniques for Assessing the Quality and Safety of Milk and Milk Products.: ICAR-NDRI, ICAR-NDRI 2018, pp. 135-137.
- [247] L. Filipponi and D. Sutherland, "NANOYOU Teachers Training Kit in nanoscience," Aarhus University, Denmark, Chapter 6 Characterisation Methods 2010.
- [248] U. Phromsuwan, C. Sirisathitkul, Y. Sirisathitkul, B. Uyyanonvara, and P. Muneesawang, "Application of Image Processing to Determine Size Distribution of Magnetic Nanoparticles," Journal of Magnetics, vol. 18, no. 3, pp. 311-316, 2013.
- [249] Y. C. Wang, M. H. Engelhard, D. R. Baer, and D.G. Castner, "Quantifying the Impact of Nanoparticle Coatings and Nonuniformities on XPS Analysis: Gold/Silver Core-Shell Nanoparticles," Analytical Chemistry, vol. 88, no. 7, p. 3917–3925, 2016.
- [250] S. Agnihotri and N. K. Dhiman, "Development of Nano-Antimicrobial Biomaterials for Biomedical Applications," in Advances in Biomaterials for Biomedical Applications, Advanced Structured Materials ed. Singapore: Springer, 2017, vol. 66, pp. 479-545.
- [251] N. Mao, "6Methods for characterisation of nonwoven structure, property, and performance," in Advances in Technical Nonwovens.: Woodhead Publishing, 2016, ch. 6, pp. 155-211.
- [252] L. Milenković, P. Škundrić, R. Sokolović, and T. Nikolić, "Comfort Properties of Defense Protective Clothings," Working and Living Environmental Protection, vol. 1, no. 4, p. 101–106, 1999.
- [253] O. Pamuk, "e-Journal of New World Sciences Academy," New World Sciences Academy, vol. 3, no. 1, pp. 69-74, 2008.

- [254] A. D. Gun, "Dimensional, physical and thermal comfort properties of plain knitted fabrics made from modal viscose yarns having microfibers and conventional fibers," Fibers and Polymers, vol. 12, no. 2, pp. 258-267, 2011.
- [255] "Standard test method for air permeability of textile fabrics," ASTM International, ASTM D737, 2018.
- [256] C. N. Joshi, "DEVELOPMENT OF SUN PROTECTIVE FABRIC BY ENHANCING UV SHIELDING PROPERTY," The Maharaja Sayajirao University of Baroda, PhD Thesis 2016.
- [257] S. Motlogelwa, "Comfort and durability in high-performance clothing," in High-Performance Apparel - Materials, Development, and Applications.: Woodhead Publishing Series in Textiles, 2018, ch. 10, pp. 209-219.
- [258] M. Basuk, M. Choudhari, S. Maiti, and R. V. Adivarekar, "Moisture Management Properties of Textiles and Its Evaluation," Current Trends in Fashion Technology & Textile Engineering, vol. 3, no. 3, pp. 50-55, 2018.
- [259] M.D. Sharma and A. Kumar, "Antimicrobial Management of Sepsis and Septic Shock," Elsevier, vol. 29, no. 4, pp. 677-687, 2008.
- [260] S. Chaman, G.S. Shalini, and K.R. Anil, "Study of Antimicrobial Properties Of Medicinal Plants By Agar Well Diffusion Method," World Journal of Pharmaceutical Research, vol. 2, no. 3, pp. 713-722, 2013.
- [261] A. De Pasquale, "Pharmacognosy: The Oldest Modern Science," Journal of Ethnopharmacol, vol. 11, no. 1, pp. 1-16, 1984.
- [262] H.W. Swofford, "An overview of antimicrobial testing for textile applications," AATCC Review, vol. 2010, no. 6, pp. 51-55, 2010.
- [263] C. Mohanasundari, D. Natarajan, K. Srinivasan, S. Umamaheswari, and A. Ramachandran, "Antimicrobial properties of Passiflora foetida L. acommon exotic medicinal plant," African Journal of Biotechnology, vol. 6, no. 23, pp. 2650-2653, 2007.
- [264] T. Ramachandran, K. Rajendra kumar, and R. Rajendran, "Decontamination of Hospital and Healthcare," Inidian Journal of Engineering, vol. 84, pp. 42-47, 2004.

- [265] AATCC Test Method 147, "Antibacterial Activity Assessment of Textile Materials -AATCC Test Method 147," AATCC technical Manual, pp. 261-262, 1998.
- [266] "Test Method for Antibacterial Activity of Textile Materials: Parallel Streak," AATCC Committee, Manual of International Test Methods and Procedures/2021 AATCC TM147-2011(2016)e, 2021.
- [267] J. Hudzicki, "Kirby-Bauer Disk Diffusion Susceptibility Test Protocol," American Society for Microbiology, ASM Test Protocol 2009.
- [268] JAMES J BIEMER, "Antimicrobial Susceptibility Testing by the Kirby-Bauer Disc Diffusion Method," Annals of Clinical Laboratory Science, vol. 3, no. 2, pp. 135-140, 1973.
- [269] Tijana Ristic et al., "Antimicrobial efficiency of functionalized cellulose fibres as potential medical textiles," Science against microbial pathogens: communicating current research and technological advances, vol. 1, no. 1, pp. 36-51, January 2011.
- [270] C. Delahaye et al., "Antimicrobial and Antifungal Analysis of Crude Extracts from the Leaves of Callistemon viminalis," Journal of Medical and Biological Sciences, vol. 3, no. 1, pp. 1-7, 2009.
- [271] M. Balouiri, M. Sadiki, and S. K. Ibnsouda, "Methods for in vitro evaluating antimicrobial activity: A review," Journal of Pharmaceutical Analysis, vol. 2016, no. 6, pp. 71-79, 2016.
- [272] "TM100-TM 100 Test Method for Antibacterial Finishes on Textile Materials," American Association of Textile Chemists and Colorists, North Carolina, USA, AATCC test method AATCC TM 100, 2019.
- [273] S. JAYAPRIYA and G. BAGYALAKSHMI, "TEXTILE ANTIMICROBIAL TESTING AND STANDARDS," International Journal of Textile and Fashion Technology, vol. 4, no. 1, pp. 1-10, 2013.
- [274] S. JAYAPRIYA, "EFFICACY OF ECO-FRIENDLY ANTIMICROBIAL FINISH ON ORGANIC COTTON AND BAMBOO KNIT FABRICS," Avinashilingam Institute for Home Science and Higher Education for Women, Coimbatore, PhD Thesis 2018.

- [275] S. J. Sturla et al., "Systems Toxicology: From Basic Research to Risk Assessment," Chemical Research in Toxicology, vol. 27, no. 3, p. 314–329, 2014.
- [276] S. Parasuraman, "Toxicological screening," Journal of Pharmacology & Pharmacotherapeutics, vol. 2, no. 2, p. 74–79, 2011.
- [277] Abramov, O. V., Gedanken, A., Koltypin, Y., and Perkas, N., Perelshtein, I., Joyce, E., & Mason, T, "Pilot scale sonochemical coating of nanoparticles onto textiles to produce biocidal fabrics. Surface and Coatings Technology, 204(5), 718–722," 2009.
- [278] M. A. Alam, M. R. Habib, and R. Nikkon, "Antimicrobial activity of akanda (Calotropis gigantea L.) on some pathogenic bacteria," Bangladesh Journal of Scientific and Industrial Research, vol. 43, p. 397–404, 2008.
- [279] Pant R & Chaturvedi K, "'Chemical analysis of Calotropis procera latex'," Curr Sci, vol. 58, no. 13, pp. 740-724, 1989.
- [280] Ali A. and Shahid M. A., "Polyvinyl Alcohol (PVA)–Azadirachta indica (Neem) Nanofibrous Mat for Biomedical Application: Formation and Characterization'," Journal of Polymers and the Environment, pp. 1-10, 2019.
- [281] W Ibrahim, Z Sarwar, S Abid, U Munir, and A Azeem, "Aloe Vera Leaf Gel Extract for Antibacterial and Softness Properties of Cotton," Journal of Textile Science & Engineering, vol. 7, no. 3, pp. 1-6, 2017.
- [282] T.B Selvi, R. Rajendren, B. Nithyalakshmi, and S. Gayathirignaneswari, "Antimicrobial Activity of Cotton Fabric Treated with Aloevera Extract," International Journal of Applied Environmental Sciences, vol. 6, no. 2, pp. 127-131, 2011.
- [283] Krishnamoorthy P and Jayalakshmi T., "Preparation, characterization and synthesis of silver nanoparticles by using phyllanthusniruri for the antimicrobial activity and cytotoxic effects', Journal of Chemical and Pharmaceutical Research, 4(11), 4783-4794," 2012.
- [284] Fan K., & Granville, A., "Surface property modification of silver nanoparticles with Dopamine-functionalized poly (pentafluorostyrene) via RAFT polymerization'," Polymers, vol. 8, no. 3, 2016.

- [285] M.U. Rashid, Md. K.H. Bhuiyan, and E.M. Quayum, "Synthesis of Silver Nano Particles (Ag-NPs) and their uses for Quantitative Analysis of Vitamin C Tablets," Dhaka Univ. J. Pharm. Sci., vol. 12, no. 1, pp. 29-33, June 2013.
- [286] Jain S C, Sharma R, Jain R, Sharma R A, "Antimicrobial activity of Calotropis procera'," Fitoterapia, pp. 275-276, 1996.
- [287] B H Patel, M Z Channiwala, S B Chaudhari, and A A Mandot, "Biosynthesis of copper nanoparticles; its characterization and efficacy against human pathogenic bacterium'," Journal of Environmental Chemical Engineering, vol. 4, no. 2, pp. 2163-2169, 2016.
- [288] Asta ŠILEIKAITĖ, Judita PUIŠO, Igoris PROSYČEVAS, and Sigitas TAMULEVIČIUS, "Investigation of Silver Nanoparticles Formation Kinetics During Reduction of Silver Nitrate with Sodium Citrate," MATERIALS SCIENCE (MEDŽIAGOTYRA), vol. 15, no. 1, pp. 21-27, 2009.
- [289] "Liquid moisture management properties of textile fabrics," AATCC Committee, Test Method Manual AATCC 195-2011, 2011.
- [290] R. V. Radadiya, T. N. Shaikh, and B. H. Patel, "Effect of silver nano particles synthesized by milkweed (Calotropis) leaves extract on antibacterial activities of biomedical composites textile materials," in Industrial Textiles (Products, Applications and Prospects). New Delhi: Woodhead Publishing India Pvt. Ltd., 2022, ch. 4, pp. 33-54.
- [291] Sourav Bhattacharjee, "DLS and zeta potential What they are and what they are not?," Journal of Controlled Release, vol. 235, pp. 337-351, 2016.
- [292] A. Banso, "Phytochemical and antibacterial investigation of bark extracts of Acacia nilotica," Journal of Medicinal Plant Research, vol. 3, no. 5, p. 082 – 085, 2009.
- [293] Kalpesh B Ishnava, Jenabhai B Chauhan, Akanksha A Garg, and Arpit M Thakkar, "Antibacterial and phytochemical studies on Calotropis gigantia (L.) R. Br. latex against selected cariogenic bacteria," Saudi Journal of Biological Sciences, vol. 19, pp. 87-91, 2012.

- [294] Kaisa Klemola, John Pearson, Jyrki Liesivuori, and Pirjo Lindstrom, "Evaluating the toxicity of fabric extracts using the hepa-1 cytotoxicity test, the HaCaT cytotoxicity test and the spermatozoa motility inhibition test," The Journal of The Textile Institute, vol. 100, no. 4, pp. 330-337, 2009.
- [295] S. Chaudhuri and L. Malodia, "Biosynthesis of zinc oxide nanoparticles using leaf extract of Calotropis gigantea: characterization and its evaluation on tree seedling growth in nursery stage," Applied Nanoscience, vol. 7, p. 501–512, 2017.
- [296] L. Rastegar, M. Montazer, and H. Gaminian, "Clean low-temperature in situ synthesis of durable silvernanoparticles along with aminolysis of polyester fabric usingdopamine hydrochloride," Clean Technologies and Environmental Policy, vol. 18, no. 6, pp. 2019-2026, 2016.
- [297] V. K. Midha and A. Dakuri, "Spun bonding technology and fabric properties: A review," Journal of Textile Engineering & Fashion Technology, vol. 1, no. 4, pp. 126-133, 2017.
- [298] D. Saravanan, "UV PROTECTION TEXTILE MATERIALS," AUTEX Research Journal, vol. 7, no. 1, pp. 53-62, March 2007.
- [299] T. N. Shaikh, S. B. Chaudhari, B. H. Patel, and M. Patel, "Gauging performance of biosynthesized silver nanoparticles loaded polypropylene nonwoven based textile electrodes for 3-lead health monitoring electro cardiogram on analogous system," Journal of Industrial Textiles, June 2021.
- [300] M. P. Cohen et al., "Apple of Sodom (Calatropis procera) Callus Extract, a Novel Skincare Active and Its Biological Activity in Skin Models When Combined with Dead Sea Water," Journal of Cosmetics, Dermatological Sciences and Applications, vol. 8, pp. 73-91, 2018.
- [301] R. P. Pawar, "SEPARATION AND IDENTIFICATION OF ACTIVE CONSTITUENTS OF CALOTROPIS GIGANTEA LATEX, BY HPLC, FTIR, UV-VISIBLE AND CLASSICAL TECHNIQUES.," World Journal of Pharmaceutical and Life Sciences, vol. 2, no. 6, pp. 590-596, 2016.

- [302] M. Ndikau, N. M. Noah, D. M. Andala, and E, Masika, "Green Synthesis and Characterization of Silver Nanoparticles Using Citrullus lanatus Fruit Rind Extract," International Journal of Analytical Chemistry, vol. 2017, pp. 1-9, 2017.
- [303] M. Parlinska-Wojtan, M. Kus-Liskiewicz, J. Depciuch, and O. Sadik, "Green synthesis and antibacterial effects of aqueous colloidal solutions of silver nanoparticles using camomile terpenoids as a combined reducing and capping agent," Bioprocess and Biosystems Engineering, vol. 39, p. 1213–1223, 2016.
- [304] S. Sumathi, A. Thomas, and E. Wesely, "Study on Antimicrobial Activity of Organic Cotton Fabric Treated with Microencapsulated Herbal Extract," International Journal of Biological & Pharmaceutical Research, vol. 6, no. 4, pp. 259-263, 2015.
- [305] Jaison Jeevanandam, Ahmed Barhoum, Yen S Chan, Alain Dufresne, and Michael K Danquah, "Review on nanoparticles and nanostructured materials: history, sources, toxicity and regulations," Beilstein Journal of Nanotechnology, vol. 9, p. 1050–1074, 2018.
- [306] S. K. Khanzada et al., "Analysis of fatty acid, elemental and total protein of Calotropis pocera.," Pakistan Journal of Botany, vol. 40, no. 5, pp. 1913-1921, 2008.
- [307] (2022, May) PubChem. [Online]. HYPERLINK "https://pubchem.ncbi.nlm.nih.gov/compound/Decanoic-acid"\l"section=Structures"
- [308] G. Nenaah, "Antimicrobial activity of Calotropis procera Ait. (Asclepiadaceae) and isolation of four flavonoid glycosides as the active constituents," World Journal of Microbiology and Biotechnology, vol. 29, p. 1255–1262, 2013.
- [309] S. Heneidak, R. Grayer, G. Kite, and M.S.J. Simmonds, "Flavonoid glycosides from Egyptian species of the tribe Asclepiadeae (Apocynaceae, subfamily Asclepiadoideae)," Biochemical Systematics and Ecology, vol. 34, p. 575–584, 2006.
- [310] (2022, May) PubChem. [Online]. HYPERLINK "https://pubchem.ncbi.nlm.nih.gov/compound/Decyl-alpha-D-glucopyranoside"\l "section=2D-Structure" https://pubchem.ncbi.nlm.nih.gov/compound/Decyl-alpha-D-glucopyranoside#section=2D-Structure

- [311] A. Mungole et al., "Active phytochemical potentiality of in- vitro regenerated plantlets of Canscora decurrens (Dalzell)," Indian Journal of Science and Technology, vol. 3, no. 6, p. 679 – 683, 2010.
- [312] O. A. Sodipo, M. A. Akanji, F. B. Kolawole, and A. A. Odutuga, "Saponin is the active antifungal principle in Garcinia kola, heckle seed," Bioscience Biotechnology Research Communications, vol. 3, p. 171, 1991.
- [313] J. N. Ogbulie, C. C. Ogueke, L. C. Okoli, and B. N. Anyanwu, "Antibacterial activities and toxicological potential of crude ethanolic extract of euphorbia hirta," African Journal of Biotechnology, vol. 6, no. 13, p. 1544 – 1548, 2007.
- [314] A. J. Afolayan and A. O. T. Ashafa, "Chemical composition and antimicrobial activity of the oil from Chrysocoms ciliata L Leaves," Journal of Medicinal Plant Research, vol. 3, no. 5, p. 390 – 394, 2009.
- [315] E. G. Hoag et al., "Degradation of bromothymol blue using nano iron synthesized through greener method," Journal of Materials Chemistry, vol. 19, pp. 8671-8677, 2009.
- [316] A. Richardson, B. C. Chan, R. D. Crouch, and A. Janiec, "Synthesis of silver nanoparticles: an under -graduate laboratory using green approach," Journal of Chemical Education, vol. 11, p. 331–333, 2006.
- [317] A. M. Shafey, "Green synthesis of metal and metal oxide nanoparticles from plant leaf extracts and their applications: A review," Green Processing and Synthesis, vol. 9, p. 304–339, 2020.
- [318] J. Kesharwani, K. Y. Yoon, J. Hwang, and M. Rai, "Phytofabrication of silver nanoparticles by leaf extract of datura metal: hypothetical mechanism involved in synthesis," Journal of Bionanoscience, vol. 3, no. 1, p. 39–44, 2009.
- [319] O O Shobowale, N J Ogbulie, E E Itoandon, M O Oresegun, and S O Olatope, "Phytochemical and Antimicrobial Evaluation of Aqueous and Organic Extracts of Calotropis procera Ait Leaf and Latex," Nigerian Food Journal, vol. 31, no. 1, p. 77 – 82, 2013.
- [320] A. O. Dada, O. J. Ojediran, F. E. Dada, A. P. Olalekan, and O. J. Awaka, "GREEN SYNTHESIS AND CHARACTERIZATION OF SILVER NANOPARTICLES USING Calotropis procera EXTRACT," Journal of Applied Chemical Science International, vol. 8, no. 4, pp. 137-143, 2017.