

BIBLIOGRAPHY

BIBLIOGRAPHY

- Apte SV and Venkatachalam PS (1965).
The effect of ascorbic acid on the absorption of iron. *Ind J Med Res* 53:1084-86.
- AOAC (1984).
Association of Official Analytical Chemists, Official Methods of Analysis, 14th ed, Washington DC:166-169, 244-245, 746
- Armory AM and Schubert CL (1987).
A method to determine tannin concentration by the measurement and quantification of protein - tannin interaction. *Oecologia* 73:420-24.
- Aung Than Batu, Thein-Than and Thane-Toe (1976).
Iron absorption from South East Asian rice based meals. *Am J Clin Nutr* 29: 219-25.
- Baker CJL (1952).
The determination of oxalates in fresh plant material. *The analyst*, 77: 340-42.
- Ballot D, Baynes RD, Bothwell TM, Gillooly M, Macfarlane BJ, Macphail AP, Ryons G, Derman DP, Bezwoda WR, Torrance JD and Bothwell JE (1987).
The effects of fruit juices and fruits on the absorption of iron from a rice meal. *Br J Nutr* 57: 331-43.
- Banerjee D, Flanagan PR, Cluett J and Valberg LS (1986).
Transferrin receptors in the human gastrointestinal tract. Relationship to body iron stores. *Gastroenterology* 91: 861-69.
- Barton JC, Conrad ME and Parmley RTC (1983).
Calcium inhibition of inorganic iron absorption in rats. *Gastroenterology* 84: 90-101.
- Bhade S (1984).
The effect of addition of milk, ascorbic acid and fenugreek leaves on the ionizable iron content of diets as consumed by preschool anemic and non-anemic children. M.Sc Dissertation, M.S. University, Baroda, India.
- Billa U (1990).
In vitro availability of iron from typical regional meals of India. M.Sc thesis, M.S. University of Baroda, India.
- Bing FC (1972).
Assaying the availability of iron. *J Am Diet Assoc* 60: 114-22.

- Bjorn Rasmussen E (1974).
Iron absorption from wheat bread. *Nutr Metab* 16: 101-10.
- Bjorn Rasmussen E and Hallberg L (1974).
Effect of ascorbic acid on iron supplementation from maize supplemented with ferrous sulfate. *Nutr Metab* 16: 94-100.
- Bjorn Rasmussen E and Hallberg L (1970).
Effect of animal proteins on the absorption of food iron in man *Nutr Metab* 23: 192-202.
- Bothwell TH, Charlton RW, Cook JD and Finch CA (1979).
Iron metabolism in man. Blackwell Scientific Publications, London.
- Brittin GM and Raval D (1970).
Duodenal ferritin synthesis during iron absorption in the iron deficient rat. *J Lab Clin Med* 75: 811-17.
- Brune M, Rossander L and Hallberg L (1989).
Iron absorption and phenolic compounds. Importance of different phenolic structures. *European J Clin Nutr* 43: 547-58.
- Buttner W and Muhler JC (1959).
Effect of dietary iron on phosphate metabolism *Proc Soc Exptl Biol Med* 100: 440-45.
- Callender ST, Marney SR and Warner GT (1970).
Eggs and iron absorption. *Br J Hematol* 19: 657-61.
- Chapman BG and Campbell JA (1957).
Effect of calcium and phosphorus salts on the utilization of iron by anemic rats. *Br J Nutr* 11: 127-32.
- Charlton RW, Derman D, Skikne B, Lynch SR, Sayers MH, Torrence JD, and Bothwell TH (1977).
Iron stores, serum ferritin & iron absorption. In Brown EB, Aisen P, Fielding J and Crichton RR ed. *Proteins in iron metabolism*, Grune & Stratton, New York : 387-92.
- Chausow DG and Czarmwek MGL (1988).
The relative bioavailability of iron from feedstuffs of plant and animal origin to the chick. *Nutr Res* 8: 175-85.
- Chawala S, Saxena A and Seshadri S (1988).
In-vitro availability of iron in various green leafy vegetables *J Sci Food Agric* 46: 125-27.

- Chidambaram MV, Reddy MB, Thompson JL and Bates GW (1989).
In vitro studies of iron bio-availability. Probing the concentration and oxidation-reduction reactivity of pinto bean iron with ferrous chromogens. Biological Trace Element Research 19: 25-40.
- Christian P and Seshadri S (1989).
Counteracting the inhibitory effect of tea on the in vitro availability of iron from cereal meals. J Sci Food Agric 49: 431-36.
- Conrad ME and Crosby WT (1963).
Intestinal mucosal mechanisms controlling iron absorption. Blood 22: 406-15.
- Conard ME and Schade SG (1968).
Ascorbic acid Chelates in iron absorption: a role for hydrochloric acid and bile. Gastroenterology 55: 35-45.
- Cook JD (1977).
Absorption of food iron. Fed Proc, 36: 2028-32.
- Cook JD (1990).
Adaptation in iron metabolism. Am J Clin Nutr 51: 301-8.
- Cook JD, Layrisse M, Martinez Torres C, Walker R, Monsen E, Finch CA (1972).
Food iron absorption measured by an extrinsic tag. J Clin Invest 51: 805-15.
- Cook J, Minnich V, Moore C, Rasmussen A, Bradley W and Finch C (1973).
Absorption of fortification iron in bread. Am J Clin Nutr 26: 861-72.
- Cook JD and Monsen ER (1976).
Food iron absorption in man II. The effect of EDTA on absorption of nonheme iron. Am J Clin Nutr 29: 614-20.
- Cook JD and Monsen ER (1976).
Food iron absorption in human subjects. III comparison of the effect of animal proteins on nonheme iron absorption. Am J Clin Nutr 29: 859-67.
- Cook JD and Monsen ER (1977).
Vitamin C, the common cold and iron absorption. Am J Clin Nutr 30: 235-41.
- Cook JD, Morck TA and Lynch SR (1981).
The inhibitory effect of soy products on nonheme iron absorption in man. Am J Clin Nutr 34: 2622-29.

- Cook JD, Watson SS, Simpson KM, Lipschitz DA & Skinner BS (1984).
The effect of high ascorbic acid supplementation on body iron stores. *Blood* 64: 721-26.
- Cook JD, Dassenko SA and Whittaker P (1991).
Calcium supplementation: effect on iron absorption. *Am J Clin Nutr* 53: 106-11.
- Cowan JW, Esfaheni M, Salji JP and Azzam SA (1966).
Effect of phytate on iron absorption in the rat. *J Nutr* 90: 423-27.
- Crosby WS (1963).
The control of iron balance by the intestinal mucosa *Blood* 22: 441-49.
- Dawson RB, Rafals and Weintraub LR (1970).
Absorption of hemoglobin iron: The role of xanthine oxidase in the intestinal heme-splitting reaction. *Blood* 35: 94-103.
- Dawson-Hughes B, Seligson FH, and Hughes VA (1986).
Effect of calcium carbonate and hydroxyapatite on zinc and iron retention in post-menopausal women. *Am J Clin Nutr* 44: 83-8.
- Derman D, Sayers M, Lynch SR, Charlton RW and Bothwell TH (1977).
Iron absorption from a cereal based meal containing cane sugar fortified with ascorbic acid. *Br J Nutr* 38: 261-69.
- Dheer MS, Dallal GE, Smith KT, Taulbee JD and Dawson-Hughes B (1990).
Effects of different calcium sources on iron absorption in postmenopausal women. *Am J Clin Nutr*, 51: 95-99.
- Diem K and Lentner C (1970).
Documenta Geigy Scientific Tables, 7th ed, Basle: JR Geigy SA.
- Diet Atlas of India (1969).
Ed. Gopalan C, Balasubramanian SC, Ramasatri BV and Visweswara Rao K, National Institute of Nutrition. Indian Council of Medical Research, Hyderabad, India.
- Disler PB, Lynch SR, Bothwell RW, Walker RB and Mayet F (1975).
The effect of tea on iron absorption. *Gut* 16: 193-200.
- Dubach R, Callender ST and Moore CV (1948).
Studies in iron transportation and metabolism. VI Absorption of radioactive iron in patients with fever and with anemias of varied etiology. *Blood* 3:526-40.
- Dubach R, Moore CV and Callender S (1955).
Studies in iron transportation and metabolism IX. The excretion of iron as measured by the isotope technique. *J Lab Clin Med* 45:599-615.

- Ellis R. Morris ER & Mill AD (1982).
Bioavailability to rats of iron and zinc in calcium - iron phytate & Ca-Zn-Phytate complexes. Nutr. Res 2: 319-22.
- Faraji B, Reinhold JG and Abadi D (1981).
Human studies on iron absorption from fibre rich Iranian flat breads. Nutr Rep Int 23: 267-78.
- Food and Nutrition Board (1980).
Recommended Dietary Allowances, 9th rev. ed. Washington DC: National Academy of Sciences of Viglietti GC and Skinner JD (1981). Estimation of iron bioavailability in adolescents meals and snacks. J Am Diet Assoc 87: 903-8.
- Forbes AL, Adams CE, Arnaud MJ, Chichester CO, Cook JD, Marrison BN, Hurrell RF, Khan SG, Morris ER, Tanner JT and Whittaker P (1989).
Comparison of in vitro, animal and clinical determination of iron bioavailability: International Nutritional Anemia Consultative Group Task Force Report on iron bioavailability. Am J Clin Nutr 49: 225-38.
- Fritz JC and Pla GW (1972).
Vitamins and other nutrients. Application of the animal hemoglobin repletion test to measurement of iron availability in foods. J Assoc Off Anal Chem 55: 1128-32.
- Gillooly M, Bothwell TH, Torrance JD, MacPhail AP, Derman DP, Bezwoda WR, Mills W and Charlton RW (1983).
The effect of organic acids, phytates and polyphenols on the absorption of iron from vegetables. Br J Nutr 49: 331-42.
- Gillooly M, Bothwell TH et al (1984).
Factors affecting the absorption of iron from cereals. Br J Nutr 51: 37-46.
- Gopalan C, Rama Sastri BV and Balasubramanian BC (1989).
Nutritive value of Indian Foods, National Institute of Nutrition, Indian Council of Medical Research, Hyderabad, India.
- Gordon DT and Chav LS (1984).
Relationship of components in wheat bran and spinach to iron bioavailability in the Anemic rat. J Nutr 114: 526-35.
- Graf (1983).
Calcium binding to phytic acid. J Agri Food Chem 31: 851-55.
- Granick S (1946).
IX Increase of protein apoferritin in the gastrointestinal mucosa as a direct response to iron feeding. The function of ferritin in the regulation of iron absorption. J Biol Chem 164:737-46.

- Green R, Charlton RW, Stekel H, Bothwell T, Mayet FM, Adams B, Finch C and Layrisse M (1968).
Body iron excretion in man: A collaborative study. *Am J Med* 45: 336-53.
- Greenberg SM, Tuckag Heming AE and Mathews JK (1957).
Iron absorption and metabolism I. Interrelationship of ascorbic acid and vitamin E. *J Nutr* 63: 19-31.
- Greger JL, Krzykowski CE, Khazen RR and Krashoc CL (1987).
Mineral utilization by rats fed various commercially available calcium supplements or milk. *J Nutr* 117: 717-24.
- Greig WA (1952).
The effect of additions of calcium carbonate to the diet of breeding mice. *Br J Nutr* 6: 280-84.
- Hallberg L (1974).
The pool concept in food iron absorption and some of its implications. *Proc Nutr Soc* 33: 285-91.
- Hallberg L (1981).
Bioavailable nutrient density: a new concept applied in the interpretation of food iron absorption data. *Am J Clin Nutr* 34: 2242-47.
- Hallberg L (1981).
Bioavailability of dietary iron in man. *Ann Rev Nutr* 1: 123-47.
- Hallberg L (1985).
Availability of minerals - with special reference to iron. *Proc. XIII Int. Congr. Nutr Brighton* 254-57.
- Hallberg L and Bjorn Rasmussen E (1972).
Determination of iron absorption from whole diet: A new two-pool model using two radio iron isotopes given as heme and nonheme iron. *Scand J Hematol* 9:193-97.
- Hallberg L, Brune M and Rossander L (1989).
Iron absorption in man: ascorbic acid and dose dependent inhibition by phytate. *Am J Clin Nutr* 49: 140-44.
- Hallberg L, Garby L, Swanik R and Bjorn Rasmussen E (1974).
Iron absorption from South East Asian diets. *Am J Clin Nutr* 27: 826-36.
- Hallberg L and Rossander L (1982 a).
Absorption of iron from Western type lunch and dinner meals. *Am J Clin Nutr* 35: 502-09.

- Hallberg L and Rossander L (1982 b).
Effect of different drinks on the absorption of nonheme iron from composite meals. J Human Nutr Appl Nutr 36 A : 116-23.
- Hallberg L, Rossander L, Pearsson H and Svahn E (1982).
Deleterious effects of prolonged warming of meals on ascorbic acid content and iron absorption. Am J Clin Nutr 36: 846-50.
- Hallberg L and Rossander L (1984).
Improvement of iron nutrition in developing countries: Comparison of adding meat, soy protein, ascorbic acid, citric acid and ferrous sulfate on iron absorption from a simple Latin American type of meal Am J Clin Nutr 33: 577-83.
- Hallberg L, Rossander L and Skanberg AB (1987).
Phytates and the inhibitory effect of bran on iron absorption in man. Am J Clin Nutr 45: 988-96.
- Hallberg L, Brune M, Erlandson M, Sandberg AS and Rossander L (1991).
Calcium: effect of different amounts on nonheme and heme iron absorption in humans. Am J Clin Nutr 53: 112-19.
- Hann PF, Bale WF, Lawrence EO and Whipple GH (1939).
Radioactive iron and its metabolism in anemia. Its absorption, transportation and utilization J Exp Med 69:739-53.
- Hann PF, Bale WF, Ross JF Balfour WM & Whipple GH (1943).
Radioactive iron absorption by the GIT: influence of anemia, anoxia & antecedent feeding, distribution in growing dogs. J Exp Med 78: 169-88.
- Hathorn MKS (1971).
The influence of hypoxia on iron absorption in the rat. Gastroenterology 60: 76-81.
- Hazell T (1985).
Chemical forms and Bioavailability of Mineral: Iron. World Rev Nutr Diet 46: 45-63.
- Hazell T (1988).
Relating food composition data to iron availability from plant foods. Europe J Clin Nutr 42 : 509-17.
- Hazell T and Johnson IT (1987).
In vitro estimation of iron availability from a range of plant foods: influence of phytate, ascorbate and citrate. Br J Nutr 57: 223-33.
- Hegsted DM, Finch CA and Kinney T (1949).
The influence of diet on iron absorption II. The interrelation of iron and phosphorus. J Exp Med 90 : 147-57.

- Huebers HA, Huebers E, Csiba E, Rummel W and Finch CA (1983).
The significance of transferrin for intestinal iron absorption. Blood 61:283-90.
- Huebers H, Huebers E, Forth W, Rummel W (1971).
Binding of iron to a non-ferritin protein in the mucosal cells of normal and iron deficient rats during absorption. Life Sci 10: 1141-47.
- Hunt JR, Multen LM, Lykhan GI, Gallagher SH and Nielsen FH (1990).
Ascorbic acid : effect on ongoing iron absorption and status in iron depleted young women. Am J Clin Nutr 51: 649-55.
- Hurrell RF (1984).
Bioavailability of different iron compounds used to fortify formulas and cereals: Technological problems: In Iron nutrition in infancy and childhood. ed. Stekel A. Nestle Nutrition Workshop Series Vol.4, Nestle, Vevey/Raven Press, New York: 147-178.
- Hurrell RL, Lynch SR, Dassenko SA, Trinidad TP, and Cook JD (1988).
Influence of endogenous animal protein on iron absorption in humans. Am J Clin Nutr 47: 102-11.
- ICMR (1989 a).
Recommended, Dietary Intakes for Indians, National Institute of Nutrition, Indian Council of Medical Research, New Delhi.
- ICMR (1989 b).
Evaluation of the National Nutritional Anemia Prophylaxis Programme. An Indian Council of Medical Research Task Force Study. New Delhi: 44-50.
- Inove KH and Hagerman AE (1988).
Determination of gallotannin with rhodanine. Anal Biochem 169 : 363-69.
- Jacobs A and Greenman DA (1969).
Availability of food iron Br Med J 1:673-76
- Kelsay JL (1981).
Effect of dietary fibre levels on bowel function and trace mineral balance of human subjects. Cereal Chem 58: 2-5.
- Kojima N, Wallace D, and Bates G (1981).
The effect of chemical agents, beverages and spinach on the in vitro solubilization of iron from cooked pinto beans. Am J Clin Nutr 34: 1392-1401.

- Layrisse M, Cook JD, Martinez C, Roche M, Kuhn IN, Walker RB and Finch CA (1969).
Food iron absorption a comparison of vegetable and animal foods. *Blood* 33: 430-43.
- Layrisse M and Martinez-Torres C (1972).
Model for measuring the dietary absorption from heme iron. Measurement of the total iron absorption from a complete meal. *Am J Clin Nutr* 25:401-11.
- Layrisse M, Martinez - Torres C and Gonzales M (1974).
Measurement of the total daily dietary iron absorption by the extrinsic tag model. *Am J Clin Nutr* 27: 152-62.
- Layrisse M, Martinez-Torres C and Roche M (1968).
Effect of interaction of various foods on iron absorption. *Am J Clin Nutr* 21: 1175-83.
- Layrisse M, Martinez-Torres C, Leets J, Taylor P & Raminez J (1984).
Effect of histidine, cysteine glutathione or beef on iron absorption in humans. *J Nutr* 114: 217-23.
- Lee K (1982).
Iron chemistry and bioavailability in food processing. In Kees, C. Nutritional bioavailability of iron. American Chemical Society. (ACS) Symposium Series 203, Washington: 27-54.
- Lipschitz DA, Simpson KM, Cook JD and Morris ER (1979).
Absorption of mooferric phytate by dogs. *J Nutr* 109:1154-60.
- Lynch SR (1980).
Ascorbic acid and iron nutrition *Contemporary Nutr* 5 (9): 1-2.
- Lynch SR and Cook JD (1980).
Interactio of vitamin C and iron. *Ann N Y Acad Sci* 355 : 32-44.
- Lynch SR, Dassenko SA, Morck TA, Beard JC and Cook JD (1985).
Soy protein products and heme iron absorption in human. *Am J Clin Nutr* 41: 13-20.
- Lynch SR, Beard JL, Dassenko SA and Cook JD (1984).
Iron absorption from legunes in humans. *Am J Clin Nutr* 40: 42-47.
- Macfarlane BJ, Riet WB, Bothwell TH, Baynes RD, Siegenberg D, Schmidt U, Tal A, Taylor JRN and Mayet F (1990).
Effect of traditional oriental soy products on iron absorption. *Am J Clin Nutr* 51: 873-80.
- Magnusson B, Bjorn Rasmussen E, Hallberg L and Rossender L (1981).
Iron absorption in relation to iron status, *Scand J Haematol* 27 : 201-208.

- Makkar HPS, Dawra RK and Singh B (1987).
Protein precipitation assay for inantitation of tannins:
Determination of protein in tannin - protein complex. Anal
Biochem 166 : 435-39.
- Makower RU (1970).
Extraction and Determination of Phytic Acid in Beans
(Phasaolun vulgaris). Cereal Chem 47: 288-95.
- Martinez - Torres C and Layrisse M (1970).
Effect of animo acids on iron absorption from a staple
vegetable food. Blood 35: 669-82.
- Martinez-Torres C, Taylor P, Leets I, Tropper E, Ramirez J and
Layrisse M (1987).
Iron absorption from maize bread. Food and Nutrition
Bulletin 9 (4): 62-69.
- McCance RA and Widdowson EM (1937).
Absorption and excretion of iron. Lancet 2: 680-84.
- McCance RA, Edgecombe CN, and Widdowson EM (1943).
Phytic acid and iron absorption. Lancet 2: 126-28.
- Meena BA, Padma KU, Pankaja N and Prakash J (1987).
Soluble and insoluble oxalates in selected foods. J Fd Sci
Technol 24:43-44.
- Mehansho H, Kanerva RL and Smith KT (1987).
Effect of calcium on iron absorption in rats. Fed Proc 46:
913 (Abstr).
- Miller DD, Schricker BR, Rasmussen RR, and Van Campen D (1981).
Mehansho H, Kanerva RL & smith KT (1987). Effects of
calcium on iron absorption in rats. Fed Proc 46: 93
(Abstr).
- Miller DD, Schricker BR, Rasmussen RR, and Van Campen D (1981).
An in vitro method for estimation of iron availability from
meals. Am J Clin Nutr 34: 2248-56.
- Monnier L, Colette C, Aguirre L and Mirouze J (1980).
Evidence and mechanism of pectin reduced intestinal
inorganic absorption in idiopathic hemachromatosis. Am J
Clin Nutr 33: 225-31.
- Monsen ER (1988).
Iron nutrition and absorption: Dietary factors which impact
iron bioavailability. J Am Diet Assoc 88: 786-90.
- Monsen ER and Balintfy JL (1982).
Calculating dietary iron bioavailability: Refinement and
computerization. J Am Diet Assoc 80: 307-11.

- Monsen ER and Cook JD (1976).
Food iron absorption in human subjects. IV The effects of calcium and phosphate salts on the absorption of nonheme iron. *Am J Clin Nutr* 29: 1142-48.
- Monsen ER and Cook JD (1979).
Food iron absorption in human subjects. V Effect of major dietary constituents of a semisynthetic meal. *Am J Clin Nutr* 32: 804-8.
- Monsen ER, Hallberg L, Layrisse L, Hegsted DM, Cook JD, Mertz W and Finch CA (1978).
Estimation of available dietary iron. *Am J Clin Nutr* 31 : 134-41.
- Moore CV and Dubach R (1951).
Observations on the absorption of iron from foods tagged with radioiron. *Trans Assoc Am Physicians* 64: 245-56.
- Moore CV and Dubach R (1962).
Iron. In : mineral metabolism, an advanced treatise. Ed. Comar CL and Bronner F. Vol II. The elements Part B. Academic press, New York.
- Morck TA and Cook JD (1981).
Factors affecting the bioavailability of dietary iron. *Cereal Foods World* 26: 667-72.
- Morck TA, Lynch SR and Cook JD (1983).
Inhibition of food iron absorption by coffee. *Am J Clin Nutr* 37: 416-20.
- Morris ER (1983).
An overview of current information on bioavailability of dietary iron to humans. *Fed Proc* 42: 1716-20.
- Morris ER and Ellis R (1976).
Isolation of monoferric phytate from wheat bran and its biological value as an iron source to the rat. *J Nutr* 106 : 753-60.
- Morris ER and Ellis R (1982).
Phytate, wheat bran and bioavailability of dietary iron. In Kies C, Nutritional bioavailability of iron. American Chemical Society (ACS) Symposium Series 203, Washington: 121-41.
- Morris Er, Ellis R, Steck P and Moser P (1980).
Inorganic nutrient balance of humans consuming whole wheat bran vs dephytinised wheat bran *Fed Proc* 39: 787 (Abstr).
- Narasinga Rao BS (1981).
Physiology of iron absorption and supplementation. *British Medical Bulletin* 37: 25-30.
- Narasinga Rao BS and Prabhavati T (1978).
An in vitro method for predicting the bioavailability of iron from foods. *Am J Clin Nutr* 31 : 169-75.

- Narasinga Rao BS and Prabhavati T (1982).
Tannin content of foods commonly consumed in India and its influence on ionisable iron. J Sci Food Agric 33 : 89-96.
- Narasinga Rao BS, Vijayasarathey C and Prabhavati TC (1983).
Iron absorption from habitual diets of Indians studied by the extrinsic tag technique. Ind J Med Res 77 : 648-57.
- NNMB (1981).
National Nutrition Monitoring Bureau: Report on Food and Nutrient consumption pattern in the selected districts of different states section II, National Institute of Nutrition, Indian Council of Medical Research, Hyderabad, India.
- NNMB (1984).
National Nutrition Monitoring Bureau. Report on Diet and Nutritional status of Specific Groups of Urban population. NNMB, National Institute of Nutrition, Indian Council of Medical Research. Hyderabad, India.
- O'Dell BL (1985).
Bioavailability of and Interaction among trace Elements. In: Chandra RK ed. Trace elements in Nutrition of Children, Nestle Nutrition, Vevey/Raven Press, New York : 41-62.
- Oser BL (1980).
Hawk's Physiological Chemistry 14th ed., Tata McGraw Hill Publishing Ltd., New Delhi, India.
- Pawar VD and Parlikar GS (1990).
Reducing the polyphenols and phytate and improving the protein quality of pearl millet by dehulling and soaking. J Fd Sci Tech 27: 140-43.
- Peters T, Apt L and Ross J (1971).
Effect of phosphorus upon iron absorption studied in normal human subjects and in an experimental model using dialysis. Gastroenterology 61 : 315-9.
- Platt SR and Clydesdale FM (1987).
Interaction of iron, alone and in combination with Ca, Zn, and Cu with a phytate rich, fibre rich fraction of wheat bran under gastrointestinal pH conditions. Cereal Chem 64: 102-5.
- Pollack S and Lasky FD (1976).
A new iron binding protein isolated from intestinal mucosa. J Lab Clin Med 87:670-79.
- Prema R (1984).
Anemia in Pregnancy. Indian Pediatrics 21 : 749-51.

- Price ML, Scoyoc SV and Butler LG (1978).
A critical evaluation of the vanillin reaction as an assay for tannin in sorghum grain. J Agric Food Chem 26:1214-18.
- Puar M (1983).
Essential Trace Element Profile and Zinc Availability in Indian Foods and Diets Ph.D thesis, M.S. University, Baroda, India.
- Raghuramulu N, Nair MK and Kalyanasundaram S (1983).
A manual of laboratory techniques. National Institute of Nutrition, Indian Council of Medical Research, New Delhi, India.
- Rao UP and Deosthale YG (1982).
Tannin content of Pulses Varietal Differences and effects of germination and Cooking. J Sai Food Agric 33: 1013-16.
- Rao UP and Deosthale YG (1988).
In vitro availability of iron and zinc in white and coloured ragi: role of tannin and phytate. Plant Foods for Human Nutr 38: 35-41.
- Ranhotra GS, Hepburn FN and Bradley WD (1971).
Availability of iron in enriched bread. Cereal Chem 48:377-81.
- Reddy MB, Browder EJ and Bates GW (1988).
In vitro approaches to iron bioavailability. In prasad AS ed. Essential and Toxic Trace Elements in Human Health and Disease, Alan R Liss Inc. : 173-85.
- Rossander L (1985).
Absorption of non-heme iron from meals. Ph.D Thesis, Department of Medicine-II University of Goeteborg, Sahlgren's Hospital, Goetborg, Sweden.
- Rossander L, Hallberg L and Bjorn Rasmussen E (1979).
Absorption of iron from breakfast meals. Am J Clin Nutr 32:2484-89.
- Saltman P, Hegeneuer J and Strause L (1984).
For the want of a nail Trace elements in health and disease. In: Rennert OM and Chan W ed. Metabolism of Trace metals in man. Vol.I CRC Press Inc. Boca Raton, Florida.
- Sandberg AS, Carlsson NG and Svanberg W (1988).
In vitro studies of inositol tri-tetra-penta-, and hexophosphates as potential iron absorption inhibitors. Bioavailability Abstracts, UK.

- Savin MA and Cook JD (1980).
Mucosal iron transport by rat intestine. *Blood* 56 : 1029-35.
- Saxena A and Seshadri S (1988).
The effect of whole milk, milk protein and some constituent amino acids in the in vitro availability of iron from cereal meals. *Nutr Res* 8:717-24.
- Sayers MH, Lych SR, Jacobs P, Charlton RW, Bothwell TH, Walker RB and Mayet F (1973).
The effect of ascorbic acid supplementation on absorption of iron in maize, wheat and soya. *Br J Hematol* 24: 209-18.
- Sayers MH, Lynch SR, Charlton RW and Bothwell TH (1974).
Iron absorption from rice meals cooked with fortified salt containing ferrous sulfate and ascorbic acid. *Br J Nutr* 31:367-75.
- Schricker BR, Miller DD, Rasmussen RR and Van Campen D (1981).
A comparison of in vivo and in vitro methods for determining availability of iron from meals. *Am J Clin Nutr* 34: 2257-63.
- Schricker BR, Miller DD and Van Campen D (1982).
In vitro estimation of iron availability in meals containing soy products. *J Nutr* 112: 1696-1705.
- Seligman PA, Caskey J, Fazier JL, Sucker RM, Podell ER, Allen RH (1983).
Measurements of iron absorption from prenatal multivitamin - mineral supplements. *Obste Gyneco* 61: 356-62.
- Seshadri S (1987).
Studies on Nutrition Health Education in the Integrated Child Development Services (ICDS) set up. Doctoral thesis, Dept. of Foods & Nutrition, M.S. University, Baroda, India.
- Seshadri S, Shah A and Bhade S (1985).
Hematologic response of preschool children to ascorbic acid supplementation. *J Human Nutr Appl Nutr* 39 A: 151-54.
- Shah A (1983).
An investigation into the aetiology of anemia and effect of ascorbic acid supplementation on the hematological status of poor preschool children in Baroda. M.Sc. Dissertation. M.S. University, Baroda, India.
- Simpson KM, Morris ER and Cook JD (1981).
The inhibitory effect of bran on iron absorption in man. *Am J Clin Nutr* 34:1469-78.

- Smith CH and Bidlack WR (1980).
Interrelationship of Dietary Ascorbic Acid and Iron on the tissue distribution of ascorbic acid, iron and copper in female guinea pigs. *Biochem Med* 24: 43-48.
- Snedeker S, Smith SA and Greger JL (1982).
Effect of dietary calcium and phosphorus levels on the utilization of iron copper, and zinc by adult males. *J Nutr* 112: 136-43.
- Spiro TG, Pape L and Saltman P (1967 a).
The hydrolytic polymerization of ferric citrate. I The chemistry of the polymer. *J Am Chem Soc* 89 : 5555-59.
- Sipro TG, Bates G and Saltman P (1967 b).
The hydrolytic polymerization of ferric citrate II. The influence of excess citrate. *J Am Chem Soc* 89:5559-62.
- Spiro TG and Saltman P (1974).
Inorganic chemistry. In : *Iron in Biochemistry and Medicine*. ed. Jacobs A and Worwood M. Academic press. London & New York : 1-26.
- Stekel A (1984).
Iron Nutrition in infancy and childhood. Nestle Nutrition Workshop series. Vol 4, Nestle, Vevey/Raven Press, New York.
- Stekel A, Olivars M, Pizarro F, Amar M, Chadud P, Cayazzo M, Liaguno S, Vega S and Hertramb E (1985).
The role of ascorbic acid in the bioavailability of iron from infant foods. *Int. J. Vit. Nutr Res Supple* No.27 : 167-75.
- Taylor PG, Nartinez-Torres C, Romans EL, Layrisse M (1986).
The effect of cysteine containing peptides released during meat digestion on iron absorption in humans. *Am J Clin Nutr* 43 : 68-71.
- Tennant GB and Greenman DA (1969).
Determination of iron in solutions containing iron complexes. *J Clin Path* 22 : 301-3.
- Topham RW, Walker MC, Calisch MP and Williams RW (1982). Evidence for the participation of intestinal xanthine oxidase in the mucosal processing of iron. *Biochem* 21 : 4529-35.

- Van Campen DR and Welch RW (1980).
Availability to rats of iron from spinach: effects of oxalic acid. J Nutr 110 (8) : 1618-21.
- Viglietti GC and Skinner JD (1987).
Estimation of iron bioavailability in adolescents' meals and snacks. J Am Diet Assoc 87 : 903-8.
- Weintraub LR, Conrad ME and Crosby WH (1965).
Regulation of the Intestinal absorption of iron by the rate of erythropoiesis. Br J Hematol 11 :432-38.
- Widdowson EM and McCance RA (1942).
Iron exchanges of adults on white and brown bread. Lancet 1 : 588-91.
- Widdowson EM and Spray CM (1951).
Chemical development in utero. Arch Dis Child 26 : 205-14.
- Wisdom CS, Gonzalez-Coloma A and Rundel PW (1987).
Ecological tannin assay. Evaluation of proanthocyanidins, protein binding assays and protein precipitating potential. Precipitating potential. Oecologia 72 : 395-401.
- WHO (1975).
World Health Organisation Technical Report Series No.580, Control of Nutritional Anemia with special reference to iron deficiency. Report of an IAEA, USAID, WHO joint meeting.
- Young L (1936).
Determination of phytic acid. Biochem J 30:252-57.