

CLASSIFICATION OF SCROPHULARIACEAE

(a) BY BENTHAM AND HOOKER (1876)

Subfamily	Tribe	Subtribe
Pseudosolaneae	I Leucophylleae	
	II Aptosimeae	
	III Verbasceae	
Antirrhinoideae	IV Calceolarieae	
	V Hemimerideae	
	VI Antirrhineae	
	VII Cheloneae	
	VIII Manuleae	
	IX Gratiroleae	i. Mimuleae ii. Stemodieae iii. Herpestideae iv. Limoselleae
Rhinanthoideae	X Digitaleae	i. Sibthorpieae ii. Eudigitaleae iii. Veroniceae
		i. Escobedieae ii. Hyobanche iii. Buchnereae iv. Eugerardieae
	XI Gerardieae	
	XII Euphrasieae	

b) BY WETTSTEIN 1891.

Subfamily	Tribe
Verbascoideae (Pseudosolaneae)	I. Verbasceae
	II. Aptosimea
Scrophularioideae (Antirrhinoideae)	III. Calceolarieae
	IV. Hemimerideae
	V. Antirrhineae
	VI. Scrophularieae (Cheloneae)
	VII. Manuleae
	VIII. Gratiolieae
	IX. Selagineae
Rhinanthoideae	X. Digitalieae
	XI. Gerardieae
	XII. Rhinanthaeae

c) BY PENNELL (1935)

Subfamily	Tribe
Antirrhinoideae	Gratiolaeae
	Verbasceae
	Manuleae
	Cheloneae
	Collinsieae
	Calceolarieae
	Hemimerideae
	Antirrhineae
Rhinanthoideae	Digitaleae
	Hemiphragmae
	Buchnereae
	Veroniceae
	Euphrasieae