

SR. NO.	FIGURE NO.	FIGURE DESCRIPTION	PAGE
1	2.1	Applications of nanoparticles	11
2	2.2	Illustration of different types of polymer layered silicates (PLS) composites.	18
3	2.3	Two approaches of graft polymerization.	20
4	2.4	Schematic Representations of the Possible Nanocomposite Particle Morphologies	22
5	2.5	Schematic drawing of nanosol finishing of textiles by conventional application techniques, A: padding, B: casting, C: spraying.	23
6	2.6	Mechanism of plasma-substrate interaction	24
7	2.7	Schematic Diagram of Scanning Electron Microscope	29
8	2.8	Elemental analysis of nanoparticles by EDX.	30
9	2.9	Schematic of a transmission electron microscope	31
10	2.10	Schematic representation of the components of an atomic force microscope	33
11	2.11	A schematic view of a scanning tunneling microscope (STM).	35
12	2.12	(a) Schematic illustration of FTIR; (b) Michelson interferometer, configured for FTIR	38
13	2.13	A schematic of Raman spectroscopy	40
14	2.14	A schematic of Ultraviolet-Visible (UV-VIS) Spectroscopy	41
15	2.15	Schematic of Wide Angle X-Ray Diffraction	44
16	2.16	Schematic view of X-Ray Photoelectron Spectroscopy	46
17	2.17	Schematic diagram of DSC/DTA	48
18	3.1	Polyamide chips	57
19	3.2	Polypropylene chips	57
20	3.3	Magnetic stirrer with heater	63
21	3.4	Schematic diagram of polyamide silica nanocomposite film preparation	64
22	3.5	Melt spinning pilot plant	66

23	3.6	Two bowl padding mangle with stenter	69
24	3.7	Scanning electron microscope	70
25	3.8	FTIR Spectrometer instrument	71
26	3.9	X-Ray diffractometer	72
27	3.10	Differential Scanning Calorimeter	73
28	3.11	Melt Flow Indexer	75
29	3.12	Lloyd LRX tensile strength tester	76
30	3.13	Elmendorf tearing tester	77
31	3.14	Crease recovery tester	77
32	4.1	Polyamide untreated (a) and treated (b to f) films	79
33	4.2	SEM micrographs of pure polyamide and polyamide/SiO <sub>2</sub> nanocomposite films, a) pure polyamide film, b) polyamide+0.1% nano SiO <sub>2</sub> , c) polyamide+0.3% nano SiO <sub>2</sub> , d) polyamide+0.5% nano SiO <sub>2</sub> , e) polyamide+0.7% nano SiO <sub>2</sub> , f) polyamide+1.0% nano SiO <sub>2</sub> .	81
34	4.3	IR absorption peaks of pure polyamide (a) and polyamide/Silica nanocomposite films (b to f).	82
35	4.4	XRD pattern of pure polyamide film (PA)	86
36	4.5	XRD pattern of polyamide silica nanocomposite film (NPA4)	87
37	4.6	Combined XRD patterns of PA and NPA4 samples	88
38	4.7	DSC curves of pure polyamide (a) and polyamide silica nanocomposite films (b to f)	91
39	4.8	Percentage change in Enthalpy ( $\Delta H$ ) of polyamide/silica nanocomposite film	92
40	4.9	Stress strain behavior of pure polyamide (a) and polyamide/Silica nanocomposite films (b to f).	95
41	4.10	Effect of nano silica on stress property of film	96
42	4.11	Effect of nano silica on young's modulus of treated and untreated polyamide films	98
43	4.12	Effect of nano silica on stiffness of treated and untreated polyamide films	98

44	4.13	Effect of nano silica on work at maximum load of treated and untreated polyamide films	99
45	4.14	Polypropylene pure (a) and nanocomposite (b to h) filaments	102
46	4.15	SEM photographs of Pure Polypropylene filaments (PP)	103
47	4.16	SEM photographs of PP filaments with 0.1% SiO <sub>2</sub> (NPP1)	103
48	4.17	SEM photographs of PP filaments with 0.3% SiO <sub>2</sub> (NPP2)	104
49	4.18	SEM photographs of PP filaments with 0.5% SiO <sub>2</sub> (NPP3)	104
50	4.19	SEM photographs of PP filaments with 0.7% SiO <sub>2</sub> (NPP4)	104
51	4.20	SEM photographs of PP filaments with 1.0% SiO <sub>2</sub> (NPP5)	105
52	4.21	SEM photographs of PP filaments with 1.25% SiO <sub>2</sub> (NPP6)	105
53	4.22	SEM photographs of PP filaments with 1.5% SiO <sub>2</sub> (NPP7)	105
54	4.23	SEM cross-sectional photographs of PP filaments with 0.7% SiO <sub>2</sub> (NPP4)	106
55	4.24	EDX spectrum of pure polypropylene filament	107
56	4.25	EDX spectrum of polypropylene silica nanocomposite filament	108
57	4.26	IR absorption peaks of pure polypropylene (a) and polypropylene/Silica nanocomposite filaments (b to h).	112
58	4.27	XRD pattern of pure polypropylene filament (PP)	114
59	4.28	XRD pattern of polypropylene silica nanocomposite filament (NPP4)	115
60	4.29	Combined XRD patterns of PP and NPP4 samples	116
61	4.30	DSC curves of pure polypropylene (a) and polypropylene silica nanocomposite filaments (b to h)	120
62	4.31	Effect of SiO <sub>2</sub> concentration on enthalpy of PP filament	121

63	4.32	Effect of SiO <sub>2</sub> concentration on % crystallinity of PP filament	122
64	4.33	Stress strain behavior of pure polypropylene (a) and polypropylene/SiO <sub>2</sub> nanocomposite filaments (b to h)	126
65	4.34	Tenacity of pure polypropylene and polypropylene silica nanocomposite filament	127
66	4.35	Effect of nano silica on young's modulus of treated and untreated polypropylene filaments	129
67	4.36	Effect of nano silica on work of rupture of treated and untreated polypropylene filaments	130
68	4.37	SEM microphotographs of polyester fabric treated with silica nano particles	131
69	4.38	IR absorption peaks of untreated polyester fabric (PT)	133
70	4.39	IR absorption peaks of treated polyester fabric (NPT3)	134
71	4.40	XRD pattern of pure polyester fabric (PT)	136
72	4.41	XRD pattern of polyester silica nanocomposite fabric (NPT3)	136
73	4.42	Combined XRD patterns of PT and NPT3 samples	137
74	4.43	DSC curve of pure polyester fabric (PT)	138
75	4.44	DSC curve of polyester fabric treated with 5gpl nano silica (NPT3)	139
76	4.45	Load elongation behavior of pure polyester fabric (warp way)	140
77	4.46	Load elongation behavior of 5 gpl polyester fabric (warp way)	141
78	4.47	Load elongation behavior of pure polyester fabric (weft way)	141
79	4.48	Load elongation behavior of 5 gpl polyester fabric (weft way)	142