

List of Figures

Figure No.	Title	Page No.
1.1	The three allotropic forms of carbon: (left to right) Diamond, Graphite and [60]fullerene.....	1
1.2	Kratcshmer-Huffmann apparatus used for the production of C ₆₀ and C ₇₀	2
1.3	[60]Fullerene.....	3
1.4	[70]Fullerene.....	4
1.5	(a) Corannulene, (b) Pyracyclene, (c) Sumanene.....	5
1.6	6-6 and 6-5 bonds in C ₆₀	6
1.7	Reactions of [60]fullerene.....	13
1.8	Potential applications of [60]fullerene.....	16
1.9	Area of research of the fullerene Science.....	17
1.10	[60] Fullerene in the crystalline form.....	19
1.11	The primary structure of hen egg-white lysozyme.....	22
1.12	Solid ribbon representation of lysozyme.....	23
1.13	(a) Calix[4]arene with para-tert-butyl substituents (b) 3D representation of a cone conformation.....	24
1.14	Calix[n]arene.....	25
1.15	Conformations of calix[4]arene and possible mechanisms for their interconversions.....	26
1.16	Bottomless bowl-shaped (truncated cone) general structure of cyclodextrin molecule.....	28
1.17	Different cavity sizes in α , β , γ -cyclodextrin units.....	29
1.18	The three types of phase behavior for surfactant-oil-water system according to Winsor.....	31
1.19	Surfactant Aggregates.....	33
1.20	Solubilization of compound insoluble in bulk solvent into the surfactant micelle.....	34
2.1	Proposed structure of the reverse micelle of [60]fullerene with non-ionic Surfactant.....	49

3.1	Fluorescence spectrum of (a) lysozyme and (b) lysozyme-[60]fullerene adduct in water.....	55
3.2	UV-Visible spectrum of (a) [60]fullerene in toluene (b) lysozyme in water and (c) [60]fullerene-lysozyme adduct in water.....	57
3.2 (d)	UV-Visible spectrum for [60]fullerene-lysozyme adduct in aqueous layer.....	58
3.2 (e)	UV-Visible spectrum for [60]fullerene-lysozyme adduct in toluene layer.....	59
3.3	FT-IR spectra of [60]fullerene-lysozyme adduct.....	59
3.4	Plot of absorbance vs. wavelength to determine $\lambda_{\max}$ of [60]fullerene-Span 60 solution.....	61
3.5	Plot of absorbance vs. concentration of Span 60 in the presence of [60]fullerene to determine crmc at (a) 30°C and (b) 40°C.....	62
3.6	Plot of absorbance vs. wavelength to determine $\lambda_{\max}$ of [60]fullerene- Brij 35 solution.....	65
3.7	Plot of absorbance vs. Concentration of Brij35 in the presence of [60]fullerene to determine crmc at (a) 30°C and (b) 40°C.....	65
3.8	Water consumed vs. ratio of toluene/propanol in [60]fullerene -Span 60 system.....	70
3.9	Plot of the effect of change in the ratio of the toluene/co surfactant on the formation of the microemulsion.....	75
3.10	Plot of effect of change in surfactant on the quantity of water required for emulsion formation at different concentrations of cosurfactant.....	76
3.11	Plot of effect of change in toluene quantity on the quantity of water required for emulsion formation at different concentrations of cosurfactant.....	81
3.12	Triangular phase diagram for Span 60 in (a) absence of fullerene and (b) presence of fullerene.....	85

3.13	Triangular phase diagram for Brij 35 surfactant in (a) absence of fullerene and (b) presence of fullerene.....	87
3.14	Triangular phase diagram for Brij 98 surfactant in (a) absence of fullerene and (b) presence of fullerene.....	89
3.15	Triangular phase diagram for C ₁₂ (EO) ₁₂ in (a) absence of fullerene and (b) presence of [60]fullerene.....	91
3.16	Triangular phase diagram for Span 60 surfactant in the presence of [60]fullerene at (a) 30 °C and (b) 40 °C.....	97
3.17	Triangular phase diagram for Brij 35 surfactant in the presence of [60]fullerene at (a) 30 °C and (b)40 °C.....	100
3.18	Triangular phase diagram for C ₁₂ (EO) ₁₂ + Brij 35 (1:1) in (a) presence of fullerene and (b) without [60]fullerene.....	103
3.19	FTIR spectra of p-tert-butyl calix[8]arene.....	107
3.20	¹ H-NMR of the p-tert-butyl calix[8]arene.....	107
3.21	¹³ C-NMR of p-tert-butyl calix[8]arene.....	108
3.22	Mass spectra of the p-tert-butyl Calix[8]arene.....	108
3.23	FTIR-spectra of p-H calix[8]arene.....	110
3.24	¹ H-NMR of p-H calix[8]arene.....	111
3.25	FTIR spectra of p-sulfonatocalix[8]arene.....	115
3.26	¹ H-NMR of p-sulfonatocalix[8]arene.....	115
3.27	FTIR spectra of [p-(N, N-Diallylaminomethyl)]calix[8]arene.....	116
3.28	¹ H-NMR of [p-(N, N-Diallylaminomethyl)]calix[8]arene.....	116
3.29	¹³ C-NMR of [p-(N, N-Diallylaminomethyl)]calix[8]arene.....	117
3.30	UV-Visible spectra of p-sulfonatocalix[8]arene in water.....	118
3.31	UV-Visible spectra of p-sulfonatocalix[8]arene-[60]fullerene complex.....	119
3.32	UV-Visible spectra of p-sulfonatocalix[8]arene-[60]fullerene complex	

	in aqueous layer.....	120
3.33	FTIR spectra of p-sulfonatocalix[8]arene-[60]fullerene complex.....	121
3.34	UV-Visible spectra of [p-(N, N-Diallylaminomethyl)]calix[8]arene-[60]fullerene complex.....	122
3.35	UV-Visible spectra of [p-(N, N-Diallylaminomethyl)]calix[8]arene-[60]fullerene complex in aqueous layer.....	123
3.36	UV-Visible spectra of [p-(N, N-Diallylaminomethyl)]calix[8]arene-[60]fullerene complex in toluene layer.....	123
3.37	FTIR Spectra of γ -cyclodextrin-[60]fullerene complex.....	125
3.38	FTIR Spectra of β -cyclodextrin-[60]fullerene complex.....	125
3.39	UV- Spectra of γ -cyclodextrin-[60]fullerene complex.....	126
3.40	UV- Spectra of β -cyclodextrin-[60]fullerene complex.....	126
3.41	Thermogravimetric analysis of γ -cyclodextrin-[60]fullerene complex.....	127
3.42	Magnetisation of the capped C_{60} as a function of DC magnetic field.....	128
3.43	The typical magnetization as a function of the dc magnetic field for the sample irradiated for 24h.....	128
3.44	FT-IR Spectra of the γ -cyclodextrin-[60]fullerene complex irradiated for 24hrs.....	130
3.45	UV-Spectra of the γ -cyclodextrin-[60]fullerene complex irradiated for 24hrs	130