

LIST OF TABLES AND FIGURES

	TITLE
TABLE NO.	<u>CHAPTER - 2</u>
2.1	Effect of buffering on the zone of DCP solubilization and pH reduction by <i>C. koseri</i> and <i>B. coagulans</i>
2.2	Effect of buffering on the growth and P solubilization from mineral phosphates by <i>C. koseri</i> and <i>B. coagulans</i>
2.3	Growth and P releasing abilities of <i>C. koseri</i> and <i>B. coagulans</i>
2.4	Growth of indigenous microorganisms in alkaline soils supplemented by 100 mM glucose and 10 mM NH ₄ Cl
2.5	Effect of buffering on the number of PSMs in rhizospheric and non-rhizospheric soils
2.6	Major organic acid secreted by <i>C. koseri</i> and <i>B. coagulans</i>
2.7	Effect of organic acids on the release of P from alkaline soils
FIG. NO.	
2.1	Effect of buffering on RP solubilization by <i>C. koseri</i> and <i>B. coagulans</i>
2.2	Effect of buffering on DCP solubilization by <i>C. koseri</i> and <i>B. coagulans</i>
2.3	Effect of buffering on RP and DCP solubilization by PS bacteria supplied by TNAU
2.4	Effect of buffering on RP and DCP solubilization by PS bacteria supplied by T. Stanes and Co.
2.5	Effect of inoculation of high number of cells of <i>C. koseri</i> and <i>B. coagulans</i>
2.6	Buffering capacity of alkaline vertisol

	TITLE
TABLE NO.	<u>CHAPTER - 3</u>
3.1	Effect of buffering on the zone of DCP solubilization and pH reduction by soil isolates
3.2	RP solubilization by soil isolates on different carbon sources with NH ₄ Cl as N source
3.3	Antibiotic sensitivity of the soil isolates
3.4	Identification of soil isolates
3.5	Effect of buffering on the growth and RP solubilization by soil isolates using NH ₄ Cl as N source

	TITLE
3.6	Effect of buffering on the growth and RP solubilization by soil isolates using KNO ₃ as N source
3.7	Growth and P release from alkaline vertisol soil by soil isolates with NH ₄ Cl as N source
3.8	Growth and P release from alkaline vertisol soil by soil isolates with KNO ₃ as N source
3.9	Major organic acids secreted by PS isolates
FIG. NO.	
3.1	Acidification of media by PS isolates
3.2	Growth and P solubilization from RP and DCP by isolate number 1 under media conditions
3.3	Growth and P solubilization from RP and DCP by isolate number 2 media conditions
3.4	Growth and P solubilization from RP and DCP by isolate number 3 under media conditions

TABLE NO.	CHAPTER - 4
4.1	Induction of GDH and AP activity in the soil isolates
4.2	GDH activity of soil isolates with various C sources
4.3	Effect of chloramphenicol on induction of GDH in the soil isolates
4.4	Effect of P starvation on GDH of other PGPR
4.5	Substrate specificity of GDH of soil isolates
4.6	GDH and AP activity in <i>mps</i> ⁻ mutants
4.7	RP solubilization by <i>mps</i> ⁻ mutants with NH ₄ Cl as N source
4.8	Growth and P release from alkaline soil by <i>mps</i> ⁻ mutants with NH ₄ Cl as N source
FIG. NO.	
4.1	Induction of GDH activity of soil isolate 1
4.2	Induction of GDH activity of soil isolate 2
4.3	Induction of GDH activity of soil isolate 3
4.4	<i>mps</i> ⁻ phenotype of the transposon mutants

	TITLE
TABLE NO.	<u>CHAPTER - 5</u>
5.1	DCP solubilization by <i>E. coli</i> DH5 α
5.2	RP solubilization by two <i>mps</i> clones
FIG. NO.	
5.1 (a-c)	DCP solubilization by <i>mps</i> clones on mannitol, glucose and glycerol as C source
5.2	RP solubilization by <i>mps</i> clones
5.3	Average insert size of <i>mps</i> clones
5.4	Restriction analysis of <i>mps</i> clones