List of figures

Figures		Page
2.1	Map of the Ganga basin. (a) the head water basin of the Ganga in the Himalaya (b) the Ganga basin, with its major tributaries in the Himalaya and the plains.	14
2.2	Monthly variation of (A) Rainfall (B) Mean air temperature at the different location in the Ganga basin.	19
2.3	Monthly variation of water discharge of the Ganga river at different locations along its course.	21
2.4	Precipitation over the Ganga drainage for the period January 1998 to May 2007.	22
2.5	Results of (a) repeat measurements (wt. %) of different elements in sediment samples (b) USGS rock standard W-1.	38
2.6	Variation of ⁸⁷ Sr/ ⁸⁶ Sr and ¹⁴³ Nd/ ¹⁴⁴ Nd measured with time in standards.	42
3.1	Sampling locations of sediments from the Ganga basin in its Himalayan drainage.	47
3.2	Sampling locations of sediments from the Ganga basin in plain	48
3.3	Scatter diagram of Sr, Al and Nd abundances in bulk sediment and their <4 µm fraction.	54
3.4	Scatter plots of CIA* in bank sediments with their 87 Sr/ 86 Sr and ϵ_{Nd} values and 87 Sr/ 86 Sr vs Rb/Sr and 87 Sr/ 86 Sr vs Al.	56
3.5	Two isotope system plot, $^{87}\text{Sr}/^{86}\text{Sr}$ and ϵ_{Nd} in silicates of bulk sediments and their <4 µm fraction.	59
3.6	Funnel diagram of the Ganga mainstream and its tributaries along with $^{87}\text{Sr}/^{86}\text{Sr}$ and ϵ_{Nd}	62
3.7	Downstream variations in ⁸⁷ Sr/ ⁸⁶ Sr values of silicates of the Ganga sediments.	67
3.8	Downstream variation in ϵ_{Nd} of the Ganga mainstream sediments.	68

3.9	Physical erosion rates in the Ganga-Brahmaputra-Indus basins	76
	as a function of run off.	
3.10	Elevation (gray line) and relief (black line) profiles of selected	78
	rivers of the Ganga basin	
3.11	Locations of hotspots of physical erosion over the southern	79
	Himalaya	
4.1	⁸⁷ Sr/ ⁸⁶ Sr vs 1/Sr plot of the G-B and global rivers.	84
4.2	Interannual variation in TDS of the Ganga river and its	89
	tributaries.	
4.3	Ternary plots of major cations (a) and anions (b) in the Ganga	90
	head waters, mainstream and tributaries.	
4.4	Comparison of Ca, Mg and Na abundances in Ganga	91
	mainstream measured in this study with those reported for the	
	sample collected during 1982/83 from the same locations.	
4.5	Scatter plot of (Ca+Mg) and (Alkalinity + SO ₄).	93
4.6	Arial distribution of salt affected (usar) soils in different parts of	96
	Uttar Pradesh	
4.7	Variation of Na and Ca concentrations of the Ganga mainstream	101
	from its source to its outflow.	
4.8	Variation of Na with Cl of the Ganga mainstream.	101
4.9	Variation of Ca/Mg and Mg with Ca in the Ganga river and its	102
	tributaries.	
4.10	Plot between Ca/Mg and Calcium saturation Index (CSI) of water	102
	samples from the Ganga and its tributaries	
4.11	Erosion rates (atmospheric corrected) Na*, Ca*, Mg*, and Sr in	110
Þ	the various sub-basins of the Ganga	
4.12	Chemical Erosion rates of cations, (CER)cat, in the various sub-	111
	basins of the Ganga	
4.13	Variation of Sr with Na in the Ganga mainstream.	121
4.14	(a) 87Sr/86Sr and Ca/Sr in river waters and precipitated	125
	carbonates (b) ⁸⁷ Sr/ ⁸⁶ Sr of the Ganga water and silicate	

	component of bed sediments	
4,15	Temporal variation of major ions and Sr in the Yamuna and	133
	Ganga River (at Allahabad after confluence with the Yamuna)	
4.16	Variation of elements with Discharge of the Ganga river at	134
	Allahabad after the confluence	
4.17	Temporal variation of dissolved elements (corrected for	135
	atmospheric input) in the Ganga River at Allahabad	•
4.18	Time series (Sep.2004-Sep.2005) variation of Ca/Sr and	137
	⁸⁷ Sr/ ⁸⁶ Sr in the Yamuna and Ganga River (at Allahabad)	
5.1	Scatter plots of Na, K , Fe, Ca _{sil} , and Mg _{sil} wt (%) and Sr _{sil} (ppm)	148
	abundances vs Al (wt %) in bank sediments, suspended load	
	and <4µm of bank sediments	
5.2	Element/Al ratios in bank and suspended sediments	150
5.3	Frequency distribution of (element/AI) ratios in the Ganga	151
	sediments. Ca _{sil} is silicate derived Ca	
5.4	Scatter diagram of coulometer measured (IC) vs calculated (IC) _L	153
	based on Ca and Mg in mild acid leach.	
5.5	Variation of IC along the Ganga mainstream from its source to	153
	out flow.	
5.6	Scatter plots of Ca/Al and Mg/Al with (IC/Al) in the Ganga bank	160
	and suspended sediments (All in wt%).	
5.7	Temporal variation of suspended load (mg ℓ^{-1}) and organic	163
	carbon content (wt%) in the Ganga mainstream at Allahabad	
5.8	Variation of Corg with AI in different components of the Ganga	164
	river sediments	