

References

- Bai, T., Maerten, L., Gross, M. & Aydin, A (2002): Orthogonal cross joints: Do they imply a regional stress rotation? *Jour. Stru. Geol.*, V. 24, pp. 77-88.
- Bard, E., Hamelin, B., Fairbanks, R.G. (1990): U-Th ages obtained by mass spectrometry in corals from Barbados: sea level during the past 130,000 years. *Nature*, V. 346, pp.456-458
- Bard, E., Stuvier, M., Shackleton, N. (1993): How accurate are our chronologies of the past? In: Eddy, J.A., Oeschger, H. (Eds.), *Global changes in the perspectives of the past*. Wiley & Sons Ltd., pp.109-120
- Baskaran, M. (1985): Radiometric, mineralogic and trace elemental studies on the Saurashtra Quaternary carbonate deposits: Implications to their age and origin. Ph.D. Thesis (Unpublished), Gujarat University, Ahmedabad.
- Baskaran, M., Marathe, A.R., Rajaguru, S.N., & Somayajulu, B.L.K. (1986): Geochronology of palaeolithic cultures in the Hiran valley, Saurashtra, India. *Jour. Archaeo. Sci.*, V. 13, pp.505-514.
- Baskaran, M., Sahai, B., Sood, R.K. and Somayajulu, B.L.K. (1987): Geochronological studies of strandlines of Saurashtra, India, detected by remote sensing techniques. *Int Jour. Remote Sensing*. V. 8(2), pp.169-176.
- Baskaran, M., Rajagopalan, G. and Somayajulu, B.L.K. (1989): $^{230}\text{Th}/^{234}\text{U}$ and ^{14}C dating of the Quaternary carbonate deposits of Saurashtra, India. *Chem. Geol. (Isot. Geosci. Sect)*, V.79, pp.65-82.
- Bates, R.L. & Jackson, J.A. (1980). *Glossary of Geology*, 2nd Edn., Amer. Geol. Inst., pp 751.
- Beaulieu, J. D (1973): Environmental geology of inland Tillamook and Clastop counties, Oregon. *Oreg. Dept. Geol Min. Ind. Bull.*, V.79, pp. 65.
- Bhatt, N. & Patel, M.P. (1998): Bioclastic shore deposits: Indicators of Late Quaternary high sea in Saurashtra, western India. *Jour. Geol. Soc. Ind.*, V.52, pp. 537-542.
- Bhatt, N. (2000): Lithostratigraphy of the Neogene-Quaternary deposits of Dwarka-Okha area, Gujarat. *Jour. Geol. Soc. Ind.*, V. 55, pp.139-148.
- Bhatt, N. (2003): Quaternary carbonate deposits of Saurashtra and Kachchh, Gujarat, Western India: A Review. *Proc Indian Nat. Sci Acad.*, V.69, pp 137-150.
- Bhatt, N. (2004): Late Quaternary geomorphic and tectonic evolution of western Saurashtra coast. DST project report (Unpublished).

Bird, E.C.F. (1993): Submerging coasts: The effects of a rising sea-level on coastal environments Chichester: Wiley.

Biswas, S.K. (1982): Rift basins in western margin of India and their hydrocarbon prospects with special reference to Kutch basin. Bull. A.A.P.G., V. 66, No 10, pp. 1497-1513

Biswas, S.K. (1987): Regional tectonic framework, structure and evolution of the western marginal basin of India. Tectonophysics. V. 135, pp. 307-327.

Bloom, A (2002) Geomorphology: A systematic analysis of Late Cenozoic Landforms 3rd Edition, Prentice-Hall of India Pvt. Ltd. 482p

Blum,M. & Tornqvist, T.E. (2000): Fluvial response to climate and sea-level change a review and look forward. Sedimentology, V. 47 (Supplementary), pp. 2-48.

Brückner, H , Montaggioni, L. & Rescher, K. (1987): Miliolite occurrence on Kathiawar peninsula (Gujarat), India. Latest results from chronostratigraphical, petrological and palaeozoological analysis. Berliner Geographische studies, V.25, pp.343-361.

Brückner, H. (1989). Late Quaternary shorelines in India Late Quaternary sea-level correlation and application In: Scott, D.B. & Pirazzoli, P.A. & Honig, C A (Eds.), Kluwer Academic Publishers, pp. 169-194.

Bull, W. B. (1991): Geomorphic responses to climatic change. Oxford University Press, Oxford.

Carter, R.W G. (1986): The morphodynamics of beach-ridge formation: Magilligan, Northern Ireland Marine Geology, V. 73, pp. 191-214.

Carter, R.W G. (1988): Coastal Environments Academic Press, pp. 617.

Carter, R.W G. & Wilson, P. (1990) The geomorphological, ecological and pedological development of coastal foredunes at Magilligan Point, Northern Ireland. Coastal dunes. In: Nordstrom, K., Psuty, N., Carter, B. (Eds.), Wiley, pp 129-157.

Carter, R.W.G & Woodroffe, C.D. (1994): Coastal Evolution: Late Quaternary shoreline morphodynamics. Cambridge Press. 517p.

Chamyal, L.S., Maurya, D. M., Raj, R. (2003): Fluvial systems of the drylands of western India: a synthesis of Late Quaternary environmental and tectonic changes. Quaternary International, V. 104, pp. 69-86.

Chappell, J & Shackleton, N.J. (1986). Oxygen isotope and sea level. Nature, V. 324. pp. 137-140

Chauhan, O. S., Almeda, F. & Moraes, C. (1993): Regional geomorphology of the continental slope of NW India: Delineation of the signatures of deep-seated structures Marine Geodesy, V. 15, pp. 283-296.

Chiplonkar, G.W. & Borkar, V.D. (1973): Stratigraphy of the area around Wadhwani, Saurashtra, Gujarat state. Recent researches in geology. Hindustan Publishing Corporation (India), Delhi, pp. 229- 239.

Cooper, W.S (1967): Coastal dunes of California, Geol. Soc. Am. Mem. V. 104, pp.1-131

Demoulin, A. (1998): Testing of tectonic significance of some parameters of longitudinal river profiles: The case of the Ardenne (Belgium, NW Europe). Geomorphology, V. 24, pp 189-208.

Engelder, T. (1982): Is there a genetic relationship between selected regional joints and contemporary stress within the lithosphere of North America? Tectonics, V. 1, No.2, pp. 161-177.

Fairbanks, R.G. (1989): A 17000 year glacioeustatic sea level record: Influence of glacial melting rates on the younger dryas event and deep ocean circulation Nature, V. 342, pp 637-642.

Fedden, F. (1884): Geology of Kathiawar peninsula in Gujarat. Mem. Geol Surv. Ind , V 21(2), pp. 52-56.

Firth, C.R. (2000): Quaternary sea level changes. The Oxford companion to The Earth. In Hancock, P.L & Skinner, B.J. (Eds), Oxford University Press.

Flemming N.C (1965): Form and relationship to present sea levels of Pleistocene marine erosion features, Jour. Geol., V 73, pp 799-811.

Focke, J.W. (1978): Limestone cliff morphology on Curacao (Northern Antilles), with special attention to the origin of notches and vermetid/coralline algal surf benches, Zeitschrift für Geomorphologie, V. 22, pp.329-349.

Folk, R.A. (1962). Spectral subdivisions of limestone types. Bull. Amer. Assoc Petrol Geol Mem., V. 1, pp. 62-84.

Folk, R.L. (1974): Petrology of sedimentary rocks. Hampbill Publishing Company, Texas, pp. 32.

Gharia, S.S. (1993): Ball and pillow structures in the Miliolite Formation of Saurashtra, Gujarat and its significance. Jour. Geol. Soc. Ind., V.42, pp.563-567.

Ghosh, B. & Zutshi, P.L. (1989): Indian west coast shelf break features. Geol. Surv. Ind. Sp. Pub., No.24, pp. 309-318.

Gill, E. D. (1972): The relationship of present shore platforms to past sea levels. *Boreas*, V 1, pp. 1-25.

Gowd, T.N., Srirama Rao, S.V. & Gaur, V K (1992): Tectonic stress field in the Indian subcontinent. *Jour. Geopy. Res.*, V. 97, p. 11,879-11,888.

Gripp, K. (1968): Zur Jüngsten Erdgeschichte von Hörnum/Sylt und Amrum mit einer Übersicht über die Entstehung der Dünen im Nordfriestand. *Die Kuste* 16, 76-117.

Gupta, S.K. & Amin, B.S. (1974): $^{230}\text{Th}/^{234}\text{U}$ ages of corals from Saurashtra coast. *Marine Geology*, V.16, pp.79-83.

Gupta, S.K. (1991): $^{230}\text{Th}/^{234}\text{U}$ and ^{14}C dating of the Quaternary carbonate deposits of Saurashtra, India - Comments. *Chem. Geol. (Isot Geosci.Sect.)*, V.86, pp.179-186.

Hack, J.T. (1973): Stream-profile analysis and stream-gradient index. *U. S. Geol. Surv. J. Res.*, 1(4): pp.421-429.

Hancock, P. & Engelder, T. (1989): Neotectonic joints. *Geol.Soc.Amer.Bull.*, V. 101, pp 1197-1208.

Hashmi, N.H., Nigam, R., Nair, R.R., & Rajagopalan, G. (1995): Holocene sea level fluctuations on western India continental margin: An update. *Jour. Geol. Soc. Ind.*, V. 46, pp 157-162.

Hesp, P.A. (1984): Foredune formation in southeast Australia. In: Thom, B.G. (Ed), *Coastal Geomorphology in Australia*. Academic Press, Sydney, pp. 69-97.

Hine, A L. (1979): Mechanism of berm development and resulting beach growth along a barrier spit complex. *Sedimentology*, V. 26, pp. 333-351.

Hearty, P. J. & Kindler, P. (1994): Straw men, glass houses, apples and oranges: a response to Carew and Mylroie's comment on Hearty and Kindler, 1993. *Jour.Coast.Res.*, V.10, pp. 1095-1106.

Imbrie, J., Hays, J.D., Martinson, D.G., McIntyre, A., Mix, A.L., Morley, J.J., Pisias, N G., Prell, W., Shackleton,N.J. (1984): The orbital theory of Pleistocene climate: Support from a revised chronology of the marine ^{18}O record. *Milankovitch and Climate*. In: Berger, A., Imbrie, J., Hays, J., Kukla, G., Saltzman, B., (Eds.), Reidel, Dordrecht, pp. 269-305.

Ireland, H.A. (1971): Insoluble Residues. Procedures in sedimentary petrology. In: R. E. Carver (Ed.) Wiley- Intersciences, John Wiley & Sons, pp. 479-498.

Johnson, D.W. (1919): Shore processes and shoreline development. Hafner Publishing, New York, 584p.

Juyal, N., Pant, R.K., Bhushan, R. & Somayajulu, B.L.K. (1995): Radiometric dating of Late Quaternary sea levels of the Saurashtra coast, Western India: An experiment with oyster and clam shells. Mem. Geol. Soc. Ind. No 32, pp. 372-379

Kachhara, R.P., Jain, R.L., & Jodhawat, R.L. (1998): Status of the Gaj and Dwarka beds of Kathiawar, Gujarat. XVI Ind Colloq Micropaleon., Goa (Abstract).

Kaila, K.L., Tewari, H.C., & Shama, P.L.N. (1981): Crustal structure from deep seismic sounding studies along Navibandar-Amreli profile in Saurashtra, India. Mem. Geol. Soc. Ind., No.3, pp. 218-232.

Karami, H. (1990): Mesozoic rocks of Saurashtra with special reference to their depositional environments. Ph.D. thesis (Unpublished), The M.S.University of Baroda

Karanth, R.V. & Sant, D. A. (1995): Lineaments and dyke swarms of lower Narmada valley and southern Saurashtra, Western India. Mem. Geol. Soc. Ind., No. 33, pp. 425-434.

Kar, A (1995). Geomorphology of arid western India. Mem. Geol. Soc. Ind., No. 32, pp. 168-190

Kershaw, S. & Guo, L. (2001). Marine notches in coastal cliffs: Indicators of relative sea-level change, Perachora peninsula, central Greece. Marine Geology, V. 179, pp. 213-228

Khadkikar, A.S. (2002): Late Quaternary neotectonic joints: Confirmation of the connection between jointing and contemporary tectonic stress. Geophy. Res. Lett. V.29, No 0, 1029/2002GL014765

Kindler, P. & Hearty, P.J. (1995). Pre-Sangamonian eolianites in the Bahamas? New evidences from Eleuthera Island. Marine Geology, V. 127, pp. 73-86.

Komar, P.D. (1976): Beach processes and sedimentation. Prantice-Hall, Englewood Cliffs, New Jersy.

Lajoie, K.R. (1986): Coastal tectonics In: Active Tectonics, National Academy Press, Washington DC, pp. 95-124.

Lichter, J. (1997): AMS radiocarbon dating of Lake Michigan beach-ridge and dune development. Quaternary Research, V. 48, pp. 137-140.

Marathe, A.R. (1981): Geoarchaeology of the Hirn valley, Saurashtra, India. Deccan College PG and Research Institute, Poona, 130p.

Marathe, A.R., Deodhar, P.G. & Rajaguru, S.N. (1998): Coastal miliolite formation and history of the early man in southern Saurashtra, Western India. Quaternary Deserts and Climatic Change. In: Alsharhan, A.S., Glennie, K.W., Whittle, G.L. & Kendall, C.G.St.C. (Eds.) Balkema, Rotterdam, pp. 601-607.

Mathur, U.B. & Mehra. S. (1975): Report on the Quaternary deposits of Porbandar area. Junagadh Dist. Gujarat. Progress Report Geol. Surv. Ind. For 1974 -75 (Unpublished).

Mathur, U.B. & Pandey, D.K. (2002): Radiocarbon dates of corals, gastropods and foraminifers from Saurashtra peninsula, Gujarat and their implications for sea level studies Jour. Geol. Soc Ind , V.60, pp.303-308.

Merrits, D. & Vincent, K.R. (1989). Geomorphic response of coastal streams to low, intermediate and high rates of uplift, Mendocino triple junction region, northern California. Geol Soc Amer. Bull, V.101, pp 1373-1388.

Miall, A. D. (1996): The Geology of Fluvial Deposits: Sedimentary facies. Basin analysis and Petroleum geology, Springer, Berlin.

Mckenzie, F. T. (1964): Geometry of Bermuda calcareous dune cross-bedding, Science, V 144, pp 1449-1450.

McKenzie, P. (1958): The development of beach sand ridges. Aust. Jour. Sci., V. 20, pp. 213-214.

Merh, S.S. (1980): The Miliolite Problem. Presidential address, 67th session of the Ind. Sci. Cong. section of Geol. & Geography, Calcutta, pp.17-42.

Merh, S S (1992): Quaternary sea level changes along Indian coast. Proc. Indian Nat. Sci. Acad , V.58, pp. 461-472.

Merh, S.S. & Chamyal, L.S (1993) The Quaternary sediments in Gujarat. Current Science, V. 64, pp.823-827.

Merh, S S. (1995): Geology of Gujarat. Geol. Soc. Ind., p.222.

Mishra D.C., Singh,B., Gupta, S.B., Prabhakar Rao, M.R.K., Singh, A.P., Chandrashekhar, D.V., Hodlur, G K., Rao, M.B.S.V., Tiwari, V.M , Laxman,G , Venkata Raju, D.Ch., Kumar,V , Rajesh, R.S., Babu Rao,V. & Chetty, T.R.K. (2001) Major lineament and gravity, magnetic trends in Saurashtra, India, Current Science, V. 80, No.5, pp.1095-1067.

Misra, K.S. (1981): Tectonic setting of Deccan volcanics in southern Saurashtra and northern Gujarat. In: Deccan volcanism and related basalt provinces in other parts of the world, Subbarao,K.V. and Sukeshwala, R.N. (eds.), Geol. Soc. Ind. Mem. No.3, pp. 81-86.

Neim, A.R. & Neim, W.A. (1985): Oil and gas investigation of the Astoria basin, Clastop and northernmost Tillamook counties, northwest Oregon. Oreg. Dept. Geol. Min. Ind. Oil and Gas Investigation. No. 14.

Neumann, A.C. (1966): Observations on coastal erosion in Bermuda and measurements on the boring rate of the sponge *cliona lampas*. Limnology and Oceanography, V.11, pp 92-108

Neumann, A.C. & Moore, W. S. (1975): Sea level events and Pleistocene coral ages in the Northern Bahamas. Quaternary Research, V. 5, pp. 215-224.

Oldham, R.D. (1893). A manual of geology of India – Stratigraphical and structural. Geol. Surv. Ind. 2nd Edition

Otvos E. G. (2000) Beach ridges: Definitions and significance. Geomorphology, V. 32. pp. 83-108.

Pandey, D.K., Mathur, U.B., Singh, R. & Bahadur, T. (2003): Late Pleistocene coral-algal sediments of Chaya Formation of Mithapur area, Jamnagar, Gujarat. Jour. Geol Soc. Ind., V. 61 pp.195-201.

Pandya, N. (2001). Lothal: A Harappan port on an extinct sea – channel. Jour. Engg & Tech. V. 14, Sardar Patel University, Vallabh Vidyanagar.

Patel, M.P. (1991a): Quaternary strandlines in Gujarat. Proc. Quat. Landscape of Ind Subcont. In: Desai, N , Ganapathi, S., Patel, P.K. (Eds.), The M. S. Univeristy of Baroda, pp. 107-118.

Patel, M.P. (1991b): Depositional environments of the inland miliolite occurrences of Saurashtra and Kutch. Proc Quat. Landscape of Ind. Subcont. In: Desai, N., Ganapathi, S , Patel, P.K. (Eds.), The M S. Univeristy of Baroda, pp.119-129.

Patel, M.P., Bhatt, N , & Murthy, K.V R. (1992). TL studies of Quaternary biogenic carbonate deposits of Saurashtra, western India. Thermoluminescence and its applications. In: Murthy, K V.R., Prasad, L.H.H , & Joshi, T.R. (Eds.), McGraw-Hills Pub. Co Ltd , New Delhi, pp 137-144

Patel, M.P. & Bhatt, N. P. (1995): Evidences of palaeoclimatic fluctuations in miliolite rocks of Saurashtra, Western India. Jour. Geol. Soc. Ind., V.45, pp.191-200.

Pant, R.K. & Juyal, N. (1993a): Neotectonism along the Saurashtra coast: New evidences. Current Science. V.65, pp.351-353.

Pant, R.K. & Juyal, N. (1993b): Late Quaternary coastal instability and sea level changes: New evidences from Saurashtra coast, Western India. Zeitschirft für Geomorphologie. V.37, pp. 29-40.

Pethick, J (2000): An Introduction to Coastal Geomorphology. Arnold Publications, 260p.

Purnachandra Rao, V., Veerayya, M , Thamban, M. & Wagle, B.G. (1996): Evidences of Late Quaternary neotectonic activity and sea-level changes along the western continental margin of India. Current Science, V. 71, No. 3, pp. 213-219.

Price, W. A. (1982): Beach ridge plain. Encyclopedia of Beaches and Coastal Environments. In: Schwartz, M.L. (Ed.), Hutchinson Ross Publ., Stroudsbrug, PA. pp. 159-160, 940pp.

Pirazzoli, P.A (1986): Marine Notches. Sea-level Research: a manual for the collection and evaluation of data. In: Van de Plassche, O. (Ed.). Geo Books, Norwich, UK, pp. 361-400.

Pirazzoli, P.A., Grant, D. R. & Woodworth, P. (1989): Trends of relative sea-level change: Past, present and future. Quaternary International, V. 2, pp. 63-71.

Pirazooli, P.A, & Salvet, B. (1992): Ancient shorelines and Quaternary vertical movements on Rurutu and Tubuai (Austral Isles, French Polynesia). Zeitschrift Für Geomorphologie, V.36, pp. 431-451.

Pirazzoli, P.A., Bellevue, M., Laborel, J. & Stiros, S.C. (1996): Coastal indicators of rapid uplift and subsidence: examples from Crete and other eastern Mediterranean sites Zeitschrift für Geomorphologie, V. 102, pp. 21-35.

Reineck, H E. & Singh, I.B. (1980): Depositional Sedimentary Environment, 2nd revised edition, Springer-Verlag. Publication. 551p.

Retallack G J.(1988): Palaeosols and weathering through geologic time: Principles and Application. In: J. Reinhardt & W.R. Singleo (Eds), Geol. Soc. America.

Rhea, S. (1993): Geomorphic observations of rivers in the Oregon coast range from a regional reconnaissance perspective. Geomorphology, V.6, pp. 135-150.

Rust, D. & Kershaw, S. (2000): Holocene tectonic uplift pattern in northern Sicily- Evidence from marine notches in coastal outcrops. Marine Geology, V. 167, pp. 105-126.

Sayles, R.W. (1931)· Bermuda during the ice age. Proc. Ame. Acad. of Arts and Science V 66, pp. 381-467.

Scheiddegar, A. (2001): Surface joint system, tectonic stresses and geomorphology: A reconciliation of conflicting observations. Geomorphology, pp.213-219.

Schumm, S.A. (1977): The fluvial systems. Wiley, New York, pp. 338.

Seeber, L, & Gorintz, V. (1983): River profiles along the Himalayan arc as indicators of active tectonics. Tectonophysics, V. 92. pp. 335-367.

Short, A.D. (1988): The South Australia coast and Holocene sea level transgression Geographical Review, V. 78, pp.119-136.

Shrivastava, P.K. (1963): Geology of Saurashtra. Unpublished ONGC Report.

Sinha Roy, S. (2001): Neotectonic significance of longitudinal river profiles: An example from the Banas drainage basin, Rajasthan. Jour. Geol. Soc. Ind., V. 58, pp. 143-156.

Somayajulu, B.L K., Broecker, W. S. & Goddard, J. (1985): Dating Indian corals by U-decay series methods. Quaternary Research, V.24, pp.235-239.

Sood, R K , Subramanyam, V., & Sahai, B. (1982): Quaternary geomorphology of Kathiawar coast, Quaternary Environments: Recent Researches in Geology. In. Merh, S S. (Ed.). V.9, pp. 3-12.

Storey, B.C. (1995): The role of mantle plumes in continental break-up: case histories from Gondwanaland. Nature, V. 377, pp. 301-308.

Sukeshwala, R.N. (1981): Deccan basalt volcanism. In: Deccan volcanism and related basalt provinces in other parts of the world, Subbarao,K.V. and Sukeshwala, R.N. (eds.), Geol. Soc Ind. Mem. No.3, pp. 8-18.

Sykes, R L. (1978): Intraplate seismicity, reactivation of preexisting zones of weakness, alkaline magmatism, and other tectonism postdating continental fragmentation Reviews of Geophysics and Space Physics, V.16, pp. 621-688.

Taylor, M J. & Stone, G.W. (1996) Beach-Ridges: A Review. Jour Coast Res. V. 12, pp 612-621.

Trenhail, A.S.(1980): Shore platforms: a neglected coastal features. Progress in Physical Geography, V. 4, pp.1-23.

Trenhail, A.S. (1989): Sea-level oscillations and the development of rock coasts. Application in coastal modeling, In: V.C.Lakhan & A.S.Trenhail (Eds) Elsevier, Amsterdam, pp 271-295.

Trenhail, A.S. (2001): Modeling the effect of late Quaternary interglacial sea levels on wave-cut shore platforms. Marine Geology, V. 172, pp. 205-223.

Vanderberghe, J (1993): Changing fluvial processes under changing periglacial conditions. Zeitschrift für Geomorphologie, V. 88, pp. 17-28.

Vacher, H. L., & Hearty, P. (1989): History of stage 5 sea level in Bermuda: Review with new evidence of a brief rise to present sea level during substage 5a. Quaternary Science Reviews, V. 8, pp. 159-168.

Verma, K K. & Mathur, U.B. (1978): High stand of Quaternary sea along the western coast of India: A new area for the test of Glacio-Eustasy in Asia. Proc. 3rd Reg Conf Geol. Min, Resources of SE Asia. pp.113-118

Vora, K.H., Naik, D.K., Ganesan, P. & Moraes, C.N. (1991): Offshore extension of Gomati river, Dwarka. Mar. Arcaheo., V.2, pp. 32-38.

Williams, M., Dunkerley,D.L., Deckker, P.Dc., Kershaw, A.P., Stokes, T.(1993): Quaternary Environments. Edward Arnold Publications, 329p.

Zazo, C. (1999): Interglacial sea levels. Quaternary International, V. 55, pp. 101-113

Zinoy, J. I. & Yerks, R. F. (1985): Evaluating earthquake hazard in the Los Angeles region. USGS Prof. Paper, 1360, pp. 43-91.

Zutshi, P.L., Jain, M.M., & Srivastava, H.C.(1989): Basement configuration of Kutch and Saurashtra basins. ONGC Bull., V. 26, pp.53-62