

REFERENCES:

1. Aase, J.K. and Siddoway, F.H. 1981. Assessment winter wheat dry matter production via spectral reflectance measurements. *Remote Sensing of Environment*. 11:267-277.
2. Abid, S., Shah, N.A., Hassan, A., Farooq, A. and Masood, M.A. 2014. Growth and Trend in Area, Production and Yield of Major Crops of Khyber Pakhtunkhwa, Pakistan. *Asian Journal of Agriculture and Rural Development*. 4(2):149-155.
3. Aboelghar, M., Arafat, S., Saleh, A., Naeem, S., Shirbeny, M. and Belal, A. 2010. Retrieving leaf area index from SPOT4 satellite data. *The Egyptian Journal of Remote Sensing and Space Sciences*. 13(2):121-127.
4. Ahlrichs, J.S. and Bauer, M.E. 1983. Relation of agronomic and multispectral reflectance characteristics of spring wheat canopies. *Agronomy Journal*. 75(6):987-993.
5. Ajaere, N.M. 2012. Multi-Temporal Analysis of Crop Biomass Using Selected Environmental Variables and Remote Sensing Derived Indices. *Thesis. The University of Nebraska- Lincoln*. 1-180.
6. Akintunde, O.K., Okoruwa, V.K. and Adeoti, A.I. 2013. The Effect of Agroclimatic Factors on Cash Crops Production in Nigeria. *Journal of Central European Agriculture*. 14(3):52-74.

7. Al-Abbas, A.H., Barr, R., Hall, J.D., Crane, F.L. and Baumgard, M.F. 1974. Spectra of normal and nutrient-deficient maize leaves. *Agronomy Journal*. 66(1):16-20.
8. Ali, H., Ali, H., Faridi, Z. and Ali, H. 2013. Production and Forecasting Trends of Cotton in Pakistan: An Analytical View. *Journal of Basic and Applied Sciences*. 3(12):97-101.
9. Anderson, M.C., Neale, C.M.U., Li, F., Norman, J.M., Kustas, W.P., Jayanthi, H. and Chavez, J. 2004. Upscaling ground observations of vegetation water content, canopy height, and leaf area index during SMEX02 using aircraft and Landsat imagery. *Remote Sensing of Environment*. 92(4):447-464.
10. Anonymous. 2010. Food Scarcity - Trends, Challenges, Solutions. *Sustainability Team Discussion Paper*. 1-23.
11. Arafat, S.M., Aboelghar, M.A. and Ahmed, E.F. 2013. Crop Discrimination Using Field Hyper Spectral Remotely Sensed Data. *Advances in Remote Sensing*. 2:63-70.
12. Araus, J.L, Casadesus, J. and Bort, J. 2001. Recent tools for the screening of physiological traits determining yield. In: Reynolds MP, Ortiz-Monasterio JI, McNab A, eds. Application of physiology in wheat breeding. Mexico, DF: CIMMYT. 59-77.
13. Arjenaki, F.G., Jabbari, R. and Morshedi, A. 2012. Evaluation of Drought Stress on Relative Water Content, Chlorophyll Content and Mineral Elements of Wheat (*Triticum aestivum* L.) varieties. *International Journal of Agriculture and Crop Sciences*. 4(11):726-729.

14. Arnon, D.I. 1949. Copper enzymes in isolated chloroplasts. polyphenoloxidase in *Beta vulgaris*. *Plant Physiology*. 24(1):1-15.
15. Asner, G.P. 1998. Biophysical and biochemical sources of variability in canopy reflectance. *Remote Sensing of Environment*. 64:234-253.
16. Asrar, G., Kanemasu, E.T., Jackson, R.D. and Pinter, P.J. 1985. Estimation of total above-ground phytomass production using remotely sensed data. *Remote Sensing of Environment*. 17:211-220.
17. Asrar, G., Fuchs, M., Kanemasu, E.T. and Hatfield, J.L. 1984. Estimating absorbed photosynthetic radiation and leaf area index from spectral reflectance in wheat. *Agronomy Journal*. 76(2):300-306.
18. Atzberger, C. and Rembold, F. 2013. Mapping the Spatial Distribution of Winter Crops at Sub-Pixel Level Using AVHRR NDVI Time Series and Neural Nets. *Remote Sensing*. 5(3):1335-1354.
19. Atzberger, C.G. 1998. Estimates of winter wheat production through Remote Sensing and crop growth modelling: A case study of the Camargue region. *PhD thesis Trier University. Berlin, Verlag Wissenschaft und Forschung (VWF)*. 1-261.
20. Badhwar, G.D., Carnes, J.G. and Austin, W.W. 1982. Use of Landsat-derived temporal profiles for corn-soybean feature extraction and classification. *Remote Sensing of Environment*. 12(1):57-79.
21. Baghdadi, N., Boyer, N., Todoroff, P., El Hajj, M. and Bégué, A. 2009. Potential of SAR sensors TerraSAR-X, ASAR/ENVISAT and PALSAR/ALOS for

- monitoring sugarcane crops on Reunion Island. *Remote Sensing of Environment*. 113(8):1724-1738.
22. Baghdadi, N., Cresson, R., Todoroff, P. and Moinet, S. 2010. Multitemporal observations of sugarcane by TerraSAR-X images. *Sensors*. 10(10):8899-8919.
 23. Ban, Y. 1996. Multi-temporal ERS-1 and Landsat TM data for agricultural crop classification: An artificial neural network approach. *International Archives of Photogrammetry and remote sensing, Vienna*. XXXI(B7):48-52.
 24. Bao, Y., Gao, W. and Gao, Z. 2009. Estimation of winter wheat biomass based on remote sensing data at various spatial and spectral resolutions. *Frontiers of Earth Science in China*. 3(1):118-128.
 25. Baret, F. and Buis, S. 2008. Estimating Canopy Characteristics from Remote Sensing Observations: Review of Methods and Associated Problems. In S. Liang (ed.), *Advances in Land Remote Sensing. Springer Science + Business Media B.V.* 173-201.
 26. Baret, F. and Guyot, G. 1991. Potentials and limits of vegetation indices for LAI and APAR assessment. *Remote Sensing of Environment*. 35(2-3):161-173.
 27. Bargiel, D. and Hermann, S. 2011. Multi-temporal land-cover classification of agricultural areas in two European regions with high resolution spotlight TerraSAR-X data. *Remote Sensing*. 3(5):859-877.
 28. Barrett, B., Whelan, P. and Dwyer, N. 2012. The Use of C- and L-Band Repeat-Pass Interferometric SAR Coherence for Soil Moisture Change Detection in Vegetated Areas. *The Open Remote Sensing Journal*. 5:37-53.

29. Barrs, H.D. 1968. Determination of water deficits in plant tissues. In: T.T. Kozolovski (Ed.), *Water Deficits and Plant Growth. Academic Press, New Delhi.* 1:235-368.
30. Bartholome, E. 1988. Radiometric measurements and crop yield forecasting – some observations over Millet and Sorghum experimental plots in Mali. *International Journal of Remote Sensing.* 9(10-11):1539-1552.
31. Bartholomé, E. and Belward, A.S. 2005. GLC2000: A new approach to global land cover mapping from Earth Observation data. *International Journal of Remote Sensing.* 26(9):1959-1977.
32. Bendig, J., Bolten, A., Bennertz, S., Broscheit, J., Eichfuss, S. and Bareth, G. 2014. Estimating Biomass of Barley Using Crop Surface Models (CSMs) Derived from UAV-Based RGB Imaging. *Remote Sensing.* 6(11):10395-10412.
33. Bicheron, P. and Leroy, M. 1999. A method of biophysical parameter retrieval at global scale by inversion of a vegetation reflectance model. *Remote Sensing of Environment.* 67(3):251-266.
34. Blackburn, G.A. 2007. Hyperspectral remote sensing of plant pigments. *Journal of Experimental Botany.* 58(4):855-867.
35. Bonan, G. 1993. Importance of leaf area index and forest type when estimating photosynthesis in boreal forests. *Remote Sensing of Environment.* 43(3):303-314.
36. Boschetti, M., Stroppiana, D., Brivio, P.A. and Bocchi, S. 2009. Multi-year monitoring of rice crop phenology through time series analysis of MODIS images. *International Journal of Remote Sensing.* 30(18):4643-4662.

37. Botha, E.J., Leblon, B., Zebarth, B. and Watmough, J. 2007. Non-destructive estimation of potato leaf chlorophyll from canopy hyperspectral reflectance using the inverted PROSAIL model. *International Journal of Applied Earth Observation and Geoinformation*. 9(4):360-374.
38. Bouman B.A.M. 1991. Linking X-band radar backscattering and optical reflectance with crop growth models. *Ph.D. Thesis, Wageningen Agricultural University, The Netherlands*. 1-169.
39. Bouman, B.A.M. 1992. Linking physical Remote Sensing models with crop growth simulation models, applied for sugar beet. *International Journal of Remote Sensing*. 13(14):2565-2581.
40. Boyer, J. S. 1982. Plant productivity and environment. *Science*. 218(4571):443-448.
41. Bradford, K.J. and Hsiao, T.C. 1982. Physiological Plant Ecology II. Water Relations and Carbon Assimilation. *Encyclopedia of Plant Physiology, N.S., Vol 12B (O. L. Lange, P. S. Nobel, C. B. Osmond, and H. Ziegler, Eds.), Springer-Verlag, Berlin, Heidelberg, New York*. 263-324.
42. Brisco, B. and Brown, R.J. 1998. Agricultural Applications with Radar. In: Henderson, F. M.; Lewis, A. J. (Ed.). Principles and applications of imaging radar: Manual of Remote Sensing. 3ed. John Wiley, New York , NY, USA.. 381-406.
43. Brisco, B. and Protz, R. 1980. Corn field identification accuracy using airborne radar imagery. *Canadian Journal of Remote Sensing*. 6 (1):15-25.

44. Broge, N.H. and Leblanc, E. 2001. Comparing prediction power and stability of broadband and hyperspectral vegetation indices for estimation of green leaf area index and canopy chlorophyll density. *Remote Sensing of Environment*. 76(2):156-172.
45. Brown, R.J., Manore, M.J. and Poirier, S. 1992. Correlations between X-, C-, and L-band imagery within an agricultural environment. *International Journal of Remote Sensing*. 13(9):1645-1661.
46. Brown, S. and Gaston, G. 1995. Use of forest inventories and geographic information systems to estimate biomass density of tropical forests: Application to tropical Africa. *Environmental Monitoring and Assessment*. 38(2-3):157-168.
47. Brown, S. and Iverson, L.R. 1992. Biomass estimation for tropical forests. *World Resource Review*. 4:366-384.
48. Brown, S., Gillespie, A.J.R. and Lugo, A.E. 1989. Biomass estimation methods for tropical forests with applications to forest inventory data. *Forest Science*. 35(4): 881-902.
49. Buermann, W., Dong, J., Zeng, X., Myneni, R.B. and Dickinson, R E. 2001. Evaluation of the utility of satellite-based vegetation leaf area index data for climate simulations. *Journal of Climate*. 14(17):3536-3550.
50. Bunnik, N.J.J. 1978. The multispectral reflectance of shortwave radiation by agricultural crops: In relation with their morphological and optical properties. In Mededelingen. Landbouwhogeschool Wageningen. *Veenman*. 78(1):1-175.
51. Bush, T.F. and Ulaby, F.T. 1978. An evaluation of radar as a crop classifier. *Remote Sensing of Environment*. 7:15-36.

52. Chand, R., Raju, S.S. and Pandey, L.M. 2007. Growth Crisis in Agriculture: Severity and Options at National and State Levels. *Economic and Political Weekly*. 42(26):2528-2533.
53. Chaurasia, S., Nigam, R., Bhattacharya, B.K., Sridhar, V.N., Mallick, K., Vyas, S.P., Patel, N.K., Mukherjee, J., Shekhar, C., Kumar, D., Singh, K.R.P., Bairagi, G.D., Purohit, N.L. and Parihar, J.S. 2011. Development of regional wheat VI-LAI models using Resourcesat-1 AWiFS data. *Journal of Earth System Science*. 120(6):1113-1125.
54. Chen, B., Chen, J.M. and Ju, W. 2007c. Remote sensing-based ecosystem-atmosphere simulation scheme (EASS) - Model formulation and test with multiple-year data. *Ecological Modelling*. 209(2-4):277-300.
55. Chen, E., Li, Z., Pang, Y. and Tian, X. 2007a. Quantitative Evaluation of Polarimetric Classification for Agricultural Crop Mapping. *Photogrammetric Engineering & Remote Sensing*. 73(3):279-284.
56. Chen, J., Lin, H. and Pei, Z. 2007b. Application of ENVISAT ASAR data in mapping rice crop growth in Southern China. *IEEE Geoscience and Remote Sensing Letters*. 4(3):431-437.
57. Chen, J., Lin, H., Huang, C. and Fang, C. 2009b. The relationship between the leaf area index (LAI) of rice and the C band SAR vertical/horizontal (VV/HH) polarization ratio. *International Journal of Remote Sensing*. 30(8):2149-2154.
58. Chen, J., Pei, Z., Zhang, S. and Hu, X. 2009a. Monitoring Sugarcane Growth Using ENVISAT ASAR Data. *IEEE Transactions on Geoscience and Remote Sensing*. 47(8):2572-2580.

59. Chen, J.M. and Cihlar, J. 1996. Retrieving leaf area index of boreal conifer forests using Landsat TM images. *Remote Sensing of Environment*. 55(2):153-162.
60. Cheng, Q., Huang, J., Wang, X. and Wang, R. 2003. In situ hyperspectral data analysis for pigment content estimation of rice leaves. *Journal of Zhejiang University Science*. 4(6):727-733.
61. Choudbury, B.J. 1987. Relationships between vegetation indices, radiation absorption, and net photosynthesis evaluated by a sensitivity analysis. *Remote Sensing of Environment*. 22(2):209-233.
62. Clevers, J. and van Leeuwen, H.J.C. 1996. Combined Use of Optical and Microwave Remote Sensing Data for Crop Growth Monitoring. *Remote Sensing of Environment*. 56(1):42-51.
63. Clevers, J.G.P.W. 1988. The derivation of a simplified reflectance model for the estimation of leaf area index. *Remote Sensing of Environment*. 25(1):53-69.
64. Clevers, J.G.P.W. 1989. The application of a weighted infrared-red vegetation index for estimating leaf area index by correcting for soil moisture. *Remote Sensing of Environment*. 29(1):25-37.
65. Collins, W. 1978. Remote sensing of crop type and maturity. *Photogrammetric Engineering and Remote Sensing*. 44(1):43-55.
66. Conrad, C., Fritsch, S., Zeidler, J., Rücker, G. and Dech, S. 2010. Per-field irrigated crop classification in arid central Asia using SPOT and ASTER data. *Remote Sensing*. 2(4):1035-1056.

67. Crist, E.P. and Kauth, R.J. 1986. The Tasseled Cap De-Mystified. *Photogrammetric Engineering and Remote Sensing*. 52(1):81-86.
68. Curran, P.J. and Williamson, H.D. 1987. Airborne MSS data to estimate GLAI. *International Journal of Remote Sensing*. 8(1):57-74.
69. Curran, P.J., Dungan, J.L. and Gholz, H.L. 1990. Exploring the relationship between reflectance red edge and chlorophyll content in splash pine. *Tree Physiology*. 7:33-48.
70. Dadhwal, V.K., Singh, R.P., Dutta, S. and Parihar, J.S. 2002. Remote sensing based crop inventory: A review of Indian experience. *Tropical Ecology*. 43(1):107-122.
71. Danks, S.M., Evans, E.H. and Whittaker, P.A. 1984. Photosynthetic Systems: Structure, Function and Assembly, *John Wiley, Hoboken, N. J.* 1-174.
72. Darvishzadeh, R., Skidmore, A., Schlerf, M. and Atzberger, C. 2008. Inversion of a radiative transfer model for estimating vegetation LAI and chlorophyll in a heterogeneous grassland. *Remote Sensing of Environment*. 112(5):2592-2604.
73. Dash, J., Curran, P.J. and Foody, G.M. 2009. Chapter5. Remote Sensing of terrestrial chlorophyll content. Global Climatology and Ecodynamics. *Springer Praxis Books*. 77-105.
74. Daughtry, C.S.T., Gallo, K.P. and Bauer, M.E. 1983. Spectral estimates of solar radiation intercepted by corn canopies. *Agronomy Journal*. 75(3):527-531.
75. Daughtry, C.S.T., Walthall, C.L., Kim, M.S., Brown de Colstoun, E. and McMurtrey III, G.E. 2000. Estimating corn leaf chlorophyll concentration from leaf and canopy reflectance. *Remote Sensing of Environment*. 74(2):229-239.

76. Davidson, M.W.J., Steingieber, R., Kuhbauch, W., Vescovi, F.D., Bocchi, S., Tano, F., Gomasasca, M.A. 1997. Improving the collection of agricultural information using polarimetric SIR-C/X-SAR radar images. An application in different agro-climatological areas. *Italian Journal of Agronomy*. 1(1):21-30.
77. de Beurs, K.M. and Henebry, G.M. 2004. Land surface phenology, climatic variation, and institutional change: Analyzing agricultural land cover change in Kazakhstan. *Remote Sensing of Environment*. 89(4):497-509.
78. De Roo, R.D., Yang, D., Ulaby, F.T. and Dobson, M.C. 2001. A semi-empirical backscattering model at L-band and C-band for a soybean canopy with soil moisture inversion. *IEEE Transactions on Geoscience and Remote Sensing*. 39(4):864–872.
79. De Wit, A.J.W. and Clevers, J.G.P.W. 2004. Efficiency and accuracy of per-field classification for operational crop mapping. *International Journal of Remote Sensing*. 25(20):4091-4112.
80. Defries, R.S. and Townshend, J.R.G. 1994. NDVI-Derived land cover classifications at a global scale. *International Journal of Remote Sensing*. 15(17):3567-3586.
81. Del Frate, F., Schiavon, G., Solimini, D., Borgeaud, M., Hoekman, D.H. and Vissers, M.A.M. 2003. Crop classification using multiconfiguration C-band SAR data. *IEEE Transactions on Geoscience and Remote Sensing*. 41(7):1611-1619.

82. Dhumal, R.K., Rajendra, Y., Kale, K.V. and Mehrotra, S.C. 2013. Classification of Crops from remotely sensed Images: An Overview. *International Journal of Engineering Research and Applications*. 3(3):758-761.
83. Diuk-Wasser, M.A., Bagayoko, M., Sogoba, N., Dolo, G., Toure, M.B., Traore, S.F. and Taylor, C.E. 2004. Mapping rice field anopheline breeding habitats in Mali, West Africa, using Landsat ETM+ sensor data. *International Journal of Remote Sensing*. 25(2):359-376.
84. Dobson, M.S., Ulaby, F.T. and Pierce, L.E. 1995. Land-cover classification and estimation of terrain attributes using synthetic aperture radar. *Remote Sensing of Environment*. 51(1):199-214.
85. Dong, J., Nai-bin, W., Xiao-huan, Y. and Ji-hua, W. 2003. Study on the interaction between NDVI profile and the growing status of crops. *Chinese Geographical Science*. 13(1):62-65.
86. Doraiswamy, P., McCarty, G., Hunt, J., Yost, R., Doumbia, M. and Franzluebbers, A. 2007. Modeling soil carbon sequestration in agricultural lands of Mali. *Agricultural Systems*. 94(1):63-74.
87. Doraiswamy, P.C., Sinclair, T.R., Hollinger, S., Akhmedov, B., Stern, A. and Prueger, J. 2005. Application of MODIS derived parameters for regional crop yield assessment. *Remote Sensing of Environment*. 97(2):192-202.
88. Dorigo, W.A., Zurita-Milla, R., de Wit, A.J.W., Brazile, J., Singh, R. and Schaepman, M.E. 2007. A review on reflective remote sensing and data assimilation techniques for enhanced agroecosystem modeling. *International Journal of Applied Earth Observation and Geoinformation*. 9(2):165-193.

89. Duchemin, B., Hadriab, R., Errakib, S., Bouleta, G., Maisongrandea, P., Chehbounia, A., Escadafala, R., Ezzaharb, J., Hoedjesa, J.C.B., Kharroud, M.H., Khabbab, S., Mougenota, B., Oliosoe, A., Rodriguezf, J.C. and Simonneaux, V. 2006. Monitoring wheat phenology and irrigation in Central Morocco: On the use of relationships between evapotranspiration, crops coefficients, leaf area index and remotely-sensed vegetation indices. *Agricultural Water Management*. 79(1):1-27.
90. Eklundh, L. 1996. AVHRR NDVI for monitoring and mapping of vegetation and drought in East African environments. *Ph.D thesis, University of Lund, Sweden*. 1-187.
91. Engman, E.T. and Chauhan, N. 1995. Status of Microwave soil moisture measurements with Remote Sensing. *Remote Sensing of Environment*. 51(1):189-198.
92. ESA, 2005 Product Handbook, Frascati, Italy.
93. Everitt, J.H., Richardson, A.J. and Gausman, H.W. 1985. Leaf reflectance-chlorophyll relations in buffelgrass. *Photogrammetric Engineering and Remote Sensing*. 51:436-466.
94. Fang, Z., Bouwkamp, J. and Solomos, T. 1998. Chlorophyllase activities and chlorophyll degradation during leaf senescence in nonyellowing mutant and wild type of *Phaseolus vulgaris* L. *Journal of Experimental Botany*. 49(320):503-510.
95. FAO. 2000. Production Year Book. Rome. 54.

96. Ferrara, R. M. and C. Fiorentino, Martinelli, N., Garofalo, P. and Rana, G. 2010. Comparison of different ground-based NDVI measurement methodologies to evaluate crop biophysical properties. *Italian Journal of Agronomy*. 5(2):145-154.
97. Ferrazoli, P., Paloscia, S., Pampaloni, P., Schiavon, G., Sigismondi, S. and Solimini, D. 1997. The potential of multifrequency polarimetric SAR in assessing agricultural and arboreous biomass. *IEEE Transactions on Geoscience and Remote Sensing*. 35(1):5-17.
98. Filella, I. and Penuelas, J. 1994. The red edge position and shape as indicators of plant chlorophyll content, biomass and hydric status. *International Journal of Remote Sensing*. 15(7):1459-1470.
99. Filella, I., Serrano, L., Serra, J. and Penuelas, J. 1995. Evaluating wheat nitrogen status with canopy reflectance indices and discriminant analysis. *Crop Science*. 35(5):1400-1405.
100. Foerster, S., Kaden, K., Foerster, M. and Itzerott, S. 2012. Crop type mapping using spectral-temporal profiles and phenological information. *Computers and Electronics in Agriculture*. 89:30-40.
101. Fontanelli, G., Crema, A., Azar, R., Stroppiana, D., Villa, P. and Boschetti, M. 2014. Agricultural Crop Mapping Using Optical and SAR Multi-Temporal Seasonal Data: A Case Study in Lombardy Region, Italy. *IEEE International Geoscience and Remote Sensing Symposium (IGARSS)*. 13-18 July 2014. 1489-1492.

102. Fontanelli, G., Paloscia, S., Zribi, M. and Chahbi, A. 2013. Sensitivity analysis of Xband SAR to wheat and barley leaf area index in the Merguellil Basin. *Remote Sensing Letters*. 4(11):1107-1116.
103. Foody, G.M. 1995. Estimation of Land Coverage from Land Cover Classification Derived from Remotely Sensed Data. *GeoJournal*. 36(4):361-370.
104. Foody, G.M., McCulloch, M. B. and Yates, W. B. 1994. Crop classification from C-band polarimetric radar data. *International Journal of Remote Sensing*. 15(14):2871-2885.
105. Forkuor, G., Conrad C., Thiel, M., Ullmann, T. and Zoungrana, E. 2014. Integration of Optical and Synthetic Aperture Radar Imagery for Improving Crop Mapping in Northwestern Benin, West Africa. *Remote Sensing*. 6(7):6472-6499.
106. Francesco, V., Guido, D. and Luigi, D. 2006. Cost-effectiveness of vegetation biophysical parameters retrieval from remote sensing data. *IEEE International Conference on Geoscience and Remote Sensing Symposium, 2006. IGARSS 2006*. 1949-1952.
107. Francesco, V. and Luigi, D. 2006. Cost-effectiveness of Vegetation Biophysical Parameters Retrieval from Remote Sensing Data. *IEEE International Conference on Geoscience and Remote Sensing Symposium, IGARSS 2006*. 1949-1952.
108. Franklin, S.E., Lavigne, M.B., Deuling, M.J., Wulder, M.A. and Hunt, E.R. 1997. Estimation of forest leaf area index using remote sensing and GIS data for modeling Net Primary Production. *International Journal of Remote Sensing*. 18(16):3459-3471.

109. Freeman, A., Villaseñor, J., Klein, J. D., Hoogeboom, P. and Groot, J. 1994. On the use of multi-frequency and polarimetric radar backscatter features for classification of agricultural crops. *International Journal of Remote Sensing*. 15(9):1799-1812.
110. Gao, B. 1996. NDWI - A Normalized Difference Water Index for Remote Sensing of Vegetation Liquid Water from Space. *Remote Sensing of Environment*. 58(3):257-266.
111. Gao, S., Niu, Z., Huang, N. and Hou, X. 2013. Estimating the Leaf Area Index, height and biomass of maize using HJ-1 and RADARSAT-2. *International Journal of Applied Earth Observation and Geoinformation*. 24:1-8.
112. Gastellu-Etchegorry, J.P., Demarez, V., Pinel, V. and Zagolski, F. 1996. Modeling radiative transfer in heterogeneous 3-D vegetation canopies. *Remote Sensing of Environment*. 58(2):131-156.
113. Gastellu-Etchegorry, J.P., Gascon, F. and Este`ve, P. 2003. An interpolation procedure for generalizing a look-up table inversion method. *Remote Sensing of Environment*. 87: 55-71.
114. Gausman, H.W. 1974. Leaf reflectance of near-infrared. *Photogram. Eng.* 40:183-191.
115. Gbetibouo, G.A., Ringler, C. and Hassan, R. 2001. Vulnerability of the South African farming sector to climate change and variability: An indicator approach. *A United Nations Sustainable Development Journal*. 34(3):175-187.

116. Gitelson, A.A. 2004. Wide Dynamic Range Vegetation Index for Remote Quantification of Biophysical Characteristics of Vegetation. *Journal of Plant Physiology*. 161(2):165-173.
117. Gitelson, A.A., Vina, A., Ciganda, V., Rundquist, D.C. and Arkebauer, T.H. 2005. Remote estimation of canopy chlorophyll content in crops. *Geophysical Research Letters*. 32(L08403):1-4.
118. Goel, N.S. 1988. Models of vegetation canopy reflectance and their use in estimation of biophysical parameters from reflectance data. *Remote Sensing Reviews*. 4(1):1-212.
119. Goel, N.S. and Strebel, D.E. 1983. Inversion of vegetation canopy reflectance models for estimating agronomic variables I: Problem definition and initial results using the Suits' model. *Remote Sensing of Environment*. 13(6):487-507.
120. Goel, N.S. and Thompson, R. 2000. A snapshot of canopy reflectance models and a universal model for radiation regime. *Remote Sensing Reviews*. 18(2-4):197-225.
121. Golder, P.C., Sastry, R.K. and Srinivas, K. 2013. Research priorities in Bangladesh: analysis of crop production trends. *SAARC Journal of Agriculture*. 11(1):53-70.
122. Gonzalez-Dugo, M. and Mateos, L. 2006. Spectral Vegetation Indices for Estimating Cotton and Sugarbeet Evapotranspiration. *Earth Observation for vegetation monitoring and water management, AIP Conference Proceedings, Naples, American Inst. Physics*. 852:115-123.

123. Goodman, J.W. 1976. Some fundamental properties of speckle. *Journal of Optical Society of America*. 66(11):1145-1150.
124. Goswami, S.B., Saxena, A. and Bairagi, G.D. 2012. Wheat Crop Identification and Discrimination using Resourcesat P-6 LISS III and AWiFS Sensor Satellite Data of Indore District. *International Journal of Advanced Technology & Engineering Research*. 2(2)137-142.
125. Guissard, V., Lucau-Danila, C. and Defourny, P. 2005. Crop specific LAI retrieval using optical and radar satellite data for regional crop growth monitoring and modeling. *Remote Sensing for Agriculture, Ecosystems, and Hydrology VII. Edited by Owe, Manfred; D'Urso, Guido. Proceedings of the SPIE*. 5976:198-209.
126. Haack, B.N. 2007. A comparison of land use/cover mapping with varied radar incident angles and seasons. *GISciences & Remote Sensing*. 44:1-15.
127. Haboudane, D., Miller, J. R., Tremblay, N., Zarco-Tejada, P. J. and Dextraze, L. 2002. Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture. *Remote Sensing of Environment*. 81(2-3):416-426.
128. Haboudane, D., Miller, J.R., Pattey, E., Zarco-Tejada, P.J. and Strachan, I.B. 2004a. Hyperspectral vegetation indices and novel algorithms for predicting green LAI of crop canopies: Modeling and validation in the context of precision agriculture. *Remote Sensing of Environment*. 90(3):337-352.
129. Haboudane, D., Miller, J.R., Tremblay, N., Pattey, E. and Vigneault, P. 2004b. Estimation of leaf area index using ground spectral measurements over

- agriculture crops: Prediction capability assessment of optical indices. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences. XX ISPRS Congress, 12-23 July 2004, Istanbul, Turkey.* XXXV(B7):108-113.
130. Haldar, D. and Patnaik, C. 2010. Synergistic use of multi-temporal radarsat SAR and AWiFS data for Rabi rice identification. *Journal of Indian Society of Remote Sensing.* 38:153-160.
131. Haldar, D., Das, A., Mohan, S., Pal, O., Hooda, R.S. and Chakraborty, M. 2012a. Assessment of L-Band SAR Data at Different Polarization Combinations for Crop and other Landuse Classification. *Progress in Electromagnetics Research B.* 36:303-321.
132. Haldar, D., Patnaik, C., Mohan, S. and Chakraborty, M. 2012b. Jute and tea discrimination through fusion of SAR and Optical Data. *Progress in Electromagnetics Research B.* 39:337-354.
133. Hatfield, J.L. and Prueger, J.H. 2004. Remote Sensing of Dryland Crops. Chapter 10. Remote Sensing for Natural Resource Management and Environmental Monitoring. *Manual of Remote Sensing, American Society for Photogrammetry and Remote Sensing. Volume 4, 3rd Edition edited by Susan L Ustin.* 531-568.
134. Heller, E., Rhemtulla, J.M., Lele, S., Kalacska, M., Badiger, S., Sengupta, R. and Ramankutty, N. 2012. Mapping Crop Types, Irrigated Areas, and Cropping Intensities in Heterogeneous Landscapes of Southern India Using Multi-

- Temporal Medium-Resolution Imagery: Implications for Assessing Water Use in Agriculture. *Photogrammetric Engineering & Remote Sensing*. 78(8):815-827.
135. Henderson, F., Chasan, R., Portolese, J. and Hart, J. 2002. Evaluation of SAR-optical imagery synthesis techniques in a complex coastal ecosystem. *Photogrammetric Engineering & Remote Sensing*. 68(8):839-846.
136. Herrmann, I., Pimstein, A., Karnieli, A., Cohen, Y. Alchanatis, V. and Bonfi, J.D. 2010. Assessment of Leaf Area Index by the Red-edge Inflection Point Derived from VENμS Bands. *ISPRS Archive, Core Spatial Databases- Updating Maintenance and Services-from Theory to Practice, Haifa, Israel*. XXXVIII(4-8-2-W9):34-39.
137. Hill, M.J. and Donald, G.E. 2003. Estimating spatio-temporal patterns of agricultural productivity in fragmented landscapes using AVHRR NDVI time series. *Remote Sensing of Environment*. 84(3):367-384.
138. Hobbs, T. 1995. The use of NOAA-AVHRR NDVI data to assess herbage production in the arid rangelands of Central Australia. *International Journal of Remote Sensing*. 16(7):1289-1302.
139. Hodges, T. and Kanemasu, E.T. 1977. Modeling daily dry matter production of winter wheat. *Agronomy Journal*. 69(6):974-978.
140. Homer, C.G., Ramsey, R.D., Edwards, T.C. and Falconer, A. 1997. Landscape covertype modeling using a multi-scene thematic mapper mosaic. *Photogrammetric Engineering and Remote Sensing*. 63(1):59-67.

141. Houborg R. and Boegh, E. 2008. Mapping leaf chlorophyll and leaf area index using inverse and forward canopy reflectance modeling and SPOT reflectance data. *Remote Sensing of Environment*. 112(1):186-202.
142. Houborg, R. and Eva, B. 2008. Mapping leaf chlorophyll and leaf area index using inverse and forward canopy reflectance modeling and SPOT reflectance data. *Remote Sensing of Environment*. 112(1):186-202.
143. Houborg, R., Anderson, M. and Daughtry, C. 2009. Utility of an image-based canopy reflectance modeling tool for remote estimation of LAI and leaf chlorophyll content at the field scale. *Remote Sensing of Environment*. 113(1):259-274.
144. Houborg, R., Soegaard, H. and Boegh, E. 2007. Combining vegetation index and model inversion methods for the extraction of key vegetation biophysical parameters using Terra and Aqua MODIS reflectance data. *Remote Sensing of Environment*. 106(1):39-58.
145. Houghton, R.A., Lawrence, K.T., Hackler, J.L. and Brown, S. 2001. The spatial distribution of forest biomass in the Brazilian Amazon: A comparison of estimates. *Global Change Biology*. 7(7):731-746.
146. Howard, D.M. Wylie, B.K. and Tieszen, L.L. 2012. Crop classification modelling using remote sensing and environmental data in the Greater Platte River Basin, USA. *International Journal of Remote Sensing*. 33(19):6094-6108.
147. Huang, Z., Turner, B.J., Dury, S.J., Wallis, I.R. and Foley, W.J. 2004. Estimating foliage nitrogen concentration from HYMAP data using continuum removal analysis. *Remote Sensing of Environment*. 93(1-2):18-29.

148. Huette, A.R. 1988. A soil-adjusted vegetation index (SAVI). *Remote Sensing of Environment*. 25(3):295-309.
149. Hunt, E.R., Rock, B.N. and Nobel, P.S. 1987. Measurement of Leaf Relative Water Content by Infrared Reflectance. *Remote Sensing of Environment*. 22(3):429-435.
150. IPCC. 2007. Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change, Parry, M.L., Canziani, O.F., Palutikof, J.P., Van Der Linden, P.J., Hanson, C.E. (Eds.). *Cambridge University Press: Cambridge, UK*. 1-976.
151. Ippoliti-Ramilo, G.A., Epiphonio, J.C.N. and Shimabukuro, Y.E. 2003. Landsat-5 Thematic Mapper data for pre-planting crop area evaluation in tropical countries. *International Journal of Remote Sensing*. 24(7):1521-1534.
152. Iyer, S.R. 1991. Quality control in agricultural surveys. In: P. Narain, O.P. Kathuria, V.K. Sharma & Prajneshu (eds) *Recent Advances in Agricultural Statistics Research*. Wiley Eastern. N. Delhi. 160-169.
153. Jacquemoud, S. 1993. Inversion of the PROSPECT + SAIL canopy reflectance model from AVIRIS equivalent spectra: Theoretical study. *Remote Sensing of Environment*. 44(2-3):281-292.
154. Jacquemoud, S. and Baret, F. 1990. PROSPECT: A model of leaf optical properties spectra. *Remote Sensing of Environment*. 34(2):75-91.

155. Jacquemoud, S., Bacour, H., Poilve, H. and Frangi, J.P. 2000. Comparison of four radiative transfer models to simulate plant canopies reflectance: Direct and inverse mode. *Remote Sensing of Environment*. 74:417-481.
156. Jacquemoud, S., Baret, F., Andrieu, B., Danson, F. M. and Jaggard, K. 1995. Extraction of vegetation biophysical parameters by inversion of the PROSPECT + SAIL models on sugar beet canopy reflectance data. Application to TM and AVIRIS sensors. *Remote Sensing of Environment*. 52(3):163-172.
157. Jacquemoud, S., Verhoef, W., Baret, F., Bacour, C., Zarco-Tejada, P.J., Asner, G.P. Francois, C. and Ustin, S.L. 2009. PROSPECT+ SAIL models: A review of use for vegetation characterization. *Remote Sensing of Environment*. 113(1):S56-S66.
158. Jacquemoud, S., Verhoef, W., Baret, F., Zarco-Tejada, P.J., Asner, G.P., Francois, C. and Ustin, S.L. 2006. PROSPECT+SAIL: 15 Years of Use for Land Surface Characterization. *IEEE*. In proceeding of: *IEEE International Geoscience Remote Sensing Symposium, IGARSS 2006, July 31 - August 4, 2006, Denver, Colorado, USA, Proceedings*. 1992-1995.
159. Jensen, J. R. 2005. Remote Sensing of the Environment: An Earth Resource Perspective. *New Jersey: Prentice Hall*. 361-365.
160. Jia, K., Li, Q., Tian, Y., Wu, B., Zhang, F. and Meng, J. 2012. Crop Classification using multi-configuration SAR data in the North China Plain. *International Journal of Remote Sensing*. 33(1):170-183.
161. Jia, K., Wu, B.F., Li, Q.Z. and Tian, Y.C. 2009. Improvement of classification accuracy integrating C- and X-band synthetic aperture radar data. *3rd IEEE*

- International Symposium on Microwave, Antenna, Propagation and EMC Technologies for Wireless Communications, 27-29 October 2009. 340-345.*
162. Jiang, Y., Liu, H. and Cline, V. 2009. Correlations of Leaf Relative Water Content, Canopy Temperature, and Spectral Reflectance in Perennial Ryegrass under Water Deficit Conditions. *Hortscience*. 44(2):459-462.
 163. Jiao, X., McNairn, H., Shang, J. and Liu, J. 2010. The sensitivity of multi-frequency (X, C and L-band) radar backscatter signatures to bio-physical variables (LAI) over corn and soybean fields. In: Wagner W., Székely, B. (eds.): *ISPRS TC VII Symposium–100 Years ISPRS, Vienna, Austria, July 5–7, 2010, IAPRS. XXXVIII(7B):317-321.*
 164. Jiao, X., McNairn, H., Shang, J., Pattey, E., Liu, J. and Champagne, C. 2011. The sensitivity of RADARSAT-2 polarimetric SAR data to corn and soybean leaf area index. *Canadian Journal of Remote Sensing*. 37(1):69-81.
 165. Ji-hua, M. and Bing-fang, W. 2008. Study on the crop condition monitoring methods with remote sensing. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*. XXXVII(B8):945-950.
 166. Johnson, D.M. 2008. A Comparison of Coincident Landsat-5 TM and Resourcesat-1 AWiFS Imagery for Classifying Croplands. *Photogrammetric Engineering & Remote Sensing*. 74(11):1413-1423.
 167. Jongschaap, R.E.E. 2006. Integrating crop growth simulation and remote sensing to improve resource use efficiency in farming systems. *Ph.D. Thesis, Wageningen University, Wageningen, The Netherlands*. 1-130.

168. Jordan, C. F. 1969. Derivation of leaf area index from quality of light on the forest floor. *Ecology*. 50:663-666.
169. Kannan, E. and Sundaram, S. 2011. Working Paper 276: Analysis of Trends in India's Agricultural Growth. *The Institute for Social and Economic Change, Bangalore*. 1-21.
170. Karila, K., Nevalainen, O., Krooks, A., Karjalainen, M. and Kaasalainen, S. 2014. Monitoring Changes in Rice Cultivated Area from SAR and Optical Satellite Images in Ben Tre and Tra Vinh Provinces in Mekong Delta, Vietnam. *Remote Sensing*. 6(5):4090-4108.
171. Karjalainen, M., Kaartinen, H. and Hyypä, J. 2008. Agricultural Monitoring Using Envisat Alternating Polarization SAR Images. *Photogrammetric Engineering & Remote Sensing*. 74(1):117-126.
172. Karjalainen, M., Kaartinen, H., Hyypä, J., Laurila, H. and Kuittinen, R. 2004. The Use of ENVISAT Alternating Polarization SAR Images in Agricultural Monitoring in Comparison with RADARSAT-1 SAR Images. *XXth ISPRS Congress, July 12-23, 2004 Istanbul, Turkey*. XXXV(B7):132-137.
173. Kaul, H.A. and Sopan, I. 2012. Land Use Land Cover Classification and Change Detection Using High Resolution Temporal Satellite Data. *Journal of Environment*. 1(4):146-152.
174. Kauth, R.J. and Thomas, G.S. 2004. The Tasselled Cap - A Graphic Description of the Spectral Temporal Development of the Agricultural Crops as Seen by Landsat. *Proceedings of the Symposium on Machine Processing of Remotely Sensed Data, Purdue University, West Lafayette*. 4B-41-4B-51.

175. Khorram, S., Brockhaus, J.A. and Geraci, A. 1991. A regional assessment of land use/land cover types in Sicily with TM data. *International Journal of Remote Sensing*. 12(1):69-78.
176. Kimes, D.S., Nelson, R.F., Manry, M.T. and Fung, A.K. 1998. Attributes of neural networks for extracting continuous vegetation variables from optical and radar measurements. *International Journal of Remote Sensing*. 19(14):2639-2662.
177. Kiran, G.S and Malhi, R.K.M. 2012. Vulnerability of Natural Ecosystems to Climate Change with Special emphasis on Agriculture. *Bulletin of Environmental and Scientific Research*. 1(1):11-15.
178. Koksai, E. 2008. Irrigation water management with water deficit index calculated based on oblique viewed surface temperature. *Irrigation Science*. 27(1):41-56.
179. Kross, A., McNairn, H., Lapen, D., Sunohara, M. and Champagne, C. 2015. Assessment of RapidEye vegetation indices for estimation of leaf area index and biomass in corn and soybean crops. *International Journal of Applied Earth Observation and Geoinformation*. 34:235-248.
180. Kryvobok, O. 2000. Estimation of the productivity parameters of wheat crops using high resolution satellite data. *International Archives of Photogrammetry and Remote Sensing. Amsterdam*. XXXIII(B7):717-722.
181. Kumar, P. and Mittal, S. 2006. Agricultural Productivity Trends in India: Sustainability Issues. *Agricultural Economics Research Review*. 19:71-88.

182. Kumar, V., Kumari, M. and Saha, S.K. 2013. Leaf area index estimation of lowland rice using semi-empirical backscattering model. *Journal of Applied Remote Sensing*. 7(1):073474.
183. Kuplich, T.M.K., Freitas, C.C. and Soares, J.V. 2000. The study of ERS-1 SAR and Landsat TM synergism for land use classification. *International Journal of Remote Sensing*. 21(10):2101-2111.
184. Kussul, N., Skakun, S., Kravchenko, O., Shelestov, A., Gallego, J.G. and Kussul, O. 2013. Application of Satellite Optical and SAR Images for Crop Mapping and Area Estimation in Ukraine. *International Journal "Information Technologies & Knowledge"*. 7(3):203-211.
185. Kuusk, A. 1998. Monitoring of vegetation parameters on large areas by the inversion of a canopy reflectance model. *International Journal of Remote Sensing*. 19(15):2893-2905.
186. Labus, M.P., Nielsen, G.A., Lawrence, R.L., Engel, R. and Long, D.S. 2002. Wheat yield estimates using multi-temporal NDVI satellite imagery. *International Journal of Remote Sensing*. 23(20):4169-4180.
187. Larrañaga, A., Álvarez-Mozos, J. and Albizua, L. 2011. Crop classification in rain-fed and irrigated agricultural areas using Landsat TM and ALOS/PALSAR data. *Canadian Journal of Remote Sensing*. 37(1):157-170.
188. le Maire, G., Francois, C. and Dufrene, E. 2004. Towards universal broad leaf chlorophyll indices using PROSPECT simulated database and hyperspectral reflectance measurements. *Remote Sensing of Environment*. 89(1):1-28.

189. Le Maire, G., Francois, C., Soudani, K., Davi, H., Dantec, V.L., Saugier, B. and Dufrene, E. 2006. Forest leaf area index determination: A multiyear satellite-independent method based on within-stand normalized difference vegetation index spatial variability. *Journal of Geophysical Research*. 111(G2):G02027.
190. Le Toan, T.L., Ribbes, F., Wang, L., Floury, N., Fujita, M. and Kurosui, T. 1997. Rice crop mapping and monitoring using ERS-1 data based on experiment and modeling results. *IEEE Transactions on Geoscience and Remote Sensing*. 35(1):41-56.
191. Lee, J.S. 1981. Refined filtering of image noise using local statistics. *Computer Graphics and Image Processing*. 15(14):380-389.
192. Lee, R., Yu, F., Price, K.P., Ellis, J. and Shi, P. 2002. Evaluating vegetation phenological patterns in Inner Mongolia using NDVI time-series analysis. *International Journal of Remote Sensing*. 23(12):2505-2512.
193. Liang, S. 2003. Quantitative remote sensing of land surfaces. *Wiley-Interscience*. 1-560.
194. Lin, H., Chen, J., Pei, Z., Zhang, S. and Hu, X. 2009. Monitoring Sugarcane Growth Using ENVISAT ASAR Data. *IEEE Transactions on Geoscience and Remote Sensing*. 47(8):2572-2580.
195. Liu, J., Miller, J.R., Pattey, E., Haboudane, D., Strachan, I.B. and Hether, M. 2004. Monitoring Crop Biomass Accumulation using Multi-temporal Hyperspectral Remote Sensing data. *IEEE International Geoscience and Remote Sensing Symposium Proceedings*. 3:1637-1640.

196. Liu, L., Wang, J., Bao, Y., Huang, W., Ma, Z. and Zhao, C. 2006. Predicting winter wheat condition, grain yield and protein content using multi-temporal EnviSat-ASAR and Landsat TM satellite images. *International Journal of Remote Sensing*. 27(4):737-753.
197. López-Martínez, C., Ferro-Famil, L. and Pottier, E. 2005. PolSARpro v4.0 Polarimetry Tutorial. <http://earth.esa.int/polsarpro/tutorial.html>
198. Lopez-Sanchez, J.M., Ballester-Berman, J.D. and Hajnsek, I. 2010. First results of rice monitoring practices in Spain by means of time series of TerraSAR-X dual-pol images. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*. 4(2):412-422.
199. Loveland, T.R., Reed, B.C., Brown, J.F., Ohlen, D.O., Zhu, Z., Yang, L. and Merchant, J.W. 2000. Development of a global land cover characteristics database and IGBP DISCover from 1 km AVHRR data. *International Journal of Remote Sensing*. 21(6-7): 1303-1330.
200. Lu, D. 2006. The potential and challenge of remote sensing-based biomass estimation. *International Journal of Remote Sensing*. 27(7):1297-1328.
201. Lu, D., Batistella, M. and Moran, E. 2005. Satellite estimation of aboveground biomass and impacts of forest stand structure. *Photogrammetric Engineering and Remote Sensing*. 71(8):967-974.
202. Ludeke, M., Janecek, A. and Kohlmaier, G.H. 1991. Modelling the seasonal CO₂ uptake by land vegetation using the global vegetation index. *Tellus B*. 43(2):188-196.

203. Lugoian, C. and Ciulca, S. 2011. Evaluation of relative water content in winter wheat. *Jouranl of Horticulture, Forestry and Biotechnology*. 15(2):173-177.
204. Macelloni, G., Paloscia, S., Pampaloni, P., Marliani, F. and Gai, M. 2001. The relationship between the backscattering coefficient and the biomass of narrow and broad leaf crops. *IEEE Transactions on Geoscience and Remote Sensing*. 39(4):873-884.
205. Mahey, R.K., Sidu, S.S. and Singh, C. 1995. Spectral Response of Sunflower in relation to growth and yield. *Proceeding of National Symposium on Remote Sensing of environment with special emphasis on green revolution*. Nov: 22-24.
206. Major, D.J., Smith, A.M., Hill, M.J., Willms, W.D., Brisco, B. and Brown, R.J. 1994. Radar backscatter and visible infrared reflectance from short-grass prairie. *Canadian Journal of Remote Sensing*. 20:71-77.
207. Malenovsky, Z., Mishra, K.B., Zemek, F., Rascher, U. and Nedbal, L. 2009. Scientific and technical challenges in remote sensing of plant canopy reflectance and fluorescence. *Journal of Experimental Botany*. 60(11):2987-3004.
208. Malhi, R.K.M and Kiran, G.S. 2013. Application of ENVISAT ASAR Data in Retrieval of Cotton LAI. *Proceedings of National Seminar on 'New Challenges in Remote Sensing Technology with emphasis on Microwave Data, 5th Oct, 2013*. 66-69
209. Manavalan, P., Jagadeesha, C.J., Atma Bharathi, M. and Diwakar, P.G. 2009. Space Technology Based study of climate change impacts on agricultural water footprints in a hydrological basin. *ISPRS Archives XXXVIII-8/W3 Workshop Proceedings: Impact of Climate Change on Agriculture*. 164-168.

210. Manninen, T., Stenberg, P., Rautiainen, M. and Voipio, P. 2007. Leaf Area Index Estimation of Boreal and Sub-Arctic Forest using Envisat/Asar Data of Various Swaths. *Proc. 'Envisat Symposium 2007', Montreux, Switzerland 23–27 April 2007 (ESA SP-636, July 2007)*. 1-6.
211. Martinez, B., Cassiraga, E., Camacho, F. and Garcia-Haro, J. 2010. Geostatistics for Mapping Leaf Area Index over a Cropland Landscape: Efficiency Sampling Assessment. *Remote Sensing*. 2(11):2584-2606.
212. Mattia, F., Dente, L., Satalino, G. and Le Toan, T. 2004. Sensitivity of ASAR AP data to wheat crop parameters. *Proc. of the 2004 Envisat & ERS Symposium, Salzburg, Austria 6-10 September 2004 (ESA SP-572), April 2005*. 1-7.
213. Mattia, F., Toan, T., Picard, G., Posa, F.I., D'Alessio, A., Notarnicola, C., Gatti, A.N., Rinaldi, M., Satalino, G. and Pasquariello, G. 2003. Multitemporal C-Band Radar Measurements on Wheat Fields. *IEEE Transactions on Geoscience and Remote Sensing*. 41(7):1551-1560.
214. McCarthy, J.J., Canziani, O.F., Leary, N.A., Dokken, D.J. and White, K.S. 2001. Climate Change 2001: Impacts, Adaptation, and Vulnerability. *New York, Cambridge University Press*. 1-1005.
215. McNairn, H., Brown, R.J., Ellis, J. and Wood, D. 1998. Extraction of crop information from RADARSAT-1 imagery. *Proceedings, ADRO Final Symposium, Montreal, Canada, Oct. 12-15*.
216. McNairn, H., Champagne, C., Shang, J., Holmstrom, D. and Reichert, G. 2009. Integration of Optical and Synthetic Aperture Radar (SAR) imagery for

- delivering operational annual crop inventories. *Journal of Photogrammetry and Remote Sensing*. 64(5):434-449.
217. McNairn, H., Shang, J., Jiao, X. and Deschamps, B. 2012. Establishing crop productivity using Radarsat-2. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, XXII ISPRS Congress, 25 August – 01 September 2012, Melbourne, Australia*. XXXIX(B8):283-287.
218. McVicar, T.R. and Jupp, D.L.B. 1998. The current and potential operational uses of remote sensing to aid decisions on drought exceptional circumstances in Australia: A review. *Agricultural Systems*. 57(3):399-468.
219. Meng, J., Du, X. and Wu, B. 2013. Generation of high spatial and temporal resolution NDVI and its application in crop biomass estimation. *International Journal of Digital Earth*. 6(3):203-218.
220. Milton, N.M. and Mouat, D.A. 1989. Remote Sensing of vegetation responses to natural and cultural environment conditions. *Photogrammetric Engineering and Remote Sensing*. 55:1167-1173.
221. Misra, P.N. and Wheeler, S.G. 1978. Crop classification with LANDSAT multispectral scanner data. *Pattern Recognition*. 10(1):1-13.
222. Moges, S.M., Raun, W.R., Mullen, R.W., Freeman, K.W., Johnson, G.V. and Solie, J.B. 2004. Evaluation of Green, Red, and Near Infrared Bands for Predicting Winter Wheat Biomass, Nitrogen Uptake, and Final Grain Yield. *Journal of Plant Nutrition*. 27(8):1431-1441.
223. Mohan, S., Das, A., Maity, S., Mehta, R.L. and Haldar, D. 2011. ALOS RA: Evaluation of Polarimetric, Interferometric and Differential Interferometric

- Techniques for Vegetation and Land Subsidence Study. *FINAL REPORT, Project Report – ALOS R.A.1-32.*
224. Monteiro, P.F.C., Filho, R.A., Xavier, A.C. and Monteiro, R.O.C 2012. Assessing biophysical variable parameters of bean crop with hyperspectral measurements. *Scientia Agricola*. 69(2):87-94.
225. Monteith, J.L. 1972. Solar radiation and productivity in tropical ecosystems. *Journal of Applied Ecology*. 9(3):747-766.
226. Moran, J.A., Mitchell, A.K., Goodmanson, G. and Stockburger, K.A. 2000. Differentiation among effects of nitrogen fertilization treatments on conifer seedlings by foliar reflectance: A comparison of methods. *Tree Physiology*. 20(16):1113-1120.
227. Mudaliar, A.N. 2013. Forest Studies using optical and microwave remote sensing data. *Ph.D thesis, The M.S.University of Baroda*. 1-156.
228. Munjal, R. and Dhanda, S.S. 2005. Physiological evaluation of wheat (*Triticum aestivum* L.) genotypes for drought resistance. *Indian Journal of Genetics and Plant Breeding*. 65:307-308.
229. Murakami, T., Ogawa, S., Ishitsuka, N., Kumagai, K. and Saito, G. 2001. Crop discrimination with multitemporal SPOT/HRV data in the Saga Plains, Japan. *International Journal of Remote Sensing*. 22(7):1335-1348.
230. Mutanga, O. and Skidmore, A.K. 2004. Hyperspectral band depth analysis for a better estimation of grass biomass (*Cenchrus ciliaris*) measured under controlled laboratory conditions. *International Journal of Applied Earth and Geoinformation*. 5(2):87-96.

231. Myneni, R.B., Nemani, R.R. and Running, S.W. 1997. Estimation of Global Leaf Area Index and Absorbed PAR using Radiative Transfer Models. *IEEE Transactions on Geoscience and Remote Sensing*. 35(6):1380-1393.
232. Navalgund, R.R., Jayaraman, V. and Roy, P.S. 2007 Remote sensing applications: An overview. *Current Science*. 93(12):1747-1766.
233. Nayak, S.S. 2005. Thermal imagery and spectral reflectance based system to monitor crop condition. *M.Sc. Thesis, Texas Tech University*. 1-107.
234. Nelson, R.F., Kimes, D.S., Salas, W.A. and Routhier, M. 2000. Secondary forest age and tropical forest biomass estimation using Thematic Mapper imagery. *Bioscience*. 50(5):419-431.
235. Nirala, M.L. and Venkatachalam, G. 2000. Rotational Transformation of Remotely Sensed Data for Land Use Classification. *International Journal of Remote Sensing*. 21(11):2185-2202.
236. Othman, M.T., Legarsky, J.J. and Davis, C.H. 2002. Microwave and optical remote sensing study of Boone County, Missouri. *IEEE International Geoscience and Remote Sensing Symposium, 2002. IGARSS '02. 24-28 June 2002*. 4:2404-2406.
237. Oza, M.P., Pandya, M.R. and Rajak, D.R. 2008. Evaluation and use of Resourcesat-I data for agricultural applications. *International Journal of Applied Earth Observation and Geoinformation*. 10(2):194-205.
238. Ozdogan, M. 2010. The spatial distribution of crop types from MODIS data: Temporal unmixing using independent component analysis. *Remote Sensing of Environment*. 114(6):1190-1204.

239. Pampaloni, P., Marcelloni, G., Paloscia, S. and Sigismondi, S. 1997. The potential of C- and L-band in assessing vegetation biomass: The ERS-1 and JERS-1 experiments. *Proceedings the 3rd ERS Symposium (ESA) on Space at the service of our Environment 17-21 March 1997 Florence (Italy)*. 3:1729-1733.
240. Pandya, M.R., Chaudhari, K.N., Singh, R.P., Sehgal, V.K., Bairagi, G.D., Sharma, R. and Dadhwal, V.K. 2003. Leaf area index retrieval using IRS LISS-III sensor data and validation of MODIS LAI product over Madhya Pradesh. *Current Science*. 85(12):1777-1782.
241. Pandya, M.R., Singh, R.P., Chaudhari, K.N., Bairagi, G.D., Sharma, R., Dadhwal, V.K. and Parihar, J.S. 2006. Leaf Area Index Retrieval Using IRS LISS-III Sensor Data and Validation of the MODIS LAI Product over Central India. *IEEE Transactions on Geoscience and Remote Sensing*. 44(7):1858-1965.
242. Patil, S.S., Patil, V.C., Patil, B.N. and Patil, P.L. 2012. Simple Yield Prediction Models to Estimate Wheat Production. *Proceedings of AIPA 2012 (India)*. 162-166.
243. Pax-Lenney, M. and Woodcock, C.E. 1997. Monitoring agricultural lands in Egypt with multitemporal landsat TM imagery: How many images are needed?, *Remote Sensing of Environment*. 59(3):522-529.
244. Pearson, R.L. and Miller, L.D. 1972. Remote mapping of standing crop biomass for estimation of the productivity of the short-grass Prairie, Pawnee National Grassland. *Colorado: 8th International Symposium on Remote Sensing of Environment*. 1357-1381.

245. Peñuelas, J., Filella, I., Biel, C., Serrano, L. and Save, R. 1993. The reflectance at the 950–970 nm region as an indicator of plant water status. *International Journal of Remote Sensing*. 14(10):1887-1905.
246. Peñuelas, J., Isla, R., Filella, I. and Araus, J.L. 1997. Visible and near infrared reflectance assessment of salinity effects on barley. *Crop Science*. 37(1):198-202.
247. Perry, E.M., Morse-McNabb, E.M., Nuttall, J.G., O’Leary, G.J. and Clark, R. 2014. Managing Wheat From Space: Linking MODIS NDVI and Crop Models for Predicting Australian Dryland Wheat Biomass. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*. 7(9):3724-3731.
248. Persson, P., Hallkonyves, K., Sjostrom, G. and Pinzke, S. 1993. NOAA AVHRR data for crop productivity estimation in Sweden. *Advances in Space Research*. 13(11):111-116.
249. Pinter, P.J., Hatfield, J.L., Schepers, J.S., Barnes, E.M., Moran, M.S., Daughtry, C.S.T. and Upchurch, D.R. 2003. Remote Sensing for Crop Management. *Photogrammetric Engineering and Remote Sensing*. 69(6):647-664.
250. Prakash, H.N.S., Nagabhushan, P. and Chidanada, G.K. 2000. Symbolic Agglomerative Clustering for Quantitative Analysis of Remotely Sensed Data. *International Journal of Remote Sensing*. 21(17):3239-3251.
251. Privette, J.L., Myneni, R.B., Tucker, C.J. and Emery, W.J. 1994. Invertibility of a 1-D discrete ordinates canopy reflectance model. *Remote Sensing of Environment*. 48(1):89-105.

252. Quin, W. and Liang, S. 2000. Plane-parallel canopy radiative transfer modeling: Recent advances and future directions. *Remote Sensing Reviews*. 18(2-4):281-305.
253. Rabe, N.J. 1996. Remote Sensing of Crop Biophysical Parameters for Site-Specific Agriculture. *A Thesis. The University of Lethbridge*. 1-194.
254. Ranade, P.S. 2009. Impact of climate change on agriculture. *ISPRS Archives XXXVIII-8/W3 Workshop Proceedings: Impact of Climate Change on Agriculture*. 183-185.
255. Ratnayake, R. 2004. Remote sensing and GIS application for monitoring forest management operations. *Ph.D Thesis. University of Nottingham*. 1-265.
256. Reddy, D.N. and Mishra, S. 2009. Agriculture in the Reforms Regime. In D Narasimha Reddy and Srijit Mishra (ed), *Agrarian Crisis in India. New Delhi: Oxford University Press*. 3-43.
257. Revill, A., Sus, O., Barrett, B. and Williams, M. 2013. Carbon cycling of European croplands: A framework for the assimilation of optical and microwave earth observation data. *Remote Sensing of Environment*. 137:84-93.
258. Ribbes, F. and Le Toan, T. 1998. Mapping and monitoring rice crop with RADARSAT data. *IEEE International Geoscience and Remote Sensing Symposium Proceedings, 1998. IGARSS '98. 6-10 July 1998*. 5:2749-2751.
259. Richardson, A.D., Duigan, S.P., Berlyn, G.P. 2002. An evaluation of non-invasive methods to estimate foliar chlorophyll content. *New Phytologist*. 153(1):185-194.

260. Richter, K., Atzberger, C., Vuolo, F. and D'Urso, G. 2009. Experimental assessment of the Sentinel-2 band setting for RTM-based LAI retrieval of sugar beet and maize. *Canadian Journal of Remote Sensing*. 35(3):230-247.
261. Rosenthal, W.D., Blanchard, B.J. and Blanchard, A.J. 1985. Visible/Infrared/Microwave Agriculture Classification, Biomass, and Plant Height Algorithms. *IEEE Transactions on Geoscience and Remote Sensing*. GE-23(2):84-90.
262. Rouse, J.W., Haas, R.H., Schell, J.A., Deering, D.W. and Harlan, J.C. 1974. Monitoring the vernal advancement of retrogradation of natural vegetation. *NASA/GSFC, Type III, Final Report, Greenbelt, MD*. 1-371.
263. Sahai, B. and Dadhwal, V.K. 1990. Remote sensing in agriculture. In: J.P. Verma & A. Verma (eds.) *Technology Blending and Agrarian Prosperity. Malhotra Publishing House, New Delhi*. 83-98.
264. Santi, E., Tarantino, C., Amici, V., Bacaro, G., Blonda, P., Borselli, L., Rossi, M., Tozzi, S. and Torri, D. 2014. Fine-scale spatial distribution of biomass using satellite Images. *Journal of Ecology and the Natural Environment*. 6(2):75-86.
265. Sastri, A.S.R.A.S. 2009. Long range regional climate fluctuations/changes and their impact on agriculture - A case study for Chhattisgarh state in Central India. *ISPRS Archives XXXVIII-8/W3 Workshop Proceedings: Impact of Climate Change on Agriculture*. 156-160.
266. Schaepman, M.E., Koetz, B. Schaepman-Strub, G. and Itten, K.I. 2005. Spectrodirectional remote sensing for the improved estimation of biophysical

- and chemical variables: two case studies. *International Journal Applied Earth Observation and Geoinformation*. 6(3-4):271-282.
267. Schuster, C., Ali, I., Lohmann, P., Frick, A., Foerster, M. and Kleinschmit, B. 2011. Towards detecting swath events in TerraSAR-X time series to establish NATURA 2000 grassland habitat swath management as monitoring parameter. *Remote Sensing*. 3(7):1308-1322.
268. Schotten, C.G.J., Van Rooy, W.W.L and, Janssen, L.L.F. 1995. Assessment of the capabilities of multi-temporal ERS-1 SAR data to discriminate between agricultural crops. *International Journal of Remote Sensing*. 16(4):2619-2637.
269. Serrano, L., Filella, I. and Peñuelas, J. 2000. Remote Sensing of Biomass and Yield of Winter Wheat under Different Nitrogen Supplies. *Crop Science*. 40:723–731.
270. Sesha Sai, M.V.R. and Narasimha Rao, P.V. 2008. Utilization of Resourcesat-1 data for improved crop discrimination. *International Journal of Applied Earth Observation and Geoinformation*. 10(2):206-210.
271. Shang, J., Champagne, C. and McNairn, H. 2006. Agriculture land use using multi-sensor and multi-temporal Earth Observation data. *Proceedings of the MAPPS/ASPRS 2006 Fall Speciality conference, San Antonio, Texas, USA*. 1-12.
272. Shao, Y., Fan, X., Liu, H., Xiao, J., Ross, S., Brisco, B., Brown, R. and Staples, G. 2001. Rice monitoring and production estimation using multitemporal RADARSAT. *Remote Sensing of Environment*. 76:310-325.

273. Shanmugan, K.S., Ulaby, F.T., Narayanan, V. and Dobson, M.C. 1983. Identification of corn fields using multirate radar data. *Remote Sensing of Environment*. 13(3):251-264.
274. Sheikho, K.M., Abu Mouti, A.M., Yoshie, T. and Al-Qurnas, F. 1998. Crops classification using multiple Landsat data: A case study in arid lands. *IEEE International Geoscience and Remote Sensing Symposium Proceedings, IGARSS '98. 6-10 July 1998*. 2:794-797.
275. Shinde, A.A. and Shrivastava, M. 2012. Using Local Binary Pattern Variance for Land Classification and Crop Identification. *International Journal of Advanced Computer Research*. 2(2):56-61.
276. Shippert, M.M., Walker, D.A., Auerbach, N.A. and Lewis, B.E. 1995. Biomass and leaf-area index maps derived from SPOT images for Toolik Lake and Imnavait Creek areas, Alaska. *Polar Record*. 31(177):147-154.
277. Silva, W.F., Rudorff, B.F.T., Formaggio, A.R., Paradella, W.R. and Mura, J.C. 2009. Discrimination of agricultural crops in a tropical semi-arid region of Brazil based on L-band polarimetric airborne SAR data. *ISPRS Journal of Photogrammetry and Remote Sensing*. 64(5):458-463.
278. Silva, W.F., Rudorff, B.F.T., Formaggio, A.R., Paradella, W.R. and Mura, J.C. 2012. Simulated multipolarized MAPSAR images to distinguish agricultural crops. *Scientia Agricola*. 69(3):201-209.
279. Simonneaux, V., Duchemin, B., Helson, D., Er-Raki, S., Olivos, A. and Chehbouni, A.G. 2008. The use of high-resolution image time series for crop

- classification and evapotranspiration estimate over an irrigated area in Central Morocco. *International Journal of Remote Sensing*. 29(1):95-116.
280. Singh, D.B., Malhi, R.K.M. and Kiran, G.S. 2015. Assessing the impact of agronomic spacing conditions on biophysical and biochemical parameters along with yield and yield components in cotton. *International Journal of Agronomy and Agricultural Research*. 6(1):36-44.
281. Singh, R. 2004. Application of Remote Sensing Technology for Crop Yield Estimation. *Journal of Indian Society of Agricultural Statistics*. 57(Special Volume):226-246.
282. Singh, R., Rai, A. and Misra, P. 2003. Use of GIS for sampling design for agricultural surveys.

<http://www.gisdevelopment.net/application/agriculture/overview/agrio0013.htm>
283. Slatyer, R.O. 1967. Plant–water relationships. *New York: Academic Press*. 1-378.
284. Smith, A.M., Scipal, K. and Wagner W. 2005. Active Microwave Systems for Monitoring Drought Stress. Chapter 8. Monitoring and Prediction Agricultural Drought: Global Study. *Oxford University Press*. 105-115.
285. Soria-Ruiz, J., Fernandez-Ordonez, Y. and McNairn, H. 2009. Chapter 19. Corn Monitoring and Crop Yield Using Optical and Microwave Remote Sensing. *Geoscience and Remote Sensing by Pei-Gee Peter Ho. InTech. Open Access Publisher*. 1-608.
286. Soria-Ruiz, J., McNairn, H., Fernandez-Ordonez, Y. and Bugden-Storie, J. 2007. Corn Monitoring and Crop Yield Using Optical and RADARSAT-2

- Images. *IEEE International Geoscience and Remote Sensing Symposium*. 3655-3658.
287. Srinivas, P., Das, B.K., Saibaba, J. and Krishnan, R. 2004. Application of distance based vegetation index for agricultural crops discrimination. *XXth ISPRS Congress. Commission 7, Istanbul, Turkey*. 1-6.
288. Srivastava, H.S. Patel, P., Sharma, Y. and Navalgund, R.R. 2006. Comparative evaluation of potential of optical and SAR data for the detection of human settlements using digital classification. *International Journal of Geoinformatics*. 2(3):21-28.
289. Stimson, H.C, Breshears, T.D.D., Ustin, S.L. and Kefauver, S.C. 2005. Spectral sensing of foliar water conditions in two co-occurring conifer species: *Pinus edulis* and *Juniperus monosperma*. *Remote Sensing of Environment*. 96(1):108-118.
290. Stoskopf, N.C. 1981. Leaf area and plant architecture. In: *Stoskopf, N.C. Understanding Crop Production, Reston Publishing Company inc., Reston, Virginia*. 93-111.
291. Strahler, A., Muchoney, D., Borak, J., Gao, F., Friedl, M., Gopal, S., Hodges, J., Lambin, E., McIver, D., Moody, A., Schaaf, C. and Woodcock, C. 1999. MODIS land cover product, algorithm theoretical basis document (ATBD), Version 5.0. *Boston, MA: Center for Remote Sensing, Department of Geography, Boston University*. 1-66.
292. Su, Z. 2000. Remote Sensing of Land Use and Vegetation for Mesoscale Hydrological Studies. *International Journal of Remote Sensing*. 21(2):213-233.

293. Tang, Y., Wang, R. and Huang, J. 2004. Relations between red edge characteristics and agronomic parameters of crop. *Pedosphere*. 4(4):467-474
294. Tao, S., Xu, Y., Liu, K., Pan, J. and Gou, S. 2011. Research Progress in Agricultural Vulnerability to Climate Change. *Advances in Climate Change Research*. 2(4):203-210.
295. Thenkabail, P.S. 2003. Biophysical and yield information for precision farming from near-real-time and historical Landsat TM images. *International Journal of Remote Sensing*. 24(14):2879-2904.
296. Thenkabail, P.S., Smith, R.B. and de Pauw, E. 2000. Hyperspectral vegetation indices and their relationships with agricultural crop characteristics. *Remote Sensing of Environment*. 71(2):158-182.
297. Treitz, P.M., Howarth, P.J. and Gong, P. 1992. Application of satellite and GIS technologies for land-cover and land-use mapping at the rural-urban fringe: a case study. *Photogrammetric Engineering and Remote Sensing*. 58(4):439-448.
298. Tripathi, R., Sahoo, R.N., Gupta, V.K., Sehgal, V.K. and Sahoo, P.M. 2013. Developing Vegetation Health Index from biophysical variables derived using MODIS satellite data in the Trans-Gangetic plains of India. *Emirates Journal of Food and Agriculture*. 25(5):376-384.
299. Tripathi, R., Sahoo, R.N., Sehgal, V.K., Gupta, V.K. and Bhattacharya, B.K. 2009. Remote Sensing derived Composite Vegetation Health Index through Inversion of PROSAIL for Monitoring of Wheat Growth in Trans Gangetic Plains of India. *ISPRS Archives Workshop Proceedings: Impact of Climate*

- Change on Agriculture, 17-18 December, 2009, Ahmedabad. XXXVIII-8/W3:1-7.*
300. Tsolmon, R., Tateishi, R. and Tetuko J.S.S. 2002. A method to estimate forest biomass and its application to monitor Mongolian Taiga using JERS-1 SAR. *International Journal of Remote Sensing*. 23(22):4971-4978.
 301. Tucker, C.J. 1979. Red and photographic infrared linear combinations for monitoring vegetation. *Remote Sensing of Environment*. 8(2):127-150.
 302. Tucker, C.J. 1980. Remote sensing of leaf water content in the near infrared. *Remote Sensing of Environment*. 10(1):23-32.
 303. Tucker, C.J., Holben, B.N., Elgin, J.H. and McMurtrey, J.E. 1981. Remote sensing of total dry-matter accumulation in winter wheat. *Remote Sensing of Environment*. 11:171-189.
 304. Turkar, V., De, S., Ponnurangam, G.G., Deo, R., Rao, Y.S. and Das, A. 2013. Classification of RISAT-1 hybrid polarimetric data for various land features. *IEEE Asia-Pacific Conference on Synthetic Aperture Radar (APSAR)*, 23-27 Sept. 2013. 494-497.
 305. Turker, M. and Arikan, M. 2005. Sequential masking classification of multi-temporal Landsat7 ETM+ images for field-based crop mapping in Karacabey, Turkey. *International Journal of Remote Sensing*. 26(7):3813-3830.
 306. Turner, D.P., Cohen, W.B., Kennedy, R.E., Fassnacht, K.S. and Briggs, J. M. 1999. Relationships between leaf area index, fAPAR, and net primary production of terrestrial ecosystems. *Remote Sensing of Environment*. 70:52-68.

307. Ulaby, F.T., Allen, C.T., Eger III, G. and Kanemasu, E. 1984. Relating the microwave backscattering coefficient to leaf area index. *Remote Sensing of Environment*. 14:113-133.
308. Ulaby, F.T., Li, R.Y. and Shanmugan, K.S. 1982. Crop Classification Using Airborne Radar and Landsat Data. *IEEE Transactions on Geoscience and Remote Sensing*. GE-20(1):42-51.
309. Ustin, S.L., Roberts, D.A., Pinzon, J., Jacquemoud, S., Gardner, M., Scheer, G., Castaneda, C.M. and Palacios-Orueta, A. 1998. Estimating canopy water content of chaparral shrubs using optical methods. *Remote Sensing of Environment*. 65(3):280-291.
310. Vaidyanathan, A. 1992. Instability in Agriculture: Extent, Causes and Consequences: A Review Article. *Indian Economic Review*. 27(2):211-222.
311. Verhoef, W. 1984. Light scattering by leaf layers with application to canopy reflectance modeling: The SAIL model. *Remote Sensing of Environment*. 16(2):125-141.
312. Verma, U., Rahul, D.S., Yadav, M., Khera, A.P., Hooda, R.S., Singh, C.P., Kalubame M.H. and Hooda, I.S. 2003. Wheat production forecasting using remote sensing and agroclimatic variables in Haryana. *Journal of Indian Society of Remote Sensing*. 31:141-144.
313. Verrelst, J., Rivera, J.P., Leoneko, G., Alonso, L. and Moreno, J. 2014. Optimizing LUT-based RTM Inversion for Semiautomatic Mapping of Crop Biophysical Parameters from Sentinel-2 and -3 data: Role of Cost

- Functions. *IEEE Transactions on Geoscience and Remote Sensing*. 52(1):257-269.
314. Vescovi, F.D. and Gomasasca, M.A. 1999. Integration of optical and microwave remote sensing data for agricultural land use classification. *Environmental Monitoring and Assessment*. 58(2):133-149.
315. Vina, A., Gitelson, A.A., Nguy-Robertson, A.L. and Peng, Y. 2011. Comparison of different vegetation indices for the remote assessment of green leaf area index of crops. *Remote Sensing of Environment*. 115:3468-3478.
316. Vuolo, F., Atzberger, C., Richter, K., D'Urso, G. and Dash, J. 2010. Retrieval of biophysical vegetation products from rapideye imagery. In: Wagner W., Székely, B. (eds.): *ISPRS TC VII Symposium – 100 Years ISPRS, Vienna, Austria, July 5–7, 2010, IAPRS*. XXXVIII(7A):281-285.
317. Vuolo, F., Neugebauer, N., Bolognesi, S.F., Atzberger, C. and D'Urso, G. 2013. Estimation of Leaf Area Index Using DEIMOS-1 Data: Application and Transferability of a Semi-Empirical Relationship between two Agricultural Areas. *Remote Sensing*. 5(3):1274-1291.
318. Vyjayanthi, N. 2012. Synthetic Aperture radar data analysis for vegetation classification and biomass estimation of tropical forest area. *Ph.D thesis, Jawaharlal Nehru Technological University*. 1-225.
319. Wang, D., Lin, H., Chen, J., Zhang, Y. and Zeng, Q. 2010. Application of multi-temporal ENVISAT ASAR data to agricultural area mapping in the Pearl River Delta. *International Journal of Remote Sensing*. 31(6):1555-1572.

320. Wang, F., Huang, J., Tang, Y. and Wang, X. 2007. New vegetation index and its application in estimating leaf area index of rice. *Rice Science*. 14(3):195-203.
321. Watson, D.J. 1947. Comparative physiological studies in the growth of field crops. I. Variation in net assimilation rate and leaf area between species and varieties, and within and between years. *Annals of Botany*. 11(1):41-76.
322. Watts, M. and Goodman, D. 1997. Globalising Food: Agrarian Questions and Global Restructuring. *London and New York: Routledge*. 1-383.
323. Weiss, M., Baret, F., Myneni, R.B., Pragnere, A. and Knyazikhin, Y. 2000. Investigation of a model inversion technique to estimate canopy biophysical variables from spectral and directional reflectance data. *Agronomie*. 20(1):3-22.
324. Welles, J.M. and Norman, J.M. 1991. Instrument for indirect measurement of canopy architecture. *Agronomy Journal*. 83(5):818-825.
325. Wheeler, S.G. and Misra, P.N. 1976. Linear Dimensionality of Landsat Agricultural Data with Implications for Classifications. *Proceedings of the Symposium on Machine Processing of Remotely Sensed Data, Laboratory for Applications of Remote Sensing, West Lafayette*. 2A-1-2A-9.
326. Wigneron, J.P., Ferrazzoli, F., Oliso, A., Bertuzzi, P. and Chanzy, A. 1999. A simple approach to monitor crop biomass from C-band radar data. *Remote Sensing of Environment*. 69(2):179-188.
327. Wittamperuma, I., Hafeez, M., Pakparvar, M. and Louis, J. 2012. Remote-sensing-based biophysical models for estimating LAI of irrigated crops in Murry Darling Basin. *International Archives of the Photogrammetry, Remote Sensing*

- and Spatial Information Sciences, XXII ISPRS Congress, 25 August - 01 September 2012, Melbourne, Australia. XXXIX(B8):367-373.*
328. Wu, C., Niu, Z., Tang, Q. and Huang, W. 2008. Estimating chlorophyll content from hyperspectral vegetation indices: Modeling and validation. *Agricultural and Forest Meteorology*. 148(8-9):1230-1241.
 329. Xavier, A.C. and Vettorazzi, C.A. 2004. Mapping leaf area index through spectral vegetation indices in a subtropical watershed. *International Journal of Remote Sensing*. 25(9):1661-1672.
 330. Xiao, X., Boles, S., Liu, J., Zhuang, D. and Liu, M. 2002. Characterization of forest types in Northeastern China, using multi-temporal SPOT-4 VEGETATION sensor data. *Remote Sensing of Environment*. 82(2-3):335-348.
 331. Xin, J., Yu, Z., van Leeuwen, L. and Driessen, P.M. 2002. Mapping crop key phenological stages in the North China Plain using NOAA time series images. *International Journal of Applied Earth Observation and Geoinformation*. 4(2):109-117.
 332. Yao, Y., Liu, Q., Liu, Q. and Li, X. 2008. LAI retrieval and uncertainty evaluations for typical row-planted crops at different growth stages. *Remote Sensing of Environment*. 112(1):94-106.
 333. Yin, H., Udelhoven, T., Fensholt, R., Pflugmacher, D. and Hostert, P. 2012. How Normalized Difference Vegetation Index (NDVI) Trends from Advanced Very High Resolution Radiometer (AVHRR) and Système Probatoire d'Observation de la Terre VEGETATION (SPOT VGT) Time Series Differ in

- Agricultural Areas: An Inner Mongolian Case Study. *Remote Sensing*. 4(11):3364-3389.
334. Zarco-Tejada, P.J., Miller, J.R., Morales, A., Berjon, A. and Aguera, J. 2004. Hyperspectral indices and model simulation for chlorophyll estimation in open-canopy tree crops. *Remote Sensing of Environment*. 90:463-476.
335. Zhang, J., Wang, K., Bailey, J.S. and Wang, R. 2006. Predicting nitrogen status of rice using multispectral data at canopy scale. *Pedosphere*. 16(1):108-117.
336. Zhang, J., Wu, J. and Zhou, L. 2011. Deriving vegetation leaf water content from spectrophotometric data with orthogonal signal correction-partial least square regression. *International Journal of Remote Sensing*. 32(11):7557-7574.
337. Zhang, P., Anderson, B., Tan, B., Huang, D. and Myneni, R. 2005. Potential monitoring of crop production using a satellite-based Climate-Variability Impact Index. *Agricultural and Forest Meteorology*. 132(3-4):344-358.
338. Zhao, J., Lia, J., Liua, Q. and Yang, L. 2012. A Preliminary Study on Mechanism of LAI Inversion Saturation. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, XXII ISPRS Congress, 25 August-01 September 2012, Melbourne, Australia*. XXXIX(B1):77-81.
339. Zheng, G. and Moskal, L.M. 2009. Retrieving Leaf Area Index (LAI) using Remote Sensing: Theories, Methods and Sensors. *Sensors*. 9(4):2719-2745.