

# List of Figures

|     |                                                                                                                                                  |    |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 2.1 | Similarity between brain and ANN working . . . . .                                                                                               | 13 |
| 2.2 | McCulloch-Pitts's Artificial Neuron . . . . .                                                                                                    | 14 |
| 2.3 | Components of a biological neuron . . . . .                                                                                                      | 17 |
| 2.4 | Perceptron . . . . .                                                                                                                             | 18 |
| 2.5 | Activation Functions. . . . .                                                                                                                    | 19 |
| 2.6 | Single layered Architecture . . . . .                                                                                                            | 22 |
| 2.7 | A multilayer feedforward network . . . . .                                                                                                       | 23 |
| 2.8 | A recurrent network . . . . .                                                                                                                    | 24 |
| 3.1 | Hopfield Neural Networks with $n$ neurons . . . . .                                                                                              | 40 |
| 4.1 | A mixtank sub-process . . . . .                                                                                                                  | 57 |
| 4.2 | The ANN steering control with two hidden layers $h_1$ and $h_2$ having 10 and 5 nodes respectively and an output layer O with 2 nodes . . . . .  | 64 |
| 4.3 | The ANN steering control and state network placed in series to validate the ANN control signal. . . . .                                          | 65 |
| 5.1 | The ANN steering control with two hidden layers $h_1$ and $h_2$ having 30 and 20 nodes respectively and an output layer O with 10 nodes. . . . . | 81 |
| 5.2 | The convergence of training of $NN^3_{u(2,30,20,10)}$ . . . . .                                                                                  | 81 |

|      |                                                                                                                                                                 |     |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 5.3  | The trajectory for volume steered by formula and $NN_u$ . . . . .                                                                                               | 82  |
| 5.4  | The trajectory for concentration steered by formula and $NN_u$ . . . . .                                                                                        | 83  |
| 5.5  | The steering produced due to single 2-step control signal. . . . .                                                                                              | 84  |
| 5.6  | The steering produced due to multiple 2-step control signal. . . . .                                                                                            | 85  |
| 5.7  | The state far from equilibrium (3600, 15) diverges. . . . .                                                                                                     | 86  |
| 5.8  | ANN Controller for Linearized Discrete, I/O generated without definition                                                                                        | 86  |
| 5.9  | The convergence for the state near equilibrium . . . . .                                                                                                        | 91  |
| 5.10 | The divergence for the state far equilibrium . . . . .                                                                                                          | 92  |
| 5.11 | The 6-step ANN controller . . . . .                                                                                                                             | 94  |
| 5.12 | Steering of the state from initial to final by 6-step ANN controller . .                                                                                        | 95  |
| 6.1  | Conductive bar coated with more conductive material on the lateral<br>sides . . . . .                                                                           | 97  |
| 6.2  | The slice of thickness $\Delta x$ . . . . .                                                                                                                     | 97  |
| 6.3  | The temperature distribution by formula and using the projection tech-<br>nique with $n = 5$ . . . . .                                                          | 107 |
| 6.4  | The final temperature distribution steered due to the control signal<br>produced by ANN Zonal Controller and the desired temperature dis-<br>tribution. . . . . | 109 |
| 6.5  | The evolution of the temperature distribution at different time-step<br>due to the ANN zonal controller. . . . .                                                | 109 |
| 6.6  | The convergence of the training for four step ANN zonal controller. .                                                                                           | 113 |
| 6.7  | The evolution of the temperature profile due to the 4-step ANN zonal<br>controller. . . . .                                                                     | 114 |
| 6.8  | The temperature steered by the 4-step ANN zonal controller to the<br>final temperature profile matches the desired temperature distribution.                    | 114 |

|     |                                                                                                          |     |
|-----|----------------------------------------------------------------------------------------------------------|-----|
| 7.1 | One dimensional conducting rod of length $L$ . . . . .                                                   | 117 |
| 7.2 | Convergence of Training for distributed ANN controller . . . . .                                         | 125 |
| 7.3 | The final temperature steered by the ANN distributed controller . .                                      | 127 |
| 7.4 | The final temperature distribution obtained in linear system by the<br>ANN boundary controller . . . . . | 128 |
| 7.5 | The evolution of state temperature distribution surface . . . . .                                        | 131 |
| 7.6 | The temperature distribution steered in semilinear system by the ANN<br>boundary controller . . . . .    | 131 |