## **BIBLIOGRAPHY**

## **BIBLIOGRAPHY**

Adamson, Lawlor and Ebrahim, 2004:Chronic Diseases, Locomotor Activity Limitation And Social Participation In Older Women: Cross Sectional Survey Of British Women's Heart And Health Study. Age and Ageing; 33: 293-298

Alexander CN, Langer EJ, Newman RI, Chandler HM, Davies JL. 1989: Transcendental meditation, mindfulness, and longevity: an experimental study with the elderly. *J Pers Soc Psychol.*;57:950–964.

Alpert, Jonathan E. and Fava, Maurizio May 1997: Nutrition and depression: the role of folate. Nutrition Reviews, Vol. 55, pp. 145-49

American Psychiatric Association 1994; Diagnostic and Statistical Manual of Mental Disorders. Washington, DC.

Amin G, Shah S, Vankar G.K, 1998: The prevalence and recognition of depression in primary care. Ind J of Psychiatry 40: 364 – 369.

Andres R and Hallfrisch J, 1996: Nutrient intake recommendations needed for the Americans. Jr Am Diet Ass 89: 1739 – 1741.

Ashok D.B. Vaidya, Thomas P.A. Devasagayam, 2007 July: Current Status of Herbal Drugs in India: An Overview J Clin Biochem Nutr.; 41(1): 1–11

Asthana Sanjay, Sterling C, Johnson and Sarah A. 2009: A preliminary study of the safety, feasibility and cognitive efficacy of soy isoflavone supplements in older men and women. Age Ageing 38 (1): 86-93.

Ayyar, S. & Mehta (2000). Nutritional status, dietary habits and disease profile of elderly men and women aged 70 years and above belonging to high and middle income groups of urban Baroda. Unpublished masters' dissertation, Department of Foods and Nutrition, The Maharaja Sayajirao University of Baroda, Vadodara, India.

Bair MJ, Robinson RL, Katon W, et al. 2003: Depression and pain comorbidity: a literature review. *Arch Intern Med.*;163(20):2433–2445

Barry Halliwell, 2007: Oxidative stress and cancer: have we moved forwardBiochem. J.401 (1–11

Bartles Sj, Forester B, Miles KM, Joyce T. 2000: Mental health service use by elderly patients with bipolar disorder and unipolar depression. Am Jr of Geriatric Psychiatry 8: 160-6

Basu, A., De, JK. And Santa Dutta(2001). Studies on the lipid profile and atherogenic factors in adultmales. Ind Jr Nut. Diet, 38, 441-452.

Benton D, Cook R. 1991: The impact of selenium supplementation on mood. *Biol Psychiatry*.;29:1092–1098.

Benton D, Donohoe RT. 2004: The influence on cognition of the interactions between lecithin, carnitine and carbohydrate. Psychopharmacology (Berl);175:84–91.

Bhattacharya SK, Ghosal S. 1998: Anxiolytic activity of a standardized extract of Bacopa monniera in an experimental study. Phytomedicine5:77-82.

Blacker, C.V.R. and Clare, A.W..1987: Depressive Disorders in Primary care. *British Journal of Psychiatry*, *150*, 737-751.

Blue, I., Ducci, M., Jasswal, J., Ludumir, A. and Harphan, T. 1995:. The mental health and low-income urban women: Case studies from Bombay, India; Olinda, Brazil; and Santiago, Chile. In: Urbanization and mental health in developing countries (pp.75-102).

Botez MI, Botez T, Maag U. 1984: The Wechsler subtests in mild organic brain damage associated with folate deficiency. *Psychol. Med.*; 14: 31–437.

Botez MI, Young SN, Bachevalier J, et al. 1982: Effect of folic acid and vitamin B12 deficiencies on 5-hydroxyindoleacetic acid in human cerebrospinal fluid. *Ann Neurol*;12:479-84.

Broadhead, E., Blazer, D., George, L., Tse, C. 1990, November: Depression, Disability Days Lost From Work in Prospective Epidemiological Survey. *JAMA*, 264(19), 2524-2528.

Brown EL, McAvay GJ, Raue PJ, Moses S, Bruce ML. 2003: Recognition of depression among elderly recipients of home care services. Psychiatry Services. 54:208–213.

Brown, G.W and Harris, T.O. 1978: Social origins of depression: A study of psychiatric disorder in women. London: Tavistock Publications.

Burnett KM, Solterbeck LA, Strapp CM. Scent and mood state following an anxiety-provoking task. Psychol Rep. 2004;95:707–722.

Carey E. Gleason, Cynthia M. Carlsson, Jodi H. Barnet, Sarah A. Meade, Kenneth D. R. Setchell, Craig S. Atwood, Sterling C. Johnson, Micheleand L. Ries. 2009: A preliminary study of the safety, feasibility and cognitive efficacy of soy isoflavone supplements in older men and women. Age Ageing (2009) 38 (1): 86-93.

Central Drug Research India (2003) Analytical Review papers

Chakraborti, P. (2004). Elder abuse in rural West Bengal: An exploratory study. Paper presented at the 12<sup>th</sup> Biennial Conference of Indian Aging Congress, New Delhi.

Chauhan and Patil (2007) Impact of Ashwagandha (Withaniasomnifera) on mental health of elderly women (Unpublished) M.Sc. Dissertation, M.S. University, Baroda

Chome J, Paul T, Pudel V, Bleyl H, Heseker H, Huppe R, Kubler, W. Effects of suboptimal vitamin status on behavior. *Bibliotheca Nutr. Dieta.* 1986; 38: 94–104.

Clarke R, Smith AD, Jobst KA, Refsum H, Sutton L, Ueland PM, et al 1998; Folate, vitamin B12, and serum total homocysteinelevels in confirmed Alzheimer disease. Arch Neurol; 55:1446-1455.

Comfort, A. (1964). Ageing: The Biology of Senescence. Routledge &Kegan Paul, London.

Dar A, Channa S.1999: Calcium antagonistic activity of Bacopamonniera on vascular and intestinal smooth muscles of rabbit and guinea-pig. J Ethnopharmacol;66:167-174.

Davar, B.V. and Dandekar, D. 2002:. Women and Mental Health – *A Beginning*. Pune: Centre for Advocacy in Mental Health.

Demerstein L, Astbury J and Morse C.1993: Psychosocial and Mental Health Aspects of Women's Health. Geneva: WHO.

Deoki, N. 2002: India's Population – The Future. Workshop on India's Future: Population, Environment and Human Development, India International Centre, New Delhi, January 14 – 15.

Desjarlais, R., Eisenberg, L., Good, B. and Kleinman, A. 1995:. *World Mental Health: Problems and priorities in low-income countries*. New York: Oxford University Press.

Dev AB: Aging in India: situation analysis and planning for future.2003

Diane, M.E. and Susan, G.: 2003: Gender differences in depression and response to antidynenant treatment. *Psychiatric Clinics*, *26*, 581-594.

Disayavanish P. 1994:. The effect of Buddhist insight meditation on stress and anxiety. PhD thesis. Illinois State University, Department of Educational Administration and Foundations:

Ebly, Erika M., et al. July 2001: Folate status, vascular disease and cognition in elderly Canadians. Age and Ageing, Vol. 27, pp. 485-91

Evans A, Tangeny C, Wilson S, 2002: Vitamin E and cognitive decline in older persons. Achieves of Neurology, 59:1125-1132

Exton-Smith AN, Scott DL, 1968: Vitamins in the elderly Bristol: John Wright and Son.

Folstein MF, Folstein SE & McHugh PR1975: Grading the cognitive state of patients for the clinician," J Psychiatry Res, , 12(3): 189-98.

Fontani G, Corradeschi F, Felici A, Alfatti F, Migliorini S, Lodi L. 2005: Cognitive and physiological effects of omega-3 polyunsaturated fatty acid supplementation in healthy subjects. *Eur J Clin Invest*;35:691–699.

Franco, Burger, Lebrun, Peeters, Lambert, Grobbee and Schouw.2005: American Society for Nutritional Sciences.J. Nutr. 135:1190-1195.

Gambhir M, Sharma S and Wadhwa A.1996: Age related changes in the nutrition profile of men (50 - >78 years) belonging to the middle-income group. CF: Nutritional Status of the elderly. Ind J Med Res 106: 340 - 34

Ganguli H 2000: Epidemiological findings on prevalence of mental disorders in India. Ind J of Psychiatry 42: 14 – 20.

Gargi Nag and Bratati De, (2008) Department of Botany, University of Calcutta, Antioxidant and Acetylcholinesterase Inhibitory Properties of the Indian Medicinal Plant "Shankhapushpi" Used for Enhancing Memory Function," Journal of Complementary and Integrative Medicine: Vol. 5: Issue. 1, Article 26.

Gertrudis I.J, 1998: The impact of multiple impairments on disability in community dwelling older people. Age and Ageing 5(27): 595 – 604. Gittelsohn, M. E. Bently, Pelto, P. J., M. Nag,S. Pachauri, Harrison, A. D., and L. T. Landman 2001: Listening to women talk about their health. Issues and evidences from India, (pp. 145-167). New Delhi: Har Anand Publications.

Gloth MF, Tobin J 1993: Nutrient intakes in a frail home bound elderly population in the community v/s a nursing home populationJr. Am. Diet Association, 96:96:605-607

Godfrey N, Kaiache A, 2000: Health needs of elder adults displaced to Sudan by war and famine: questioning current targeting practices in health relief. Social science and medicine 28:707-713 CF: Symposium on nutrition and ageing in the developing world. Nutrition and healthy functioning in developing world. Jr. of Nut 131: 24295-328,

Gopalan C, Sastri R, Bala Subramanian SC 1995: Nutritive Value of Indian Foods Second revised edition NIN Hyderabad

Gopalan C., Ramasastri, B.V. and Balasubramnium, S.C. 1996: revised and updated by Narasinga Rao B.S. Deostale Y.G.and Pant, K.C. (1992). Nutritive values if Indian foods.

Goodwin JS, Goodwin J.M, Garry PJ. Association between nutritional status and cognitive functioning in a healthy elderly population. *J. Am. Med. Assoc.* 1983; 249: 2917–21.

Gregg Edward W., Yaffe Kristine, Cauley Jane A., Rolka Deborah B., Blackwell Terri L., K. M. Venkat Narayan, Cummings Steven R. 2002: Is Diabetes Associated With Cognitive Impairment And Cognitive Decline Among Older Women. Arch Intern Med.; 160: 174-180

Gupta R, Dahiya S, Bhatia MS. Effect of depression on sleep: Qualitative or quantitative. Indian J Psychiatry 2009;51:117-21

H. K. Kamel& K. Denson 2004: Malnutrition In Aging . *The Internet Journal of Geriatrics and Gerontology*. 2004 Volume 1 Number 1

Hagglund KJ, Clark MJ, Hilton SA, et al. Access to healthcare services among persons with osteoarthritis and rheumatoid arthritis. *Am J Phys Med Rehabil*.2005;84(9):702–711.

Haller J, Weggemans R, Ferry M and Guigoz Y,1999: Mental Health: Mini – mental state examination and geriatric depression score of elderly Europeans in the SENECA. Eur J ClinNutr 50 (2): S112-S116.

Haller J, Weggemans R, Ferry M and Guigoz Y1996 Mental Health: Minimental state examination and geriatric depression score of elderly Europeans in the SENECA.Eur J ClinNutr 50 (2): S112 – S116.

Hassing L, Wahlin A, Winblad B, Backman L:Further evidence on the effects of vitamin B 12 and folate levels on episodic memory functioning: a population-based study of healthy very old adults. Bio Psychiatry .1; 45(11):1472-80.

Hay, A., Bancroft, J., and Johnstone, E. (1994). Affective symptoms in women attending a menopause clinic. *British Journal of Psychiatry*, *64*, 513-516.

Hodgkinson, B., Evans, D. and Wood J. (1995). Maintaining oral hydration in older adults. *Systematic Review*, 274(19), 1552-6.

Huang BY, Comoni-Huntley J, Hays JC, Galanoz AN(2000) In pact of depressive symptoms on hospilatization risk in community-dwelling older persons. Journal of the American Geriatrics Society 48:1279-84

Ingold BB, Yersin(2000) B, BulaCj, Wielthlisbatch V associated with inappropriate hospital use in elderly patients admitted to a general internal medicine service. Aging 12:430-8

Jai Prakash J,1997: Women and Aging. Ind J Med Res 106: 396 - 408

Jamuna D and Ramamurti P.V.2008: Perceptions Of Ageism Across The Generations Indian Journal of Gerontology; 34 (2): 198-205

Jorm AF, Griffiths KM, Christensen H, Parslow RA, Rodgers B. Actions taken to cope with depression at different levels of severity: a community survey. *Psychol Med.* 2004;34:293–299.

Kabir Z, Ferdous T, Cederholm T, Khanam M, Streatfied K and Wahlin A(2006) Mini Nutritional Assessment of rural elderly people in Bangladesh: The impact of demographic, socio economic and health factors. Public HealthNutrition, 9(8):968-74

Kar A, Panda S, Bharti S. Relative efficacy of three medicinal plant extracts in the alteration of thyroid hormone concentrations in male mice. J Ethnopharmacol 2002;81:281-285.

Katz man R, Brown T, field P et al 1975: "Mini- Mental State. A Practical Method for Grading the cognitive state of patients for the clinician," JPsychiatry Res, 12(3): 189-98.

Kartz, P. (2004). Prevalence of obesity among psychiatrically ill patients. *Indian Journal of Psychiatry*, 43(2), 138-146.

Kaufman, S.A. (1967). Limited relationship of maturation index to estrogen therapy for menopausal symptom. *Obstetrics and Gynecology, 30*, 399-407.

Keller H.H, 1993: Malnutrition in institutionalized elderly: how and why J Am GeriatSoc 41: 1212 – 8.

Kendler, K.S., Kessler, R.C., Waltus, E.E. Maclean, C., Neale, M.C., Heath, A.C. and Eaver, L.J. (1995, June). Stressful life events, genetic liability and onset of an episode of major depression in women. *American Journal of Psychiatry*, 152(6), 833-842.

Kendler, K.S., Kessler, R.C., Waltus, E.E. Maclean, C., Neale, M.C., Heath, A.C. and Eaver, L.J. (1995, June). Stressful life events, genetic liability and onset of an episode of major depression in women. *American Journal of Psychiatry*, 152(6), 833-842.

Kessler RC, Jun 6 2005. Lifetime prevalence and age of onset of mental illness in the United States. Arch Gen Psychiatry, 62:593-602.

Kingston J, Chadwick P, Meron D, Skinner TC. 2007:A pilot randomized control trial investigating the effect of mindfulness practice on pain tolerance, psychological well-being, and physiological activity. *J Psychosom Res.*;62:297–300

Kirkwood, T. B. 2005:"Understanding the odd science of aging." *Cell*120(4):437-447.

KM Riggs, A Spiro, K Tucker and D Rush, 1996: Relations of vitamin B-12, vitamin B-6, folate, and homocysteine to cognitive performance in the Normative Aging Study, Am J of Clinical Nutrition, Vol 63, 306-314.

Kumar 1997Ageing in India- an overview

Lacruzet al.BMC Medical Research Methodology 2010 10:36 10.1186/1471-2288-10-36

Lebowitz BD, 1996: Diagnosis and treatment of depression in late-life: An overview of the NIH consensus statement. *Am J Geriatr Psychiatry* 4:S1,S3-S6.

Lee Jung S, Frongillo E J, 2001: Nutritional and health consequences are associated with food insecurity among U.S. elderly persons.J. Nutr 131: 1503 – 1509.

Lewis, G. and Araya, R. 2001:. Classification, Disability and the Public Health Agenda. *British Medical Bulletin*, *57*, 3-15.

Limaye A and Mehta P 1999: A study on diet, nutrition and health profile of institutionalized and non-institutionalized elder lies of Baroda city (60 + years) M.Sc. Dissertation (unpublished), Dept. of Foods and Nutrition, M.S.University, Baroda, India.

Lopez, A. D. & Murray, C. C. 1998a:.The global burden of disease, 1990-2020.Nat.Med, 4, 1241-1243.

MadiTripathi, Sundaram, R., Md. Rafiq, Venkataranganna, M.V., Gopumadhavan, S. and Mitra, S.K.2000: Pharmacokinetic Interactions of Mentat with Carbamazepine and Phenytoin EuropeanJournal of Drug Metabolism and Pharmacokinetics (25), 3 / 4, 223-226

Malouf, R., Grimley Evans, J., Areosa Sastre, 2008: A.Folic acid with or without vitamin B12 for cognition and dementia, Cochrane Database of Systematic Review 1469-493X

Mangel, M., and Abrahams, M. V. 2001: "Age and longevity in fish, with consideration of the ferox trout." *Exp Gerontol* 36(4-6):765-790.

Marshall T, Stumbo P, Warren J, Xie Xian-Jin 2001: Inadequate nutrient intakes are common and are associated with low diet variety in rural, community-dwelling elderly. J. Nutr 131: 2192 – 2196.

Martis G, Rao A. Neuropharmacological activity of Herpestismonniera. Fitoterapia 1992;63:399-404.

Mary C. Blehar, PhD, Dan A. Oren, MD, 1997:National Institute of Mental Health, Medscape General Medicine. ;1(2) Gender Differences in Depression

Mary, C. (1995). Neurological, mental development, and aging. *Indian Journal of Neuroscience*, 107, 369-380

Matthews, K. A., Wing, R. R., Kuller, L. H., Meilahn, E. N., Kelsey, S. F., Costello, E. J., and Caggiula, A. W. (1990). Influences of natural menopause on psychological characteristics and symptoms of middle-aged healthy women. *Journal of Consulting and Clinical Psychology*, 58, 345-351.

Mehta & Chauhan, 2007: Health promotion for the aged through intervention with suitable foods and nutrient supplementation. Phd Dissertation (Unplished) dept of foods and nutrition M.S. University, Baroda, India

Mehta and Shah 2006: A study on nutrition and health of depressed adult and older women of Baroda city: Impact of herbal intervention (Brahmi) on depression in elderly women with impaired mental function (Unpublished) M.Sc. Dissertation, M.S.University, Baroda

Mehta P and Laddu K, 2001: A study on diet, nutritional status and disease profile of the elderly suffering from depression. In J Ger 16: 250-257.

Mehta P and Shringapure B 2004: A study on life style factors, diet profile and impact of nutrition health education (NHE) in elderly women with breast cancer (≥60 years). In J Ger 17 (3& 4):336-374.

Mehta Pallavi, Sharma Mitali and Chauhan Komal:, 2009; A study on health and nutritional status of very old elderly (85+years) and centenarians. Ind journal of gerontology vol23, no3:277-84

Miller, K. (2002). Estrogen treatment for depression in perimenopause. American Academy of Family Physician, 1-2.

Mishra LC, Singh BB, Dagenais S. 2000: Scientific basis for the therapeutic use of Withaniasomnifera (ashwagandha): a review. Altern Med Rev;5(4):334-46

Morris M C et al 2003: Consumption of fish and n-3 fatty acids and risk of incident Alzheimer disease. Arch Neurol .60(7):940- 6.

Motivala Sarosh, Levin Myron, Oxman Michael N, Irwin Michael 2006: Impairments In Health Functioning And Sleep Quality In Older Adults With A History Of Depression Journal of the American Geriatrics Society; 54 (8): 1184-1191

Moussaoui D.(1999) Depression in the elderly1 edition. WPA Bulletin on depression 42.

Mukherjee, P., Nayak, A., and Mullick, J. (1996). Physical and psychological symptoms – comparative study of effects of estrogen replacement and psychometrics in menopausal distress. *Journal of Obstetrics and Gynaecology of India, 46*(2), 244-249.

Mulgaonkar, V.B., Parikh, I.G., Taskar, V.R., Dharap, N.D., and Pradhan, V. P. 1994: Perception of slum women regarding refusal to participate in a gynecological health program. In: Jr, GerentologyVol 03, 43-48

Nandi PS, Bannerjee, G, Mukherjee S.P, Nanadi S,1997: A study of psychiatry morbidity of elderly population of a rural community in West Bengal. Indian Journal of Psychiatry, 39(2), 122-129

Nathan PJ, Clarke J, Lloyd J, et al 2001:The acute effects of an extract of Bacopamonniera (Brahmi) on cognitive function in healthy normal subjects. Hum Psychopharmacol;16:345-351.

Natrajan, V.S 1999: Prevelance in childhood and youth of adult cardiovascular diseases. Time for action: report of a WHO expert committee. Technical report series No. 792, WHO Geneva.

Nemeroff CB, Bissetti G, Widerov E, 1984: Elevated concentration of corticotropin-releasing-factor-like immunoreactivity in depressed patients. Science 226:1342-1343,. (s)

Neumeister A, Praschak Rider N, Hesselmann B, Viouch O 1998: effects of tryptophan depletion in fully remitted patients with seasonal affective disorder during summer. Psychol Med, 28: 257-264

Olayiwola IO, Ketiku AO.. 2009: Socio-demographic and nutritional assessment of the elderly Yorubas in Nigeria. The Middle East Journal of Age and Ageing

Ortega R, Requejo A, Andres P, Sobaler A, Quintas M, Redondo M,1997: Dietary intake and cognitive function in a group of elderly people. Am J ClinNutr. 66: 803 – 809.

Park JY, Lee YS, 1998: Some factors affecting nutrition and health status of Korean rural old adults and elders. Abstracts in IXth Asian Congress of Nut., 2003,103

Parker G, Gibson NA, Brotchie H, Heruc G, Rees A-M, Hadzi-Pavlovic D. 2006; Omega-3 fatty acids and mood disorders. *Am J Psychiatry*. 163:969–978.

Patel N and Mehta 2003: Effect of soy foods on health & nutritional status institutionalized elderly (unpublished) M.Sc. Dissertation, Dept. of Foods and Nutrition, Faculty of Home Science, The M S University of Baroda, India

Patel, V., Prince, M. 2010:. Global mental health - a new global health field comes of age. *JAMA*, 303, 1976-1977

Penninx, Pluijm Saskia MF., Lips Paul, Woodman Richard, MiedemaKor, Guralnik Jack M., DeegDorly JH. 2005 Late-Life Anemia Is Associated With Increased Risk Of Recurrent Falls Journal of the American Geriatrics Society; 53 (12): 2106-2111

Pennix BW, Deeg DJ, Van EjikJT, Beckman AT, Gurainik JM, 2000: Changes in depression and physical decline in older adults: a longitudinal perspective. Journal of Affective Disorders 61:1-12

Perrig WJ, Perrig P, Stahelin HB. 2000: The relation of antioxidants on memory performance of elderly J Am Geriatr Soc. 45: 718 – 724.

Perry N, Perry E. Aromatherapy in the management of psychiatric disorders. *CNS Drugs.* 2006;20:257–280.

Porter richard J, lunnbrian S, walker lucy L M, gray john M, ballardclive G and O'Brien John T 2008: Cognitive deficit induced by acute tryptophan depletion in patients with alzheimer's disease .Am J Psychiatry 157:638-640

Posner BM and Krachensfels MM. 1984: Optional nutrition services for the older population, Boston Massachsuets, Dept. of Pub. Health.

Prabhu, G.G. and Raghuram, A. (1987). Mental Health in India in India. *Encyclopaedia of Social Work in India*, 2, 188-189 (published by Ministry of Welfare, New Delhi).

Purewal, J. (2003). Gender violence, sexuality and health: Redefining the matrix. In: V. R. Patel and R. C. Thara, (Eds.), *Meeting the mental health needs of developing countries: NGO Innovators in India*. New Delhi: Sage.

Quadri P, 2004: Homocysteine, folate and vitamin B-12 in mild cognitive impairment Alzheimer disease and vascular dementia. Am J Clin Nutr.80,1:114-22.

R. R. Hajjar, H. K. Kamel & K. Denson 2004: Malnutrition In Aging. The Internet Journal of Geriatrics and Gerontology. Volume 1 Number 1

Raoand Madhavan1992, Mental health of the elderly in the community, in murthy, R.S. and Burns 2003: Proceedings of the Indo-U.S. Symposium on Community Mental Health, pp 459-471. Banglore: NIMHANS Publication.

Rapin JR, Le Poncin M, Grebyl J. 2001: Blood folate deficiencies and cognitive functions in aging. *Trends Biomed Gerontol*; : 221-223.

Rafael T Mikolajczyk Walid El Ansari and Annette E Maxwell, 2009: Food consumption frequency and perceived stress and depressive symptoms among students in three European countries Nutrition Journal 3-38

Rastorgi RP, 1983. Rastogi, R.P.and Dhar, M.L.1960. Chemical examination of *Bacopamonnieri*. *J Scilnd Res*. 19: 455 -58

Rayman M, Thompson A, Warren-Perry M, Galassini R, Catterick J, Hall E, Lawrence D, Bliss J 2006: Impact of selenium on mood and quality of life: a randomized, controlled trial. *Biol Psychiatry*;59:147–154.

RequejoAM, Ortega RM, Robles f, Navia B, Faci M, Aparicio A, 2003: Influence of nutrition on cognitive function in a group of elderly, independently living people Eur J ClinNutr .57 (1):S54-7.

Reynold Charles F and Kupfer David J,1999:Depression and ageing: a look to the future.Psychiatrserv 50: 1167-1172

Reynolds EH. 2002: Benefits and risks of folic acid to the nervous system. J NeurolNeurosurg Psychiatry; 72: 567-571

Richardson D 2007: Nutrition, Healthy Ageing and Public Policy The International Alliance of Dietary/Food Supplement Associations (IADSA)

RIder, E. (2000). Our voices: Psychology of women. California: Wordsworth

Risch N, Herrell R, Lehner T, Liang KY, Eaves L, Hoh J, Griem A, Kovacs M, Ott J, Merikangas KR. Interaction between the Serotonin Transporter Gene, Stressful Life Events and Risk of Depression: A Meta-Analysis. *JAMA*. 2009 Jun 17;301(23):2462-71.

Ritchie K and Kildea D 1995 Is senile dementia "age-related" or "ageing related" evidence from meta analysis of dementia prevalence in the oldest old. *Lancet* 346:931 – 934.

Robichaud M, Dugas MJ, Conway M. Gender differences in worryand associated cognitive-behavioral variables. J Anxiety Disord 2003;17:501-16.

Rogers PJ Department of Experimental Psychology, University of Bristol, Proc Nutr Soc. 2001 Feb;60(1):135-43

Ross, J. (2002, September/October). Mental health and protein nutrition. *Well Being Journal*, *11*(5), pp. 1319-1328.

Rue A, Koehler KM, Wayne SJ, et al,1997:Nutritional status and cognitive functioning in a normally aging sample: a 6y reassessment. Am J ClinNutr; 65(1): 20 - 9.

Ryan and Shea.1996: Recognizing depression in older adultsJr. Am Diet Asso. 96: 1-5

Sabharwal M, Wadhwa A and Sharma S 1996 Nutritional status of institutionalized elderly related variables.ln:Kumar V, editor. Aging-Indain perspective and global scenario. New Delhi, AIIMS, 278 – 281.

Sachdev PS, et al. University of New South Wales, Sydney, Australia2005 Apr: Low folate is a cause of increased homocysteine. *Psychol Med*;35(4):529-38. Ed:.

Sarojini JK 1990:Nutritional assessment of elderly through anthropometric measurements. Ind. Jr. Nut. And Diet, 27: 91-94

Satija Y, AdvaniG ,Nathawat S,1998: Influence of stressful life events and copingstrategies in depression. Ind J of Psyhiatry 40:165- 171.

Sayyah M, Sayyah M, Kamalinejad M. A preliminary randomized double blind clinical trial on the efficacy of aqueous extract of *Echiumamoenum*in the treatment of mild to moderate major depression. *Prog NeuropsychopharmacolBiol Psychiatry*. 2006;30:166–169.

Sethi, B.B. and Manchanda, R. (1998). Socio-economic, demographic and cultural correlates of psychiatric disorders with special reference to India. *Indian Journal of Psychiatry*, 20, 199-211.

Shaheen E Lakhan and Karen F Vieira2008: Nutritional therapies for mental disorders *Nutrition Journal* 2008, 7:2doi:10.1186/1475-2891-7-2

Shrivastav R and Mehta 1997: Effect of modified diet on health and nutritional status of Hospitalized male geriatric (60-70 years) with the swallowing disorders. M.Sc. Dissertation (unpublished), Dept. of Foods and Nutrition, M.S.University, Baroda, India

Singh RH, Singh L. Studies on the anti-anxiety effect of the MedyhaRasayana drug, Brahmi (BacopamonnieraWettst.)--Part 1. J Res Ayur Siddha 1980;1:133-148.

Sinha R, Kothari B 2002: Life of the elderly in a Rajasthan village. Ind J Ger, 2002 (16) 321 – 326.

Siripurapu KB, Gupta P, Bhatia G, Maurya R, Nath C, Palit G. 2005 Adaptogenic and anti/amnesic properties of Evolvulusalsinoides in rodents. PharmacolBiochemBehav. Jul;81(3):424/32.

Spek V, Cuijpers P, Nyklicek I, Riper H, Keyzer J, Pop V. Internet-based cognitive behaviour therapy for symptoms of depression and anxiety: a meta-analysis. *Psychol Med.* 2007;37:319–328.

Spinella M. Concise handbook of psychoactive herbs. Binghamton, NY, USA: Haworth Herbal Press; 2005.

Srilakshmi, B. 1993: Dietetics Diet in diseasrs of Cardiovasular System 233-255. New Age Pvt ltd.

Stough C, Lloyd J, Clarke J, et al. The chronic effects of an extract of Bacopamonniera (Brahmi) on cognitive function in healthy human subjects. Psychopharmacology 2001;156:481-484.

Suarez E, 1999: Relations of trait depression and anxiety to low lipid and lipoprotein concentrations in healthy young adult women. Psychosomatic Medicine 61:273-279.

Sumathy T, Govindasamy S, Balakrishna K, Veluchamy G. Protective role of Bacopamonniera on morphine-induced brain mitochondrial enzyme activity in rats. Fitoterapia 2002;73:381-385.

Swami H M, Bhatia S, Thakur J S and Bhatia V 2007: A Study of Health Problems and Loneliness Among the Elderly Chandigarh. In. Jr. of Comm. Med.,32 (4)

Swaminathan 1998: Essential of food and nutiriton. 1. BAPPCO Banglore.

Syed WaseemBihaqi, Meenakshi Sharma, Avninder Pal Singh and ManishaTiwari July2009Neuroprotective role of *Convolvulus pluricaulis* on

aluminium induced neurotoxicity in rat brain *Journal of Ethnopharmacology, Volume 124, Issue 3, 30*, Pages 409-415

The United Nations, New York, (2005), Population Division, pp 20-29.

Titov N. Status of computerized cognitive behavioural therapy for adults. Aust NZ J Psychiatry. 2007;41:95–114.

Tiwari S, Srivastava S 1998: Geropsychiatric morbidity in rural Uttar Pradesh.Ind. Jr. of Psychiatry 40: 266 – 273.

Tolmunen T, Voutilainen S, Hintikka J, Rissanen T, Tanskanen A, 2003:Dietary folate and depressive symptoms are associated in middle-aged Finnish men. J Nutr 133: 3233 – 3236.

Tiina Rissanen AnttiTanskanen, Heimo Viinamäki, George A. Kaplan, 2003: Dietary Folate and Depressive Symptoms Are Associated in Middle-Aged Finnish Men.TheAmerican Society for Nutritional Sciences J. Nutr. 133:3233-3236, October 2003

Toshikazu Yoshikawa, Norimasa Yoshida, December 2000: Vitamin E and Leukocyte–Endothelial Cell Interactions. Antioxidants & Redox Signaling., Vol. 2, No. 4: 821-825

Turner, W. (1959). Under eating and undernutriton in old age: integrating biopsychosocial aspects. *Age and Ageing 4*(27), 207-216.

VenkobaRao A, Madhavan T:1983: Depression and suicide behavior in the aged.Ind. Jr. Psychiatry 25: 251 – 259.

Vishwanathan, N., and Wetzel, Janice, W.(1993) in Mane, Purnima and Gandevia, katy, Y(eds) Mental Health in india: Issues and concerns. Bombay: Tata Institute of Social Sciences 43-69

Vitamin supplementation for 1 year improves mood by:-Benton D; Haller J; Fordy J, Department of Psychology, University College Swansea, UK. Neuropsychobiology, 1995, 32:2, 98-10

Vohora D, Pal SN, Pillai KK. Protection from phenytoin-induced cognitive deficit by Bacopamonniera, a reputed Indian nootropic plant. J Ethnopharmacol 2000;71:383-390.

W.H.O. World health Report, 2001. Global burden of diseases. 2001, Geneva, Switzerland.

Walker D. and Beauchene R,1991:The relationship of loneliness, social isolation and physical health to dietary adequacy of independently living elderly. J Am Diet Asso. 91: 300 – 304.

Wang H X, WahlinA, Basun H, et al 2001: Vitamin B-12 and folate in relation to the development of Alzheimer's disease. Neurology. 8; 56(9): 1188-94.

Wolf DB, Abell N. Examining the effects of meditation techniques on psychosocial functioning. *Res Soc Work Pract.* 2003;13:27–42.

Women's Research Studies Centre, 2005: Mental Health And Ageing: Focus On Women With Depression Women's Research Studies Centre Unpublished report, M.S.University, Baroda

Woo J and Kwok T.,1998:Nutritional status of elderly Chinese vegetarian Age and Ageing. 3:121 – 125.

Woo J and Kwok T.1998 Nutritional status of elderly Chinese vegetarian Age and Ageing. 3:121 – 125.

Yaday SK, Jain AK, Tripathi SN, Gupta JP. Irritable bowel syndrome: therapeutic evaluation of indigenous drags. Indian J Med Res 1989;90:496503.

Young MA, Scheftner WA, Fawcett J, Klerman GL: Gender differences in the clinical features of unipolar major depressive disorder. J NervMent Dis 1990; 178:200–203.

Zandi PP et al. 2004:Reduced risk of Alzheimer disease in users of antioxidant vitamin supplements: the Cache County Study. Arch Neurol. 61(1):82-8.

310