

## LIST OF FIGURES

Sr.No.	Figure	Description	Page
1.	I.1	Location Map	3
2.	I.2	Geographical Features of Kutch	6
3.	I.3	Geological Map of a portion of Kutch	10
4.	I.4	Generalized stratigraphy of Kutch Basin	12
5.	I.5	Tectonic Framework of Kutch Basin	20
6.	IV.1	Geological Map of Jhura Dome with traverses.	41
7.	IV.2	Litho-column along traverse; T-T <sup>1</sup> Jhura Dome	43
8.	IV.3	Litho-dolumn along traverse; T <sup>7</sup> -T <sup>8</sup> Jhura Dome	44
9.	IV.4	Geological Map of Jumara Dome	53
10.	IV.5	Litho-cloumn along traverse of T-T <sup>1</sup> Jumara Dome	54
11.	IV.6	Litho-column along traverse T <sup>2</sup> -T <sup>3</sup>	55
12.	IV.7	Geological Map of Habo Dome	62
13.	IV.8	Litho-cloumn along Kalajar nala, Habo Dome	63
14.	V.1	Bar diagram showing average grain percentage of Jhurio Formation, Jumara dome.	105
15.	V.2	Bar diagram showing average grain percentage of Jhurio Formation, Jhura Dome.	106
16.	V.3	Bar diagram showing average grain percentage of Jhurio Formation, Habo dome	107
17.	V.4	Bar diagram showing average grain percentage of Jumara Formation, Jumara dome.	130

18.	V.5	Bar diagram showing average grain percentage of Jumara Formation, Jhura dome.	131
19.	V.6	Bar diagram showing average grain percentage of Jumara Formation, Habo dome.	132
20	V.7	Bar diagram showing average grain percentage of Jhurio Formation, Jumama, Jhura and Habo dome.	133
21.	V.8	Bar diagram showing average grain percentage of Jumara Formation, Jumara, Jhura and Habo dome.	134
22.	VI.1	Pie diagram of Insoluble Residue percentages, Jhurio Formation.	141
23.	VI.2	Pie diagram of Insoluble Residue percentages, Jumara Formation.	142
24.	VI.3	Bar diagram of Insoluble Residue percentages of Jhurio and Jumara Formations	143
25. to 32	VI.4 to VI.11	Representative X ray diffractograms.	145 to 152
33.	VII.1	Major environments of inorganic calcium carbonate precipitation indicating the typical resultant crystal fabric $S^{13}C$ and $S^{18}O$ values and relative amounts of Na and Mg in the interstitial fluids. (Simplified after Scoffin, 1987)	168
34.	VII.2	Stable isotope interpretation plot of Jhurio Formation	192
35.	VII.3	Stable isotope interpretation plot of Jumara Formation	193
36.	VII.4	Relationship between the stages of diagenesis and creation or destruction of porosity.	196
37.	VIII.1	Split of southern Gondwanaland in Late Triassic-Early Jurassic. India was separated from Africa and Antarctica by a Y shaped megashear.	206

38.	VIII.2 Palaeo-shoreline position in Kutch basin	208
39.	VIII.3 Correlation of litho-column along major traverses of Jumara, Jhura and Habo dome	210
40.	VIII.4 Pene-contemporaneous development of carbonate facies belts and sequences of the standard microfacies types.	21
41.	VIII.5 Schematic East-West stratigraphic column of the Kutch basin.	224