

## C O N T E N T S

ACKNOWLEDGEMENT	i
LIST OF ABBREVIATION	ii
Chapter I	
GENERAL INTRODUCTION	1- 43
1.1. Chemical carcinogenesis: general	1
1.2. Occurrence of polycyclic aromatic hydrocarbons (PAHs)	2
1.3. Biological activities of PAHs	5
1.4. Metabolism of PAHs	
1.4.1. General	8
1.4.2. Metabolism of benzo(a)pyrene (BP)	12
1.4.3. Importance of bay region metabolism for carcinogenicity	18
1.5. Biological activities of the metabolites of BP	19
1.6. Interaction of BP with cellular macromolecules	24
1.7. Adduct formation between BP and DNA	
1.7.1. General	29
1.7.2. Detection and characterization of the BP-DNA adduct	35
1.7.3. Mechanism of interaction of BP with DNA	36
1.8. Biochemical consequences of BP-adducts with nucleic acids	41
Chapter II	
ALTERATION IN TRANSCRIPTION BY BENZO(A)PYRENE	44-121
2.1. <u>Introduction</u>	44- 51
2.1.1. Background information	44
2.1.2. Aims and objectives	48

2.2.	<u>Experimental procedures</u>	52- 68
2.2.1.	Materials	
2.2.1.1.	Chemicals	52
2.2.1.2.	Radiochemicals	53
2.2.1.3.	Animals	53
2.2.2.	Methods	
2.2.2.1.	Treatment of animals	53
2.2.2.2.	Isolation and purification of nuclei and nucleoli from liver	55
2.2.2.3.	Separation of free and engaged RNA polymerases fractions of nuclei	55
2.2.2.4.	Isolation of nuclear RNA	55
2.2.2.5.	In vivo incorporation of [6- <sup>14</sup> C]orotic acid	56
2.2.2.6.	In vitro RNA synthesis	57
2.2.2.7.	Isolation and partial purification of RNA polymerases	60
2.2.2.8.	Assay of partially purified RNA polymerases	62
2.2.2.9.	In vitro model to characterize inhibition of transcription in nuclei	63
2.2.3.	Analytical procedures	
2.2.3.1.	Estimation of RNA	63
2.2.3.2.	Estimation of nuclear DNA	64
2.2.3.3.	Estimation of protein	66
2.2.3.4.	Measurement of specific conductance	67
2.2.3.5.	Radioactivity measurement	68
2.3.	<u>Results</u>	69-105
2.3.1.	Incorporation of [6- <sup>14</sup> C]orotic acid into hepatic nuclear RNA in response to BP administration	69
2.3.2.	Effect of BP on nuclear transcription in vitro assayed under different ionic conditions	72
2.3.3.	Effect of BP on total nuclear transcription in vitro	77
2.3.4.	Modulation of in vitro nuclear transcription by BP	81

2.3.5.	Effect of BP on free and engaged RNA polymerase fractions in nuclei	84
2.3.6.	Effect of BP on partially purified nuclear RNA polymerases I, II and III	84
2.3.7.	Direct inhibitory effects of BPDE I on nuclear transcription in vitro	93
2.4.	<u>Discussion</u>	106-121

### Chapter III

MODULATION OF MOLECULAR EFFECTS OF BENZO(A)PYRENE BY DIETARY FACTORS		122-191
3.1.	<u>Introduction</u>	122-128
3.1.1.	Background information	122
3.1.2.	Aims and objectives	124
3.1.3.	Specific relevance to other works	125
3.2.	<u>Experimental procedures</u>	129-141
3.2.1.	Materials	
3.2.1.1.	Chemicals	129
3.2.1.2.	Radioactive chemicals	129
3.2.1.3.	Animals	130
3.2.2.	Methods	
3.2.2.1.	Treatment of animals	130
3.2.2.2.	Preparation of liver slices	130
3.2.2.3.	Isolation and purification of nuclei from liver	131
3.2.2.4.	Isolation of microsomes from liver	131
3.2.2.5.	Isolation of nuclear DNA	132
3.2.2.6.	Isolation of nuclear RNA	133
3.2.2.7.	In vivo incorporation of [6- <sup>14</sup> C]orotic acid into hepatic nuclear RNA	133
3.2.2.8.	In vitro adduct formation between BP and its metabolites with DNA	133
3.2.2.9.	Preparation and purification of metabolites of BP	136
3.2.2.10.	Measurement of the rate of disappearance of BPDE I	139

3.2.3.	Analytical procedures	
3.2.3.1.	Estimation of DNA	140
3.2.3.2.	Estimation of RNA	140
3.2.3.3.	Estimation of protein	141
3.2.3.4.	Radioactivity measurement	141
3.3.	<u>Results</u>	142-171
3.3.1.	Effect of L-ascorbic acid (LAA) in vivo on adduct formation in liver between [ $^3\text{H}$ ]BP metabolites and DNA	142
3.3.2.	In vitro adduct formation between [ $^3\text{H}$ ]BP metabolites and DNA mediated in liver subcellular preparations of rats pretreated with LAA	142
3.3.3.	Inhibition by LAA in vitro of microsome mediated adduct formation between [ $^3\text{H}$ ]BP and DNA	144
3.3.4.	Effect of LAA in vitro on relative adduct formation between metabolites of [ $^3\text{H}$ ]BP and DNA	146
3.3.5.	Effect of LAA in vitro on metabolism of BP	149
3.3.6.	Alleviating effects of dietary ascorbic acid on the BP-induced inhibition of gross transcription in liver	151
3.3.7.	Inhibition by retinoids in vitro of microsome mediated adduct formation between [ $^3\text{H}$ ]BP and DNA	151
3.3.8.	Effect of retinoids on the rate of disappearance of BPDE I	153
3.3.9.	Modulation by flavonoids and related phenolics of microsome mediated adduct formation between [ $^3\text{H}$ ]BP and DNA	158
3.3.10.	Effect of selected flavonoids on metabolic availability of BP-7,8-dihydrodiol	167
3.3.11.	Effect of selected flavonoids on the rate of disappearance of BPDE I	169
3.4.	<u>Discussion</u>	172-191
3.4.1.	L-Ascorbic acid	174
3.4.2.	Retinoids	183
3.4.3.	Flavonoids and related phenolics	186

Chapter IV	
SUMMARY AND CONCLUSION	192-202
<u>Summary</u>	192
<u>Conclusion</u>	198
REFERENCES	203-240
STATEMENT	
LIST OF PUBLICATIONS	