

Bibliography

BIBLIOGRAPHY

- Adiga, S., 1992. Monitoring of plantations using temporal satellite data. NNRMS, Bulletin (B)-15, 6 and 7
- * Ahern, F.J. and Archibald, P.D., 1986. Thematic Mapper information contents about Canadian forests; early results from across the country. Proc. xth Canadian Symposium on Remote Sensing, 683-697.
- Aggarwal, J.P., 1990. Preinvestment survey of forest resources, Forest Resource Report of Dehra Dun U.P., India, 171-206.
- Anon., 1985. Mapping of wasteland in India using satellite imagery 1980-1982. NRSA report, Hyderabad, 4-35.
- Anon., 1989. Pilot study for wasteland development. A GIS based approach. Technical report SAC/RSA/SPUCC/TN-64/Oct. 89. Ahmedabad.
- Anon., 1990. Manual of nationwide Landuse/Landcover mapping using satellite imagery. Part-III, RRSSC, Nagpur, 1-37.
- Anon., 1991. Mapping of afforestation, reforestation and social forestry sites. In IIRS lecture notes, Dehra Dun, 11.
- Anon., 1992. Recent changes in afforestation rates in Britain. J. Geography, 11: 270-276.
- Bansal, A.K., Murtha, P.A., and Wiart, R.J., 1991. An evaluation of Landsat TM data for reforestation monitoring in British Columbia. J.Ind.Remote Sensing, 19 : 163-174.
- Bansal, S.K., 1992. Urban analysis : A case study of Jaipur city. Reading in Remote Sensing Applications. Scientific publishers, Jodhpur, India, 357-382.
- Bapat, M.V., 1985. Problem of waterlogging and salinity in the irrigated commands in Gujarat state with a case study of Kakrapur project. Proc. on Remote sensing in Agriculture, Ahmedabad, 292-307.

- Bapat, M.V., 1988. Mapping of saline and waterlogging areas through Remote sensing. Proc. on Remote sensing activities in Gujarat, Vadodara, India, 29-35.
- *Beaubien, J., and Jobin, L., 1974. Forest insect damage and cover types from high altitude colour - IR photographs and ERTS - 1. Proc. Symp. Remote sensing, PH Interpretation, Alberta, Canada, 1: 449-454.
- * Brewbacker, J.L., 1984. Short rotation forestry in tropical area in Bioenergy 84. Proc. Conf. Goteborg, Sweden.
- Campbell, J.C., 1987. Mapping the land. Aerial imagery for landuse information. Scientific publishers, Jodhpur, 83-95.
- Chang, K.T., Tsai, B.W. and Sun, C.H., 1988. Evaluation of a GIS for slope land management. Proc. of GIS/LIS. San Antonio, USA. 1 : 329-339.
- China situation and outlook report, 1984. In state of world 1988. Report by the world resource institute and the international institute for environment and development in collaboration with United National environmental programme, Basic book, 83-210.
- Clarke, K.C., 1986. Recent trends in GIS research. Geo-processing, 3: 1-15.
- Colwell, R.N., 1984. From Photographic interpretation to remote sensing. Photogrammetric Engineering and Remote Sensing, 50 : 1305-1307.
- *Committee of Animal feeds and Fodder, 1974. Fuelwood and Fodder resources of India and their possible estimation using remote sensing techniques. In IIRS notes, Dehra Dun. 1-51.
- * Crist, E.P., and Cione, R.C., 1984. A physically based transformation of TM data - The Tasseled cap, IEEE Transaction on Geoscience and Remote Sensing, GE 22 : 256-263.
- Curran. P.L., 1985. Principles of Remote Sensing. Longman, London.
- Dadhwal, V.K., and Parihar, J.S., 1988. Comparison of IRS LISS-I and LISS-II digital data with Landsat TM and MSS for Landcover classification in Orissa. Scientific note on sensing Applications using IRS-1A, SAC, Ahmedabad, 77

- Dakshnamurti, C., Krishnamurthy, B., Summaranwar, A.S., Shanta, P., and Pisharoty, P.R., 1971. Proc. VIth Int.Symp. Remote Sensing, AnnArbor, 25.
- * Dave, M.S.S., 1992. Report on Kuchchh Na Kalpuvriksha Ganddo Baval, Gujarat.
- Deekshatulu, B.L., and Bajpai, O.P., 1982. Physics of remote sensing. Curr.sci., 52 : 1132.
- Dwivedi, K., 1994. Our shrinking forest cover. The Hindustan Times, May 22, 12.
- Fao, 1976. A framework for land evaluation soils Bull No. 32, FAO Rome.
- Fischer, W.A., Hemphill, W.R., and Kover, A., 1976. Progress in Remote sensing (1972-1976), Photogrammetric Engineering and Remote Sensing, 32 : 33-72.
- Forest Survey of India, (FSI) 1991. The state of Forest report. Ministry of Environment and Forests publication, Dehra Dun, India.
- Forest Department report (Gujarat State), 1992. Gujarat leaps forward in Social forestry. Indian Express, Baroda Edition, August 19 : 5.
- *Fuel wood committee report., 1989. Improvement of fuelwood production and consumption strategies. In IIRS, Lecture notes, Dehradun, India, 17-19.
- Gains, T.P., and Mitchell, G.A., 1979. Chemical methods for soil and plant analysis. University of Georgia, Agronomy Dept. Coastal plain experiment station, Agronomy Handbook, 1 : 13.
- Gaunhua, Xu., 1990. The comprehensive inventory and monitoring of forest and other renewable resources by means of remote sensing data in the three North shelter forest region. Proc. Space and forest management, XXXXst, IAF congress, Dresde. Germany, 11-22.
- George Joesph and Naval gund, R.R., 1991. Remote sensing - its physical basis and evolution in India. Nat.Sci.Aca. Diamond Jubilee commenmentation. Volume, Malhotra Publishing House, New Delhi, India.

- Gill, H.S., Abrol, I.P. and Gupta, R.K., 1990. Afforestation of salt-affected soils. Technology for wasteland development, (Ed) by Abrol, I.P. and Dhruva Narayana, V.V., Published by ICAR, New Delhi, India, 356-389.
- Gore, R. Sandhya, and Bhagwat, K.A., 1991. Saline delineation of Indian Agricultural lands : A case study in Khambhat taluka, Gujarat state, India, Geocarto International, 6 : 5-13.
- Gore, R. Sandhya., 1992. Satellite Remote Sensing technique in the assessment of salinity in Gujarat and its impact on vegetation. Ph. D thesis, Dept. of Botany, M.S. University, Baroda, India.
- Gritzner, J.H., 1986. Evaluating firewood and grazing resources in Kgatleng Dist. Bostwana, using remote sensing and GIS. Proc. on remote sensing of Environment, Nairobi, Kenya, 2 : 677-688.
- Gujarat wood balance study, 1984. Forest Dept., Gujarat state, Vadodara, 1-97.
- Gulati, A.K., 1990. Community forestry or social forestry for rural development - A critical review, Indian Forester, 116 : 687-693.
- Gupta, M.P., 1988. Protection of forest from Biotic influences. ISTS, Nataraj publishers, Dehradun, 379-387.
- *Heath, R., 1974. ERTS data tested for forestry applications. Photogrametric Engineering and Remote sensing, 40 : 1087-1092.
- * Heller, R.C., and Wear J.F., 1952. Sampling forest insect epidemics with color film. Proc. on Remote sensing of Environment, Michigan, 1157-1167.
- Hendrix, X.G., and Price, J.E., 1988. Application of GIS for assessment of Site Index and Forest Management Constraints. Proc. GIS, Atlanta, Georgia, USA, 1 : 263-272.
- Hunt, J., 1980. Determinations of total sulphur in small amounts of plant material. Analyst, 10 : 83-85.
- Jackson, M.L., 1967., Soil Chemical analysis, Prentice Hall of India Pvt.Ltd., New Delhi, 498.

- Jadhav, R.N., Srivastav, V.K., Kandya, A.K., Sarat Babu, G.V., Kimothi, M.M., Dwivedi, K., Shetty, K.R.V., and Murthy, K., 1986. Forest type, Density and Teak plantation mapping at 1 : 50,000 scale through visual analysis of Landsat MSS data. Scientific note IRS - UP/SAC/FMDD/SN/05/86, Ahmedabad, India.
- Jadhav, R.N., Kandya, A.K., Sarat Babu, G.V., Kimothi, M.M., Dwivedi, K., and Thesia, J.K., 1987. Monitoring of afforestation and deforestation using multitemporal satellite data. Scientific note IRS-UP/SAC/FMDD/SN/11/87, Ahmedabad, India.
- Jadhav, R.N., Kandya, A.K., Kimothi, M.M., Dwivedi, K., Thesia, J.K., 1989. Mapping of potential afforestation sites through visual analysis of IRS 1A, LISS-II data. J. Tropical forestry, 5: 66-71.
- Jadhav, R.N., Thakker, P.S., Kimothi, M.M., Vanikar, V.V., and Aggarwal, J.P., 1992. A GIS based approach for forest working plan revision - A case study in Santrampur taluka Panchamahals Dist., Gujarat. Technical report, SAC/RSA/NRISDLP/TR/11/92, Ahmedabad, India.
- Jambusaria, B.B., 1988. Wasteland mapping in Gujarat using Landsat TM data. Proc. on Remote Sensing activities in Gujarat, Vadodara, 17-25.
- Jere. A., and Sridhar, K.T., 1993. Application case studies using ISROGIS. Training notes on GIS for resources management and development planning, SAC, Ahmedabad, India, S2-1.
- Juracek, E.K., 1988. A GIS based Crop-specific model for physical suitability assessment. Proc. GIS/LIS, San Antonio, 1 : 833-839.
- Kachhwaha, T.S., 1990. Supervised classification approach for assessment of forest resources in part of U.P. plains, India using Landsat-3 data. J.Ind.Remote Sensing, 18 : 9-14.

- Kachhwaha, T.S., 1992. Detailed Forest/vegetation mapping and corridor identification for planning and management of Rajaji National Park, U.P., India, using large scale landsat TM data and IRS LISS-II images. Proc. on remote sensing application and GIS. Tata McGraw Hill publishing and Co., Hyderabad, India, 172-179.
- Kalubarme, M.H., Sahai, B., Bapat, M.V., 1983. Remote Sensing of waterlogged and salt affected soils in the Mahi command area. Proc. on Remote Sensing in development and management of water resources, 182-190.
- * Kauth, R.J., and Thomas, G.S., 1976. The tasseled cap, a graphic description of the spectral-temporal development of agricultural crops as seen by Landsat. Proc. on Machine Processing of remotely sensed data, Purdue University, West Lafayette, 4B41-4B51.
- Kuhad, M.S, and Karwasra. S.P., 1987. Land evaluation studies in semi-arid central alluvial plains area in Dist. Rothak, Hariyana. J.Ind.Remote Sensing, 15 : 67-76.
- Madhavan Unni, N.V., 1977. Satellite remote sensing Survey of Natural resources of Nagaland. NRSA Report, Hyderabad.
- Madhavan Unni, N.V., and Murthy Naidu, K.S., 1987. Monitoring changes in forest vegetation in Western ghats through satellite remote sensing. Seminar on deforestation in Western ghats, Kodaikanal.
- Martin, C., 1985. Using a GIS for forest land mapping and management. Photogrammetric Engineering and Remote Sensing, 51 : 1753-1759.
- Mehta, N.S., Ghosh, R., Mehta, R.L., Singh, T.P., Shah, P.N., and Jambusaria, B.B., 1988. Evaluation of IRS LISS-II data in mapping of wastelands. Scientific note on Remote Sensing applications using IRS 1A data, SAC, 1-16.
- *Montgomery, W.L., and Baumgardner, M.S., 1974. Tech.Publ. 112674 Purdue, University, W. Lafayette.

- Mothikumar, K.E., 1992. Saline soil detection in Matar taluka of Guajrat by Satellite Remote Sensing and its correlation with vegetational status. Ph.D.thesis, M.S. University, Baroda, India.
- Muthuraman, P., 1994. Social Forestry Programme: Extension approach. Employment News, 18: 1-40.
- Natarajan, R., 1992. Landuse mapping using remote sensing data. In Natural resources management - a new perspective, (Ed.)by Karale, R.L., Dept. of Space, Bangalore.
- National Dairy Research Institute report, 1985. Tropical forestry and biological diversity in India. Selected readings in Gujarat forest ranges college, Rajpipla, 1-23.
- Nichol, J.E., and Collins, W.G., 1988. Monitor of Agroforestry production system in the Sudano-Sahelian zone of West Africa. Proc.IGARSS, Edinburgh, Scotland 3 : 1809-1811.
- Oza, M.P., and Sharma, S.A., 1990. A comparative study of supervised classifiers on a subscene in district Junagarh Gujarat. J.Ind. Remote Sensing, 18 : 18-24.
- Pant, D.N., 1993. Social forestry : Application of Remote Sensing. Indian Forester, 19 : 544-548.
- Pathak, S.R., and Patel, N.K., 1980. Study of some physio-chemical characteristics of salt affected soils of Kaira district. Gujarat state, J.Ind. Soc.soil Sci., 28 : 31-37.
- Pathan, S.K., Jothimani, P., Sitarama Rao, K.V., Harshad, D.P., and Varmaji, V.A., 1988. Evaluation of IRS 1A LISS-II, Landsat TM and SPOT data for urban landuse mapping-A case study of Ahmedabad city and its Environs. J.Ind. Remote Sensing, 19 : 95-112.
- Pogerzelski, R.J., 1976. Introduction to the physics of Remote sensing. Remote sensing of Environment (Eds.) Lintx. J.J., and Simonett, D.S., Addison-Wesley Publishing Co., 14-33.
- Porwal, M.C., and Pant, D.N., 1989. Forest cover type and landuse mapping using Landsat TM False Colour Composite. A case study of Chakrata in Western Himalayas U.P., J. Ind. Remote Sensing, 17 : 33-40.

- Postel, S., and Heise, L., 1988. Reforesting the earth. In state of world 1988- Report by the world resource institute and the international institute for environment and development in collaboration with United National Environment programme. Newyork : Basic Bood. Inc. 83-210.
- *Prabhu, N.V., Talashilkar, S.C., and Chavan, A.S., 1987. Interrelationship between Dispersion Ratio and water Transmission characteristics of salt affected soils of Maharashtra. J.Ind.Soc.Sol.Sci., 35 : 497.
- *Prashad, R., and Singh, P., 1984. Some socio-economic constraints in the adoption of alkali soil reclamation technology by the farmers. Ann. Aridzone, 16 : 351-357.
- Rao, D.P., Gautam, N.C., Karale, R.L., and Sahai, B., 1991. IRS-1A Application for landuse/landcover mapping in India, Curr.Sci., 61 : 153-161.
- Rao, D.P., 1993. GIS application under IMSD project and other themes. Training notes on GIS for resources management and development planning, SAC, Ahmedabad, M4 L12,3.
- Rao, U.R., (1990). Space technology and forest management with specific relevance to developing nations. Proc. xxxxi, IAF Congress, Dresden, Germany, 1-10.
- Rao, U.R., 1992. Remote Sensing for Sustainable development. J.Ind.Remote Sensing, 19 : 217-235.
- Reisinger, T.W., and Davis, C.J., 1987. Integrating geographic Information and decision support system. A forest Industry Application. Proc. GIS '87. San Francisco, Oct. 26-30, 578-584.
- Richards, L.A., 1968. Diagnosis and Improvement of saline and alkaline soils. USDA, Handbook, 66 : 98-99.
- Richason, B., College, C., and Wisconsin, W., 1983. Introduction to Remote Sensing of the Environment, Kendall/Hunt publishing company, Iowa, USA.

- Roy, P.S., and Das, K.K., 1991. Forest cover and landuse mapping in Karbi analog and North Cachher Hills Dist. of Assam using Landsat MSS data. J. Ind. Remote sensing, 19: 95-112.
- Roy, P.S., Singh, I.J., Porwal, M.C., Sarnam Singh, Pant, D.N., Das, K.K., and Ravan, A.S., 1992. Proc. on relevance of Satellite Remote Sensing for forest resources management, Dehra Dun, India, 79-88.
- Sabins, F.F., 1978. Remote Sensing principles and interpretation, W.H.Freeman and Co., San Francisco, USA.
- Sahai, B., Parihar, J.S., Nayak, S.R., Singh, T.P., Muley, M.V., Tiwari, C.B., Tamilarasan, V., Shende, D.M., Samuel, T.V., Thomas, C.V., Gopinathan, G., Vijayan, G., Rajamohan, K., Nair, G.D., 1985. Landuse survey of Idukki district. Int.J.Remote Sensing. 6 : 507-515.
- *Sahai, B., Sood, R.K., Dadhwal, V.K., and Chakraborty, M., 1987. Water resources and agricultural land use investigations in North Eastern Gujarat (India). Spot-1 image utilisation assessment, Results, Pub : Cepadues - Editions, Toulouse, 107-112.
- Saxena, R.K., Verma, K.S., and Barthwal, A.K., 1991. Assessment and degradation hazards, U.P., using Landsat data. J.Ind.Remote Sensing, 19 : 83-94.
- Sen, N.D., Prakash, B.S.V., and Thomas, P.T., 1988, Wasteland management with special reference in introduction of Atriplex spp Int. Book distributors, Dehra Dun, India, 1 : 221-239.
- Shiva, C.R.P., Reddy, R.S., Srinivasa, T.R. and Prabhakara, 1988. Mapping of wastelands of Kolar district using False Colour Composites of TM. J.Ind. Remote Sensing, 16 : 37-42.
- Singh, I., 1988. Evaluation of Landsat TM data for forest cover type and Land use classification in subtropical forest of Kumaon Himalaya (UP). Ibid, 16 : 43-52.
- Singh, I., and Roy, P.S., 1990. Growing stock estimation through stratified sampling on Satellite Remote Sensing data. Ibid., 18 : 29-42.

- * Singh, R.K., and Rajak, S.N., 1992. Mapping of Afforestation sites in a fuel wood deficit area of M.P. Reading in Remote Sensing Applications, Sci.Pub., Jodhpur, 321-327.
- Smith, J.R., 1988. Landsat TM study of afforestation in Northern Scotland and its impact on breeding Bird population. Proc. IGARSS, Edinburgh, Scotland. 3 : 1369-1370.
- Srivastava, V.K., 1992. Geographic Information System and Remote Sensing in resource management. Reading in Remote Sensing applications, (Eds) Chouhan, T.S., and Joshi, K.N., Scientific publishers, Jodhpur, India, 57-61.
- Srivastava, V.K., Oza, M.P., and Devaiah, P.K., 1993. Estimation of production potential in Teak plantations using Remote Sensing data. Scientific note SAC/RSA/RSGA/LRD/SN/0492.
- *Stars, J., and Estes, J., 1990. Geographical and Information System: An introduction, New Jersey: Prentice Hall.
- *Storie, R.E., 1964. Handbook of soil evaluation. Berkeley, CA: Associated students store.
- Sudhakar, S., Krishnan, N., Das, P., and Raha, A.K., 1992. Forest cover mapping of Mindhapore forest division using IRS 1A LISS-II. In Natural resource management - a new perspective, (Ed: R.L.Karale) NNRMS, Dept. of Space, Bangalore, India.314-319.
- * Sweeney, L., 1986. The Greening of Kenya, Christian Science Monitor, Oct. 7.
- Tiwari, A.K., Kudrat, M., and Bhan, S.K., 1990. Vegetation cover classification in Sariska National Park and surroundings. J.Ind.Remote Sensing, 18 : 43-51.
- Tewari, D.N., 1991. Social Forestry in India. Indian Forester, 117 : 293-303.
- Venkatratnam, L., 1984. Mapping of Land/Soil-degradation using Multispectral data. Proc.on VIIIth Canadian symposium on remote sensing, 421-429.

- Venkatratnam, L., and Ravi shankar, G., 1992. Digital analysis of Landsat-TM data for assessing the degraded lands. Proc. on Remote Sensing Applications and GIS, Tata McGraw Hill Publishing Co., Hyderabad, India, 187-190.
- Whitley, L.D., Xiand, W. and Jeffrey, J.Y., 1993. Use of a GIS "Melting Pot" to assess land suitability. J.GIS World, 48-51.
- *Winterbottom, and Hazelwood., 1986. Agro-Forestry and Sustainable development report on Agricultural development in the Sahel, U.S. Government printing office.
- *Wooding, M.G., 1986. The use of Landsat data for woodlot inventories. National Remote sensing report to the DOE, Dundee, U.K.
- XingHong, L., and Hua, Z., 1992. The evaluation of land use in a selected area in South of Gullin by using GIS. Proc. on Remote Sensing Applications and GIS. Tata McGrawHill publishers, Hyderabad, India, 349-353.

* Original not referred.